R3850-1 [illegible]

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

PED LENGTH OF STAY

BY DIAGNOSIS BY OPERATION

UNITED STATES

Pediatric

1981

Pediatric Length of Stay by Diagnosis and Operation, United States, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients in Diagnosis Groups 16
  Summary of All Patients Except Newborn 17
  Diagnosis Groups 1-398 18
  Summary of All Patients in Operation Groups. 218
  Operation Groups 501-764 219
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis and Operation Groups** . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1981

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	266	23	8.6	5,064	453	8.9
25-49	1,024	137	13.4	37,104	5,320	14.3
50-99	1,428	302	21.1	102,847	22,330	21.7
100-199	1,320	371	28.1	186,598	53,217	28.5
200-299	702	260	37.0	170,295	63,815	37.5
300-399	404	150	37.1	137,385	51,389	37.4
400-499	266	96	36.1	117,812	42,796	36.3
500 or more	316	82	25.9	218,042	54,935	25.2
Total	5,726	1,421	24.8	975,147	294,255	30.2
Region and Census Division						
Northeast	834	300	36.0	211,237	75,760	35.9
New England	244	66	27.0	49,134	14,900	30.3
Middle Atlantic	590	234	39.7	162,103	60,860	37.5
North Central	1,685	501	29.7	288,845	105,014	36.4
East North Central	892	383	42.9	191,524	82,064	42.8
West North Central	793	118	14.9	97,321	22,950	23.6
South	2,138	339	15.9	329,860	69,651	21.1
South Atlantic	806	236	29.3	155,152	47,941	30.9
East South Central	495	34	6.9	70,808	8,635	12.2
West South Central	837	69	8.2	103,900	13,075	12.6
West	1,069	281	26.3	145,205	43,830	30.2
Mountain	366	96	26.2	40,745	15,473	38.0
Pacific	703	185	26.3	104,460	28,357	27.1
Total	5,726	1,421	24.8	975,147	294,255	30.2

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parenthesis by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses and procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 12 year old patient is admitted to a hospital. The admitting diagnosis is viral pneumonia and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,*** and ***Volume 3, Procedures, Tabular List and Alphabetic Index,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Pneumonia is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 179.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pleural effusion, excluding tuberculosis	3		186
Criteria for admission			
1. For management of underlying cause (e.g., radiation or chemotherapy for lymphoma)			
2. Scheduled for operation other than thoracentesis			
3.			
4.			
Pleurisy, without mention of effusion or tbc *	4		186
Pneumonia			
acute interstitial	3		17
broncho-, organism not specified	3		179
chronic, interstitial	3		186
lobar	3		179
organism or type not specified	3		179
pneumococcal	3		179
viral	3		179
Criteria for admission (for above 7)			
1. Respiratory distress (cyanosis, dyspnea at rest, tachypnea > 40 resp/min, $PO_2 < 50$)			
2. Complicating respiratory disease e.g., emphysema, COPD, asthma			
3. Serious complicating illness, e.g., diabetes mellitus, leukemia, steroid therapy, neoplasms, renal disease			
4.			
5.			

b. The Alphabetic Index at the back of the length of stay book shows that pneumonia is included in diagnosis group 179.



DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	**Pneumonia, except influenzal**
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

c. Pneumonia can be found in Volume 2 of *ICD-9-CM* on page 586.



Pleurodynia INDEX TO DISEASES

- **Pleurodynia** — *continued*
  - epidemic 074.1
  - viral 074.1
- **Pleurohepatitis** 573.8
- **Pleuropericarditis** *(see also* Pericarditis) 423.9
  - acute 420.90
- **Pleuropneumonia** (acute) (bilateral) (double) (septic) *(see also* Pneumonia) 486
  - chronic *(see also* Fibrosis, lung) 515
- **Pleurorrhea** *(see also* Hydrothorax) 511.8
- **Plexitis, brachial** 353.0
- **Plica**
  - polonica 132.0
  - tonsil 474.8
- **Plicae dysphonia ventricularis** 784.49
- **Plicated tongue** 529.5
  - congenital 750.13
- **Plug**
  - bronchus NEC 519.1
  - meconium (newborn) NEC 777.1
  - mucus — *see* Mucus, plug
- **Plumbism** 984.9
  - specified type of lead — *see* Table of drugs and chemicals
- **Plummer's disease** (toxic nodular goiter) 242.3
- **Plummer-Vinson syndrome** (sideropenic dysphagia) 280.8
- **Pluricarential syndrome of infancy** 260
- **Plurideficiency syndrome of infancy** 260
- **Plus** (and minus) hand (intrinsic) 736.09
- **Pneumathemia** — *see* Air, embolism, by type
- **Pneumatic drill or hammer disease** 994.9
- **Pneumatocele** (lung) 518.8
  - intracranial 348.8
  - tension 492.0
- **Pneumatosis**
  - cystoides intestinalis 569.89
  - peritonei 568.89
  - pulmonum 492.8
- **Pneumaturia** 599.8
- **Pneumoblastoma** (M8981/3) — *see* Neoplasm, lung, malignant
- **Pneumocephalus** 348.8
- **Pneumococcemia** 038.2
  - with pneumonia 481
- **Pneumococcus, pneumococcal** — *see* condition
- **Pneumoconiosis** (due to) (inhalation of) 505
  - aluminum 503
  - asbestos 501
  - bagasse 495.1
  - bauxite 503
  - beryllium 503
  - carbon electrode makers' 503
  - coal
    - miners' (simple) 500
    - workers' (simple) 500
  - cotton dust 504
- **Pneumoconiosis** (due to) (inhalation of) — *continued*
  - diatomite fibrosis 502
  - dust NEC 504
    - inorganic 503
    - lime 502
    - marble 502
    - organic NEC 504
  - fumes or vapors (from silo) 506.9
  - graphite 503
  - hard metal 503
  - mica 502
  - moldy hay 495.0
  - rheumatoid 714.81
  - silica NEC 502
    - and carbon 500
  - silicate NEC 502
  - talc 502
- **Pneumocystis carinii pneumonia** 136.3
- **Pneumocystosis** 136.3
  - with pneumonia 136.3
- **Pneumoenteritis** 025
- **Pneumohemopericardium** *(see also* Pericarditis) 423.9
- **Pneumohemothorax** *(see also* Hemothorax) 511.8
  - traumatic 860.4
    - with open wound into thorax 860.5
- **Pneumohydropericardium** *(see also* Pericarditis) 423.9
- **Pneumohydrothorax** *(see also* Hydrothorax) 511.8
- **Pneumomediastinum** 518.1
  - congenital 770.2
  - fetus or newborn 770.2
- **Pneumomycosis** 117.9
- **Pneumonia** **(acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (intrauterine) (latent) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486**
  - with influenza, flu, or grippe 487.0
  - adenoviral 480.0
  - adynamic 514
  - alba 090.0
  - allergic 518.3
  - alveolar — *see* Pneumonia, lobar
  - anthrax 022.1 *[484.5]*
  - apex, apical — *see* Pneumonia, lobar
  - ascaris 127.0
  - aspiration 507.0

586

Step 2. Find the table for group 179 in the length of stay book.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	330	7.2	17	2	3	6	9	13	16	21
1-11 MOS	7894	6.0	17	2	2	5	7	11	13	21
1-5 YRS	13395	5.1	12	2	2	4	6	9	11	17
6-12 YRS	3717	5.4	13	2	2	5	7	10	12	19
13-19 YRS	2110	6.4	20	2	3	5	8	11	14	26
B. *Operated*										
0-27 DYS	13	11.6	59	4	6	9	12	22	32	34
1-11 MOS	169	13.7	157	3	4	10	17	28	46	95
1-5 YRS	251	12.2	112	3	3	9	15	24	32	64
6-12 YRS	124	12.1	54	3	4	11	17	22	26	34
13-19 YRS	139	15.7	147	3	4	12	20	34	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32232	4.7	8	2	2	4	6	8	10	14
B. *Operated*	221	8.1	47	2	2	6	10	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	27446	5.5	15	2	2	5	7	10	12	19
B. *Operated*	696	13.2	120	3	4	10	17	25	36	69
1. SINGLE DX	32453	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX	28142	5.7	19	2	2	5	7	10	13	22
A. NOT OPERATED	59678	5.1	11	2	2	4	6	9	11	17
B. OPERATED	917	12.0	107	2	3	9	16	23	32	63
TOTAL 0-27 DYS	822	6.5	14	2	3	6	8	11	13	20
1-11 MOS	17013	5.6	15	2	2	5	7	10	12	19
1-5 YRS	28596	4.8	11	2	2	4	6	8	10	16
6-12 YRS	9125	5.1	12	2	2	4	6	9	11	18
13-19 YRS	5039	6.0	20	2	3	5	7	10	13	25
GRAND TOTAL	**60595**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**18**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. Operated										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 4. Since no surgery is scheduled, use the first five lines of the table (Section 1.A).



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. Operated										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 5. The patient is 12 years old and therefore falls in the age group 6-12.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. Operated										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the fourth day after admission to be the day that this patient comes up for extended stay review.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

The patient was admitted on 3 November; therefore, the fourth day will fall on 7 November. Prior to or on 7 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
					5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
A. *Not Operated*											
	0-27 DYS	594528	3.2	2	1	2	3	4	5	6	8
	1-11 MOS	47943	4.1	10	1	1	3	5	7	10	16
	1-5 YRS	97339	3.4	10	1	1	3	4	6	8	17
	6-12 YRS	65195	3.6	24	1	1	3	4	7	9	25
	13-19 YRS	173384	4.0	35	<1	1	3	4	7	10	33
B. *Operated*											
	0-27 DYS	1346	5.3	41	1	1	4	6	9	15	39
	1-11 MOS	12070	3.3	18	<1	<1	2	4	7	10	21
	1-5 YRS	68433	2.3	10	<1	<1	2	2	4	7	16
	6-12 YRS	93067	2.8	12	<1	1	2	3	5	8	18
	13-19 YRS	227659	3.3	10	1	1	3	4	6	8	15
2. MULTIPLE DX											
A. *Not Operated*											
	0-27 DYS	270103	4.9	24	2	2	4	5	7	11	27
	1-11 MOS	56698	5.0	18	1	2	4	6	9	12	21
	1-5 YRS	100958	4.1	15	1	1	3	5	7	10	19
	6-12 YRS	51049	4.2	29	1	1	3	5	8	11	28
	13-19 YRS	111803	5.5	65	1	1	3	6	10	17	46
B. *Operated*											
	0-27 DYS	9557	17.4	374	2	3	10	24	50	71	99+
	1-11 MOS	8116	7.0	96	<1	1	3	8	17	26	59
	1-5 YRS	48173	3.2	29	<1	<1	2	2	7	11	29
	6-12 YRS	46067	4.0	39	<1	1	2	4	8	13	33
	13-19 YRS	123269	5.5	53	1	1	4	6	10	16	43
SUBTOTALS:											
1. SINGLE DX											
A. *Not Operated*		978389	3.4	11	1	1	3	4	5	7	14
B. *Operated*		402575	3.0	11	<1	1	2	3	6	8	16
2. MULTIPLE DX											
A. *Not Operated*		590611	4.8	30	1	2	4	5	8	12	30
B. *Operated*		235182	5.3	67	<1	1	3	5	11	18	49
1. SINGLE DX		1380964	3.3	11	1	1	3	4	5	7	15
2. MULTIPLE DX		825793	5.0	41	1	1	3	5	9	13	36
A. NOT OPERATED		1569000	3.9	19	1	1	3	4	6	9	21
B. OPERATED		637757	3.8	33	<1	1	2	4	7	11	30
TOTAL	0-27 DYS	875534	3.9	16	1	2	3	4	6	7	19
	1-11 MOS	124827	4.6	21	1	1	4	6	9	12	22
	1-5 YRS	314903	3.4	15	<1	1	2	4	6	9	19
	6-12 YRS	255378	3.5	24	<1	1	2	4	7	9	25
	13-19 YRS	636115	4.3	36	1	1	3	5	8	11	33
GRAND TOTAL		**2206757**	**3.9**	**23**	**1**	**1**	**3**	**4**	**7**	**9**	**24**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11094	3.8	14	1	1	3	4	7	10	20
1-11 MOS	47943	4.1	10	1	1	3	5	7	10	16
1-5 YRS	97339	3.4	10	1	1	3	4	6	8	17
6-12 YRS	65195	3.6	24	1	1	3	4	7	9	25
13-19 YRS	173384	4.0	35	<1	1	3	4	7	10	33
B. *Operated*										
0-27 DYS	1052	5.2	39	1	1	4	6	9	15	39
1-11 MOS	12070	3.3	18	<1	<1	2	4	7	10	21
1-5 YRS	68433	2.3	10	<1	<1	2	2	4	7	16
6-12 YRS	93067	2.8	12	<1	1	2	3	5	8	18
13-19 YRS	227659	3.3	10	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6963	6.4	50	1	2	4	7	13	20	38
1-11 MOS	56698	5.0	18	1	2	4	6	9	12	21
1-5 YRS	100958	4.1	15	1	1	3	5	7	10	19
6-12 YRS	51049	4.2	29	1	1	3	5	8	11	28
13-19 YRS	111803	5.5	65	1	1	3	6	10	17	46
B. *Operated*										
0-27 DYS	950	11.5	217	1	2	7	13	29	52	99+
1-11 MOS	8116	7.0	96	<1	1	3	8	17	26	59
1-5 YRS	48173	3.2	29	<1	<1	2	2	7	11	29
6-12 YRS	46067	4.0	39	<1	1	2	4	8	13	33
13-19 YRS	123269	5.5	53	1	1	4	6	10	16	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394955	3.8	23	1	1	3	4	7	9	25
B. *Operated*	402281	3.0	11	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	327471	4.8	36	1	1	3	5	9	13	32
B. *Operated*	226575	4.8	49	<1	1	3	5	9	15	39
1. SINGLE DX	797236	3.4	17	<1	1	2	4	6	8	20
2. MULTIPLE DX	554046	4.8	41	1	1	3	5	9	14	35
A. NOT OPERATED	722426	4.3	29	1	1	3	5	8	11	29
B. OPERATED	628856	3.6	25	<1	1	2	4	7	10	26
TOTAL 0-27 DYS	20059	5.1	41	1	1	3	6	10	15	35
1-11 MOS	124827	4.6	21	1	1	4	6	9	12	22
1-5 YRS	314903	3.4	15	<1	1	2	4	6	9	19
6-12 YRS	255378	3.5	24	<1	1	2	4	7	9	25
13-19 YRS	636115	4.3	36	1	1	3	5	8	11	33
GRAND TOTAL	**1351282**	**4.0**	**28**	**1**	**1**	**3**	**4**	**7**	**11**	**27**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	215	4.3	7	1	2	4	5	7	9	14
1-11 MOS	2170	4.1	7	1	2	3	5	7	9	14
1-5 YRS	2778	3.4	5	1	1	3	4	6	7	12
6-12 YRS	1849	2.9	4	1	1	2	4	5	7	10
13-19 YRS	1813	3.0	5	1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	22	7.3	19	1	2	7	9	12	16	21
1-5 YRS	31	5.9	27	1	1	4	8	11	15	27
6-12 YRS	30	5.5	28	2	2	4	6	8	8	32
13-19 YRS	74	5.3	11	2	2	5	7	9	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	155	6.0	28	1	2	4	7	11	17	23
1-11 MOS	2838	4.7	10	2	2	4	6	8	10	17
1-5 YRS	3463	3.8	7	1	2	3	5	6	9	14
6-12 YRS	1309	3.3	5	1	1	3	4	6	7	11
13-19 YRS	1220	3.5	5	1	1	3	4	6	8	12
B. *Operated*										
0-27 DYS	5	3.6	1	2	2	4	4	5	5	5
1-11 MOS	57	9.9	86	2	3	7	10	21	26	49
1-5 YRS	38	8.8	43	2	2	7	11	19	25	28
6-12 YRS	22	5.0	5	2	3	5	6	8	10	10
13-19 YRS	53	6.7	18	1	2	6	9	13	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8825	3.4	6	1	1	3	4	6	8	12
B. *Operated*	159	5.7	18	2	2	5	7	9	11	27
2. MULTIPLE DX										
A. *Not Operated*	8985	4.0	8	1	2	3	5	7	9	15
B. *Operated*	175	7.9	46	2	3	6	9	16	21	36
1. SINGLE DX	8984	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	9160	4.1	9	1	2	3	5	7	9	16
A. NOT OPERATED	17810	3.7	7	1	1	3	5	7	8	14
B. OPERATED	334	6.8	34	2	2	5	8	12	20	29
TOTAL 0-27 DYS	377	5.0	17	1	2	4	6	9	12	19
1-11 MOS	5087	4.5	10	1	2	4	5	8	10	17
1-5 YRS	6310	3.7	6	1	1	3	4	6	8	13
6-12 YRS	3210	3.1	5	1	1	3	4	6	7	11
13-19 YRS	3160	3.3	6	1	1	3	4	6	8	13
GRAND TOTAL	**18144**	**3.8**	**8**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	10	17.2	480	3	3	9	12	58	64	64
1-5 YRS	36	7.2	51	2	3	4	9	18	24	33
6-12 YRS	7	6.6	24	1	2	5	8	15	16	16
13-19 YRS	26	10.1	73	1	3	9	13	18	27	41
B. *Operated*										
0-27 DYS										
1-11 MOS	3	13.7	86	3	3	18	19	20	20	20
1-5 YRS	6	7.5	35	2	2	6	13	16	16	16
6-12 YRS										
13-19 YRS	11	8.0	21	<1	1	10	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	12.7	52	8	8	9	18	21	21	21
1-5 YRS	10	7.1	17	2	2	7	9	13	14	14
6-12 YRS	6	4.3	5	2	2	4	7	7	7	7
13-19 YRS	20	10.9	52	2	3	9	14	22	27	28
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	3	3.7	1	3	3	3	5	5	5	5
6-12 YRS	3	18.3	44	14	14	15	23	26	26	26
13-19 YRS	8	9.0	9	4	5	9	10	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	9.3	113	2	3	5	11	18	29	60
B. *Operated*	20	8.7	34	<1	1	9	13	17	19	20
2. MULTIPLE DX										
A. *Not Operated*	39	9.0	41	2	3	8	13	17	24	28
B. *Operated*	15	9.9	35	3	3	9	13	15	23	26
1. SINGLE DX	100	9.2	97	1	3	6	11	18	24	58
2. MULTIPLE DX	54	9.3	39	2	3	8	13	16	25	28
A. NOT OPERATED	119	9.2	89	2	3	7	12	18	26	56
B. OPERATED	35	9.2	34	1	2	9	13	16	19	26
TOTAL 0-27 DYS	2	8.5	5	7	7	8	10	10	10	10
1-11 MOS	16	15.7	310	3	3	9	19	49	60	64
1-5 YRS	55	7.0	40	2	3	4	9	16	22	33
6-12 YRS	16	7.9	45	1	2	6	11	16	23	26
13-19 YRS	65	9.8	49	1	3	9	13	16	25	39
GRAND TOTAL	**154**	**9.2**	**76**	**2**	**3**	**7**	**12**	**18**	**24**	**52**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	12.0	162	3	3	12	21	21	21	21
6-12 YRS	2	8.5	61	3	3	8	14	14	14	14
13-19 YRS	6	10.3	92	1	1	10	18	21	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0	72	2	2	8	14	14	14	14
1-5 YRS	15	3.1	9	<1	<1	2	4	9	10	11
6-12 YRS	7	7.3	60	1	1	4	13	20	21	21
13-19 YRS	13	10.5	163	1	2	6	15	23	44	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	43.0		43	43	43	43	43	43	43
1-5 YRS	10	17.6	192	3	3	16	32	36	39	39
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	5	9.6	83	2	2	6	16	24	24	24
6-12 YRS										
13-19 YRS	7	12.3	57	5	5	9	19	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	9.5	77	1	1	3	18	21	21	21
B. *Operated*	37	6.8	81	<1	1	3	9	15	20	49
2. MULTIPLE DX										
A. *Not Operated*	12	18.3	240	<1	2	16	33	40	43	43
B. *Operated*	13	10.7	61	2	3	6	18	23	24	24
1. SINGLE DX	48	7.4	79	<1	1	3	12	18	21	49
2. MULTIPLE DX	25	14.4	156	1	3	9	22	34	40	43
A. NOT OPERATED	23	14.1	176	<1	1	11	21	35	40	43
B. OPERATED	50	7.8	77	<1	1	5	11	19	23	49
TOTAL 0-27 DYS										
1-11 MOS	5	13.0	308	1	1	5	21	43	43	43
1-5 YRS	32	9.2	117	<1	1	4	12	26	34	39
6-12 YRS	9	7.6	53	1	1	4	14	19	21	21
13-19 YRS	27	10.6	110	1	1	6	17	21	27	49
GRAND TOTAL	**73**	**9.8**	**115**	**<1**	**1**	**5**	**15**	**22**	**34**	**48**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	32	3.4	2	1	2	3	4	5	6	7
1-5 YRS	287	2.8	3	1	1	3	3	5	6	8
6-12 YRS	387	2.7	2	1	1	2	3	4	5	7
13-19 YRS	284	3.0	3	1	1	3	4	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.9		1	1	2	2	2	2	2
6-12 YRS	64	1.8	2	1	1	2	2	2	2	9
13-19 YRS	22	2.1	1	1	1	2	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.5	1	3	3	4	5	6	6	6
1-11 MOS	51	3.7	3	1	2	4	5	5	7	9
1-5 YRS	489	3.3	4	1	1	3	4	6	7	10
6-12 YRS	573	3.2	5	1	1	3	4	5	7	14
13-19 YRS	355	3.7	5	1	2	3	4	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	23	3.8	12	1	1	3	5	8	11	16
6-12 YRS	33	2.9	3	1	1	2	4	6	6	7
13-19 YRS	19	3.7	14	1	1	2	3	10	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	993	2.8	2	1	1	3	4	4	5	7
B. *Operated*	94	1.9	1	1	1	2	2	2	4	9
2. MULTIPLE DX										
A. *Not Operated*	1474	3.4	4	1	1	3	4	5	7	12
B. *Operated*	76	3.5	9	1	1	2	4	7	9	16
1. SINGLE DX	1087	2.8	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1550	3.4	5	1	1	3	4	6	7	13
A. NOT OPERATED	2467	3.2	4	1	1	3	4	5	6	10
B. OPERATED	170	2.6	5	1	1	2	2	5	7	14
TOTAL 0-27 DYS	9	4.1	1	2	2	4	5	6	6	6
1-11 MOS	84	3.7	3	1	2	4	4	5	7	9
1-5 YRS	807	3.1	3	1	1	3	4	5	6	10
6-12 YRS	1057	2.9	4	1	1	3	4	5	6	10
13-19 YRS	680	3.3	4	1	2	3	4	5	7	12
GRAND TOTAL	**2637**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	173	6.7	13	2	3	6	9	11	12	19
1-11 MOS	420	5.4	13	1	2	4	7	11	11	18
1-5 YRS	318	5.2	12	2	2	4	6	9	12	17
6-12 YRS	56	7.1	57	2	2	5	8	14	24	39
13-19 YRS	43	6.6	27	2	3	5	8	13	16	30
B. *Operated*										
0-27 DYS	8	9.1	12	4	5	9	11	14	15	15
1-11 MOS	12	6.1	28	<1	1	5	8	14	19	20
1-5 YRS	6	14.7	146	2	3	10	21	34	36	36
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	143	7.4	19	2	3	7	10	14	15	24
1-11 MOS	447	6.8	19	2	2	6	9	12	14	24
1-5 YRS	431	6.8	30	2	2	5	8	13	16	29
6-12 YRS	95	8.4	48	2	3	7	10	18	21	39
13-19 YRS	116	10.4	77	3	3	7	13	27	31	60
B. *Operated*										
0-27 DYS	19	10.2	33	2	3	10	13	19	22	23
1-11 MOS	45	14.6	136	3	5	11	17	26	44	59
1-5 YRS	31	14.0	135	2	4	10	18	31	42	50
6-12 YRS	15	18.3	126	2	4	19	29	33	34	34
13-19 YRS	23	17.0	223	5	6	10	24	32	47	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1010	5.7	16	2	2	5	7	11	12	18
B. *Operated*	29	9.2	54	1	2	8	11	19	22	36
2. MULTIPLE DX										
A. *Not Operated*	1232	7.3	31	2	2	6	10	14	17	30
B. *Operated*	133	14.7	136	2	5	11	19	30	34	61
1. SINGLE DX	1039	5.8	17	2	2	5	8	11	12	20
2. MULTIPLE DX	1365	8.1	46	2	2	6	10	15	22	34
A. NOT OPERATED	2242	6.6	25	2	2	5	8	12	15	28
B. OPERATED	162	13.7	126	2	4	10	18	29	34	58
TOTAL 0-27 DYS	343	7.2	17	2	3	6	10	12	15	21
1-11 MOS	924	6.6	25	2	2	5	9	12	15	24
1-5 YRS	786	6.5	31	2	2	5	8	12	16	31
6-12 YRS	167	8.9	66	2	3	6	10	19	28	39
13-19 YRS	184	10.3	90	3	3	7	12	26	31	60
GRAND TOTAL	**2404**	**7.1**	**35**	**2**	**2**	**5**	**9**	**13**	**17**	**32**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	10.9	45	3	3	11	15	22	24	24
1-11 MOS	246	7.6	21	2	2	7	11	13	15	23
1-5 YRS	275	8.0	22	1	2	8	11	14	16	22
6-12 YRS	87	6.6	23	1	1	5	10	13	15	22
13-19 YRS	183	6.6	19	2	2	5	9	13	15	18
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	9	10.2	8	4	6	10	12	14	14	14
1-5 YRS	23	8.2	21	1	2	9	12	14	15	15
6-12 YRS	5	7.6	60	1	1	5	12	20	20	20
13-19 YRS	14	10.4	137	<1	1	7	11	25	41	45
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	7.1	12	3	3	6	10	12	13	15
1-11 MOS	191	9.0	30	2	3	8	12	16	18	24
1-5 YRS	212	7.3	21	1	2	6	11	14	16	20
6-12 YRS	92	6.9	31	2	2	5	10	13	19	26
13-19 YRS	130	6.5	17	2	2	5	9	12	14	19
B. *Operated*										
0-27 DYS	2	13.0	8	11	11	13	15	15	15	15
1-11 MOS	18	13.8	32	7	7	13	17	20	26	29
1-5 YRS	18	12.3	75	<1	2	11	15	22	33	39
6-12 YRS	9	8.8	54	2	2	5	17	19	20	20
13-19 YRS	13	10.2	41	2	3	8	15	18	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	7.5	23	1	2	7	11	14	16	22
B. *Operated*	52	9.2	52	1	2	9	12	15	20	45
2. MULTIPLE DX										
A. *Not Operated*	647	7.6	25	2	2	6	11	14	17	22
B. *Operated*	60	11.8	50	2	3	11	16	20	23	38
1. SINGLE DX	873	7.6	25	1	2	7	11	14	16	23
2. MULTIPLE DX	707	7.9	28	2	2	7	11	15	18	23
A. NOT OPERATED	1468	7.5	24	2	2	7	11	14	16	22
B. OPERATED	112	10.6	52	1	2	10	14	18	23	41
TOTAL 0-27 DYS	55	9.6	34	3	3	8	13	17	22	24
1-11 MOS	464	8.5	26	2	3	8	11	15	17	24
1-5 YRS	528	7.9	24	1	2	8	11	14	16	21
6-12 YRS	193	6.8	29	1	2	5	10	14	18	23
13-19 YRS	340	6.9	24	2	2	5	9	13	15	23
GRAND TOTAL	**1580**	**7.8**	**26**	**2**	**2**	**7**	**11**	**14**	**17**	**23**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	125	4.9	6	2	2	4	6	8	10	13
1-11 MOS	457	4.2	6	1	2	4	5	7	9	13
1-5 YRS	364	3.7	5	1	1	3	5	7	8	11
6-12 YRS	706	3.2	4	1	1	3	4	6	7	12
13-19 YRS	759	3.7	5	1	2	3	5	7	9	12
B. *Operated*										
0-27 DYS	6	6.3	7	4	4	5	9	10	10	10
1-11 MOS	10	5.8	10	2	2	5	7	10	13	13
1-5 YRS	6	8.7	57	3	3	5	11	22	23	23
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	6	7.0	57	2	2	4	7	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	45	5.5	9	2	3	5	6	10	12	15
1-11 MOS	248	5.0	10	1	2	4	6	10	11	16
1-5 YRS	141	5.2	12	2	2	4	6	10	13	19
6-12 YRS	191	3.9	7	1	2	3	5	7	9	14
13-19 YRS	199	4.8	19	1	2	4	6	9	11	25
B. *Operated*										
0-27 DYS	3	7.7	41	3	3	5	12	15	15	15
1-11 MOS	12	7.8	18	3	3	7	10	13	17	18
1-5 YRS	3	11.7	6	9	9	12	13	14	14	14
6-12 YRS	1	25.0		25	25	25	25	25	25	25
13-19 YRS	6	12.3	60	5	5	13	23	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2411	3.7	5	1	2	3	5	7	8	12
B. *Operated*	30	6.5	27	2	2	5	7	12	22	23
2. MULTIPLE DX										
A. *Not Operated*	824	4.8	12	1	2	4	6	9	11	16
B. *Operated*	25	10.0	39	3	4	9	14	24	41	99+
1. SINGLE DX	2441	3.7	6	1	2	3	5	7	9	13
2. MULTIPLE DX	849	4.9	13	1	2	4	6	10	12	18
A. NOT OPERATED	3235	4.0	7	1	2	3	5	7	9	13
B. OPERATED	55	8.1	35	2	3	6	11	18	24	95
TOTAL 0-27 DYS	179	5.2	8	2	2	4	6	9	11	15
1-11 MOS	727	4.5	8	1	2	4	6	9	10	13
1-5 YRS	514	4.2	9	1	2	3	5	8	10	14
6-12 YRS	900	3.4	5	1	1	3	4	6	8	13
13-19 YRS	970	4.0	9	1	2	3	5	7	9	15
GRAND TOTAL	**3290**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**10**	**14**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	4.1	12	1	1	3	4	9	13	13
1-11 MOS	462	3.0	3	1	1	3	4	4	5	10
1-5 YRS	703	3.3	5	1	1	3	4	5	7	12
6-12 YRS	178	3.5	5	1	1	3	5	7	8	10
13-19 YRS	240	4.6	22	1	2	4	6	8	10	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	16.8	794	2	2	3	69	99+	99+	99+
1-5 YRS	3	6.3	8	3	3	8	8	8	8	8
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	7.1	102	1	1	3	5	24	33	34
1-11 MOS	428	3.5	4	1	2	3	4	5	7	12
1-5 YRS	1112	3.7	5	1	1	3	5	6	8	12
6-12 YRS	310	3.8	9	1	1	3	5	7	9	15
13-19 YRS	325	5.0	9	1	2	4	6	9	10	17
B. *Operated*										
0-27 DYS	2	28.0	288	16	16	28	40	40	40	40
1-11 MOS	7	13.1	175	3	3	8	16	36	41	41
1-5 YRS	14	13.5	112	4	4	10	21	28	37	40
6-12 YRS	11	12.8	463	2	2	5	10	41	73	76
13-19 YRS	13	8.8	29	2	3	8	10	30	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1594	3.4	7	1	1	3	4	6	7	12
B. *Operated*	9	10.6	335	2	2	4	8	79	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2186	3.9	7	1	2	3	5	7	9	13
B. *Operated*	47	12.6	184	2	3	9	16	36	44	99+
1. SINGLE DX	1603	3.5	9	1	1	3	4	6	7	12
2. MULTIPLE DX	2233	4.1	12	1	2	3	5	7	9	17
A. NOT OPERATED	3780	3.7	7	1	1	3	4	6	8	13
B. OPERATED	56	12.3	203	2	3	8	16	40	69	99+
TOTAL 0-27 DYS	24	7.5	104	1	1	3	6	20	36	40
1-11 MOS	901	3.4	9	1	2	3	4	5	6	13
1-5 YRS	1832	3.6	7	1	1	3	4	6	8	13
6-12 YRS	500	3.9	19	1	1	3	5	7	9	15
13-19 YRS	579	4.9	15	1	2	4	6	9	10	18
GRAND TOTAL	**3836**	**3.8**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	5	6	6	6
1-11 MOS	6	5.8	6	3	3	6	8	9	9	9
1-5 YRS	58	4.6	8	1	2	4	6	8	9	17
6-12 YRS	188	5.9	13	2	2	6	8	11	12	17
13-19 YRS	541	7.0	18	2	3	6	9	12	14	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	17	8.7	44	<1	1	8	15	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	9	5.8	11	1	1	7	8	10	10	10
1-5 YRS	19	6.6	16	1	2	6	10	12	14	15
6-12 YRS	68	5.8	16	2	2	4	7	12	13	21
13-19 YRS	230	7.9	55	2	2	6	9	14	18	47
B. *Operated*										
0-27 DYS										
1-11 MOS	2	25.5	1201	1	1	25	50	50	50	50
1-5 YRS	2	22.5	265	11	11	22	34	34	34	34
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	12	13.3	78	1	3	11	20	25	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	794	6.6	16	2	2	6	8	12	14	20
B. *Operated*	18	8.4	43	<1	1	7	15	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	327	7.4	44	2	2	6	9	13	16	32
B. *Operated*	17	15.3	175	1	2	11	22	34	44	50
1. SINGLE DX	812	6.6	17	2	2	6	9	12	14	20
2. MULTIPLE DX	344	7.8	53	2	2	6	9	13	19	46
A. NOT OPERATED	1121	6.8	25	2	2	6	9	12	14	22
B. OPERATED	35	11.7	116	1	1	9	17	22	33	50
TOTAL 0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	17	8.1	125	1	1	7	8	10	36	50
1-5 YRS	80	5.5	21	1	2	5	7	10	12	29
6-12 YRS	257	5.9	14	2	2	5	7	11	13	17
13-19 YRS	800	7.4	31	2	2	6	9	13	16	26
GRAND TOTAL	**1156**	**7.0**	**28**	**2**	**2**	**6**	**9**	**12**	**15**	**24**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	140	3.8	5	1	2	3	5	6	8	13
6-12 YRS	312	4.1	5	1	2	4	5	7	9	11
13-19 YRS	1973	4.7	7	2	2	4	6	8	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	9	4.0	6	2	2	3	4	8	10	10
13-19 YRS	24	4.8	8	1	2	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	5	2	2	3	6	8	8	8
1-5 YRS	170	4.2	8	1	2	4	5	7	9	16
6-12 YRS	364	4.5	7	1	2	4	6	8	9	14
13-19 YRS	1765	5.1	11	2	2	4	6	9	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	6.7	22	3	3	5	10	12	12	12
6-12 YRS	10	6.7	17	2	2	6	10	13	15	15
13-19 YRS	49	9.0	49	3	3	7	11	15	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2427	4.5	7	2	2	4	6	8	9	13
B. *Operated*	35	4.5	7	1	2	4	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2305	5.0	11	2	2	4	6	8	10	16
B. *Operated*	63	8.4	43	2	3	7	11	14	17	41
1. SINGLE DX	2462	4.5	7	2	2	4	6	8	9	13
2. MULTIPLE DX	2368	5.1	12	2	2	4	6	9	10	17
A. NOT OPERATED	4732	4.8	9	2	2	4	6	8	10	15
B. OPERATED	98	7.0	34	2	2	6	9	12	15	37
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	3.5	5	1	1	3	5	7	8	8
1-5 YRS	315	4.0	6	1	2	4	5	7	8	13
6-12 YRS	695	4.4	6	1	2	4	6	7	9	12
13-19 YRS	3811	4.9	10	2	2	4	6	8	10	15
GRAND TOTAL	**4830**	**4.8**	**9**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	13	2.2	3	<1	<1	2	3	5	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	87	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	218	1.4		<1	<1	1	2	2	2	3
13-19 YRS	973	2.1	2	<1	<1	2	2	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	19	3.7	21	<1	<1	2	4	8	15	20
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	9	2.1	1	<1	<1	2	3	4	4	4
6-12 YRS	22	1.9	1	<1	<1	2	2	3	4	5
13-19 YRS	212	3.2	9	<1	1	2	4	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.4	3	<1	<1	2	3	5	6	7
B. *Operated*	1282	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	21	3.6	19	<1	<1	2	4	8	14	20
B. *Operated*	245	3.0	8	<1	1	2	3	5	7	17
1. SINGLE DX	1298	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	266	3.1	9	<1	1	2	3	5	8	19
A. NOT OPERATED	37	3.1	12	<1	<1	2	3	7	8	20
B. OPERATED	1527	2.1	3	<1	<1	2	2	4	4	9
TOTAL 0-27 DYS										
1-11 MOS	6	1.3		<1	<1	1	2	2	2	2
1-5 YRS	96	1.5	1	<1	<1	1	2	2	4	4
6-12 YRS	245	1.5		<1	<1	1	2	2	3	4
13-19 YRS	1217	2.3	4	<1	<1	2	3	4	5	10
GRAND TOTAL	**1564**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**9**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	436	3.6	3	1	2	3	4	5	6	9
1-11 MOS	1530	3.0	3	1	1	3	4	5	6	8
1-5 YRS	1861	2.9	2	1	1	3	4	5	6	9
6-12 YRS	1187	2.8	4	1	1	2	3	5	7	9
13-19 YRS	986	3.3	4	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS	12	3.5	3	2	2	3	4	7	8	8
1-11 MOS	26	3.2	1	2	2	3	4	4	5	5
1-5 YRS	39	2.9	13	<1	<1	2	4	6	8	22
6-12 YRS	43	3.4	9	<1	1	2	4	8	10	15
13-19 YRS	37	4.1	6	1	1	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	203	4.0	5	1	2	4	5	6	8	15
1-11 MOS	1271	3.6	10	1	2	3	4	6	7	12
1-5 YRS	2212	3.3	7	1	1	3	4	6	7	12
6-12 YRS	971	3.2	7	1	1	3	4	5	7	14
13-19 YRS	1056	3.9	10	1	1	3	5	7	9	15
B. *Operated*										
0-27 DYS	6	4.0	3	2	2	4	5	6	6	6
1-11 MOS	25	7.8	86	2	3	4	7	23	30	41
1-5 YRS	54	5.9	38	1	2	4	7	12	18	37
6-12 YRS	40	4.9	13	<1	1	4	7	10	11	17
13-19 YRS	57	9.2	143	1	2	6	10	24	45	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6000	3.0	3	1	1	3	4	5	6	9
B. *Operated*	157	3.4	8	<1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	5713	3.5	8	1	1	3	4	6	7	13
B. *Operated*	182	6.9	73	1	2	4	8	14	24	61
1. SINGLE DX	6157	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX	5895	3.6	10	1	1	3	4	6	8	14
A. NOT OPERATED	11713	3.3	6	1	1	3	4	6	7	11
B. OPERATED	339	5.3	46	1	1	3	6	10	16	42
TOTAL 0-27 DYS	657	3.7	4	1	2	3	4	6	7	10
1-11 MOS	2852	3.3	7	1	1	3	4	5	7	11
1-5 YRS	4166	3.1	5	1	1	3	4	5	7	11
6-12 YRS	2241	3.0	5	1	1	2	4	5	7	11
13-19 YRS	2136	3.8	12	1	1	3	4	7	8	15
GRAND TOTAL	**12052**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.7	7	<1	<1	3	5	8	8	8
1-5 YRS	88	4.4	6	2	2	4	5	8	9	13
6-12 YRS	129	4.6	5	2	2	4	5	7	9	12
13-19 YRS	88	4.6	7	2	2	4	5	7	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	4	6.8	18	4	4	5	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.5		3	3	3	4	4	4	4
1-5 YRS	23	5.5	11	2	3	4	6	10	13	16
6-12 YRS	23	4.9	5	2	2	4	7	8	9	9
13-19 YRS	33	5.1	9	1	2	5	6	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.0	32	6	6	10	14	14	14	14
6-12 YRS	2	10.0	32	6	6	10	14	14	14	14
13-19 YRS	1	60.0		60	60	60	60	60	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	4.5	6	2	2	4	5	8	9	14
B. *Operated*	6	7.0	14	4	4	5	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	83	5.1	8	2	2	4	6	8	10	16
B. *Operated*	5	20.0	516	6	6	14	26	60	60	60
1. SINGLE DX	317	4.5	6	2	2	4	5	8	9	14
2. MULTIPLE DX	88	5.9	43	2	2	5	7	10	14	43
A. NOT OPERATED	394	4.6	6	2	2	4	5	8	9	15
B. OPERATED	11	12.9	259	4	4	6	14	33	58	60
TOTAL 0-27 DYS										
1-11 MOS	10	3.6	4	<1	1	3	4	6	8	8
1-5 YRS	114	4.7	8	2	2	4	6	9	10	15
6-12 YRS	155	4.7	5	2	2	4	6	8	9	14
13-19 YRS	126	5.2	32	2	2	4	5	8	11	27
GRAND TOTAL	405	4.8	14	2	2	4	6	8	10	15

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	6.5	11	2	2	6	9	11	14	14
1-11 MOS	16	9.0	19	2	5	9	11	12	18	21
1-5 YRS	24	6.1	16	2	2	4	10	13	13	14
6-12 YRS	12	5.6	17	1	1	5	9	12	13	13
13-19 YRS	303	5.0	7	2	2	4	6	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	6	1.5		<1	<1	1	2	2	2	2
6-12 YRS	5	2.8	4	1	1	2	4	6	6	6
13-19 YRS	92	3.2	10	<1	1	2	3	7	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	13.0	93	6	6	9	20	24	24	24
1-11 MOS	4	8.0	22	2	2	8	11	13	13	13
1-5 YRS	20	8.4	67	1	2	6	11	17	28	35
6-12 YRS	10	5.3	21	1	1	4	8	12	15	15
13-19 YRS	257	5.6	9	2	2	5	7	9	12	14
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	3	3.0	4	<1	<1	3	4	5	5	5
13-19 YRS	60	5.2	15	<1	1	4	7	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	5.4	9	2	2	5	7	9	11	15
B. *Operated*	104	3.0	9	<1	<1	2	3	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	294	5.9	15	2	2	5	7	10	13	21
B. *Operated*	66	5.2	15	<1	1	4	7	11	14	17
1. SINGLE DX	489	4.9	10	1	2	4	6	9	11	15
2. MULTIPLE DX	360	5.8	15	1	2	5	7	10	13	20
A. NOT OPERATED	679	5.6	12	2	2	5	7	10	12	16
B. OPERATED	170	3.9	13	<1	1	2	5	9	11	17
TOTAL 0-27 DYS	34	7.3	21	2	3	7	9	14	14	24
1-11 MOS	21	8.4	20	1	2	9	11	12	17	21
1-5 YRS	52	6.4	37	1	1	4	9	13	14	35
6-12 YRS	30	4.9	15	1	1	3	7	11	13	15
13-19 YRS	712	5.0	9	1	2	4	7	9	11	15
GRAND TOTAL	849	5.3	12	1	2	4	7	9	12	16

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	4.3	6	<1	<1	4	5	7	9	9
1-11 MOS	39	3.4	3	2	2	3	4	5	8	10
1-5 YRS	40	4.4	13	1	1	3	5	8	11	21
6-12 YRS	26	4.5	4	1	2	4	6	7	8	8
13-19 YRS	18	5.8	62	<1	1	4	6	8	25	36
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	41	7	7	11	16	16	16	16
1-5 YRS	4	30.0	1113	1	1	20	50	78	78	78
6-12 YRS	7	9.1	155	1	1	3	14	31	34	34
13-19 YRS	9	11.3	254	<1	<1	4	13	40	47	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	3.7	4	1	1	4	5	6	7	8
1-11 MOS	102	4.5	12	2	2	4	5	8	12	21
1-5 YRS	55	5.5	14	2	2	5	7	9	14	21
6-12 YRS	26	6.5	11	2	3	6	9	12	13	14
13-19 YRS	52	7.9	162	1	2	5	7	11	20	82
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.3	30	4	4	9	13	15	15	15
1-5 YRS	2	9.5	1	9	9	9	10	10	10	10
6-12 YRS	5	23.2	847	8	8	10	30	75	75	75
13-19 YRS	21	10.1	174	1	1	5	13	22	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	4.3	15	1	2	3	5	7	9	24
B. *Operated*	22	14.0	362	<1	1	5	18	38	59	78
2. MULTIPLE DX										
A. *Not Operated*	257	5.5	43	2	2	4	6	9	13	22
B. *Operated*	31	12.1	255	1	2	8	14	22	57	75
1. SINGLE DX	155	5.7	73	1	2	4	5	9	18	46
2. MULTIPLE DX	288	6.2	70	1	2	4	7	10	15	55
A. NOT OPERATED	390	5.1	34	1	2	4	6	9	12	22
B. OPERATED	53	12.9	294	1	1	7	15	30	57	78
TOTAL 0-27 DYS	32	3.9	4	1	1	4	5	6	8	9
1-11 MOS	146	4.4	12	2	2	3	5	8	12	20
1-5 YRS	101	6.1	70	1	2	4	6	10	17	50
6-12 YRS	64	7.3	98	2	2	5	8	12	16	69
13-19 YRS	100	8.3	153	1	1	5	7	17	32	71
GRAND TOTAL	**443**	**6.0**	**71**	**1**	**2**	**4**	**6**	**10**	**16**	**50**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	21	3.2	6	<1	1	2	4	6	9	12
6-12 YRS	35	3.3	9	1	1	2	4	7	11	13
13-19 YRS	13	4.5	7	2	2	4	5	8	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	4.4	13	1	1	3	7	10	10	10
6-12 YRS	19	3.7	2	1	2	4	4	6	7	7
13-19 YRS	17	4.3	7	<1	1	4	5	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	23	5.1	24	<1	1	4	6	15	17	18
6-12 YRS	19	3.6	7	<1	1	3	5	8	10	11
13-19 YRS	16	4.4	8	<1	1	4	7	8	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.2	1	2	2	3	4	4	4	4
6-12 YRS	24	4.5	7	1	2	4	6	7	9	13
13-19 YRS	21	6.2	49	1	2	4	6	13	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.5	8	1	1	3	4	7	12	13
B. *Operated*	41	4.0	5	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	60	4.5	15	<1	1	3	6	9	14	18
B. *Operated*	50	5.1	24	1	2	4	6	8	13	31
1. SINGLE DX	111	3.7	7	1	1	3	4	7	10	13
2. MULTIPLE DX	110	4.8	19	1	1	4	6	8	13	25
A. NOT OPERATED	130	4.0	11	1	1	3	5	8	12	16
B. OPERATED	91	4.6	16	1	2	4	5	7	10	27
TOTAL 0-27 DYS										
1-11 MOS	3	7.0	31	2	2	6	11	13	13	13
1-5 YRS	54	4.1	14	<1	1	3	5	8	14	18
6-12 YRS	97	3.7	7	1	1	3	5	7	9	13
13-19 YRS	67	5.0	20	1	2	4	6	8	12	29
GRAND TOTAL	**221**	**4.2**	**13**	**1**	**1**	**3**	**5**	**8**	**12**	**19**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	5.0	6	2	2	4	7	8	10	10
1-5 YRS	30	5.1	14	1	1	4	7	10	14	16
6-12 YRS	18	4.6	9	1	2	4	5	8	12	14
13-19 YRS	28	5.9	26	1	1	4	8	13	15	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	4	12.0	153	2	2	8	19	30	30	30
13-19 YRS	39	4.5	16	1	1	3	7	9	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	28	6.7	12	1	2	6	8	12	14	14
1-5 YRS	78	6.3	28	2	2	5	8	14	15	30
6-12 YRS	30	5.4	13	2	2	4	8	9	14	15
13-19 YRS	68	6.5	48	2	2	5	8	11	17	45
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	8	13.8	163	2	3	10	16	36	42	42
13-19 YRS	27	10.6	119	2	2	6	13	27	40	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	5.2	16	1	1	4	7	10	14	21
B. *Operated*	44	5.2	29	1	1	3	7	10	16	30
2. MULTIPLE DX										
A. *Not Operated*	204	6.3	30	2	2	5	8	12	14	29
B. *Operated*	37	11.2	120	2	2	8	12	27	41	43
1. SINGLE DX	131	5.2	20	1	1	4	7	10	14	25
2. MULTIPLE DX	241	7.0	46	2	2	5	8	14	16	42
A. NOT OPERATED	291	6.0	26	1	2	5	8	11	14	24
B. OPERATED	81	7.9	79	1	2	5	10	17	29	43
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	39	6.2	11	1	2	6	8	11	13	14
1-5 YRS	110	6.0	24	1	2	4	8	13	14	26
6-12 YRS	60	6.7	47	2	2	4	8	13	18	41
13-19 YRS	162	6.6	51	1	2	4	8	14	19	43
GRAND TOTAL	**372**	**6.4**	**38**	**1**	**2**	**5**	**8**	**13**	**15**	**39**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	5	6.2	20	1	1	6	8	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	5	5.6	14	2	2	4	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*	4	4.0	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	9	4.6	15	1	1	4	6	11	13	13
B. *Operated*	7	5.7	10	2	2	5	8	10	11	11
1. SINGLE DX	7	3.4	4	2	2	2	5	7	7	7
2. MULTIPLE DX	16	5.1	12	1	1	4	7	11	12	13
A. NOT OPERATED	12	4.1	12	1	1	3	5	9	12	13
B. OPERATED	11	5.1	9	2	2	5	7	9	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.4	2	1	1	2	3	5	5	5
6-12 YRS	4	4.8	4	2	2	5	6	7	7	7
13-19 YRS	14	5.3	13	1	2	4	7	11	13	13
GRAND TOTAL	**23**	**4.6**	**10**	**1**	**2**	**4**	**6**	**9**	**12**	**13**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	8	2.5	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	6	3.8	9	2	2	3	3	9	10	10
13-19 YRS	9	6.7	12	3	3	6	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	11	4.2	8	2	2	3	6	8	11	11
13-19 YRS	12	9.4	144	2	2	5	7	33	38	39
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	7.0	13	3	3	7	10	10	10	10
13-19 YRS	20	6.1	36	1	1	5	9	18	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.2	1	1	1	2	3	4	4	4
B. *Operated*	17	5.9	11	2	2	5	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*	24	6.7	80	1	2	5	6	13	33	39
B. *Operated*	25	6.0	31	1	1	5	10	12	42	99+
1. SINGLE DX	28	4.4	11	1	1	3	6	10	11	14
2. MULTIPLE DX	49	6.3	54	1	2	5	8	11	30	99+
A. NOT OPERATED	35	5.3	59	1	1	3	5	8	25	39
B. OPERATED	42	6.0	23	1	2	5	9	11	19	99+
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	4	2.8	12	<1	<1	1	4	8	8	8
6-12 YRS	23	4.3	10	1	2	3	6	10	11	11
13-19 YRS	49	6.4	54	1	2	5	8	13	30	99+
GRAND TOTAL	77	5.6	39	1	1	4	7	10	22	83

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	39.0		39	39	39	39	39	39	39
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	46.0		46	46	46	46	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	22.0	578	5	5	22	39	39	39	39
B. *Operated*	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	46.0		46	46	46	46	46	46	46
1. SINGLE DX	4	14.3	277	4	4	7	24	39	39	39
2. MULTIPLE DX	1	46.0		46	46	46	46	46	46	46
A. NOT OPERATED	2	22.0	578	5	5	22	39	39	39	39
B. OPERATED	3	19.7	526	4	4	9	37	46	46	46
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	39.0		39	39	39	39	39	39	39
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS										
13-19 YRS	1	46.0		46	46	46	46	46	46	46
GRAND TOTAL	5	20.6	409	4	4	9	41	46	46	46

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	5	5.0	17	2	2	3	7	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS										
13-19 YRS	2	16.5	13	14	14	16	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	10.5	113	3	3	10	18	18	18	18
B. *Operated*	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	7	5.1	13	2	2	3	7	11	12	12
B. *Operated*	4	19.3	17	14	14	19	22	24	24	24
1. SINGLE DX	4	8.0	54	2	2	6	13	18	18	18
2. MULTIPLE DX	11	10.3	64	2	2	8	18	22	24	24
A. NOT OPERATED	9	6.3	30	2	2	3	9	16	18	18
B. OPERATED	6	14.7	65	2	3	16	20	24	24	24
TOTAL 0-27 DYS										
1-11 MOS	4	12.3	66	3	3	13	19	20	20	20
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS										
13-19 YRS	10	7.2	36	2	2	4	12	16	19	19
GRAND TOTAL	15	9.7	58	2	2	8	17	20	23	24

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	1	13.0		13	13	13	13	13	13	13
1. SINGLE DX	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX	2	8.0	50	3	3	8	13	13	13	13
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	2	11.0	8	9	9	11	13	13	13	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	8.3	25	3	3	9	12	13	13	13
GRAND TOTAL	3	8.3	25	3	3	9	12	13	13	13

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	2	17.0	200	7	7	17	27	27	27	27
1-5 YRS										
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	11.5	41	7	7	11	16	16	16	16
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-27 DYS	1	98.0		98	98	98	98	98	98	98
1-11 MOS	4	16.3	5	13	13	17	18	18	18	18
1-5 YRS	2	10.0	50	5	5	10	15	15	15	15
6-12 YRS	7	8.7	26	3	3	7	13	16	16	16
13-19 YRS	8	15.8	146	3	4	13	23	35	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	4	17.8	69	7	7	18	23	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	4	7.8	35	2	2	6	11	16	16	16
B. *Operated*	22	16.8	400	3	3	13	17	32	61	98
1. SINGLE DX	6	13.3	88	4	4	12	20	26	27	27
2. MULTIPLE DX	26	15.4	351	3	3	12	17	29	49	98
A. NOT OPERATED	6	6.7	24	2	2	5	7	15	16	16
B. OPERATED	26	17.0	344	3	3	14	17	30	49	98
TOTAL 0-27 DYS	4	35.3	1780	7	7	18	59	98	98	98
1-11 MOS	6	16.5	43	7	8	17	18	26	27	27
1-5 YRS	2	10.0	50	5	5	10	15	15	15	15
6-12 YRS	9	9.2	30	3	3	7	14	17	17	17
13-19 YRS	11	12.5	133	2	3	7	17	33	37	37
GRAND TOTAL	**32**	**15.0**	**298**	**3**	**3**	**12**	**17**	**28**	**36**	**98**

24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS										
6-12 YRS	3	11.7	8	10	10	10	14	15	15	15
13-19 YRS	4	10.0	22	7	7	8	13	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	4	19.5	203	1	1	22	30	33	33	33
1-5 YRS	2	23.5	1	23	23	23	24	24	24	24
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	12.0	7	10	10	11	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	8	11.3	15	7	7	10	15	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	10	16.3	114	1	1	15	24	30	33	33
1. SINGLE DX	9	10.1	25	1	3	10	15	16	17	17
2. MULTIPLE DX	11	15.0	121	1	1	15	24	30	33	33
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	18	14.1	73	1	3	13	17	27	31	33
TOTAL 0-27 DYS										
1-11 MOS	5	18.6	156	1	1	16	29	33	33	33
1-5 YRS	2	23.5	1	23	23	23	24	24	24	24
6-12 YRS	5	7.8	32	2	2	10	11	15	15	15
13-19 YRS	8	9.6	25	1	3	9	13	16	17	17
GRAND TOTAL	**20**	**12.8**	**80**	**1**	**1**	**11**	**16**	**26**	**30**	**33**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	2.2	3	<1	<1	2	3	3	7	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	8.3	26	4	4	7	12	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.0	8	9	9	11	13	13	13	13
1-5 YRS	5	10.0	62	1	1	9	14	22	22	22
6-12 YRS	4	10.8	35	3	3	11	15	17	17	17
13-19 YRS	6	14.0	40	3	4	16	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	7.5	46	2	2	6	13	16	16	16
1-5 YRS	15	3.3	4	1	2	2	4	6	8	8
6-12 YRS	5	2.4	2	<1	<1	2	4	4	4	4
13-19 YRS	10	4.6	12	1	1	4	6	10	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	16.0	31	10	10	17	20	21	21	21
1-5 YRS	3	10.7	14	8	8	12	57	99+	99+	99+
6-12 YRS	4	13.3	100	1	1	14	21	24	24	24
13-19 YRS	8	12.0	52	3	4	10	18	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.2	11	<1	<1	2	3	8	11	14
B. *Operated*	17	11.7	38	2	3	12	17	20	22	22
2. MULTIPLE DX										
A. *Not Operated*	35	4.0	11	1	1	3	5	9	11	16
B. *Operated*	18	12.7	47	2	4	12	20	24	66	99+
1. SINGLE DX	36	7.2	42	<1	<1	4	12	17	20	22
2. MULTIPLE DX	53	7.0	40	1	1	4	10	18	23	97
A. NOT OPERATED	54	3.7	11	<1	<1	2	4	8	11	16
B. OPERATED	35	12.2	42	2	3	12	17	22	24	99+
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	11.1	42	2	2	10	16	19	21	21
1-5 YRS	38	4.3	20	<1	<1	2	6	11	19	99+
6-12 YRS	14	7.9	57	<1	1	4	13	19	23	24
13-19 YRS	27	9.3	44	1	2	8	15	20	22	23
GRAND TOTAL	89	7.1	40	<1	1	4	11	17	21	70

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	12.5	1	12	12	12	13	13	13	13
13-19 YRS	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS										
1-5 YRS										
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	1	18.0		18	18	18	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	3	17.7	80	12	12	13	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	5	5.6	13	2	2	6	8	10	10	10
B. *Operated*	3	21.7	22	18	18	20	25	27	27	27
1. SINGLE DX	5	12.4	92	4	4	12	17	28	28	28
2. MULTIPLE DX	8	11.6	83	2	2	9	19	25	27	27
A. NOT OPERATED	7	5.3	9	2	2	5	7	10	10	10
B. OPERATED	6	19.7	46	12	12	19	27	28	28	28
TOTAL 0-27 DYS	2	14.5	313	2	2	14	27	27	27	27
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	4	12.5	38	5	5	12	16	20	20	20
13-19 YRS	4	15.0	108	4	4	14	23	28	28	28
GRAND TOTAL	13	11.9	79	2	2	10	18	27	28	28

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.0	48	4	4	4	13	16	16	16
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS	3	10.7	56	3	3	11	16	18	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	38.0		38	38	38	38	38	38	38
13-19 YRS	3	11.7	4	10	10	11	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	4	6.8	64	1	1	4	12	18	18	18
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	5	3.2	8	1	1	2	4	8	8	8
13-19 YRS	4	14.8	553	2	2	3	27	50	50	50
B. *Operated*										
0-27 DYS	2	13.0	72	7	7	13	19	19	19	19
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	9.0	3	8	8	8	10	11	11	11
6-12 YRS	2	12.5	1	12	12	12	13	13	13	13
13-19 YRS	8	13.4	60	3	4	13	17	25	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	9.4	37	3	3	10	15	18	18	18
B. *Operated*	4	18.3	176	10	10	12	26	38	38	38
2. MULTIPLE DX										
A. *Not Operated*	16	8.1	168	1	1	3	7	23	42	50
B. *Operated*	16	11.8	42	3	4	11	16	19	25	28
1. SINGLE DX	11	12.6	95	3	3	11	15	26	37	38
2. MULTIPLE DX	32	9.9	105	1	1	7	14	20	28	50
A. NOT OPERATED	23	8.5	125	1	1	4	11	19	33	50
B. OPERATED	20	13.1	68	3	5	11	16	23	33	38
TOTAL 0-27 DYS	3	16.7	76	7	7	19	23	24	24	24
1-11 MOS	8	6.8	44	1	1	4	11	17	18	18
1-5 YRS	6	6.7	17	1	1	8	10	11	11	11
6-12 YRS	8	9.9	151	1	1	5	12	30	38	38
13-19 YRS	18	12.9	132	2	3	11	17	25	41	50
GRAND TOTAL	**43**	**10.6**	**102**	**1**	**2**	**8**	**15**	**20**	**31**	**50**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	9.0	127	2	2	3	17	22	22	22
1-5 YRS	4	3.0	2	2	2	3	4	5	5	5
6-12 YRS										
13-19 YRS	2	11.0	98	4	4	11	18	18	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	7.4	89	<1	<1	1	14	22	22	22
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	10	6.9	48	1	1	5	8	18	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	3.3	4	<1	<1	4	5	5	5	5
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	3.5	4	2	2	3	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	3	29.7	1758	3	3	8	60	78	78	78
1-5 YRS	2	16.0	18	13	13	16	19	19	19	19
6-12 YRS	2	12.0	2	11	11	12	13	13	13	13
13-19 YRS	7	18.6	193	2	3	19	36	83	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	6.8	58	2	2	3	8	20	22	22
B. *Operated*	17	6.7	52	<1	<1	5	9	20	23	24
2. MULTIPLE DX										
A. *Not Operated*	9	3.7	3	<1	1	4	5	6	6	6
B. *Operated*	14	19.6	396	2	3	13	27	78	94	99+
1. SINGLE DX	26	6.7	52	<1	1	4	8	21	23	24
2. MULTIPLE DX	23	13.4	299	1	2	7	18	46	85	99+
A. NOT OPERATED	18	5.2	31	1	2	4	5	14	20	22
B. OPERATED	31	12.5	242	<1	1	8	18	34	74	99+
TOTAL 0-27 DYS										
1-11 MOS	8	15.3	689	1	1	4	15	61	78	78
1-5 YRS	14	6.5	50	<1	<1	3	12	19	21	22
6-12 YRS	4	8.8	16	4	4	9	12	13	13	13
13-19 YRS	23	10.2	113	1	2	6	18	31	59	99+
GRAND TOTAL	**49**	**9.9**	**175**	**<1**	**1**	**5**	**13**	**23**	**42**	**99+**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	13	7.2	84	1	1	5	8	15	32	36
6-12 YRS	32	2.4	2	<1	<1	2	3	5	5	5
13-19 YRS	55	3.2	10	<1	<1	2	4	5	7	19
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.8	98	1	1	10	19	22	22	22
1-5 YRS	20	5.4	18	<1	1	4	8	12	14	15
6-12 YRS	47	6.7	49	1	1	4	8	15	20	37
13-19 YRS	105	7.5	46	2	2	6	9	15	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	44.0		44	44	44	44	44	44	44
1-5 YRS	20	4.4	5	1	1	4	6	8	8	8
6-12 YRS	47	4.4	38	<1	1	2	5	9	22	31
13-19 YRS	71	4.5	17	1	1	4	5	9	15	22
B. *Operated*										
0-27 DYS										
1-11 MOS	3	15.7	64	8	8	15	22	24	24	24
1-5 YRS	9	12.2	203	2	2	9	10	35	49	49
6-12 YRS	23	10.7	74	1	2	8	16	23	30	33
13-19 YRS	45	11.0	76	2	3	8	16	19	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.4	18	<1	<1	2	4	5	8	27
B. *Operated*	176	7.1	45	1	2	5	9	15	20	35
2. MULTIPLE DX										
A. *Not Operated*	139	4.7	33	1	1	3	5	9	16	32
B. *Operated*	80	11.3	86	2	3	8	16	22	30	47
1. SINGLE DX	277	5.8	38	<1	1	4	7	13	17	34
2. MULTIPLE DX	219	7.1	62	1	1	4	8	17	23	43
A. NOT OPERATED	240	4.2	27	<1	1	3	5	8	11	31
B. OPERATED	256	8.4	61	1	2	6	11	18	26	40
TOTAL 0-27 DYS										
1-11 MOS	9	15.1	188	1	1	15	22	36	44	44
1-5 YRS	62	6.4	57	1	1	5	8	10	14	47
6-12 YRS	149	5.7	46	1	1	3	6	14	21	33
13-19 YRS	276	6.4	43	1	1	4	8	15	19	31
GRAND TOTAL	**496**	**6.4**	**49**	**1**	**1**	**4**	**8**	**15**	**20**	**37**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	8.0	49	3	3	5	13	16	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	4.8	10	1	1	6	7	8	8	8
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	21	4.6	31	<1	<1	3	5	10	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	5	6.4	9	3	3	6	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	8.0	49	3	3	5	13	16	16	16
B. *Operated*	28	4.4	25	<1	<1	3	6	10	12	25
2. MULTIPLE DX										
A. *Not Operated*	4	4.5	14	2	2	3	7	10	10	10
B. *Operated*	7	6.0	8	3	3	6	7	10	11	11
1. SINGLE DX	31	4.7	27	<1	<1	3	6	10	16	25
2. MULTIPLE DX	11	5.5	9	2	2	5	7	10	11	11
A. NOT OPERATED	7	6.0	27	2	2	3	9	15	16	16
B. OPERATED	35	4.7	21	<1	1	3	7	10	11	25
TOTAL 0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	5	4.8	10	1	1	6	7	8	8	8
6-12 YRS	3	3.3	10	1	1	2	6	7	7	7
13-19 YRS	31	5.3	27	<1	1	3	7	11	16	25
GRAND TOTAL	**42**	**4.9**	**22**	**<1**	**1**	**3**	**7**	**10**	**13**	**25**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	6	3.8	11	<1	<1	3	7	8	8	8
6-12 YRS	9	3.8	18	1	1	2	4	11	14	14
13-19 YRS	12	3.8	7	1	1	3	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	6	4.2	13	<1	<1	3	7	10	10	10
13-19 YRS	6	2.2	2	1	1	2	2	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	28	3.7	10	<1	1	2	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	13	3.5	9	<1	<1	2	5	8	10	10
1. SINGLE DX	30	3.7	10	<1	1	2	5	8	10	14
2. MULTIPLE DX	14	3.6	8	<1	<1	2	5	8	9	10
A. NOT OPERATED	3	3.7	5	1	1	5	5	5	5	5
B. OPERATED	41	3.6	10	<1	<1	2	5	8	10	14
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	3.8	11	<1	<1	3	7	8	8	8
6-12 YRS	16	3.8	15	<1	<1	2	5	10	13	14
13-19 YRS	20	3.4	6	1	1	3	5	7	9	10
GRAND TOTAL	**44**	**3.6**	**9**	**<1**	**1**	**2**	**5**	**8**	**10**	**14**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	7.5	13	5	5	7	10	10	10	10
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	13	2.8	6	<1	1	2	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	2	10.0	50	5	5	10	15	15	15	15
6-12 YRS	2	15.0	338	2	2	15	28	28	28	28
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.3	24	6	6	7	13	15	15	15
1-5 YRS	2	12.5	25	9	9	12	16	16	16	16
6-12 YRS	5	10.8	8	8	8	11	13	14	14	14
13-19 YRS	4	7.3	13	2	2	8	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	18	3.8	9	<1	1	2	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	8	8.3	81	2	2	5	10	24	28	28
B. *Operated*	14	9.7	15	3	6	9	13	15	16	16
1. SINGLE DX	18	3.8	9	<1	1	2	5	10	10	10
2. MULTIPLE DX	22	9.2	36	2	2	8	13	15	21	28
A. NOT OPERATED	8	8.3	81	2	2	5	10	24	28	28
B. OPERATED	32	6.4	20	1	1	6	9	13	15	16
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	7	7.1	18	2	3	6	9	14	15	15
1-5 YRS	5	10.0	28	5	5	9	15	16	16	16
6-12 YRS	8	10.8	69	2	2	10	13	24	28	28
13-19 YRS	19	3.9	10	<1	1	2	6	9	10	10
GRAND TOTAL	**40**	**6.8**	**31**	**1**	**2**	**5**	**9**	**14**	**16**	**28**

33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	8	4.6	11	1	1	4	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	6	5.7	35	1	1	3	7	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	9	4.6	10	1	1	4	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	7	5.4	30	1	1	4	6	15	17	17
1. SINGLE DX	10	4.3	10	1	1	3	7	9	10	10
2. MULTIPLE DX	8	5.1	26	1	1	3	6	14	17	17
A. NOT OPERATED	2	2.5	1	2	2	2	3	3	3	3
B. OPERATED	16	4.9	17	1	1	4	7	10	15	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	15	4.9	19	1	1	3	7	10	15	17
GRAND TOTAL	**18**	**4.7**	**16**	**1**	**1**	**3**	**7**	**9**	**14**	**17**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.0	18	7	7	10	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	3	6.3	20	2	2	6	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	3	9.3	10	7	7	8	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	7	6.3	12	2	2	6	9	11	11	11
1. SINGLE DX	4	8.3	12	5	5	7	10	13	13	13
2. MULTIPLE DX	7	6.3	12	2	2	6	9	11	11	11
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	10	7.2	12	2	2	7	9	12	13	13
TOTAL 0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	4	7.8	21	2	2	8	11	13	13	13
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	4	6.8	14	2	2	7	9	11	11	11
GRAND TOTAL	**11**	**7.0**	**11**	**2**	**2**	**7**	**9**	**12**	**13**	**13**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS										
13-19 YRS	24	4.0	6	<1	1	4	6	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	8.3	10	3	4	9	11	11	11	11
13-19 YRS	26	8.3	9	4	5	8	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	19.5	181	10	10	19	29	29	29	29
6-12 YRS	2	7.0	18	4	4	7	10	10	10	10
13-19 YRS	16	4.3	8	<1	1	5	5	7	10	12
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	2	12.0	32	8	8	12	16	16	16	16
6-12 YRS	3	7.3	6	5	5	7	9	10	10	10
13-19 YRS	22	9.1	31	3	4	8	10	19	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.9	5	1	1	4	5	6	7	10
B. *Operated*	33	8.3	9	4	5	8	10	12	15	15
2. MULTIPLE DX										
A. *Not Operated*	20	6.1	38	<1	1	5	6	11	20	29
B. *Operated*	28	9.1	27	4	5	8	10	17	22	23
1. SINGLE DX	61	6.3	12	1	1	6	9	11	13	15
2. MULTIPLE DX	48	7.9	33	1	2	6	9	16	22	29
A. NOT OPERATED	48	4.8	20	1	1	4	6	9	10	29
B. OPERATED	61	8.7	17	4	5	8	10	15	17	23
TOTAL 0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	12.0	88	3	3	9	16	28	29	29
6-12 YRS	12	7.8	8	3	4	8	10	11	11	11
13-19 YRS	88	6.6	18	1	1	6	9	11	15	23
GRAND TOTAL	**109**	**7.0**	**22**	**1**	**2**	**6**	**9**	**11**	**15**	**25**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	27.6	643	4	4	30	42	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	7	<1	<1	2	5	6	6	6
B. *Operated*	6	3.2	15	1	1	2	3	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	5	3.0	6	<1	<1	2	5	6	6	6
B. *Operated*	6	23.7	607	4	4	17	35	62	65	65
1. SINGLE DX	9	3.1	11	<1	<1	2	4	9	11	11
2. MULTIPLE DX	11	14.3	422	<1	1	4	24	47	63	65
A. NOT OPERATED	8	3.0	5	<1	<1	2	5	6	6	6
B. OPERATED	12	13.4	398	1	1	4	20	44	62	65
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.2	19	<1	<1	1	4	11	11	11
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	13	12.2	377	1	1	4	12	41	60	65
GRAND TOTAL	**20**	**9.3**	**260**	**<1**	**<1**	**3**	**6**	**32**	**50**	**65**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	4	10.5	70	5	5	7	15	23	23	23
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS	3	17.0	103	8	8	15	25	28	28	28
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	18.0	242	7	7	18	29	29	29	29
1-5 YRS	5	8.6	17	4	4	9	11	15	15	15
6-12 YRS	3	26.7	236	9	9	34	36	37	37	37
13-19 YRS	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	9	9.6	37	2	3	8	12	19	23	23
2. MULTIPLE DX										
A. *Not Operated*	7	11.3	72	3	3	9	14	25	28	28
B. *Operated*	12	14.9	135	4	5	9	22	35	37	37
1. SINGLE DX	10	9.2	34	2	3	8	12	18	23	23
2. MULTIPLE DX	19	13.6	110	3	4	9	15	32	36	37
A. NOT OPERATED	8	10.6	65	3	3	8	13	24	28	28
B. OPERATED	21	12.6	96	3	5	9	14	31	35	37
TOTAL 0-27 DYS	2	10.0	18	7	7	10	13	13	13	13
1-11 MOS	8	11.3	89	3	4	7	16	27	29	29
1-5 YRS	9	10.7	62	2	3	9	15	23	28	28
6-12 YRS	5	18.6	243	4	4	9	35	37	37	37
13-19 YRS	5	10.2	9	6	6	12	12	13	13	13
GRAND TOTAL	**29**	**12.1**	**86**	**3**	**4**	**9**	**14**	**29**	**34**	**37**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	16	3.8	5	1	1	3	6	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	6	5.2	11	2	2	4	7	11	11	11
1-5 YRS	5	2.4	1	<1	<1	2	3	4	4	4
6-12 YRS										
13-19 YRS	53	7.2	31	2	3	6	9	13	17	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	31	5.6	15	2	2	5	6	8	18	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	29	14.2	139	3	4	12	17	28	46	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.7	5	<1	1	3	5	7	8	8
B. *Operated*	64	6.7	29	2	2	5	8	11	16	33
2. MULTIPLE DX										
A. *Not Operated*	33	5.5	14	2	3	5	6	8	17	19
B. *Operated*	30	13.9	138	3	4	11	17	27	46	50
1. SINGLE DX	82	6.0	25	1	2	5	8	10	15	30
2. MULTIPLE DX	63	9.5	90	2	3	5	13	20	26	49
A. NOT OPERATED	51	4.9	12	1	2	5	6	8	8	19
B. OPERATED	94	9.0	74	2	3	7	11	17	24	48
TOTAL 0-27 DYS										
1-11 MOS	7	4.6	12	<1	<1	3	6	10	11	11
1-5 YRS	8	3.0	1	<1	1	3	4	4	4	4
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	129	8.0	60	2	2	5	8	17	22	47
GRAND TOTAL	**145**	**7.5**	**56**	**2**	**2**	**5**	**8**	**16**	**20**	**48**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	5.7	25	1	1	5	9	11	11	11
13-19 YRS	9	4.3	11	1	1	4	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	4	7.3	33	2	2	6	11	15	15	15
1-5 YRS	8	6.4	31	2	2	4	8	16	18	18
6-12 YRS	2	6.5	13	4	4	6	9	9	9	9
13-19 YRS	9	3.1	3	1	1	3	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	14	5.1	13	1	1	5	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	23	5.3	19	1	2	4	6	12	16	18
1. SINGLE DX	16	4.8	12	1	1	4	8	10	11	11
2. MULTIPLE DX	24	5.3	18	1	2	4	6	11	16	18
A. NOT OPERATED	3	3.7	6	1	1	4	5	6	6	6
B. OPERATED	37	5.2	16	1	1	4	7	11	14	18
TOTAL 0-27 DYS										
1-11 MOS	5	7.6	25	2	2	8	10	15	15	15
1-5 YRS	10	6.2	24	2	2	5	7	14	18	18
6-12 YRS	6	6.0	13	1	1	5	9	11	11	11
13-19 YRS	19	3.6	7	1	1	3	5	8	10	10
GRAND TOTAL	40	5.1	15	1	1	4	7	10	13	18

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.0	3	<1	<1	4	4	4	4	4
1-5 YRS	6	3.8	15	<1	<1	2	5	10	11	11
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	14.3	10	12	12	13	17	18	18	18
1-5 YRS	24	11.4	53	2	5	9	13	22	29	31
6-12 YRS	[illegible]	10.2	6	8	8	9	12	14	14	14
13-19 YRS	7	12.9	91	2	3	11	15	29	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	12	3.7	5	1	1	4	5	6	9	9
6-12 YRS	6	5.0	5	2	2	5	5	9	9	9
13-19 YRS	3	6.0	19	3	3	4	9	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	14.3	20	10	10	14	18	19	19	19
1-5 YRS	23	17.2	277	5	6	10	21	37	64	65
6-12 YRS	3	27.3	132	16	16	27	36	39	39	39
13-19 YRS	8	12.4	53	1	3	12	17	22	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.6	8	<1	<1	4	5	6	10	11
B. *Operated*	40	11.7	47	2	6	10	13	20	29	32
2. MULTIPLE DX										
A. *Not Operated*	22	4.4	6	1	2	4	5	9	10	11
B. *Operated*	37	16.8	202	5	6	13	20	31	55	65
1. SINGLE DX	53	9.7	50	1	2	9	12	18	27	32
2. MULTIPLE DX	59	12.1	164	1	2	9	15	27	35	65
A. NOT OPERATED	35	4.1	7	<1	1	4	5	9	10	11
B. OPERATED	77	14.1	127	3	6	11	16	28	32	64
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	10	9.9	40	<1	2	11	14	18	19	19
1-5 YRS	65	11.3	145	1	2	8	12	27	31	65
6-12 YRS	16	10.5	99	1	2	8	12	26	35	39
13-19 YRS	20	10.9	60	1	2	9	15	21	28	32
GRAND TOTAL	112	11.0	111	1	2	9	13	23	31	64

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	7	1.9	2	1	1	1	3	4	4	4
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	4	3.3	1	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.6	10	1	1	2	7	7	7	7
1-5 YRS	11	3.7	15	<1	<1	2	5	9	14	14
6-12 YRS										
13-19 YRS	4	3.5	3	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	6	2.8	2	1	1	3	4	5	5	5
13-19 YRS	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	7	9.1	132	<1	<1	2	16	28	31	31
1-5 YRS	5	15.4	306	<1	<1	8	28	42	42	42
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.1	2	<1	1	2	3	4	4	4
B. *Operated*	20	3.7	10	<1	1	3	5	7	11	14
2. MULTIPLE DX										
A. *Not Operated*	10	2.7	2	1	1	3	4	5	5	5
B. *Operated*	15	9.9	167	<1	<1	2	16	31	39	42
1. SINGLE DX	38	2.9	7	<1	1	2	4	6	7	14
2. MULTIPLE DX	25	7.0	111	<1	1	2	6	24	34	42
A. NOT OPERATED	28	2.3	2	<1	1	2	4	4	4	5
B. OPERATED	35	6.3	84	<1	1	2	7	18	29	42
TOTAL 0-27 DYS										
1-11 MOS	16	5.4	68	<1	<1	2	7	17	27	31
1-5 YRS	25	5.3	85	<1	1	2	5	14	28	42
6-12 YRS	10	2.4	2	1	1	2	3	4	5	5
13-19 YRS	12	3.5	2	2	2	3	4	5	6	6
GRAND TOTAL	63	4.5	51	<1	1	2	4	8	20	41

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	18	6.6	40	<1	1	4	11	17	21	22
6-12 YRS	32	6.4	100	1	1	3	5	13	32	49
13-19 YRS	16	2.6	5	1	1	2	3	5	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	22.8	82	15	15	22	30	32	32	32
1-5 YRS	35	16.4	175	4	5	12	18	33	51	58
6-12 YRS	56	13.9	87	2	4	12	19	25	29	52
13-19 YRS	53	15.3	82	7	8	13	19	26	30	54
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	25	5.6	163	<1	1	2	4	9	27	65
6-12 YRS	40	5.6	43	1	1	4	7	10	20	33
13-19 YRS	52	8.2	125	2	2	5	8	15	24	66
B. *Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	37	26.2	209	10	13	23	37	43	69	99+
6-12 YRS	45	22.9	359	5	6	18	27	54	76	79
13-19 YRS	51	23.1	400	4	5	17	30	57	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	5.5	61	1	1	3	5	11	20	46
B. *Operated*	148	15.3	106	4	6	13	19	28	33	54
2. MULTIPLE DX										
A. *Not Operated*	119	6.8	104	1	1	4	8	12	24	65
B. *Operated*	134	23.9	328	4	6	19	30	50	75	99+
1. SINGLE DX	215	12.2	113	1	2	10	17	24	32	54
2. MULTIPLE DX	253	15.8	295	1	2	10	23	38	62	96
A. NOT OPERATED	186	6.3	89	1	1	4	7	11	22	39
B. OPERATED	282	19.4	230	4	6	15	24	38	54	92
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	18.4	106	1	4	16	27	31	32	32
1-5 YRS	115	15.7	230	1	1	12	22	39	48	88
6-12 YRS	173	12.9	194	1	2	9	17	28	34	77
13-19 YRS	172	14.3	227	1	2	10	18	30	50	92
GRAND TOTAL	468	14.2	214	1	2	10	19	31	45	79

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	15.5	145	7	7	15	24	24	24	24
6-12 YRS	3	8.3	50	2	2	7	14	16	16	16
13-19 YRS	3	2.0	1	1	1	2	51	99+	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	14.7	54	8	8	12	17	27	29	29
6-12 YRS	5	12.4	102	3	3	11	17	29	29	29
13-19 YRS	7	16.0	535	2	3	9	11	57	68	68
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.5	4	2	2	3	5	6	6	6
6-12 YRS	7	3.0	4	1	1	3	4	6	7	7
13-19 YRS	2	31.0	1352	5	5	31	57	57	57	57
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	14.3	155	3	3	10	19	35	39	39
6-12 YRS	3	21.0	273	5	5	20	33	38	38	38
13-19 YRS	10	27.3	672	9	9	17	21	76	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	7.8	67	1	1	7	18	70	99+	99+
B. *Operated*	19	14.6	221	2	4	11	15	29	51	68
2. MULTIPLE DX										
A. *Not Operated*	13	7.5	225	1	1	3	5	17	49	57
B. *Operated*	20	21.8	433	4	5	16	21	56	76	78
1. SINGLE DX	27	12.6	181	2	2	9	16	29	71	99+
2. MULTIPLE DX	33	16.2	392	1	2	9	18	43	71	78
A. NOT OPERATED	21	7.6	158	1	1	4	7	34	74	99+
B. OPERATED	39	18.3	334	3	5	12	20	39	71	78
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	20	12.4	95	2	3	9	17	26	34	39
6-12 YRS	18	9.5	107	1	1	5	13	26	34	38
13-19 YRS	22	20.6	594	1	2	11	20	75	86	99+
GRAND TOTAL	**60**	**14.5**	**296**	**1**	**2**	**9**	**17**	**38**	**71**	**98**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.0	34	1	1	2	7	15	16	16
1-5 YRS	26	5.8	16	1	2	5	7	12	14	17
6-12 YRS	6	4.5	19	<1	<1	3	7	11	12	12
13-19 YRS	14	3.1	4	2	2	3	3	5	9	10
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	13.0	134	5	5	7	18	33	33	33
1-5 YRS	9	16.9	292	3	3	9	27	46	51	51
6-12 YRS	6	6.2	25	2	2	4	9	14	15	15
13-19 YRS	57	5.2	14	1	2	4	5	9	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.3	9	3	3	7	8	9	9	9
1-5 YRS	30	5.0	10	1	1	4	7	9	10	13
6-12 YRS	16	2.9	4	<1	1	3	4	5	7	8
13-19 YRS	20	4.0	10	<1	<1	3	6	8	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS	5	16.0	88	6	6	17	21	30	30	30
1-5 YRS	10	19.7	604	3	3	10	29	57	83	83
6-12 YRS	4	7.3	26	2	2	7	11	13	13	13
13-19 YRS	51	11.7	216	1	3	6	12	35	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.8	15	1	1	3	7	12	13	17
B. *Operated*	78	7.1	66	2	2	4	7	14	22	47
2. MULTIPLE DX										
A. *Not Operated*	69	4.3	9	<1	1	4	6	9	10	13
B. *Operated*	70	12.9	252	2	3	7	15	33	48	96
1. SINGLE DX	130	6.2	47	1	2	4	7	12	17	41
2. MULTIPLE DX	139	8.6	149	1	1	5	9	20	33	85
A. NOT OPERATED	121	4.5	12	<1	1	3	7	9	12	16
B. OPERATED	148	9.8	161	2	2	5	9	23	36	83
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	19	10.2	83	1	2	7	15	25	32	33
1-5 YRS	75	8.7	147	1	2	5	9	16	31	75
6-12 YRS	32	4.4	14	<1	1	3	5	11	13	15
13-19 YRS	142	7.1	96	1	2	4	7	15	23	82
GRAND TOTAL	**269**	**7.4**	**101**	**1**	**2**	**5**	**8**	**15**	**25**	**75**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	11	3.8	4	1	1	4	6	6	6	6
6-12 YRS	7	2.4	2	1	1	2	3	5	5	5
13-19 YRS	21	6.7	57	1	1	5	7	15	26	34
B. *Operated*										
0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	10	14.4	322	1	2	5	28	43	57	57
6-12 YRS	7	7.1	38	1	1	5	12	16	17	17
13-19 YRS	25	7.0	24	1	2	7	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	7.3	37	1	1	8	10	17	20	20
1-5 YRS	18	6.3	22	1	2	5	8	15	17	17
6-12 YRS	27	4.1	21	<1	<1	2	4	10	13	23
13-19 YRS	97	6.3	66	1	1	5	7	11	18	53
B. *Operated*										
0-27 DYS	2	12.5	85	6	6	12	19	19	19	19
1-11 MOS	7	18.9	586	4	4	6	22	62	71	71
1-5 YRS	15	12.1	188	2	3	7	13	28	48	55
6-12 YRS	9	7.0	9	3	4	6	9	12	12	12
13-19 YRS	66	12.1	178	3	4	8	13	21	47	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.9	33	1	1	4	5	8	15	34
B. *Operated*	43	9.1	103	1	2	6	10	22	28	57
2. MULTIPLE DX										
A. *Not Operated*	151	5.9	51	1	1	4	7	11	17	38
B. *Operated*	99	12.1	168	3	3	8	13	23	50	71
1. SINGLE DX	85	7.0	72	1	1	5	8	14	25	49
2. MULTIPLE DX	250	8.4	114	1	2	5	9	16	23	66
A. NOT OPERATED	193	5.7	47	1	1	4	6	11	17	36
B. OPERATED	142	11.2	163	2	3	7	13	23	35	70
TOTAL 0-27 DYS	2	12.5	85	6	6	12	19	19	19	19
1-11 MOS	20	11.4	251	1	1	6	13	24	48	71
1-5 YRS	54	8.9	128	1	2	5	9	19	28	57
6-12 YRS	50	4.8	20	<1	1	3	5	11	14	23
13-19 YRS	209	8.2	101	1	2	5	9	14	22	65
GRAND TOTAL	**335**	**8.0**	**103**	**1**	**2**	**5**	**9**	**16**	**24**	**64**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	10	1.0		<1	<1	1	1	1	1	1
13-19 YRS	98	3.3	19	<1	1	2	4	8	10	27
B. *Operated*										
0-27 DYS	2	18.0	2	17	17	18	19	19	19	19
1-11 MOS										
1-5 YRS	6	3.3	9	1	1	2	4	8	9	9
6-12 YRS	28	[illegible]	21	1	1	6	9	14	16	17
13-19 YRS	268	7.8	38	1	2	6	10	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.0	3	1	1	1	3	5	5	5
6-12 YRS	8	3.3	9	<1	<1	2	4	8	10	10
13-19 YRS	93	4.6	22	1	1	4	6	10	12	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	12	7.5	42	1	1	6	12	18	19	19
13-19 YRS	81	11.9	74	2	3	10	16	24	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.0	17	<1	<1	1	3	7	10	26
B. *Operated*	304	7.6	37	1	2	6	10	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	108	4.3	20	1	1	3	6	10	11	26
B. *Operated*	95	11.2	71	2	2	9	16	23	26	44
1. SINGLE DX	414	6.4	36	1	1	5	9	15	18	28
2. MULTIPLE DX	203	7.5	56	1	1	5	10	17	23	34
A. NOT OPERATED	218	3.7	19	<1	1	2	5	9	11	26
B. OPERATED	399	8.5	47	1	2	7	11	17	22	32
TOTAL 0-27 DYS	2	18.0	2	17	17	18	19	19	19	19
1-11 MOS										
1-5 YRS	17	2.8	8	1	1	1	4	8	10	10
6-12 YRS	58	5.2	24	<1	<1	3	7	14	17	19
13-19 YRS	540	7.0	44	1	1	5	9	16	21	29
GRAND TOTAL	**617**	**6.8**	**42**	**1**	**1**	**5**	**9**	**16**	**20**	**28**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	11.2	29	5	5	11	16	17	17	17
1-5 YRS	86	5.3	32	<1	<1	3	8	15	16	24
6-12 YRS	77	5.0	51	<1	<1	2	6	13	20	39
13-19 YRS	61	4.7	21	1	1	4	6	9	15	24
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.5	1	7	7	7	8	8	8	8
1-5 YRS	81	11.2	236	<1	<1	5	13	27	49	80
6-12 YRS	46	8.0	75	<1	1	4	10	22	29	30
13-19 YRS	49	12.3	251	1	1	6	15	37	44	78
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	71	5.3	32	<1	<1	4	8	11	13	32
6-12 YRS	108	6.3	61	<1	1	4	8	13	17	44
13-19 YRS	67	7.2	40	1	1	6	9	15	21	31
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	49	12.9	286	1	1	7	16	24	32	89
6-12 YRS	60	14.8	179	2	3	10	23	32	38	66
13-19 YRS	42	21.1	278	2	3	17	33	44	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	5.2	36	<1	<1	[illegible]	7	14	17	26
B. *Operated*	178	10.6	197	<1	1	5	14	28	42	74
2. MULTIPLE DX										
A. *Not Operated*	248	6.2	46	<1	1	4	8	13	19	34
B. *Operated*	152	15.8	248	1	3	11	23	35	49	89
1. SINGLE DX	408	7.6	113	<1	<1	4	9	18	27	51
2. MULTIPLE DX	400	9.9	144	<1	1	6	11	24	34	69
A. NOT OPERATED	478	5.7	41	<1	<1	4	8	13	17	32
B. OPERATED	330	13.0	226	<1	1	8	17	31	42	83
TOTAL 0-27 DYS										
1-11 MOS	11	8.6	26	2	3	7	13	16	17	17
1-5 YRS	287	8.3	142	<1	<1	4	10	17	27	75
6-12 YRS	291	8.0	97	<1	1	4	10	22	29	47
13-19 YRS	219	10.3	160	1	1	6	13	25	39	73
GRAND TOTAL	**808**	**8.7**	**130**	**<1**	**1**	**5**	**11**	**23**	**31**	**62**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	45	3.3	16	<1	<1	1	4	6	15	18
6-12 YRS	48	3.3	6	<1	<1	3	5	6	9	10
13-19 YRS	57	5.6	28	<1	1	5	6	11	13	30
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	1	56.0		56	56	56	56	56	56	56
1-5 YRS	12	28.5	456	6	6	20	44	59	68	69
6-12 YRS	19	11.5	242	<1	2	5	11	31	53	64
13-19 YRS	40	19.8	427	1	1	12	35	55	73	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	49	4.9	27	<1	<1	4	5	10	17	26
6-12 YRS	49	5.3	21	<1	<1	4	6	12	13	25
13-19 YRS	71	5.5	32	<1	1	4	7	12	15	34
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	145	3	3	11	20	20	20	20
1-5 YRS	14	20.1	311	2	2	13	29	40	62	68
6-12 YRS	22	13.1	165	1	2	9	18	30	42	54
13-19 YRS	46	26.4	334	3	3	26	37	47	63	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	4.2	18	<1	<1	3	5	9	11	23
B. *Operated*	73	19.6	410	1	2	10	35	55	64	97
2. MULTIPLE DX										
A. *Not Operated*	172	5.2	27	<1	<1	4	7	11	15	26
B. *Operated*	84	21.5	308	2	3	17	32	44	56	74
1. SINGLE DX	224	9.2	197	<1	<1	5	9	29	43	73
2. MULTIPLE DX	256	10.6	177	<1	1	5	12	29	39	68
A. NOT OPERATED	323	4.7	23	<1	<1	4	6	10	14	25
B. OPERATED	157	20.6	354	1	3	14	34	47	61	86
TOTAL 0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	7	12.4	414	1	1	3	16	49	56	56
1-5 YRS	120	8.4	165	<1	<1	4	9	23	40	68
6-12 YRS	138	6.7	81	<1	<1	5	7	13	23	55
13-19 YRS	214	12.7	247	1	1	6	15	36	47	79
GRAND TOTAL	**480**	**9.9**	**187**	**<1**	**1**	**5**	**11**	**29**	**41**	**69**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	6.0	48	2	2	2	11	14	14	14
1-5 YRS	7	5.1	58	<1	<1	2	5	19	22	22
6-12 YRS	25	5.1	22	<1	<1	3	9	13	33	99+
13-19 YRS	49	5.1	21	1	1	4	6	13	14	21
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	20	6.4	25	1	2	4	10	13	15	17
6-12 YRS	30	6.6	39	1	1	4	10	16	18	25
13-19 YRS	59	10.8	97	1	2	8	16	24	31	50
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.2	37	2	2	4	12	16	16	16
1-5 YRS	16	8.5	103	1	2	6	7	17	36	44
6-12 YRS	28	4.6	12	1	1	4	7	9	10	14
13-19 YRS	46	5.3	54	1	2	3	5	10	13	49
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	9.0	32	5	5	9	13	13	13	13
1-5 YRS	3	7.0	13	4	4	6	10	11	11	11
6-12 YRS	19	13.8	231	3	4	8	16	28	51	68
13-19 YRS	37	15.9	173	2	2	11	25	38	46	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	5.1	24	<1	1	4	6	13	16	72
B. *Operated*	110	8.8	71	1	1	6	12	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	95	5.7	49	1	1	4	7	10	14	47
B. *Operated*	62	14.4	178	2	3	10	19	31	44	66
1. SINGLE DX	195	7.2	53	1	1	5	10	17	22	44
2. MULTIPLE DX	157	9.2	117	1	2	5	10	22	31	49
A. NOT OPERATED	180	5.5	37	1	1	4	7	13	15	47
B. OPERATED	172	10.8	116	1	2	8	15	25	31	50
TOTAL 0-27 DYS	3	4.3	2	3	3	4	5	6	6	6
1-11 MOS	10	7.2	32	2	2	4	13	15	16	16
1-5 YRS	46	7.0	55	1	1	5	9	14	19	44
6-12 YRS	102	7.0	72	1	1	5	9	16	22	83
13-19 YRS	191	9.0	98	1	1	5	11	22	29	49
GRAND TOTAL	352	8.1	83	1	1	5	10	18	25	49

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	3	4.0	7	2	2	3	6	7	7	7
13-19 YRS	4	5.0	10	1	1	5	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	7	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	24	1.6	1	<1	<1	1	2	2	3	5
6-12 YRS	53	2.1	2	<1	1	2	2	4	5	9
13-19 YRS	152	3.4	11	1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	4.2	37	<1	<1	1	6	15	15	15
6-12 YRS	10	3.3	23	<1	<1	2	2	10	17	17
13-19 YRS	30	4.8	17	<1	1	4	6	11	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.1	8	1	1	3	7	8	8	8
B. *Operated*	236	2.9	8	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	45	4.4	20	<1	1	3	5	13	16	17
1. SINGLE DX	244	2.9	8	1	1	2	4	5	7	15
2. MULTIPLE DX	46	4.3	19	<1	1	3	5	13	16	17
A. NOT OPERATED	9	4.0	7	1	1	3	7	8	8	8
B. OPERATED	281	3.1	10	<1	1	2	4	6	8	17
TOTAL 0-27 DYS										
1-11 MOS	8	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	29	2.0	7	<1	<1	1	2	3	5	15
6-12 YRS	66	2.4	5	<1	1	2	2	4	6	16
13-19 YRS	187	3.6	12	1	1	3	4	7	9	17
GRAND TOTAL	290	3.1	10	<1	1	2	4	6	8	17

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	3.4	5	1	1	3	4	6	9	10
6-12 YRS	18	2.9	4	1	1	2	4	6	7	8
13-19 YRS	19	3.5	10	<1	1	3	4	7	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	45	2.7	5	<1	1	2	3	5	8	12
6-12 YRS	62	3.1	6	<1	1	2	5	6	7	12
13-19 YRS	74	4.8	14	1	1	4	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.3	16	1	1	6	8	9	9	9
1-5 YRS	11	3.6	8	<1	<1	2	6	8	9	9
6-12 YRS	12	3.2	4	1	1	3	4	6	7	7
13-19 YRS	17	3.2	5	1	1	3	4	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	5	6.8	61	1	1	5	10	20	20	20
1-5 YRS	16	3.8	5	2	2	3	5	7	8	8
6-12 YRS	33	4.2	17	1	1	2	5	11	15	16
13-19 YRS	51	5.6	18	1	2	5	8	12	14	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.3	6	1	1	3	4	6	8	14
B. *Operated*	182	3.7	10	1	1	2	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	43	3.5	6	1	1	3	5	7	9	9
B. *Operated*	105	5.0	17	1	1	3	7	11	14	18
1. SINGLE DX	234	3.6	9	1	1	2	5	7	10	14
2. MULTIPLE DX	148	4.5	15	1	1	3	6	9	13	17
A. NOT OPERATED	95	3.4	6	1	1	3	4	7	9	12
B. OPERATED	287	4.2	13	1	1	3	6	9	12	17
TOTAL 0-27 DYS										
1-11 MOS	9	6.1	35	1	1	5	7	16	20	20
1-5 YRS	87	3.1	5	1	1	2	4	7	8	11
6-12 YRS	125	3.4	8	1	1	2	5	7	8	15
13-19 YRS	161	4.7	14	1	1	3	7	10	13	17
GRAND TOTAL	382	4.0	11	1	1	3	6	8	11	16

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	20	1.9	1	<1	1	2	2	3	4	4
6-12 YRS	6	1.3		1	1	1	2	2	2	2
13-19 YRS	9	3.0	8	1	1	2	3	8	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	16	2.2	5	1	1	2	2	4	8	10
1-5 YRS	101	1.8	5	<1	<1	1	2	2	4	14
6-12 YRS	89	1.6	1	<1	<1	2	2	2	2	5
13-19 YRS	77	3.4	13	1	1	2	4	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.8	5	<1	<1	4	5	7	7	7
6-12 YRS	4	5.5	35	1	1	3	9	14	14	14
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.7	30	6	6	7	14	16	16	16
1-5 YRS	27	4.4	17	<1	1	3	5	11	14	15
6-12 YRS	37	2.2	5	1	1	2	2	3	7	12
13-19 YRS	24	3.6	9	1	2	2	4	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.1	3	1	1	2	2	3	5	10
B. *Operated*	283	2.2	6	<1	<1	2	2	3	8	15
2. MULTIPLE DX										
A. *Not Operated*	11	4.4	14	<1	1	4	5	10	14	14
B. *Operated*	91	3.5	12	1	1	2	4	9	11	16
1. SINGLE DX	313	2.2	6	<1	<1	2	2	3	8	15
2. MULTIPLE DX	102	3.6	12	1	1	2	4	9	12	15
A. NOT OPERATED	46	2.6	6	<1	1	2	3	5	8	14
B. OPERATED	374	2.5	8	<1	1	2	2	5	9	16
TOTAL 0-27 DYS										
1-11 MOS	19	3.4	15	1	1	2	4	9	13	16
1-5 YRS	154	2.4	8	<1	<1	2	2	4	9	15
6-12 YRS	136	1.8	3	<1	1	2	2	2	3	12
13-19 YRS	111	3.4	11	1	1	2	3	9	11	16
GRAND TOTAL	420	2.5	8	<1	1	2	2	5	9	15

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	6.2	39	1	1	4	6	17	17	17
6-12 YRS	6	1.5		<1	<1	1	2	2	2	2
13-19 YRS	20	2.5	2	<1	<1	2	3	4	5	6
B. *Operated*										
0-27 DYS	3	9.0	127	2	2	3	17	22	22	22
1-11 MOS	35	2.5	4	<1	<1	2	3	6	8	9
1-5 YRS	152	2.3	4	<1	<1	2	3	4	6	9
6-12 YRS	738	2.9	4	1	1	2	3	5	6	10
13-19 YRS	1870	3.0	5	1	1	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	8	2.3	4	<1	<1	1	3	6	7	7
6-12 YRS	12	2.9	16	<1	<1	1	3	8	14	15
13-19 YRS	19	2.9	8	<1	<1	2	4	7	10	11
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	7	2.6	2	1	1	2	4	5	5	5
1-5 YRS	34	3.5	17	<1	<1	2	4	10	19	99+
6-12 YRS	131	3.1	6	<1	1	2	4	6	9	13
13-19 YRS	268	4.3	21	1	1	3	5	8	10	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.8	8	<1	1	2	3	5	6	17
B. *Operated*	2798	3.0	5	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	41	2.7	9	<1	<1	1	3	7	9	15
B. *Operated*	441	3.8	16	<1	1	3	4	7	9	23
1. SINGLE DX	2831	2.9	5	1	1	2	3	5	6	12
2. MULTIPLE DX	482	3.7	16	<1	1	3	4	7	9	23
A. NOT OPERATED	74	2.8	9	<1	<1	2	3	6	8	17
B. OPERATED	3239	3.1	6	1	1	2	4	5	7	13
TOTAL 0-27 DYS	5	6.0	81	<1	<1	2	8	22	22	22
1-11 MOS	45	2.5	3	<1	1	2	3	5	7	9
1-5 YRS	199	2.6	7	<1	<1	2	3	5	7	18
6-12 YRS	887	2.9	4	<1	1	2	3	5	6	12
13-19 YRS	2177	3.2	7	1	1	3	4	5	7	13
GRAND TOTAL	3313	3.1	6	<1	1	2	4	5	7	13

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	24	3.3	11	<1	<1	2	4	7	10	16
1-5 YRS	18	4.7	75	<1	<1	2	4	9	27	38
6-12 YRS	6	1.2		<1	<1	1	1	2	2	2
13-19 YRS	13	2.5	3	<1	<1	2	3	5	6	6
B. *Operated*										
0-27 DYS	8	3.4	9	1	1	2	4	8	10	10
1-11 MOS	260	2.5	11	<1	<1	2	3	4	7	19
1-5 YRS	921	2.0	3	<1	<1	1	2	4	5	10
6-12 YRS	791	2.3	5	<1	<1	2	2	4	6	10
13-19 YRS	755	2.4	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	32	4.2	14	<1	1	4	6	10	15	99+
1-5 YRS	39	2.4	5	<1	<1	1	3	5	7	11
6-12 YRS	10	3.0	9	<1	<1	1	5	8	8	8
13-19 YRS	8	3.6	3	2	2	3	5	6	6	6
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	57	5.6	98	<1	1	3	5	10	19	64
1-5 YRS	131	4.6	68	<1	1	2	4	10	20	54
6-12 YRS	173	2.5	5	<1	1	2	3	5	7	13
13-19 YRS	212	3.4	18	<1	1	2	4	7	9	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.3	27	<1	<1	2	3	6	9	35
B. *Operated*	2735	2.2	5	<1	<1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	91	3.3	9	<1	<1	2	5	8	9	64
B. *Operated*	574	3.6	34	<1	1	2	3	7	11	31
1. SINGLE DX	2797	2.3	5	<1	<1	2	2	4	6	11
2. MULTIPLE DX	665	3.6	31	<1	<1	2	4	7	11	31
A. NOT OPERATED	153	3.3	16	<1	<1	2	4	7	9	37
B. OPERATED	3309	2.5	10	<1	<1	2	3	4	7	13
TOTAL 0-27 DYS	12	3.3	6	1	1	3	4	7	10	10
1-11 MOS	373	3.2	26	<1	<1	2	3	6	9	33
1-5 YRS	1109	2.3	13	<1	<1	1	2	4	6	15
6-12 YRS	980	2.3	5	<1	<1	2	2	4	6	11
13-19 YRS	988	2.7	7	<1	<1	2	3	5	7	13
GRAND TOTAL	3462	2.5	10	<1	<1	2	3	5	7	15

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	31	2.5	2	<1	<1	2	3	4	5	8
13-19 YRS	1475	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	1.1		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.3		2	2	2	3	3	3	3
13-19 YRS	210	2.7	3	1	1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*	1509	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	7	1.1		<1	<1	1	1	2	2	2
B. *Operated*	215	2.7	3	1	1	2	3	5	6	11
1. SINGLE DX	1514	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	222	2.7	3	1	1	2	3	5	6	11
A. NOT OPERATED	12	1.4		<1	<1	1	2	3	3	3
B. OPERATED	1724	2.0	2	<1	1	2	2	3	4	6
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	35	2.4	2	<1	<1	2	3	4	5	8
13-19 YRS	1697	2.0	2	<1	1	2	2	3	4	6
GRAND TOTAL	**1736**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**6**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	4	7.5	3	6	6	7	9	9	9	9
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	8.0	2	7	7	8	9	9	9	9
13-19 YRS	17	4.7	18	1	2	3	5	9	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	9	7.0	8	2	3	7	8	11	13	13
1-5 YRS	7	5.9	7	<1	1	6	8	9	9	9
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	23	5.5	21	<1	1	5	8	11	15	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*	24	5.6	15	1	2	5	8	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	4	2.8	4	1	1	3	4	5	5	5
B. *Operated*	42	5.8	15	<1	1	6	8	9	13	19
1. SINGLE DX	28	5.2	15	1	2	4	7	9	11	19
2. MULTIPLE DX	46	5.5	14	<1	1	6	8	9	13	19
A. NOT OPERATED	8	2.6	3	1	1	2	4	5	5	5
B. OPERATED	66	5.7	15	<1	1	6	8	9	13	19
TOTAL 0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	13	7.2	6	3	5	7	8	10	12	13
1-5 YRS	8	6.3	7	<1	1	7	8	9	9	9
6-12 YRS	4	4.5	17	<1	<1	4	8	9	9	9
13-19 YRS	47	4.8	17	1	1	4	7	9	14	19
GRAND TOTAL	**74**	**5.4**	**14**	**<1**	**1**	**5**	**7**	**9**	**12**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.3	5	2	2	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	7	3.0	5	1	1	2	4	7	7	7
1. SINGLE DX	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX	8	2.8	5	1	1	2	4	6	7	7
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	12	2.6	3	1	1	2	3	6	7	7
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	12	2.6	3	1	1	2	3	6	7	7
GRAND TOTAL	13	2.5	3	1	1	2	3	5	7	7

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	4.0	3	1	1	5	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.0	19	3	3	10	11	11	11	11
6-12 YRS	32	6.8	6	4	4	6	9	10	11	12
13-19 YRS	421	5.9	3	4	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.0	32	<1	<1	4	9	9	9	9
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	18	6.6	7	4	4	6	8	9	12	14
13-19 YRS	338	6.3	5	4	4	6	7	9	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.0	3	1	1	5	5	6	6	6
B. *Operated*	456	6.0	3	4	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	2	5.0	32	<1	<1	4	9	9	9	9
B. *Operated*	358	6.3	5	4	4	6	7	9	10	14
1. SINGLE DX	463	6.0	3	4	4	6	7	8	9	12
2. MULTIPLE DX	360	6.3	5	4	4	6	7	9	10	14
A. NOT OPERATED	9	4.2	7	<1	<1	5	5	8	9	9
B. OPERATED	814	6.1	4	4	4	6	7	8	10	13
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	4	8.5	14	3	3	10	11	11	11	11
6-12 YRS	50	6.7	6	4	4	6	9	10	11	14
13-19 YRS	768	6.0	4	4	4	6	7	8	9	12
GRAND TOTAL	823	6.1	4	4	4	6	7	8	10	13

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	10	1.6	1	<1	<1	1	2	3	4	4
13-19 YRS	18	2.9	7	<1	<1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	10	3.7	4	1	1	4	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	31	2.4	5	<1	<1	2	3	5	9	9
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	13	3.4	4	1	1	3	5	6	7	7
1. SINGLE DX	31	2.4	5	<1	<1	2	3	5	9	9
2. MULTIPLE DX	13	3.4	4	1	1	3	5	6	7	7
A. NOT OPERATED										
B. OPERATED	44	2.7	4	<1	<1	2	4	6	8	9
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	13	1.8	1	<1	<1	2	2	3	4	4
13-19 YRS	28	3.2	6	<1	<1	2	5	7	9	9
GRAND TOTAL	44	2.7	4	<1	<1	2	4	6	8	9

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	5	2.8	5	1	1	2	4	6	6	6
6-12 YRS	6	1.2		<1	<1	1	1	2	2	2
13-19 YRS	8	2.6	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	9	4.0	22	<1	1	2	4	12	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	23	2.2	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	11	3.5	18	<1	1	2	4	9	15	16
1. SINGLE DX	24	2.4	3	<1	<1	2	3	6	6	7
2. MULTIPLE DX	12	3.3	17	<1	<1	2	3	8	15	16
A. NOT OPERATED	2	4.0	18	<1	<1	3	7	7	7	7
B. OPERATED	34	2.6	8	<1	<1	2	3	5	6	16
TOTAL 0-27 DYS										
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	6	2.7	4	1	1	2	4	6	6	6
6-12 YRS	8	1.1		<1	<1	1	1	2	2	2
13-19 YRS	18	3.6	13	<1	<1	2	4	7	12	16
GRAND TOTAL	36	2.7	8	<1	<1	2	3	6	7	16

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	4.3	21	<1	<1	2	8	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	9	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	10	3.3	14	<1	<1	2	2	10	12	12
1. SINGLE DX	9	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX	10	3.3	14	<1	<1	2	2	10	12	12
A. NOT OPERATED										
B. OPERATED	19	2.7	8	<1	<1	2	2	6	10	12
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.7		<1	<1	2	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	13	3.2	11	<1	1	2	3	9	11	12
GRAND TOTAL	19	2.7	8	<1	<1	2	2	6	10	12

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	73th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	30	1.6		<1	1	2	2	2	3	3
6-12 YRS	30	2.1	5	<1	<1	1	2	4	7	12
13-19 YRS	38	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	5	2.0	1	1	1	2	2	3	3	3
13-19 YRS	2	6.5	41	2	2	6	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	102	1.7	2	<1	<1	2	2	2	3	9
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	9	2.9	10	1	1	2	3	8	11	11
1. SINGLE DX	104	1.8	2	<1	<1	2	2	2	3	9
2. MULTIPLE DX	11	2.5	8	<1	<1	2	2	6	11	11
A. NOT OPERATED	4	1.5	1	<1	<1	1	2	3	3	3
B. OPERATED	111	1.8	2	<1	<1	2	2	2	3	11
TOTAL 0-27 DYS										
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	36	1.6		<1	<1	1	2	2	3	3
6-12 YRS	35	2.1	4	<1	<1	2	2	3	6	12
13-19 YRS	40	1.9	3	<1	<1	2	2	3	4	11
GRAND TOTAL	115	1.8	2	<1	<1	2	2	2	3	11

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	5	4.0	8	1	1	3	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	6	10.3	94	2	2	6	21	24	24	24
6-12 YRS	11	11.2	226	2	2	8	11	30	53	55
13-19 YRS	22	11.6	70	1	2	10	14	22	31	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.8	3	1	1	2	4	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	31.0	578	14	14	31	48	48	48	48
1-5 YRS	6	10.3	33	4	4	9	11	20	21	21
6-12 YRS	8	19.4	179	7	8	15	25	42	46	46
13-19 YRS	11	17.7	178	1	2	17	22	38	46	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	7	1	1	3	6	7	7	7
B. *Operated*	40	11.3	108	2	2	9	13	22	32	55
2. MULTIPLE DX										
A. *Not Operated*	5	2.8	3	1	1	2	4	5	5	5
B. *Operated*	27	17.6	172	2	5	14	21	43	47	48
1. SINGLE DX	47	10.1	100	1	2	8	12	21	29	55
2. MULTIPLE DX	32	15.3	174	1	2	11	19	37	47	48
A. NOT OPERATED	12	3.2	5	1	1	3	4	7	7	7
B. OPERATED	67	13.8	141	2	2	10	17	31	46	54
TOTAL 0-27 DYS										
1-11 MOS	3	23.7	450	9	9	14	39	48	48	48
1-5 YRS	12	10.3	58	2	2	8	16	22	24	24
6-12 YRS	26	11.4	183	1	2	7	13	31	48	55
13-19 YRS	38	12.4	167	1	2	10	17	26	34	47
GRAND TOTAL	79	12.2	138	1	2	9	16	26	41	53

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	9	2.8	1	1	1	3	3	4	4	4
13-19 YRS	139	3.8	1	2	3	4	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	4.3	1	3	3	4	5	6	6	6
13-19 YRS	32	5.2	10	2	3	4	5	11	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	151	3.7	2	2	2	4	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*	38	5.0	8	2	3	4	5	9	13	14
1. SINGLE DX	153	3.7	2	2	2	4	4	5	6	7
2. MULTIPLE DX	40	5.1	8	2	3	4	5	9	13	14
A. NOT OPERATED	4	3.8	6	2	2	3	5	7	7	7
B. OPERATED	189	4.0	3	2	3	4	4	5	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	16	3.3	2	1	2	3	4	5	6	6
13-19 YRS	174	4.1	3	2	3	4	5	5	7	13
GRAND TOTAL	193	4.0	3	2	2	4	4	5	7	13

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	9	4.7	23	1	1	3	4	12	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	17.3	122	7	7	16	26	29	29	29
6-12 YRS	2	7.5	41	3	3	7	12	12	12	12
13-19 YRS	21	9.5	49	4	4	7	12	15	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.0	14	1	1	2	7	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	95.0		95	95	95	95	95	95	95
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	11.5	25	8	8	11	15	15	15	15
13-19 YRS	14	14.6	215	6	7	10	15	27	55	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.2	21	1	2	4	5	13	17	17
B. *Operated*	27	10.0	58	3	4	7	14	15	30	35
2. MULTIPLE DX										
A. *Not Operated*	5	4.0	14	1	1	2	7	9	9	9
B. *Operated*	18	18.2	539	5	6	10	15	51	82	95
1. SINGLE DX	38	8.6	51	2	3	6	11	16	24	35
2. MULTIPLE DX	23	15.1	455	1	2	9	14	31	74	95
A. NOT OPERATED	16	4.8	18	1	1	4	6	10	15	17
B. OPERATED	45	13.3	259	4	4	8	15	23	42	95
TOTAL 0-27 DYS										
1-11 MOS	2	49.0	4232	3	3	49	95	95	95	95
1-5 YRS	5	13.4	93	5	5	10	19	29	29	29
6-12 YRS	5	8.6	24	3	3	8	13	15	15	15
13-19 YRS	49	9.5	99	1	2	7	11	16	24	63
GRAND TOTAL	61	11.0	208	2	3	7	12	17	32	91

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	69	2.3	2	<1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	26	2.7	2	<1	1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	71	2.4	2	<1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	29	3.1	5	1	1	2	3	7	9	10
1. SINGLE DX	71	2.4	2	<1	1	2	3	5	6	7
2. MULTIPLE DX	32	2.9	5	1	1	2	3	6	9	10
A. NOT OPERATED	3	1.0		1	1	1	1	1	1	1
B. OPERATED	100	2.6	3	<1	1	2	3	5	7	9
TOTAL 0-27 DYS										
1-11 MOS	2	8.0	2	7	7	8	9	9	9	9
1-5 YRS										
6-12 YRS	3	4.7	21	2	2	2	6	10	10	10
13-19 YRS	95	2.3	2	<1	1	2	3	5	6	7
GRAND TOTAL	103	2.5	3	<1	1	2	3	5	6	9

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	2.5	3	1	1	2	2	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	6	3.8	11	<1	<1	3	5	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	9	2.1	2	1	1	2	2	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	9	3.9	9	<1	<1	3	5	9	10	10
1. SINGLE DX	10	2.2	2	1	1	2	2	4	6	6
2. MULTIPLE DX	11	3.7	8	<1	<1	3	5	8	10	10
A. NOT OPERATED	3	3.0	4	1	1	3	4	5	5	5
B. OPERATED	18	3.0	6	<1	1	2	4	7	9	10
TOTAL 0-27 DYS										
1-11 MOS	4	4.3	6	1	1	4	6	7	7	7
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	13	3.0	7	<1	1	2	4	7	9	10
GRAND TOTAL	21	3.0	6	<1	1	2	4	6	8	10

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	5	4.0	11	1	1	3	7	8	8	8
1-5 YRS	24	2.0	2	<1	1	1	3	4	5	7
6-12 YRS	36	3.4	8	1	1	3	4	6	9	15
13-19 YRS	70	4.6	39	1	1	3	6	9	12	42
B. *Operated*										
0-27 DYS	4	10.0	33	5	5	8	14	18	18	18
1-11 MOS	27	3.5	7	<1	1	2	5	8	9	10
1-5 YRS	97	3.0	16	<1	<1	2	3	7	9	23
6-12 YRS	164	4.2	25	1	1	2	5	9	13	32
13-19 YRS	370	4.4	24	1	1	3	5	10	13	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.3	10	1	1	2	6	7	7	7
1-11 MOS	9	3.8	16	1	1	2	8	11	13	13
1-5 YRS	34	3.4	9	<1	<1	2	5	6	8	15
6-12 YRS	35	3.6	13	1	1	3	4	6	7	22
13-19 YRS	62	5.7	62	1	1	4	6	12	16	48
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	4.8	7	1	1	5	6	8	8	8
1-5 YRS	34	11.8	241	1	2	6	13	38	41	73
6-12 YRS	51	9.1	110	<1	1	4	16	20	25	52
13-19 YRS	141	8.8	139	1	2	6	9	17	31	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	3.8	23	1	1	3	4	7	10	27
B. *Operated*	662	4.2	23	<1	1	2	5	9	12	25
2. MULTIPLE DX										
A. *Not Operated*	143	4.5	34	<1	1	3	5	8	13	41
B. *Operated*	232	9.2	144	1	1	6	10	20	35	68
1. SINGLE DX	800	4.1	23	1	1	2	5	9	12	25
2. MULTIPLE DX	375	7.4	107	1	1	4	8	17	25	50
A. NOT OPERATED	281	4.1	29	1	1	3	5	7	12	36
B. OPERATED	894	5.5	59	1	1	3	6	11	18	40
TOTAL 0-27 DYS	11	5.4	26	1	1	3	7	13	18	18
1-11 MOS	46	3.7	9	<1	1	3	6	8	9	13
1-5 YRS	189	4.5	64	<1	<1	2	5	8	19	40
6-12 YRS	286	4.9	40	1	1	3	5	11	18	33
13-19 YRS	643	5.5	58	1	1	4	6	11	15	42
GRAND TOTAL	1175	5.1	52	1	1	3	6	10	17	40

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	4.0	16	1	1	3	5	11	11	11
13-19 YRS	14	2.3	2	1	1	2	2	4	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	5	3.6	9	<1	<1	3	6	8	8	8
13-19 YRS	96	4.0	2	2	3	4	5	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	8	3.6	6	1	1	3	6	7	7	7
13-19 YRS	19	3.6	4	1	1	3	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	4	12.0	215	4	4	5	20	34	34	34
13-19 YRS	34	4.9	6	2	3	4	6	7	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.7	5	1	1	2	3	5	8	11
B. *Operated*	104	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	29	3.4	4	1	1	3	5	6	7	7
B. *Operated*	39	5.6	27	2	3	4	6	9	13	34
1. SINGLE DX	124	3.8	3	1	2	4	5	6	7	10
2. MULTIPLE DX	68	4.7	19	1	1	4	5	7	10	30
A. NOT OPERATED	49	3.1	5	1	1	2	5	6	7	11
B. OPERATED	143	4.4	10	2	3	4	5	6	8	15
TOTAL 0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	5	2.8	9	<1	<1	2	4	8	8	8
6-12 YRS	22	5.2	48	<1	1	4	5	9	20	34
13-19 YRS	163	4.0	4	1	2	4	5	6	7	11
GRAND TOTAL	192	4.1	9	1	2	4	5	6	7	13

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	4.0	6	1	2	4	5	7	10	12
1-11 MOS	8	5.1	26	1	1	3	9	13	14	14
1-5 YRS	13	3.6	6	1	1	3	5	7	9	10
6-12 YRS	42	4.7	14	1	2	4	6	8	12	21
13-19 YRS	123	6.2	42	1	2	5	8	11	12	35
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	3.0	2	1	1	3	4	5	5	5
6-12 YRS	18	4.8	7	2	2	4	5	10	11	11
13-19 YRS	160	6.0	36	2	3	5	6	10	15	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	5.7	26	1	1	4	8	14	15	15
1-11 MOS	11	6.0	56	1	1	2	9	20	21	21
1-5 YRS	12	9.4	200	1	1	6	9	24	49	53
6-12 YRS	36	5.3	17	1	1	4	7	9	12	23
13-19 YRS	126	5.9	32	1	2	4	7	11	14	37
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	8	4.9	3	2	2	5	6	7	7	7
13-19 YRS	58	7.5	28	4	4	6	8	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	5.4	30	1	2	4	7	10	12	22
B. *Operated*	185	5.8	32	2	3	4	6	9	13	38
2. MULTIPLE DX										
A. *Not Operated*	191	6.0	40	1	1	4	7	11	15	38
B. *Operated*	69	7.0	25	3	4	5	8	12	17	30
1. SINGLE DX	394	5.6	31	1	2	4	6	10	12	30
2. MULTIPLE DX	260	6.3	36	1	2	5	7	12	16	36
A. NOT OPERATED	400	5.7	35	1	2	4	7	11	13	30
B. OPERATED	254	6.1	31	2	3	5	6	10	15	32
TOTAL 0-27 DYS	29	4.3	10	1	2	4	5	9	12	15
1-11 MOS	20	5.8	40	1	1	3	9	16	20	21
1-5 YRS	34	5.5	78	1	1	3	5	9	12	53
6-12 YRS	104	4.9	13	1	2	4	6	9	11	22
13-19 YRS	467	6.2	36	2	2	5	7	11	15	35
GRAND TOTAL	654	5.9	33	1	2	4	7	11	14	32

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	4	5.0	3	3	3	5	6	7	7	7
1-5 YRS	155	6.8	15	2	3	6	8	11	14	20
6-12 YRS	616	7.0	21	2	3	6	9	11	14	21
13-19 YRS	846	6.2	15	2	2	5	8	11	13	20
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	4	3.8	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	10.0	72	4	4	10	16	16	16	16
1-11 MOS	11	8.8	43	2	3	7	10	20	24	24
1-5 YRS	94	7.4	36	1	1	6	10	14	18	30
6-12 YRS	324	5.8	18	1	1	5	8	11	13	20
13-19 YRS	689	5.8	30	1	2	5	7	11	13	24
B. Operated										
0-27 DYS										
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	2	8.5	5	7	7	8	10	10	10	10
6-12 YRS	12	7.2	15	2	3	7	10	13	14	14
13-19 YRS	47	9.9	157	1	2	6	11	22	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1622	6.6	17	2	2	6	8	11	13	20
B. Operated	5	5.2	[illegible]	1	1	5	7	11	11	11
2. MULTIPLE DX										
A. Not Operated	1120	6.0	28	1	2	5	8	11	14	23
B. Operated	62	9.5	124	2	2	7	11	17	40	96
1. SINGLE DX	1627	6.5	17	2	2	6	8	11	13	20
2. MULTIPLE DX	1182	6.1	33	1	2	5	8	11	14	30
A. NOT OPERATED	2742	6.3	22	1	2	6	8	11	14	21
B. OPERATED	67	9.2	116	1	2	7	10	16	36	95
TOTAL 0-27 DYS	3	10.3	36	4	4	11	15	16	16	16
1-11 MOS	16	8.5	40	2	3	7	9	19	22	24
1-5 YRS	251	7.1	22	1	2	6	9	13	16	26
6-12 YRS	953	6.6	20	1	2	6	9	11	13	20
13-19 YRS	1586	6.1	26	1	2	5	8	11	13	24
GRAND TOTAL	2809	6.4	24	1	2	6	8	11	14	22

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	8	7.6	33	1	2	6	9	17	20	20
1-5 YRS	68	7.3	18	2	2	7	9	15	17	18
6-12 YRS	698	5.5	16	1	2	5	7	11	14	18
13-19 YRS	1784	4.9	12	1	2	4	6	9	11	17
B. Operated										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	14	5.9	19	1	1	5	8	11	16	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	5.0	27	2	2	2	9	11	11	11
1-11 MOS	8	18.4	94	6	7	16	26	31	33	33
1-5 YRS	67	8.2	40	1	2	7	11	18	22	26
6-12 YRS	466	5.8	20	1	2	5	8	11	13	22
13-19 YRS	1371	5.9	26	2	2	5	7	11	14	24
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	5	8.8	23	3	3	8	13	15	15	15
13-19 YRS	53	11.8	111	2	3	9	14	24	37	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2558	5.2	13	1	2	4	7	10	12	18
B. Operated	18	6.6	28	1	1	5	8	16	20	21
2. MULTIPLE DX										
A. Not Operated	1915	6.0	26	1	2	5	8	11	14	25
B. Operated	59	11.7	104	2	3	9	14	23	33	56
1. SINGLE DX	2576	5.2	13	1	2	4	7	10	12	18
2. MULTIPLE DX	1974	6.2	30	1	2	5	8	12	15	27
A. NOT OPERATED	4473	5.5	19	1	2	4	7	10	13	22
B. OPERATED	77	10.5	91	2	3	8	13	22	25	53
TOTAL 0-27 DYS	3	5.0	27	2	2	2	9	11	11	11
1-11 MOS	17	13.5	68	2	4	11	21	27	31	33
1-5 YRS	137	7.8	30	1	2	7	10	16	19	25
6-12 YRS	1171	5.6	18	1	2	5	7	11	13	19
13-19 YRS	3222	5.4	20	1	2	4	7	10	12	22
GRAND TOTAL	4550	5.6	21	1	2	4	7	10	13	22

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	4	7.5	6	4	4	8	9	9	9	9
1-5 YRS	61	6.8	14	1	2	6	9	12	13	20
6-12 YRS	341	6.6	18	2	3	6	8	11	13	25
13-19 YRS	684	6.0	18	1	2	5	8	11	14	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	11	3.4	3	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	9.0	9	6	6	9	11	12	12	12
1-11 MOS	15	11.5	70	3	4	8	16	20	31	35
1-5 YRS	38	8.7	77	1	2	6	13	18	23	47
6-12 YRS	216	5.9	22	1	1	5	8	11	14	25
13-19 YRS	609	6.2	26	1	2	5	8	11	14	29
B. *Operated*										
0-27 DYS	2	12.0		12	12	12	12	12	12	12
1-11 MOS										
1-5 YRS	4	26.5	442	3	3	37	62	99+	99+	99+
6-12 YRS	7	6.3	13	2	2	6	9	11	12	12
13-19 YRS	61	9.5	40	2	3	8	13	18	23	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1092	6.2	18	2	2	5	8	11	14	22
B. *Operated*	14	3.1	3	2	2	3	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	882	6.3	28	1	2	5	8	12	16	30
B. *Operated*	74	10.2	68	2	3	8	13	20	27	87
1. SINGLE DX	1106	6.2	18	2	2	5	8	11	14	22
2. MULTIPLE DX	956	6.6	32	1	2	5	8	12	17	32
A. NOT OPERATED	1974	6.3	22	1	2	5	8	11	14	26
B. OPERATED	88	9.1	65	2	2	7	12	18	27	80
TOTAL 0-27 DYS	8	8.3	17	1	2	9	12	12	12	12
1-11 MOS	19	10.7	58	3	4	8	14	19	28	35
1-5 YRS	103	8.3	64	1	2	6	11	15	22	73
6-12 YRS	567	6.3	20	2	2	5	8	11	14	25
13-19 YRS	1365	6.2	23	1	2	5	8	11	15	27
GRAND TOTAL	**2062**	**6.4**	**25**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	3.1	2	1	1	3	4	5	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	163	3.5	5	1	1	3	5	7	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	21	4.3	3	1	2	4	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	3	6.0	13	3	3	5	9	10	10	10
13-19 YRS	161	4.7	8	1	2	4	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.1	2	1	1	3	4	5	5	6
B. *Operated*	165	3.5	5	1	1	3	5	7	7	11
2. MULTIPLE DX										
A. *Not Operated*	23	4.4	4	1	2	4	5	7	8	9
B. *Operated*	166	4.7	8	1	2	4	6	8	10	16
1. SINGLE DX	192	3.5	5	1	1	3	5	6	7	11
2. MULTIPLE DX	189	4.7	8	1	2	4	6	8	10	15
A. NOT OPERATED	50	3.7	3	1	2	4	5	6	7	9
B. OPERATED	331	4.1	7	1	1	4	6	7	9	13
TOTAL 0-27 DYS										
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	7	5.1	8	2	2	5	7	10	10	10
13-19 YRS	372	4.1	7	1	1	4	5	7	9	12
GRAND TOTAL	**381**	**4.1**	**7**	**1**	**1**	**4**	**5**	**7**	**9**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	8.3	35	1	1	8	10	17	20	20
1-11 MOS	33	3.6	13	1	1	2	4	9	13	14
1-5 YRS	147	3.1	16	<1	1	2	3	6	8	19
6-12 YRS	189	3.1	10	1	1	2	3	6	7	14
13-19 YRS	197	4.4	17	1	1	3	6	8	11	23
B. *Operated*										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	13	4.7	19	1	2	3	5	10	16	18
6-12 YRS	15	5.3	12	1	2	6	8	11	11	11
13-19 YRS	26	5.8	27	1	2	4	7	11	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	9.2	100	2	2	6	9	25	35	35
1-11 MOS	46	5.3	39	1	1	3	6	12	19	33
1-5 YRS	184	4.3	35	1	1	2	5	8	13	41
6-12 YRS	211	2.8	5	1	1	2	4	6	7	10
13-19 YRS	336	4.8	31	1	1	4	6	8	11	28
B. *Operated*										
0-27 DYS	2	21.0	392	7	7	21	35	35	35	35
1-11 MOS	3	31.3	346	14	14	29	45	51	51	51
1-5 YRS	11	6.7	23	1	2	5	9	13	18	18
6-12 YRS	19	4.6	12	1	2	4	6	9	13	16
13-19 YRS	40	8.7	90	1	2	6	10	19	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	3.6	15	1	1	2	4	7	10	20
B. *Operated*	58	5.4	19	1	2	4	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	786	4.2	27	1	1	3	5	8	11	30
B. *Operated*	75	8.6	98	1	2	5	9	18	33	50
1. SINGLE DX	632	3.8	16	1	1	3	4	8	10	20
2. MULTIPLE DX	861	4.6	35	1	1	3	5	8	13	34
A. NOT OPERATED	1360	4.0	22	1	1	3	5	7	10	25
B. OPERATED	133	7.2	66	1	2	4	8	16	25	49
TOTAL 0-27 DYS	21	9.7	88	1	2	7	10	26	35	35
1-11 MOS	84	5.5	60	1	1	3	6	13	19	45
1-5 YRS	355	3.9	26	1	1	2	4	7	12	31
6-12 YRS	434	3.1	8	1	1	2	4	6	8	14
13-19 YRS	599	5.0	31	1	1	4	6	9	13	30
GRAND TOTAL	**1493**	**4.3**	**27**	**1**	**1**	**3**	**5**	**8**	**11**	**31**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	5.5	7	3	3	5	7	9	9	9
1-11 MOS	18	5.8	26	2	2	4	6	12	19	23
1-5 YRS	22	6.5	40	1	2	5	8	12	20	31
6-12 YRS	4	4.8	32	1	1	3	8	13	13	13
13-19 YRS	10	5.4	5	2	2	5	7	8	9	9
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	5	3.4	7	2	2	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	7.3	23	2	2	6	10	13	17	19
1-11 MOS	65	8.8	78	2	2	6	10	21	28	47
1-5 YRS	45	9.2	65	1	2	6	12	19	26	35
6-12 YRS	6	12.7	182	1	1	9	16	36	38	38
13-19 YRS	23	7.3	17	2	3	7	8	15	17	17
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	5	18.8	188	6	6	17	28	39	39	39
1-5 YRS	3	18.0	475	3	3	8	34	43	43	43
6-12 YRS	5	12.4	113	5	5	10	15	31	31	31
13-19 YRS	7	8.7	29	5	5	6	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.9	26	1	2	5	7	11	13	30
B. *Operated*	9	3.7	6	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	154	8.7	63	2	2	6	10	19	23	38
B. *Operated*	21	13.9	137	4	5	8	18	34	41	43
1. SINGLE DX	67	5.6	24	1	2	4	7	10	13	30
2. MULTIPLE DX	175	9.3	74	2	2	7	11	19	30	42
A. NOT OPERATED	212	8.0	54	2	2	6	9	17	21	36
B. OPERATED	30	10.8	119	2	2	6	16	28	39	43
TOTAL 0-27 DYS	21	7.6	27	2	3	6	10	15	20	21
1-11 MOS	88	8.8	79	2	2	6	10	21	27	46
1-5 YRS	71	8.7	72	1	2	6	11	19	31	41
6-12 YRS	17	9.5	110	1	1	6	11	28	36	38
13-19 YRS	45	6.7	16	2	2	6	8	15	17	17
GRAND TOTAL	**242**	**8.3**	**62**	**2**	**2**	**6**	**10**	**18**	**24**	**39**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	27	10.9	84	2	3	8	14	22	35	37
1-5 YRS	44	9.1	31	2	2	10	12	14	18	29
6-12 YRS	94	10.7	32	2	3	10	14	18	20	31
13-19 YRS	132	12.4	33	3	6	12	15	19	22	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	2	22.5	145	14	14	22	31	31	31	31
13-19 YRS	2	22.0	162	13	13	22	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	42	14.1	221	2	3	9	19	28	43	76
1-5 YRS	110	9.0	36	2	2	8	13	16	20	29
6-12 YRS	127	12.0	60	2	3	10	15	20	27	41
13-19 YRS	170	11.2	38	3	4	10	14	18	23	31
B. *Operated*										
0-27 DYS	1	84.0		84	84	92	99+	99+	99+	99+
1-11 MOS	3	24.0	372	10	10	16	38	46	46	46
1-5 YRS	6	11.2	66	1	1	10	16	23	24	24
6-12 YRS	12	19.1	129	2	3	18	29	32	35	36
13-19 YRS	15	13.1	100	2	5	8	22	26	33	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	11.2	38	2	3	10	14	18	21	36
B. *Operated*	5	20.8	87	13	13	15	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	450	11.2	62	2	3	10	14	20	25	37
B. *Operated*	37	17.5	250	2	3	13	26	36	69	99+
1. SINGLE DX	303	11.4	40	2	3	11	14	18	22	36
2. MULTIPLE DX	487	11.6	79	2	3	10	14	21	27	47
A. NOT OPERATED	748	11.2	53	2	3	10	14	19	23	36
B. OPERATED	42	17.9	229	2	4	14	27	36	59	99+
TOTAL 0-27 DYS	3	32.3	2032	1	1	48	92	99+	99+	99+
1-11 MOS	72	13.3	176	2	3	9	17	28	37	72
1-5 YRS	161	9.2	35	2	2	9	13	16	20	29
6-12 YRS	235	11.9	56	2	3	10	15	21	28	37
13-19 YRS	319	11.9	40	3	4	11	15	19	23	36
GRAND TOTAL	**790**	**11.5**	**64**	**2**	**3**	**10**	**14**	**20**	**26**	**38**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	4.5	4	2	2	4	6	8	9	9
6-12 YRS	25	9.8	327	1	2	3	6	25	53	85
13-19 YRS	41	9.6	302	1	1	4	7	22	62	79
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	76	8.6	21	5	6	8	9	11	14	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	9	6.0	33	1	1	5	6	16	20	20
6-12 YRS	43	4.6	9	1	2	4	6	9	10	15
13-19 YRS	60	5.5	20	1	2	4	7	10	19	92
B. *Operated*										
0-27 DYS										
1-11 MOS	2	16.0	50	11	11	16	21	21	21	21
1-5 YRS										
6-12 YRS	1	27.0		27	27	27	27	27	27	27
13-19 YRS	73	10.4	89	5	6	8	9	14	29	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	8.9	266	1	2	4	6	19	54	83
B. *Operated*	77	8.6	21	5	6	8	9	11	14	35
2. MULTIPLE DX										
A. *Not Operated*	114	5.1	16	1	2	4	6	10	14	51
B. *Operated*	76	10.7	91	5	6	8	10	16	30	63
1. SINGLE DX	154	8.8	143	2	2	7	8	13	24	78
2. MULTIPLE DX	190	7.4	53	2	2	6	9	11	20	58
A. NOT OPERATED	191	6.7	120	1	2	4	6	10	23	82
B. OPERATED	153	9.7	56	5	6	8	9	13	20	40
TOTAL 0-27 DYS										
1-11 MOS	5	9.2	62	2	2	10	13	21	21	21
1-5 YRS	20	5.2	17	1	2	4	6	9	15	20
6-12 YRS	69	6.8	133	2	2	4	6	11	25	77
13-19 YRS	250	8.5	89	2	3	7	9	12	22	72
GRAND TOTAL	**344**	**8.0**	**93**	**2**	**2**	**6**	**9**	**11**	**21**	**72**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	53	3.0	4	1	1	2	4	5	7	10
1-11 MOS	56	4.1	10	1	1	4	5	8	9	15
1-5 YRS	89	3.9	38	<1	<1	3	4	6	9	42
6-12 YRS	64	5.1	162	<1	<1	2	4	8	15	88
13-19 YRS	128	3.4	19	<1	1	1	4	8	10	28
B. *Operated*										
0-27 DYS	2	20.0	8	18	18	20	22	22	22	22
1-11 MOS	13	5.3	26	1	2	4	6	11	19	21
1-5 YRS	38	4.6	24	<1	1	3	5	10	14	27
6-12 YRS	36	6.7	99	1	1	3	6	11	36	43
13-19 YRS	46	3.7	11	<1	1	2	5	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	28	5.0	54	1	1	3	4	9	17	40
1-11 MOS	96	7.4	61	2	2	5	9	15	17	47
1-5 YRS	123	5.6	62	<1	1	4	7	10	17	51
6-12 YRS	87	4.5	28	<1	<1	3	5	8	13	34
13-19 YRS	98	5.1	20	<1	1	4	6	10	15	22
B. *Operated*										
0-27 DYS										
1-11 MOS	14	10.7	89	2	3	9	10	19	36	41
1-5 YRS	26	11.2	241	<1	<1	4	12	31	49	64
6-12 YRS	23	9.1	38	2	3	8	14	16	20	26
13-19 YRS	56	9.6	75	1	2	7	12	23	31	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	3.8	43	<1	<1	2	4	7	9	29
B. *Operated*	135	5.2	43	<1	1	3	6	10	17	39
2. MULTIPLE DX										
A. *Not Operated*	432	5.6	45	<1	1	4	7	11	16	40
B. *Operated*	119	10.0	104	1	2	7	12	24	31	75
1. SINGLE DX	525	4.2	44	<1	1	3	5	8	11	31
2. MULTIPLE DX	551	6.6	61	<1	1	4	8	14	19	46
A. NOT OPERATED	822	4.8	45	<1	1	3	5	9	14	31
B. OPERATED	254	7.4	77	1	1	4	9	17	27	47
TOTAL 0-27 DYS	83	4.1	28	1	1	3	4	7	11	34
1-11 MOS	179	6.5	47	1	2	4	8	13	17	38
1-5 YRS	276	5.5	69	<1	1	3	5	10	18	50
6-12 YRS	210	5.6	83	<1	<1	3	6	11	16	41
13-19 YRS	328	5.0	32	<1	1	3	6	11	18	30
GRAND TOTAL	**1076**	**5.4**	**54**	**<1**	**1**	**3**	**6**	**11**	**17**	**41**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.5	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	17.5	313	5	5	17	30	30	30	30
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.5	1	1	1	2	3	4	4	4
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	3	12.3	236	2	2	5	24	30	30	30
B. *Operated*	5	4.6	9	1	1	5	7	8	8	8
1. SINGLE DX	7	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX	8	7.5	89	1	1	5	7	23	30	30
A. NOT OPERATED	9	5.8	84	1	1	3	4	20	30	30
B. OPERATED	6	4.2	9	1	1	4	7	8	8	8
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	10	6.2	73	1	1	4	5	18	30	30
GRAND TOTAL	**15**	**5.1**	**52**	**1**	**1**	**3**	**5**	**8**	**24**	**30**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	6.6	221	1	1	2	5	11	47	58
1-11 MOS	95	4.0	30	<1	1	3	4	5	8	39
1-5 YRS	176	2.8	6	1	1	2	3	5	8	16
6-12 YRS	78	2.4	2	1	1	2	3	4	6	8
13-19 YRS	49	3.1	5	1	1	3	3	7	9	10
B. *Operated*										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	45	5.7	14	2	2	5	6	11	12	19
1-11 MOS	556	5.4	32	1	2	4	6	10	14	30
1-5 YRS	920	3.7	10	1	1	3	4	6	8	17
6-12 YRS	403	3.3	7	1	1	3	4	6	7	15
13-19 YRS	376	4.0	15	1	1	3	5	7	8	22
B. *Operated*										
0-27 DYS	7	10.9	232	3	3	4	9	38	45	45
1-11 MOS	28	8.1	42	1	2	6	10	21	22	24
1-5 YRS	24	7.8	61	2	3	5	8	14	28	36
6-12 YRS	6	9.7	67	2	2	6	20	20	20	20
13-19 YRS	13	9.2	84	1	1	6	13	22	31	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	412	3.2	18	1	1	2	4	5	8	17
B. *Operated*	6	5.8	9	2	2	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2300	4.1	16	1	1	3	5	7	10	21
B. *Operated*	78	8.6	69	1	2	6	9	20	25	42
1. SINGLE DX	418	3.2	18	1	1	2	4	5	8	17
2. MULTIPLE DX	2378	4.2	18	1	1	3	5	7	11	23
A. NOT OPERATED	2712	4.0	16	1	1	3	5	7	9	20
B. OPERATED	84	8.4	65	1	2	5	9	20	24	42
TOTAL 0-27 DYS	68	6.4	76	1	2	4	6	11	14	56
1-11 MOS	681	5.3	32	1	2	4	6	10	14	31
1-5 YRS	1121	3.6	11	1	1	3	4	7	8	17
6-12 YRS	488	3.2	7	1	1	3	4	5	7	16
13-19 YRS	438	4.0	16	1	1	3	5	7	9	23
GRAND TOTAL	**2796**	**4.1**	**18**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	55	4.7	8	1	2	4	6	8	9	15
1-5 YRS	85	4.3	9	1	1	4	6	8	11	13
6-12 YRS	13	3.1	2	1	1	3	4	5	6	6
13-19 YRS	53	4.3	7	1	2	4	6	8	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	15	5.5	10	<1	1	6	8	10	11	12
6-12 YRS	3	5.0	12	3	3	3	8	9	9	9
13-19 YRS	20	4.9	9	2	2	4	7	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	80	5.5	13	1	2	5	7	9	12	19
1-5 YRS	135	4.8	11	1	2	4	6	9	11	17
6-12 YRS	25	4.6	5	1	2	4	7	8	8	8
13-19 YRS	144	4.8	9	1	2	4	6	9	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.5		4	4	4	5	5	5	5
1-5 YRS	5	5.4	5	4	4	4	7	9	9	9
6-12 YRS	4	7.0	8	5	5	6	9	11	11	11
13-19 YRS	46	7.9	100	1	1	4	9	18	24	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	4.3	8	1	1	4	6	8	10	13
B. *Operated*	39	5.2	9	1	2	4	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	386	4.9	10	1	2	4	6	9	11	17
B. *Operated*	59	7.4	80	1	2	4	7	15	20	54
1. SINGLE DX	245	4.5	8	1	1	4	6	8	10	13
2. MULTIPLE DX	445	5.3	20	1	2	4	7	9	13	19
A. NOT OPERATED	592	4.7	9	1	2	4	6	8	11	15
B. OPERATED	98	6.5	52	1	2	4	7	13	17	47
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	140	5.1	10	1	2	5	6	9	10	19
1-5 YRS	240	4.7	10	1	1	4	6	9	11	15
6-12 YRS	45	4.4	6	1	2	4	6	8	8	11
13-19 YRS	263	5.3	26	1	2	4	6	9	13	20
GRAND TOTAL	**690**	**5.0**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**18**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	16	4.1	4	<1	1	4	5	7	8	8
1-5 YRS	182	4.0	6	1	1	4	5	7	9	12
6-12 YRS	359	4.0	7	<1	1	4	5	7	9	12
13-19 YRS	550	5.2	13	1	2	4	7	10	11	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	10.7	32	6	6	9	15	17	17	17
6-12 YRS	3	6.3	1	5	5	7	7	7	7	7
13-19 YRS	4	11.8	44	5	5	11	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	36	5.6	47	1	1	3	6	12	21	35
1-5 YRS	223	5.3	15	1	2	4	7	10	13	21
6-12 YRS	275	5.9	43	1	1	5	7	11	14	24
13-19 YRS	418	7.5	37	2	2	6	9	14	19	40
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	6.8	13	2	2	7	9	10	10	10
6-12 YRS	12	10.3	70	1	4	8	11	20	33	35
13-19 YRS	45	13.6	198	2	4	9	16	29	38	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1109	4.6	10	1	1	4	6	8	10	16
B. *Operated*	10	9.8	28	5	5	8	14	18	20	20
2. MULTIPLE DX										
A. *Not Operated*	953	6.5	35	1	2	5	8	12	15	31
B. *Operated*	61	12.5	163	2	3	9	15	26	34	77
1. SINGLE DX	1119	4.6	10	1	1	4	6	8	10	16
2. MULTIPLE DX	1014	6.8	45	1	2	5	8	13	16	35
A. NOT OPERATED	2062	5.5	22	1	2	4	7	10	13	22
B. OPERATED	71	12.2	144	2	4	9	14	23	33	74
TOTAL 0-27 DYS	3	6.0	1	5	5	6	7	7	7	7
1-11 MOS	52	5.1	34	1	1	3	6	9	17	35
1-5 YRS	412	4.8	12	1	2	4	6	9	10	17
6-12 YRS	649	4.9	24	1	1	4	6	9	11	18
13-19 YRS	1017	6.6	35	1	2	5	8	12	16	31
GRAND TOTAL	**2133**	**5.7**	**28**	**1**	**2**	**5**	**7**	**10**	**14**	**26**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.8	4	<1	<1	3	5	6	6	6
1-11 MOS	75	2.2	3	<1	<1	1	3	5	5	7
1-5 YRS	226	2.4	10	<1	<1	1	2	5	8	15
6-12 YRS	185	1.9	4	<1	<1	<1	2	4	7	11
13-19 YRS	315	1.9	4	<1	<1	1	2	4	6	11
B. *Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	13	3.2	9	<1	1	3	4	6	11	12
1-5 YRS	44	4.4	9	1	1	4	6	8	10	14
6-12 YRS	36	7.4	111	1	2	5	6	13	20	64
13-19 YRS	69	7.5	23	2	2	6	9	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	5.2	27	1	1	3	8	13	17	18
1-11 MOS	90	5.3	63	<1	1	3	6	11	20	85
1-5 YRS	159	3.7	12	<1	1	2	5	9	12	19
6-12 YRS	142	3.8	21	<1	<1	2	5	9	14	22
13-19 YRS	241	4.0	14	<1	<1	3	5	9	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.9	55	1	1	3	6	19	22	22
1-5 YRS	35	7.1	102	1	1	4	7	14	23	57
6-12 YRS	44	6.8	35	1	1	6	9	14	45	99+
13-19 YRS	93	8.9	88	2	3	6	10	15	29	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	812	2.1	6	<1	<1	1	2	4	7	12
B. *Operated*	164	6.3	40	1	1	5	7	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	645	4.1	22	<1	<1	3	5	9	12	25
B. *Operated*	179	7.9	77	1	2	6	9	15	27	88
1. SINGLE DX	976	2.8	14	<1	<1	1	3	6	9	16
2. MULTIPLE DX	824	4.9	36	<1	<1	3	6	10	14	37
A. NOT OPERATED	1457	3.0	14	<1	<1	1	4	7	10	19
B. OPERATED	343	7.1	59	1	2	6	8	13	20	62
TOTAL 0-27 DYS	26	4.2	17	<1	<1	3	5	10	13	18
1-11 MOS	185	3.9	36	<1	1	3	4	7	12	51
1-5 YRS	464	3.4	19	<1	<1	2	4	7	11	19
6-12 YRS	407	3.6	26	<1	<1	1	5	9	12	30
13-19 YRS	718	4.0	26	<1	<1	2	5	9	12	25
GRAND TOTAL	**1800**	**3.8**	**25**	**<1**	**<1**	**2**	**5**	**9**	**12**	**26**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.0	37	1	1	2	9	12	12	12
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	25	2.4	3	<1	1	2	3	5	6	8
6-12 YRS	15	3.3	5	<1	<1	3	5	7	8	9
13-19 YRS	27	4.5	14	<1	<1	3	6	10	13	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	2.5	3	1	1	2	4	5	5	5
1-5 YRS	50	3.9	13	1	1	3	5	7	12	18
6-12 YRS	40	4.4	15	1	1	3	6	11	13	15
13-19 YRS	53	4.2	31	1	1	3	5	8	12	37
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	5.5	16	1	1	6	9	10	10	10
13-19 YRS	10	13.4	57	3	3	13	20	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	3.4	9	<1	<1	3	4	7	11	15
B. *Operated*	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	153	4.1	19	1	1	3	5	8	12	18
B. *Operated*	18	9.8	52	1	2	8	13	21	23	23
1. SINGLE DX	76	3.5	9	<1	<1	3	5	7	10	15
2. MULTIPLE DX	171	4.7	25	1	1	3	6	12	14	23
A. NOT OPERATED	227	3.8	16	<1	1	3	5	8	12	16
B. OPERATED	20	9.4	48	1	2	7	13	21	22	23
TOTAL 0-27 DYS	3	5.0	37	1	1	2	9	12	12	12
1-11 MOS	15	2.3	3	<1	1	2	4	5	5	5
1-5 YRS	76	3.4	10	1	1	3	4	6	11	17
6-12 YRS	61	4.3	13	<1	1	3	6	10	12	15
13-19 YRS	92	5.3	35	<1	1	3	6	13	19	32
GRAND TOTAL	**247**	**4.3**	**21**	**1**	**1**	**3**	**5**	**10**	**13**	**22**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.0	2	1	1	2	3	4	4	4
1-11 MOS	34	3.5	5	<1	1	3	5	6	9	9
1-5 YRS	369	4.1	10	1	1	3	5	9	10	15
6-12 YRS	228	4.2	8	1	1	4	5	8	9	15
13-19 YRS	131	5.5	34	1	1	4	7	10	15	36
B. *Operated*										
0-27 DYS										
1-11 MOS	13	5.8	24	1	1	5	6	13	18	19
1-5 YRS	146	5.6	16	1	2	5	7	11	13	21
6-12 YRS	117	6.1	13	2	2	6	7	11	14	17
13-19 YRS	164	6.5	16	2	2	6	8	12	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	2.8	1	2	2	3	3	4	4	4
1-11 MOS	54	4.2	11	1	1	4	5	7	11	20
1-5 YRS	252	4.3	10	1	1	3	6	8	11	17
6-12 YRS	195	4.5	16	1	1	3	6	8	12	23
13-19 YRS	184	5.4	28	1	1	4	7	9	14	21
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	11	10.8	82	3	3	7	14	24	33	34
1-5 YRS	68	8.3	70	1	2	6	11	17	23	46
6-12 YRS	61	6.7	15	1	2	6	9	12	14	19
13-19 YRS	132	8.6	96	2	3	7	9	15	22	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	766	4.3	14	1	1	3	5	8	10	16
B. *Operated*	440	6.1	15	2	2	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	691	4.6	17	1	1	4	6	9	11	19
B. *Operated*	273	8.2	71	2	2	7	9	15	20	46
1. SINGLE DX	1206	5.0	15	1	1	4	6	9	12	18
2. MULTIPLE DX	964	5.6	35	1	1	4	7	11	15	30
A. NOT OPERATED	1457	4.5	15	1	1	3	6	9	11	18
B. OPERATED	713	6.9	38	2	2	6	8	12	16	32
TOTAL 0-27 DYS	11	3.1	5	1	1	3	4	6	9	9
1-11 MOS	112	4.8	21	1	1	4	6	9	14	25
1-5 YRS	835	4.7	17	1	1	4	6	9	12	18
6-12 YRS	601	4.9	13	1	1	4	6	9	12	18
13-19 YRS	611	6.4	42	1	2	5	8	11	15	32
GRAND TOTAL	**2170**	**5.3**	**24**	**1**	**1**	**4**	**7**	**10**	**13**	**22**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.2	6	1	1	2	5	7	7	7
1-5 YRS	223	2.1	2	1	1	2	3	4	4	7
6-12 YRS	1663	2.2	2	1	1	2	3	4	5	7
13-19 YRS	1449	2.5	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	70	4.0	4	2	2	4	5	7	8	12
6-12 YRS	652	3.9	3	2	2	4	4	6	7	10
13-19 YRS	894	4.2	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	189	2.4	2	1	1	2	3	4	5	7
6-12 YRS	787	2.7	4	1	1	2	3	5	6	9
13-19 YRS	625	3.0	4	1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	41	5.1	6	2	3	4	6	9	11	12
6-12 YRS	244	5.0	12	2	3	4	6	8	10	19
13-19 YRS	312	5.3	11	2	3	5	6	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3340	2.3	2	1	1	2	3	4	5	7
B. *Operated*	1617	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1604	2.8	4	1	1	2	4	5	6	9
B. *Operated*	597	5.2	11	2	3	4	6	8	10	19
1. SINGLE DX	4957	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	2201	3.4	7	1	1	3	4	6	8	12
A. NOT OPERATED	4944	2.5	3	1	1	2	3	4	5	8
B. OPERATED	2214	4.3	6	2	2	4	5	6	8	14
TOTAL 0-27 DYS										
1-11 MOS	9	3.2	3	1	1	3	4	6	7	7
1-5 YRS	523	2.7	3	1	1	2	3	5	6	10
6-12 YRS	3346	2.9	4	1	1	2	4	5	6	9
13-19 YRS	3280	3.3	5	1	1	3	4	6	7	11
GRAND TOTAL	**7158**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	58	5.3	12	2	2	4	6	8	13	20
1-5 YRS	314	4.8	7	2	2	4	6	8	10	14
6-12 YRS	180	4.3	5	1	2	4	6	7	9	10
13-19 YRS	72	4.0	8	1	1	3	5	7	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS	32	6.3	15	1	2	6	8	11	12	18
1-5 YRS	135	3.8	13	<1	1	2	5	9	11	16
6-12 YRS	163	3.1	7	<1	1	2	4	6	8	14
13-19 YRS	222	2.7	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	32	4.4	4	2	2	4	6	7	7	11
1-5 YRS	203	4.7	9	1	2	4	6	8	11	15
6-12 YRS	110	4.2	7	1	1	3	5	7	9	15
13-19 YRS	68	4.7	6	2	2	4	6	8	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS	39	6.4	18	3	4	8	12	14	15	19
1-5 YRS	84	4.6	11	1	1	4	7	8	10	17
6-12 YRS	71	3.6	9	<1	1	2	5	8	10	14
13-19 YRS	99	4.3	37	1	1	3	5	8	12	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	4.6	7	1	2	4	6	8	9	15
B. *Operated*	552	3.3	9	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	414	4.5	8	1	2	4	6	7	10	14
B. *Operated*	293	4.8	22	1	1	3	6	9	12	18
1. SINGLE DX	1179	4.0	8	1	1	3	5	8	9	15
2. MULTIPLE DX	707	4.6	14	1	1	4	6	8	11	16
A. NOT OPERATED	1041	4.6	7	1	2	4	6	8	9	15
B. OPERATED	845	3.8	14	<1	1	2	5	8	11	16
TOTAL 0-27 DYS	4	3.3	5	1	1	3	5	6	6	6
1-11 MOS	161	6.1	14	2	2	5	8	11	14	19
1-5 YRS	736	4.6	9	1	1	4	6	8	10	16
6-12 YRS	524	3.8	7	1	1	3	5	7	9	13
13-19 YRS	461	3.5	14	<1	1	2	4	7	9	14
GRAND TOTAL	**1886**	**4.2**	**11**	**1**	**1**	**3**	**6**	**8**	**10**	**15**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	26	9.1	85	1	1	7	12	21	26	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	7.6	111	<1	<1	2	12	26	26	26
13-19 YRS	53	11.1	196	1	1	7	11	29	45	74
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	7.9	79	1	1	5	11	20	22	43
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	59	10.6	186	<1	1	7	11	28	43	72
B. *Operated*										
1. SINGLE DX	31	7.9	79	1	1	5	11	20	22	43
2. MULTIPLE DX	59	10.6	186	<1	1	7	11	28	43	72
A. NOT OPERATED	90	9.7	149	1	1	6	11	23	40	64
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	3	1	1	1	3	4	4	4
6-12 YRS	8	5.3	74	<1	<1	2	5	20	26	26
13-19 YRS	79	10.4	159	1	1	7	12	24	42	67
GRAND TOTAL	**90**	**9.7**	**149**	**1**	**1**	**6**	**11**	**23**	**40**	**64**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		<1	<1	1	2	2	2	2
1-11 MOS	15	2.3	9	1	1	1	2	3	10	13
1-5 YRS	112	1.6	1	1	1	1	2	3	4	5
6-12 YRS	188	2.5	12	1	1	2	3	4	7	23
13-19 YRS	309	3.8	47	1	1	2	4	6	9	47
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	5.8	27	1	2	4	7	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	6.0	35	1	1	3	10	16	17	17
1-5 YRS	68	5.6	112	1	1	3	5	11	19	71
6-12 YRS	126	4.1	59	1	1	2	4	8	13	76
13-19 YRS	395	6.9	97	1	1	4	7	16	29	80
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	12.0		12	12	56	99+	99+	99+	99+
6-12 YRS	8	14.5	466	1	1	8	11	51	67	67
13-19 YRS	18	15.9	445	<1	1	5	24	49	69	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	3.0	28	1	1	2	3	5	7	29
B. *Operated*	12	4.3	22	<1	<1	3	4	12	16	17
2. MULTIPLE DX										
A. *Not Operated*	601	6.1	90	1	1	3	6	14	23	74
B. *Operated*	27	15.4	417	1	1	8	20	64	79	99+
1. SINGLE DX	639	3.0	28	1	1	2	3	5	8	29
2. MULTIPLE DX	628	6.5	107	1	1	3	7	15	27	84
A. NOT OPERATED	1228	4.5	61	1	1	2	4	9	18	53
B. OPERATED	39	11.9	319	<1	1	4	13	44	72	99+
TOTAL 0-27 DYS	3	1.3		<1	<1	1	2	2	2	2
1-11 MOS	29	3.7	22	1	1	2	3	14	15	17
1-5 YRS	182	3.2	46	1	1	2	3	6	10	63
6-12 YRS	323	3.4	44	1	1	2	3	7	10	51
13-19 YRS	730	5.8	87	1	1	3	5	13	25	62
GRAND TOTAL	**1267**	**4.8**	**70**	**1**	**1**	**2**	**4**	**9**	**19**	**60**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	4.6	74	<1	<1	2	3	13	28	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	15.3	124	7	7	11	24	28	28	28
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	51	6.8	59	1	1	5	6	18	28	37
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.6	74	<1	<1	2	3	13	28	36
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	57	7.5	67	1	1	5	8	23	28	36
B. *Operated*	2	2.5	5	<1	<1	2	4	4	4	4
1. SINGLE DX	18	4.6	74	<1	<1	2	3	13	28	36
2. MULTIPLE DX	59	7.4	65	<1	1	5	8	23	28	36
A. NOT OPERATED	75	6.8	69	<1	1	4	7	21	28	37
B. OPERATED	2	2.5	5	<1	<1	2	4	4	4	4
TOTAL 0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	15.3	124	7	7	11	24	28	28	28
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	71	6.1	61	<1	1	4	6	16	28	37
GRAND TOTAL	77	6.7	68	<1	1	4	7	20	28	37

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	11.5	221	1	1	11	22	22	22	22
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	101	8.1	85	1	1	5	10	21	29	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.0	2	1	1	2	3	4	4	4
13-19 YRS	108	9.2	127	1	1	5	12	20	26	65
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	9.5	41	5	5	9	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	8.0	84	1	1	5	10	21	28	43
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	113	8.8	123	1	1	5	12	19	26	64
B. *Operated*	2	9.5	41	5	5	9	14	14	14	14
1. SINGLE DX	107	8.0	84	1	1	5	10	21	28	43
2. MULTIPLE DX	115	8.9	122	1	1	5	12	19	25	64
A. NOT OPERATED	220	8.4	104	1	1	5	11	20	27	53
B. OPERATED	2	9.5	41	5	5	9	14	14	14	14
TOTAL 0-27 DYS	2	11.5	221	1	1	11	22	22	22	22
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	5	3.6	14	1	1	2	5	10	10	10
13-19 YRS	211	8.7	106	1	1	5	11	20	27	54
GRAND TOTAL	**222**	**8.4**	**103**	**1**	**1**	**5**	**11**	**20**	**27**	**52**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	2	29.0	1458	2	2	29	56	56	56	56
13-19 YRS	490	20.8	349	2	3	16	28	51	66	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	48.5	1	48	48	48	49	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS										
6-12 YRS	3	50.7	1633	14	14	44	81	94	94	94
13-19 YRS	218	23.1	437	2	3	17	32	57	76	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	43.3	533	18	19	36	57	79	84	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	493	20.8	351	2	3	16	28	52	66	99+
B. *Operated*	2	48.5	1	48	48	48	49	49	49	49
2. MULTIPLE DX										
A. *Not Operated*	223	23.3	455	2	3	17	33	58	77	99+
B. *Operated*	7	43.3	533	18	19	36	57	79	84	84
1. SINGLE DX	495	20.9	353	2	3	16	28	51	66	99+
2. MULTIPLE DX	230	23.9	467	2	3	17	34	58	77	99+
A. NOT OPERATED	716	21.6	384	2	3	16	30	53	73	99+
B. OPERATED	9	44.4	405	18	21	48	54	74	84	84
TOTAL 0-27 DYS										
1-11 MOS	3	7.0	16	3	3	7	10	11	11	11
1-5 YRS										
6-12 YRS	5	42.0	1322	2	2	44	65	94	94	94
13-19 YRS	717	21.8	383	2	3	16	30	53	73	99+
GRAND TOTAL	**725**	**21.9**	**390**	**2**	**3**	**16**	**30**	**53**	**74**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	45.0		45	45	45	45	45	45	45
13-19 YRS	143	19.2	297	2	3	13	27	49	62	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	61	25.2	448	3	5	18	36	51	72	94
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	45.5	1	45	45	45	46	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	19.4	300	2	3	13	27	49	62	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	61	25.2	448	3	5	18	36	51	72	94
B. *Operated*	2	45.5	1	45	45	45	46	46	46	46
1. SINGLE DX	144	19.4	300	2	3	13	27	49	62	99+
2. MULTIPLE DX	63	25.9	447	3	5	19	39	51	71	93
A. NOT OPERATED	205	21.1	349	2	3	14	33	50	66	96
B. OPERATED	2	45.5	1	45	45	45	46	46	46	46
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	45.0		45	45	45	45	45	45	45
13-19 YRS	206	21.2	350	2	3	14	33	50	66	96
GRAND TOTAL	**207**	**21.3**	**351**	**2**	**3**	**14**	**33**	**50**	**66**	**96**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	11.5	113	4	4	11	19	19	19	19
1-11 MOS	2	12.5	221	2	2	12	23	23	23	23
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	13	45.6	989	6	10	62	87	99+	99+	99+
13-19 YRS	1140	19.9	307	2	3	15	28	45	58	87
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	27.5	309	<1	2	27	42	48	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	15.7	96	10	10	10	23	27	27	27
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	6	24.3	451	4	4	34	49	90	99+	99+
13-19 YRS	548	22.0	367	2	3	17	31	52	66	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	66.0	882	45	45	66	87	87	87	87
13-19 YRS	22	35.0	412	12	13	33	55	72	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1158	20.2	320	2	3	15	29	46	60	98
B. *Operated*	6	27.5	309	<1	2	27	42	48	49	49
2. MULTIPLE DX										
A. *Not Operated*	558	22.0	365	2	3	17	31	52	66	99+
B. *Operated*	24	37.6	491	12	13	34	56	78	90	99+
1. SINGLE DX	1164	20.2	320	2	3	15	29	46	60	97
2. MULTIPLE DX	582	22.6	379	2	3	17	34	54	69	99+
A. NOT OPERATED	1716	20.7	335	2	3	15	29	49	64	99+
B. OPERATED	30	35.6	460	11	13	34	51	74	87	99+
TOTAL 0-27 DYS	5	14.0	82	4	4	10	21	27	27	27
1-11 MOS	2	12.5	221	2	2	12	23	23	23	23
1-5 YRS	2	8.5	85	2	2	8	15	15	15	15
6-12 YRS	21	41.5	909	4	4	45	82	99+	99+	99+
13-19 YRS	1716	20.8	330	2	3	16	29	48	61	93
GRAND TOTAL	**1746**	**21.0**	**341**	**2**	**3**	**16**	**30**	**49**	**64**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	22.0		22	22	61	99+	99+	99+	99+
6-12 YRS	32	14.7	388	1	3	6	34	97	99+	99+
13-19 YRS	7	40.3	1113	4	7	31	69	90	93	93
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	12.0	273	2	2	3	19	41	45	45
6-12 YRS	25	25.2	775	1	1	25	67	99+	99+	99+
13-19 YRS	8	19.4	329	3	4	12	31	49	51	51
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	19.3	577	2	3	11	40	99+	99+	99+
B. *Operated*	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	40	21.7	604	1	2	12	46	90	99+	99+
B. *Operated*	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	42	18.8	555	2	3	10	39	98	99+	99+
2. MULTIPLE DX	41	21.3	598	1	2	11	45	89	99+	99+
A. NOT OPERATED	80	20.5	584	1	2	11	44	97	99+	99+
B. OPERATED	3	6.0	7	3	3	7	8	8	8	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	8	13.3	247	2	2	4	29	78	99+	99+
6-12 YRS	59	18.8	562	1	2	9	46	99+	99+	99+
13-19 YRS	16	27.8	736	3	4	18	41	76	89	93
GRAND TOTAL	**83**	**20.0**	**571**	**1**	**2**	**10**	**43**	**95**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	4	23.3	376	4	4	19	36	50	50	50
6-12 YRS	12	24.2	406	1	2	21	44	51	54	55
13-19 YRS	389	17.6	287	1	2	12	26	47	58	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	13.0	162	4	4	13	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	25	4	4	7	11	11	11	11
1-5 YRS	3	15.0	31	10	10	14	19	21	21	21
6-12 YRS	19	30.5	421	4	5	26	48	60	68	70
13-19 YRS	487	16.7	322	1	2	10	22	44	62	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	30.0		30	30	30	30	30	30	30
6-12 YRS										
13-19 YRS	24	38.5	711	6	9	32	66	79	81	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	17.8	291	1	2	13	27	48	57	99+
B. *Operated*	2	13.0	162	4	4	13	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	511	17.1	329	1	2	11	23	45	63	99+
B. *Operated*	25	38.1	684	6	9	30	64	79	81	81
1. SINGLE DX	408	17.8	290	1	2	13	27	48	57	99+
2. MULTIPLE DX	536	18.1	364	1	2	11	25	49	67	99+
A. NOT OPERATED	917	17.4	312	1	2	12	24	46	62	99+
B. OPERATED	27	36.3	683	4	8	30	56	78	81	81
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.5	25	4	4	7	11	11	11	11
1-5 YRS	8	21.0	200	4	6	19	26	44	50	50
6-12 YRS	31	28.1	411	2	3	24	45	53	64	70
13-19 YRS	902	17.6	328	1	2	11	25	46	63	99+
GRAND TOTAL	**944**	**18.0**	**332**	**1**	**2**	**12**	**26**	**48**	**63**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	12	15.7	214	2	2	11	20	34	53	56
13-19 YRS	396	20.3	304	3	4	15	27	47	58	92
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS										
6-12 YRS	9	14.8	339	3	3	4	21	47	50	50
13-19 YRS	271	21.6	303	3	4	18	30	46	62	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	31.2	407	7	8	25	50	60	64	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411	20.1	301	3	4	15	27	47	57	91
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	281	21.3	304	3	4	17	30	46	62	99+
B. *Operated*	14	31.2	407	7	8	25	50	60	64	65
1. SINGLE DX	411	20.1	301	3	4	15	27	47	57	91
2. MULTIPLE DX	295	21.8	312	3	4	17	31	47	62	99+
A. NOT OPERATED	692	20.6	302	3	4	16	28	46	58	99
B. OPERATED	14	31.2	407	7	8	25	50	60	64	65
TOTAL 0-27 DYS										
1-11 MOS	2	11.5	25	8	8	11	15	15	15	15
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	21	15.3	253	2	3	10	19	46	53	56
13-19 YRS	681	21.0	307	3	4	17	28	47	61	99
GRAND TOTAL	**706**	**20.8**	**306**	**3**	**4**	**16**	**28**	**47**	**59**	**99**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	3	3.7	14	1	1	2	6	8	8	8
6-12 YRS	20	5.3	27	<1	<1	4	11	41	99+	99+
13-19 YRS	402	15.3	231	1	2	11	21	40	49	95
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	24.0	759	7	7	12	40	65	65	65
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	16	14.4	554	1	1	6	14	57	76	83
13-19 YRS	308	16.6	292	1	2	11	22	40	65	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	16.1	107	2	3	16	25	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	426	14.8	225	1	2	11	20	39	49	99+
B. *Operated*	4	24.0	759	7	7	12	40	65	65	65
2. MULTIPLE DX										
A. *Not Operated*	327	16.4	302	1	2	11	22	40	65	99+
B. *Operated*	8	16.1	107	2	3	16	25	29	30	30
1. SINGLE DX	430	14.8	229	1	2	11	20	40	50	99+
2. MULTIPLE DX	335	16.4	297	1	2	11	22	40	63	99+
A. NOT OPERATED	753	15.5	259	1	2	11	21	40	53	99+
B. OPERATED	12	18.8	290	2	4	15	25	40	61	65
TOTAL 0-27 DYS										
1-11 MOS	2	13.5	113	6	6	13	21	21	21	21
1-5 YRS	5	3.0	9	1	1	2	4	8	8	8
6-12 YRS	36	9.3	274	<1	1	4	11	49	93	99+
13-19 YRS	722	15.9	258	1	2	11	21	40	52	99+
GRAND TOTAL	**765**	**15.5**	**259**	**1**	**2**	**11**	**21**	**40**	**54**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.0	31	1	1	5	10	12	12	12
1-5 YRS	8	2.4	1	1	1	2	3	4	4	4
6-12 YRS	37	10.1	259	1	1	4	8	50	54	99+
13-19 YRS	348	6.7	141	<1	1	3	6	16	36	99
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	4.8	12	1	1	5	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	5	4.4	10	1	1	4	7	9	9	9
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	58	6.7	115	1	1	4	6	10	21	61
13-19 YRS	432	8.5	140	1	1	4	9	22	35	65
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	17	10.8	125	1	2	7	11	30	37	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	7.0	149	<1	1	3	6	18	42	99+
B. *Operated*	6	4.8	12	1	1	5	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	499	8.2	135	1	1	4	8	21	34	63
B. *Operated*	23	8.6	107	1	1	5	10	28	34	40
1. SINGLE DX	402	6.9	147	<1	1	3	6	17	42	99+
2. MULTIPLE DX	522	8.2	134	1	1	4	8	21	34	63
A. NOT OPERATED	895	7.7	141	1	1	4	7	20	37	75
B. OPERATED	29	7.8	88	1	1	5	10	21	31	40
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	8	5.0	15	1	1	4	7	11	12	12
1-5 YRS	14	2.4	2	1	1	2	3	4	6	6
6-12 YRS	97	7.9	168	1	1	4	7	16	51	82
13-19 YRS	803	7.8	140	1	1	4	8	21	35	75
GRAND TOTAL	**924**	**7.7**	**140**	**1**	**1**	**4**	**7**	**20**	**36**	**75**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	52	99+	99+	99+	99+
1-11 MOS	2	8.5	85	2	2	8	15	15	15	15
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	53	23.2	494	1	3	15	34	62	79	99+
13-19 YRS	1089	17.5	374	1	2	10	24	49	63	93
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	20.0	128	12	12	20	28	28	28	28
1-11 MOS	4	10.3	94	3	3	7	17	24	24	24
1-5 YRS	4	20.0	248	4	4	19	33	38	38	38
6-12 YRS	73	27.7	406	3	5	26	41	56	63	89
13-19 YRS	1338	18.9	376	1	2	12	27	50	67	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	1	70.0		70	70	70	70	70	70	70
13-19 YRS	40	23.6	472	3	4	15	34	63	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1146	17.7	380	1	2	10	25	50	64	97
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1421	19.3	379	2	2	13	28	50	66	99+
B. *Operated*	42	24.3	507	3	5	15	34	67	80	99+
1. SINGLE DX	1147	17.7	379	1	2	10	25	50	64	97
2. MULTIPLE DX	1463	19.5	383	2	2	13	28	51	67	99+
A. NOT OPERATED	2567	18.6	380	1	2	11	27	50	65	99+
B. OPERATED	43	24.0	500	4	5	15	34	66	78	99+
TOTAL 0-27 DYS	3	14.7	149	4	4	20	64	99+	99+	99+
1-11 MOS	7	9.3	63	2	2	7	14	22	24	24
1-5 YRS	5	17.0	231	4	4	10	30	38	38	38
6-12 YRS	127	26.1	456	2	4	21	40	60	68	95
13-19 YRS	2468	18.3	377	1	2	11	26	49	66	99+
GRAND TOTAL	**2610**	**18.7**	**382**	**1**	**2**	**11**	**27**	**50**	**66**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	17.0	72	11	11	17	23	23	23	23
1-5 YRS	10	3.1	3	<1	<1	3	5	6	6	6
6-12 YRS	117	8.4	232	1	1	3	8	19	46	90
13-19 YRS	947	11.2	202	1	1	5	15	33	48	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	5.3	8	2	2	5	7	9	9	9
13-19 YRS	17	13.6	367	1	2	5	11	47	62	68
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	21.0	772	3	3	7	41	53	53	53
1-5 YRS	3	4.0	3	2	2	5	5	5	5	5
6-12 YRS	100	10.3	217	1	2	5	11	36	72	99+
13-19 YRS	1167	13.4	290	1	1	7	17	35	57	97
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	43	14.9	322	<1	1	8	24	43	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1076	10.9	204	1	1	5	14	32	48	99+
B. *Operated*	21	12.0	306	1	2	5	9	41	58	68
2. MULTIPLE DX										
A. *Not Operated*	1273	13.1	285	1	1	7	17	35	57	99+
B. *Operated*	45	14.4	315	<1	1	8	24	43	54	99+
1. SINGLE DX	1097	10.9	206	1	1	5	14	32	49	99+
2. MULTIPLE DX	1318	13.2	285	1	1	7	17	36	57	99+
A. NOT OPERATED	2349	12.1	249	1	1	6	16	34	53	99+
B. OPERATED	66	13.6	308	1	1	7	16	42	53	98
TOTAL 0-27 DYS										
1-11 MOS	5	19.4	409	3	3	11	30	53	53	53
1-5 YRS	14	3.4	3	<1	1	3	5	5	6	6
6-12 YRS	222	9.2	221	1	1	4	8	27	59	99+
13-19 YRS	2174	12.5	253	1	1	6	17	35	52	99+
GRAND TOTAL	**2415**	**12.1**	**251**	**1**	**1**	**6**	**16**	**35**	**53**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	16.5	421	2	2	16	31	31	31	31
1-11 MOS	5	12.6	175	1	1	5	26	28	28	28
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	23	1.2		<1	<1	1	1	2	3	3
13-19 YRS	710	10.6	147	<1	1	4	21	29	33	42
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	10.9	70	3	3	7	18	23	24	24
1-5 YRS	7	10.4	105	2	2	5	18	27	28	28
6-12 YRS	11	7.3	139	1	1	3	8	25	40	41
13-19 YRS	1271	18.4	249	1	1	15	30	40	46	59
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	27	20.7	268	<1	1	21	33	44	45	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	10.3	145	<1	1	4	20	29	33	42
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	1297	18.3	248	1	1	15	29	40	46	59
B. *Operated*	30	18.9	272	<1	1	15	32	44	45	46
1. SINGLE DX	742	10.3	145	<1	1	4	20	29	33	42
2. MULTIPLE DX	1327	18.3	248	1	1	15	29	41	46	59
A. NOT OPERATED	2038	15.4	225	<1	1	10	28	36	43	57
B. OPERATED	31	18.3	273	<1	1	13	31	44	45	46
TOTAL 0-27 DYS	2	16.5	421	2	2	16	31	31	31	31
1-11 MOS	13	11.5	100	1	2	6	22	26	28	28
1-5 YRS	9	8.6	93	1	1	4	11	26	28	28
6-12 YRS	36	3.3	49	<1	1	1	2	7	13	41
13-19 YRS	2009	15.7	227	<1	1	10	28	36	43	57
GRAND TOTAL	**2069**	**15.4**	**226**	**<1**	**1**	**10**	**28**	**36**	**43**	**57**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	11.7	84	2	3	6	20	25	29	30
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	62	12.0	47	1	3	13	14	17	24	40
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	14.5	24	9	9	14	18	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	11.7	84	2	3	6	20	25	29	30
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	62	12.0	47	1	3	13	14	17	24	40
B. *Operated*	4	14.5	24	9	9	14	18	20	20	20
1. SINGLE DX	21	11.7	84	2	3	6	20	25	29	30
2. MULTIPLE DX	66	12.1	46	1	4	13	15	17	24	40
A. NOT OPERATED	83	11.9	56	1	3	13	15	21	26	38
B. OPERATED	4	14.5	24	9	9	14	18	20	20	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	87	12.0	54	1	3	13	15	21	25	38
GRAND TOTAL	**87**	**12.0**	**54**	**1**	**3**	**13**	**15**	**21**	**25**	**38**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	18.5	181	9	9	18	28	28	28	28
13-19 YRS	185	19.0	230	1	2	14	30	40	44	65
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	337	23.7	250	2	4	24	35	43	48	72
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	65.2	69	53	53	64	73	73	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	18.9	227	1	2	14	30	39	43	65
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	339	23.6	250	2	4	24	35	43	48	72
B. *Operated*	5	65.2	69	53	53	64	73	73	73	73
1. SINGLE DX	190	18.8	227	1	2	14	30	38	43	65
2. MULTIPLE DX	344	24.2	272	2	4	24	36	44	50	74
A. NOT OPERATED	528	21.9	246	2	3	21	33	42	46	68
B. OPERATED	6	54.8	700	3	8	63	73	73	73	73
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	14.3	142	6	6	9	23	28	28	28
13-19 YRS	528	22.4	263	2	3	22	34	42	48	71
GRAND TOTAL	**534**	**22.3**	**262**	**2**	**3**	**21**	**34**	**42**	**48**	**71**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	12	1.6	1	1	1	1	2	3	4	4
6-12 YRS	84	1.3		<1	<1	1	1	2	3	4
13-19 YRS	927	1.5	5	<1	<1	1	1	2	3	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0	18	4	4	7	10	10	10	10
1-5 YRS	8	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	32	2.3	11	<1	<1	1	2	4	7	19
13-19 YRS	594	2.6	29	<1	<1	1	2	4	8	30
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	29	2.1	11	<1	<1	1	2	3	6	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1024	1.5	5	<1	<1	1	1	2	3	10
B. *Operated*	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	636	2.6	28	<1	<1	1	2	4	8	30
B. *Operated*	32	2.0	10	<1	<1	1	2	3	5	19
1. SINGLE DX	1026	1.5	5	<1	<1	1	1	2	3	10
2. MULTIPLE DX	668	2.6	27	<1	<1	1	2	4	8	28
A. NOT OPERATED	1660	1.9	14	<1	<1	1	2	3	5	15
B. OPERATED	34	1.9	10	<1	<1	1	2	3	5	19
TOTAL 0-27 DYS										
1-11 MOS	3	5.0	21	1	1	4	8	10	10	10
1-5 YRS	21	1.5	1	<1	1	1	2	3	3	4
6-12 YRS	118	1.6	3	<1	<1	1	2	2	4	11
13-19 YRS	1552	1.9	15	<1	<1	1	2	3	5	15
GRAND TOTAL	**1694**	**1.9**	**14**	**<1**	**<1**	**1**	**2**	**3**	**5**	**15**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	4	15.8	555	2	2	5	28	51	51	51
13-19 YRS	224	8.1	112	<1	1	3	10	27	31	42
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	307	11.4	167	1	1	6	15	30	37	57
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	20.4	165	3	4	22	31	37	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	8.2	118	<1	1	3	10	28	31	44
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	308	11.4	167	1	1	6	15	30	37	57
B. *Operated*	9	20.4	165	3	4	22	31	37	40	40
1. SINGLE DX	231	8.2	117	<1	1	3	10	28	31	44
2. MULTIPLE DX	317	11.6	168	1	1	6	16	30	37	56
A. NOT OPERATED	538	10.0	148	1	1	5	14	29	36	50
B. OPERATED	10	18.7	177	3	3	17	31	36	40	40
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	5	13.2	449	2	2	4	17	51	51	51
13-19 YRS	541	10.2	148	1	1	5	14	29	36	49
GRAND TOTAL	**548**	**10.2**	**149**	**1**	**1**	**5**	**14**	**29**	**36**	**50**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	2.6	2	2	2	2	3	5	5	5
1-5 YRS	27	3.5	5	1	1	3	5	7	8	10
6-12 YRS	111	3.7	4	1	1	3	5	7	8	9
13-19 YRS	251	3.7	9	1	1	3	5	7	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.4	11	<1	<1	2	5	9	9	9
6-12 YRS	10	5.3	14	1	2	4	7	11	14	14
13-19 YRS	19	5.4	8	1	2	5	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	4.2	9	1	1	4	7	8	8	8
1-5 YRS	10	4.4	20	1	1	3	5	11	16	16
6-12 YRS	71	3.6	5	1	1	3	5	7	9	80
13-19 YRS	287	4.7	19	1	2	4	6	8	10	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	12.0	50	7	7	12	17	17	17	17
6-12 YRS	7	3.9	7	1	1	3	6	8	8	8
13-19 YRS	13	7.7	20	<1	2	7	12	13	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	3.7	7	1	1	3	5	7	8	14
B. *Operated*	34	5.1	10	1	1	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	375	4.5	17	1	1	4	6	8	10	21
B. *Operated*	22	6.9	22	1	1	7	10	13	16	17
1. SINGLE DX	429	3.8	8	1	1	3	5	7	8	14
2. MULTIPLE DX	397	4.6	17	1	1	4	6	8	11	20
A. NOT OPERATED	770	4.1	12	1	1	3	5	7	9	17
B. OPERATED	56	5.8	15	1	1	5	8	12	13	17
TOTAL 0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	11	3.5	6	1	1	2	5	7	8	8
1-5 YRS	44	4.1	13	1	1	3	5	8	12	17
6-12 YRS	199	3.8	5	1	1	3	5	7	8	12
13-19 YRS	570	4.3	15	1	1	3	5	8	10	17
GRAND TOTAL	**826**	**4.2**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	4.3	3	2	2	4	5	6	6	6
1-5 YRS	17	10.6	161	1	1	3	19	30	37	41
6-12 YRS	179	14.7	391	1	2	7	23	78	99+	99+
13-19 YRS	1936	12.8	235	1	1	7	18	35	51	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	11.8	321	<1	<1	3	19	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.7	21	4	4	4	10	12	12	12
1-5 YRS	18	15.7	385	1	1	6	37	84	99+	99+
6-12 YRS	175	13.0	264	2	2	6	18	41	66	99+
13-19 YRS	1795	13.1	259	1	1	6	17	34	52	92
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	8	17.4	335	2	3	13	18	49	60	60
13-19 YRS	45	20.5	550	1	1	11	35	72	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2137	12.9	247	1	1	7	18	37	56	99+
B. *Operated*	5	11.8	321	<1	<1	3	19	43	43	43
2. MULTIPLE DX										
A. *Not Operated*	1991	13.1	260	1	1	6	17	35	52	98
B. *Operated*	56	19.0	503	1	1	11	29	63	89	99+
1. SINGLE DX	2142	12.9	247	1	1	7	18	37	56	99+
2. MULTIPLE DX	2047	13.2	267	1	1	6	18	36	54	99+
A. NOT OPERATED	4128	13.0	253	1	1	7	18	36	54	99+
B. OPERATED	61	18.4	486	1	1	11	28	61	86	99+
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	5.3	10	2	2	4	6	11	12	12
1-5 YRS	38	12.3	264	1	1	4	25	43	84	99+
6-12 YRS	362	14.0	328	2	2	7	21	57	99+	99+
13-19 YRS	3781	13.0	251	1	1	7	18	35	52	99+
GRAND TOTAL	**4189**	**13.1**	**257**	**1**	**1**	**7**	**18**	**37**	**55**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	19	2.9	3	1	1	2	4	6	7	7
1-5 YRS	138	4.8	69	1	1	2	4	10	16	75
6-12 YRS	534	17.0	530	1	2	6	27	70	90	99+
13-19 YRS	1832	18.0	426	1	2	9	27	56	71	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.7	4	1	1	2	5	72	99+	99+
6-12 YRS	18	2.6	8	<1	1	2	3	5	10	13
13-19 YRS	19	5.8	37	1	1	4	7	13	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	37	6.1	29	2	2	4	9	13	19	24
1-5 YRS	163	6.0	113	1	1	3	6	19	72	99+
6-12 YRS	485	18.3	556	1	2	8	29	77	99+	99+
13-19 YRS	1904	17.1	400	1	2	8	25	50	70	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	2	17.0	338	4	4	17	30	30	30	30
1-5 YRS	6	10.5	143	2	2	7	10	32	34	34
6-12 YRS	14	6.8	57	1	1	5	8	29	82	99+
13-19 YRS	88	28.3	592	2	5	23	51	69	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2525	17.0	436	1	2	7	25	57	75	99+
B. *Operated*	44	4.0	22	1	1	2	5	11	17	99+
2. MULTIPLE DX										
A. *Not Operated*	2590	16.5	415	1	2	8	24	55	78	99+
B. *Operated*	110	24.3	552	2	3	18	44	64	95	99+
1. SINGLE DX	2569	16.7	431	1	2	7	25	56	75	99+
2. MULTIPLE DX	2700	16.8	422	1	2	8	25	56	79	99+
A. NOT OPERATED	5115	16.7	425	1	2	8	25	56	77	99+
B. OPERATED	154	18.5	484	1	1	8	28	62	92	99+
TOTAL 0-27 DYS	3	3.3	10	1	1	2	6	7	7	7
1-11 MOS	58	5.5	32	1	2	3	7	10	19	30
1-5 YRS	314	5.5	92	1	1	3	6	12	30	99+
6-12 YRS	1051	17.2	532	1	2	6	27	71	98	99+
13-19 YRS	3843	17.7	418	1	2	9	26	55	71	99+
GRAND TOTAL	**5269**	**16.8**	**427**	**1**	**2**	**8**	**25**	**56**	**77**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	4	3.0	5	1	1	3	29	99+	99+	99+
6-12 YRS	11	3.6	6	1	1	3	5	7	8	8
13-19 YRS	33	8.9	143	1	1	5	11	21	54	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.3	1	5	5	7	7	7	7	7
13-19 YRS	3	4.7	12	<1	<1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	38	4.6	11	1	2	4	5	9	12	17
6-12 YRS	59	7.6	188	1	1	4	8	15	68	99+
13-19 YRS	159	10.8	135	1	2	7	13	23	37	49
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.1	44	<1	<1	2	7	17	19	19
6-12 YRS	14	11.2	199	1	2	5	8	40	45	46
13-19 YRS	22	8.4	139	1	1	5	7	19	44	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	7.1	104	1	1	4	8	16	55	99+
B. *Operated*	6	5.5	6	<1	<1	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	257	9.1	133	1	2	5	11	21	37	86
B. *Operated*	43	8.8	142	<1	1	5	7	25	44	46
1. SINGLE DX	55	6.9	93	<1	1	5	8	15	53	99+
2. MULTIPLE DX	300	9.1	134	1	2	5	10	21	39	83
A. NOT OPERATED	306	8.8	129	1	1	5	11	20	40	99+
B. OPERATED	49	8.4	126	<1	1	5	7	20	43	46
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	49	4.5	15	1	1	4	6	11	17	99+
6-12 YRS	87	7.7	162	1	1	4	7	16	46	99+
13-19 YRS	217	10.2	135	1	2	7	12	23	42	63
GRAND TOTAL	**355**	**8.8**	**128**	**1**	**1**	**5**	**10**	**20**	**41**	**98**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	76	13.0	34	4	6	12	16	21	24	31
1-11 MOS	584	11.3	24	2	4	11	13	16	19	24
1-5 YRS	578	11.6	17	3	7	11	14	16	17	22
6-12 YRS	172	7.1	33	1	1	6	11	13	15	19
13-19 YRS	123	7.5	30	2	2	6	10	14	17	27
B. *Operated*										
0-27 DYS	2	15.0	32	11	11	15	19	19	19	19
1-11 MOS	82	14.3	30	9	10	12	16	22	25	34
1-5 YRS	71	12.7	24	6	8	12	15	19	23	29
6-12 YRS	9	14.4	122	6	7	10	16	34	40	40
13-19 YRS	23	22.7	411	2	2	18	38	53	66	69
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	54	14.1	56	<1	4	14	19	22	27	36
1-11 MOS	565	12.5	28	3	5	12	15	19	21	30
1-5 YRS	472	12.3	40	3	5	12	15	18	20	33
6-12 YRS	92	9.5	78	1	2	8	12	15	26	50
13-19 YRS	99	9.9	113	1	2	8	13	18	24	67
B. *Operated*										
0-27 DYS	13	26.2	237	14	15	23	29	76	95	99+
1-11 MOS	170	17.9	102	7	9	15	22	30	36	58
1-5 YRS	82	18.4	132	7	9	15	21	37	53	99+
6-12 YRS	19	40.7	628	9	15	39	58	78	86	89
13-19 YRS	40	26.1	403	2	4	22	34	56	71	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1533	10.7	26	2	3	11	13	16	18	24
B. *Operated*	187	14.7	86	6	8	12	16	23	31	59
2. MULTIPLE DX										
A. *Not Operated*	1282	12.1	45	2	3	12	15	18	22	35
B. *Operated*	324	20.7	213	6	9	17	25	40	58	91
1. SINGLE DX	1720	11.2	34	2	3	11	14	17	19	30
2. MULTIPLE DX	1606	13.8	90	2	4	12	16	22	30	59
A. NOT OPERATED	2815	11.3	35	2	3	11	14	17	20	29
B. OPERATED	511	18.5	174	6	9	14	22	35	47	81
TOTAL 0-27 DYS	145	14.6	72	3	6	14	18	23	28	74
1-11 MOS	1401	12.8	40	3	6	12	15	20	23	35
1-5 YRS	1203	12.4	37	3	6	12	15	17	20	38
6-12 YRS	292	10.3	153	1	2	8	12	16	38	72
13-19 YRS	285	12.2	186	2	2	9	14	26	42	69
GRAND TOTAL	**3326**	**12.5**	**63**	**2**	**4**	**12**	**15**	**19**	**24**	**47**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	28.0	2	27	27	28	29	29	29	29
1-5 YRS	2	8.0	72	2	2	8	14	14	14	14
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	6	13.3	147	2	2	9	27	29	29	29
B. *Operated*										
1. SINGLE DX	3	4.3	33	1	1	1	9	11	11	11
2. MULTIPLE DX	6	13.3	147	2	2	9	27	29	29	29
A. NOT OPERATED	8	10.3	138	1	1	4	20	28	29	29
B. OPERATED	1	11.0		11	11	11	11	11	11	11
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	17.0	179	1	1	19	28	29	29	29
1-5 YRS	2	8.0	72	2	2	8	14	14	14	14
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**9**	**10.3**	**121**	**1**	**1**	**5**	**17**	**28**	**29**	**29**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	13.3	102	7	7	8	21	25	25	25
13-19 YRS	39	9.1	27	3	4	8	11	19	20	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	7.3	36	1	2	6	9	16	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	16	15.7	408	2	3	7	16	49	68	75
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	9.0	52	3	3	7	14	17	17	17
13-19 YRS	2	11.0	72	5	5	11	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	9.4	32	3	4	8	11	20	21	25
B. *Operated*	12	7.3	36	1	2	6	9	16	21	22
2. MULTIPLE DX										
A. *Not Operated*	17	15.0	391	2	3	7	13	47	67	75
B. *Operated*	5	9.8	45	3	3	7	17	17	17	17
1. SINGLE DX	54	8.9	33	3	3	8	10	20	21	25
2. MULTIPLE DX	22	13.8	311	2	3	7	17	36	61	75
A. NOT OPERATED	59	11.0	137	3	4	7	11	21	27	73
B. OPERATED	17	8.0	37	1	2	7	10	17	20	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	10.1	63	3	3	7	15	23	25	25
13-19 YRS	69	10.4	121	3	3	7	11	20	23	70
GRAND TOTAL	**76**	**10.4**	**115**	**3**	**3**	**7**	**11**	**20**	**24**	**69**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	117	6.2	41	1	1	4	7	17	20	34
1-5 YRS	529	3.1	8	1	1	2	4	6	8	14
6-12 YRS	602	3.4	13	1	1	3	4	6	8	16
13-19 YRS	810	3.6	10	1	1	3	4	7	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	3	4.0	3	2	2	5	5	5	5	5
13-19 YRS	17	6.6	124	1	1	4	7	37	80	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	12.2	129	2	2	8	19	31	32	32
1-11 MOS	161	5.3	25	1	1	4	7	12	15	30
1-5 YRS	624	4.7	36	1	1	3	5	9	13	30
6-12 YRS	521	4.3	23	1	1	3	5	9	12	32
13-19 YRS	671	5.9	57	1	1	4	7	11	19	36
B. *Operated*										
0-27 DYS										
1-11 MOS	7	9.0	90	3	3	5	21	79	99+	99+
1-5 YRS	18	10.7	259	1	2	6	9	22	52	71
6-12 YRS	20	8.4	92	1	1	5	8	21	32	40
13-19 YRS	33	10.3	76	2	3	8	12	27	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2061	3.6	13	1	1	3	4	7	9	20
B. *Operated*	24	5.6	90	1	1	4	6	9	62	99+
2. MULTIPLE DX										
A. *Not Operated*	1983	5.1	40	1	1	3	6	10	14	34
B. *Operated*	78	9.8	119	2	2	6	11	25	33	92
1. SINGLE DX	2085	3.6	13	1	1	3	4	7	9	20
2. MULTIPLE DX	2061	5.3	44	1	1	3	6	10	15	34
A. NOT OPERATED	4044	4.3	26	1	1	3	5	8	12	26
B. OPERATED	102	8.8	115	1	2	6	9	24	35	99+
TOTAL 0-27 DYS	9	8.9	105	2	2	4	11	27	32	32
1-11 MOS	287	5.7	33	1	1	4	7	14	18	33
1-5 YRS	1173	4.1	28	1	1	3	5	8	11	24
6-12 YRS	1146	3.9	20	1	1	3	5	7	10	24
13-19 YRS	1531	4.8	35	1	1	3	5	9	13	31
GRAND TOTAL	**4146**	**4.4**	**29**	**1**	**1**	**3**	**5**	**8**	**12**	**29**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	8.0	89	1	1	5	8	24	31	32
1-11 MOS	104	3.8	35	<1	1	2	4	8	12	34
1-5 YRS	233	3.7	20	<1	1	2	4	7	10	23
6-12 YRS	209	4.5	19	1	1	3	5	10	13	22
13-19 YRS	342	5.3	53	1	1	3	6	10	15	40
B. *Operated*										
0-27 DYS	7	19.3	1112	1	1	7	15	79	94	94
1-11 MOS	85	8.6	68	1	2	7	10	16	26	48
1-5 YRS	192	4.4	24	1	1	3	4	9	14	28
6-12 YRS	229	6.2	54	1	2	4	7	13	17	36
13-19 YRS	270	7.8	54	1	2	5	10	17	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	9.5	1	9	9	9	10	10	10	10
1-11 MOS	182	5.8	40	1	1	4	7	11	18	45
1-5 YRS	425	5.9	84	1	1	4	6	12	17	62
6-12 YRS	326	5.9	50	1	1	4	6	12	17	45
13-19 YRS	510	9.0	158	1	1	5	9	25	36	99+
B. *Operated*										
0-27 DYS	5	10.6	49	2	2	15	16	17	17	17
1-11 MOS	77	10.1	89	1	2	9	13	21	54	99+
1-5 YRS	280	7.4	120	1	2	4	8	16	31	69
6-12 YRS	358	6.5	84	1	1	4	7	13	18	43
13-19 YRS	383	11.5	213	1	2	6	14	26	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	899	4.5	35	1	1	3	5	9	13	29
B. *Operated*	783	6.7	60	1	2	4	8	14	20	36
2. MULTIPLE DX										
A. *Not Operated*	1445	7.0	99	1	1	4	8	15	26	81
B. *Operated*	1103	8.7	143	1	2	5	10	19	32	90
1. SINGLE DX	1682	5.5	48	1	1	3	6	11	17	35
2. MULTIPLE DX	2548	7.7	118	1	1	4	8	17	28	83
A. NOT OPERATED	2344	6.0	76	1	1	4	6	12	21	55
B. OPERATED	1886	7.9	109	1	2	5	9	17	26	73
TOTAL 0-27 DYS	25	11.8	347	1	2	7	15	19	47	94
1-11 MOS	448	6.6	57	1	1	4	8	14	22	67
1-5 YRS	1130	5.6	71	1	1	3	6	11	17	55
6-12 YRS	1122	5.9	56	1	1	4	7	12	17	37
13-19 YRS	1505	8.6	134	1	1	5	9	20	32	87
GRAND TOTAL	**4230**	**6.9**	**91**	**1**	**1**	**4**	**8**	**15**	**24**	**67**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	42	2.4	2	<1	1	2	3	5	6	7
6-12 YRS	343	2.7	3	1	1	2	3	5	6	9
13-19 YRS	677	3.1	4	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.7	2	1	1	3	3	5	5	5
13-19 YRS	31	4.6	9	1	2	4	6	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	17	2.5	2	1	1	2	3	4	5	6
6-12 YRS	139	3.3	4	1	1	3	4	6	8	10
13-19 YRS	336	4.1	7	1	1	3	5	8	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	10	4.4	8	2	2	4	5	9	11	11
13-19 YRS	23	5.8	21	1	2	4	8	10	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1062	3.0	4	1	1	3	4	5	6	10
B. *Operated*	38	4.3	8	1	2	3	5	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	494	3.8	6	1	1	3	5	7	8	13
B. *Operated*	34	5.3	17	2	2	4	6	9	14	21
1. SINGLE DX	1100	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX	528	3.9	7	1	1	3	5	7	9	13
A. NOT OPERATED	1556	3.2	5	1	1	3	4	6	7	11
B. OPERATED	72	4.8	12	1	2	4	6	9	12	20
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	60	2.5	2	1	1	2	3	4	6	7
6-12 YRS	499	2.9	3	1	1	2	4	5	7	10
13-19 YRS	1067	3.5	6	1	1	3	4	6	8	13
GRAND TOTAL	**1628**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	5	2.4		2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	13	2.3	1	<1	<1	2	3	4	5	5
13-19 YRS	146	2.2	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	8	2.4	1	1	1	2	3	4	4	4
13-19 YRS	45	3.3	23	<1	1	2	3	5	7	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.0	2	2	2	3	3	6	6	6
B. *Operated*	166	2.2	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	4	2.8	6	1	1	2	4	6	6	6
B. *Operated*	55	3.2	19	1	1	2	3	4	5	31
1. SINGLE DX	172	2.2	2	<1	1	2	3	4	4	6
2. MULTIPLE DX	59	3.2	18	1	1	2	3	5	6	30
A. NOT OPERATED	10	2.9	3	1	1	2	3	6	6	6
B. OPERATED	221	2.4	6	<1	1	2	3	4	4	12
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	4	3.5	4	2	2	3	5	6	6	6
6-12 YRS	22	2.3	1	<1	1	2	3	4	5	5
13-19 YRS	199	2.5	7	<1	1	2	3	4	5	13
GRAND TOTAL	**231**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**4**	**5**	**12**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	85	1	1	7	14	14	14	14
1-11 MOS	6	3.7	18	1	1	2	4	11	12	12
1-5 YRS	52	5.8	58	<1	1	3	7	14	20	46
6-12 YRS	61	7.5	65	1	1	4	9	18	26	40
13-19 YRS	207	8.4	118	1	1	5	9	19	28	58
B. *Operated*										
0-27 DYS	3	4.3	12	1	1	4	7	8	8	8
1-11 MOS										
1-5 YRS	14	4.3	7	1	1	3	6	8	9	9
6-12 YRS	58	3.9	47	1	1	3	4	7	8	50
13-19 YRS	482	3.9	16	1	1	3	4	7	9	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	10	7.1	32	1	1	6	13	15	16	16
1-5 YRS	27	7.1	54	1	2	4	7	19	25	28
6-12 YRS	39	8.2	72	1	1	5	11	18	29	37
13-19 YRS	157	6.8	67	1	1	4	8	14	20	46
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	6.8	78	2	2	3	11	20	20	20
1-5 YRS	9	6.2	44	<1	1	5	6	17	23	23
6-12 YRS	30	6.9	127	1	1	4	9	13	61	99+
13-19 YRS	225	5.7	62	1	2	3	6	12	23	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	7.7	97	1	1	5	9	18	25	52
B. *Operated*	557	3.9	19	1	1	3	4	7	9	23
2. MULTIPLE DX										
A. *Not Operated*	234	7.0	64	1	1	4	8	15	21	39
B. *Operated*	269	5.8	68	1	2	3	6	12	23	93
1. SINGLE DX	885	5.3	51	1	1	3	5	10	17	42
2. MULTIPLE DX	503	6.4	67	1	2	4	7	14	23	57
A. NOT OPERATED	562	7.4	83	1	1	4	9	16	24	50
B. OPERATED	826	4.5	36	1	1	3	5	8	13	41
TOTAL 0-27 DYS	7	4.6	24	<1	<1	3	7	13	14	14
1-11 MOS	20	6.0	35	1	1	3	10	15	18	20
1-5 YRS	102	6.0	48	1	1	4	7	15	21	37
6-12 YRS	188	6.5	73	1	1	4	7	15	21	59
13-19 YRS	1071	5.6	56	1	2	3	6	11	18	47
GRAND TOTAL	**1388**	**5.7**	**57**	**1**	**1**	**3**	**6**	**12**	**19**	**47**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.0	16	<1	<1	1	4	10	10	10
6-12 YRS	3	3.0	3	1	1	4	4	4	4	4
13-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	5.7		5	5	6	6	6	6	6
1-5 YRS	6	4.0	2	<1	<1	4	5	5	5	5
6-12 YRS	51	5.0	7	1	2	5	7	8	10	14
13-19 YRS	168	5.2	9	2	2	5	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.8	2	1	1	3	4	5	5	5
13-19 YRS	9	2.1	2	<1	<1	1	3	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	4	6.0	29	3	3	4	9	14	14	14
1-5 YRS	8	3.6	11	1	1	2	5	9	10	10
6-12 YRS	38	6.3	26	2	2	5	8	10	17	29
13-19 YRS	90	7.2	27	2	3	6	8	15	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.5	6	<1	<1	1	3	5	9	10
B. *Operated*	229	5.1	8	1	2	5	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	14	2.4	2	<1	1	2	3	5	5	5
B. *Operated*	140	6.7	26	2	2	6	8	12	19	29
1. SINGLE DX	242	5.0	8	1	2	5	6	9	10	16
2. MULTIPLE DX	154	6.3	26	1	2	5	8	11	18	29
A. NOT OPERATED	27	2.4	4	<1	<1	2	3	5	6	10
B. OPERATED	369	5.7	16	1	2	5	7	10	13	22
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	5.9	14	3	3	5	6	12	14	14
1-5 YRS	19	3.6	8	<1	<1	3	5	9	10	10
6-12 YRS	97	5.3	15	1	2	5	7	9	11	25
13-19 YRS	272	5.7	16	1	2	5	7	10	14	22
GRAND TOTAL	**396**	**5.5**	**15**	**1**	**2**	**5**	**7**	**10**	**12**	**22**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	4	1.3		1	1	1	2	2	2	2
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	5	2.4		2	2	2	3	3	3	3
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	21	3.1	4	1	1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	4.7	40	<1	<1	1	9	12	12	12
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	6	4.2	40	1	1	2	3	16	17	17
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	4	1.5		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.4	7	1	1	2	2	7	9	9
B. *Operated*	31	2.9	3	1	2	2	3	5	8	8
2. MULTIPLE DX										
A. *Not Operated*	5	3.4	23	<1	<1	1	4	12	12	12
B. *Operated*	14	3.3	18	1	1	2	3	8	15	17
1. SINGLE DX	39	2.8	4	1	1	2	3	5	8	9
2. MULTIPLE DX	19	3.3	18	<1	1	2	3	10	15	17
A. NOT OPERATED	13	2.8	12	<1	<1	1	2	10	12	12
B. OPERATED	45	3.0	7	1	1	2	3	5	8	17
TOTAL 0-27 DYS										
1-11 MOS	7	2.9	4	1	1	2	4	6	7	7
1-5 YRS	18	3.1	18	<1	1	2	3	9	15	17
6-12 YRS	8	3.3	6	2	2	2	3	7	9	9
13-19 YRS	25	2.8	4	<1	1	2	3	5	8	8
GRAND TOTAL	**58**	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**9**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	4	2.5	3	<1	<1	2	4	4	4	4
13-19 YRS	8	6.4	92	1	1	2	7	23	29	29
B. Operated										
0-27 DYS										
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	6	2.7	1	2	2	2	3	5	5	5
6-12 YRS	11	3.3	4	1	1	3	5	6	7	7
13-19 YRS	24	2.8	2	1	2	2	4	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	3	5.7	14	3	3	4	8	10	10	10
13-19 YRS	4	5.0	37	1	1	2	8	14	14	14
B. Operated										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	2.3		2	2	2	3	3	3	3
6-12 YRS	11	6.1	32	<1	1	3	11	15	18	18
13-19 YRS	23	3.8	12	1	1	4	4	7	12	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.3	52	<1	<1	1	4	9	24	29
B. Operated	46	2.7	2	1	1	2	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	13	3.3	17	<1	<1	1	3	11	13	14
B. Operated	39	4.2	17	1	1	3	4	11	14	18
1. SINGLE DX	61	3.1	14	1	1	2	4	5	7	27
2. MULTIPLE DX	52	4.0	17	<1	1	3	4	11	14	18
A. NOT OPERATED	28	3.8	35	<1	<1	1	4	10	15	29
B. OPERATED	85	3.4	9	1	1	2	4	6	10	17
TOTAL 0-27 DYS										
1-11 MOS	9	1.3		<1	<1	1	2	2	2	2
1-5 YRS	16	1.9	1	<1	1	2	2	3	4	5
6-12 YRS	29	4.5	16	<1	1	3	5	11	13	18
13-19 YRS	59	3.8	20	1	1	2	4	6	12	28
GRAND TOTAL	**113**	**3.5**	**15**	**1**	**1**	**2**	**4**	**6**	**12**	**22**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	5	2.0	1	1	1	2	3	3	3	3
1-5 YRS	61	2.3	1	<1	1	2	3	4	4	6
6-12 YRS	119	2.5	1	1	1	2	3	4	5	5
13-19 YRS	136	2.4	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	2	3.0	8	<1	<1	2	5	5	5	5
13-19 YRS	6	2.5	6	<1	<1	1	4	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	46	2.2	1	1	1	2	3	3	4	6
6-12 YRS	74	2.7	2	1	1	2	3	5	6	9
13-19 YRS	68	2.4	1	1	1	2	3	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	321	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	10	2.3	5	<1	<1	1	4	6	7	7
B. *Operated*	191	2.5	2	1	1	2	3	4	5	8
1. SINGLE DX	327	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX	201	2.4	2	<1	1	2	3	4	5	8
A. NOT OPERATED	16	2.1	3	<1	<1	1	3	5	6	7
B. OPERATED	512	2.4	1	1	1	2	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS	8	2.0	1	1	1	2	3	3	3	3
1-5 YRS	109	2.2	1	<1	1	2	3	4	4	6
6-12 YRS	198	2.6	2	1	1	2	3	4	5	8
13-19 YRS	213	2.4	1	1	1	2	3	4	4	7
GRAND TOTAL	528	2.4	1	1	1	2	3	4	5	7

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	83	1.6	3	<1	<1	1	2	3	4	70
6-12 YRS	18	2.0	1	<1	1	2	2	4	5	5
13-19 YRS	17	4.4	12	<1	1	3	7	9	11	12
B. *Operated*										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	402	1.5		<1	<1	1	2	2	2	2
1-5 YRS	3835	1.6	1	<1	1	2	2	2	2	3
6-12 YRS	2259	1.7	1	<1	1	2	2	2	2	3
13-19 YRS	1103	1.8		1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	26	1.2	1	<1	<1	<1	1	2	3	5
1-5 YRS	202	1.2	1	<1	<1	1	1	2	3	6
6-12 YRS	43	1.4	1	<1	<1	1	2	3	3	4
13-19 YRS	24	2.3	3	<1	<1	2	3	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	44	1.6		<1	<1	2	2	2	3	4
1-5 YRS	639	1.7	1	<1	1	2	2	2	3	4
6-12 YRS	401	1.8	1	<1	1	2	2	2	3	5
13-19 YRS	280	2.0	1	1	1	2	2	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	2.0	4	<1	<1	1	2	4	8	30
B. *Operated*	7602	1.7	1	<1	1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	295	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	1364	1.8	1	<1	1	2	2	2	3	4
1. SINGLE DX	7730	1.7	1	<1	1	2	2	2	2	3
2. MULTIPLE DX	1659	1.7	1	<1	<1	2	2	2	3	5
A. NOT OPERATED	423	1.6	2	<1	<1	1	1	3	4	10
B. OPERATED	8966	1.7	1	<1	1	2	2	2	2	3
TOTAL 0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	482	1.5		<1	<1	1	2	2	2	3
1-5 YRS	4759	1.6	1	<1	<1	2	2	2	2	3
6-12 YRS	2721	1.7	1	<1	1	2	2	2	2	3
13-19 YRS	1424	1.9	1	1	1	2	2	2	3	5
GRAND TOTAL	9389	1.7	1	<1	1	2	2	2	2	3

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	53	3.7	2	<1	2	3	5	6	6	7
1-11 MOS	301	1.4	2	<1	<1	1	1	2	4	8
1-5 YRS	378	1.8	6	<1	<1	1	2	4	5	10
6-12 YRS	68	3.0	12	<1	1	2	4	5	8	22
13-19 YRS	61	3.4	5	<1	1	3	5	7	9	9
B. *Operated*										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	38	1.9	2	<1	<1	1	2	4	5	7
1-5 YRS	352	1.8	12	<1	<1	1	2	3	3	9
6-12 YRS	313	1.8	1	<1	<1	1	2	3	4	7
13-19 YRS	340	2.1	3	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	47	5.3	13	2	2	4	6	11	12	21
1-11 MOS	152	3.3	5	<1	1	3	5	6	7	9
1-5 YRS	217	3.4	7	<1	1	3	4	6	8	14
6-12 YRS	90	3.4	7	<1	1	3	4	6	7	16
13-19 YRS	61	3.5	10	<1	1	3	4	6	8	20
B. *Operated*										
0-27 DYS	4	7.5	7	5	5	7	9	11	11	11
1-11 MOS	17	2.2	3	<1	<1	2	3	5	6	6
1-5 YRS	89	2.5	10	<1	<1	2	2	4	7	21
6-12 YRS	108	3.0	11	<1	1	2	3	6	7	19
13-19 YRS	128	2.8	6	<1	1	2	3	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	861	2.0	5	<1	<1	1	2	4	6	9
B. *Operated*	1045	1.9	5	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	567	3.5	7	<1	1	3	5	6	8	14
B. *Operated*	346	2.8	8	<1	1	2	3	5	7	17
1. SINGLE DX	1906	1.9	5	<1	<1	1	2	3	5	9
2. MULTIPLE DX	913	3.3	8	<1	1	2	4	6	8	15
A. NOT OPERATED	1428	2.6	6	<1	<1	2	3	6	7	12
B. OPERATED	1391	2.1	6	<1	<1	2	2	3	5	10
TOTAL 0-27 DYS	106	4.5	8	1	2	4	5	7	11	16
1-11 MOS	508	2.1	3	<1	<1	1	3	5	6	9
1-5 YRS	1036	2.2	9	<1	<1	1	2	4	6	11
6-12 YRS	579	2.4	6	<1	<1	2	3	5	6	14
13-19 YRS	590	2.5	5	<1	1	2	3	5	6	10
GRAND TOTAL	**2819**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	4.8	6	1	2	4	7	7	9	11
1-11 MOS	187	3.7	4	1	2	3	5	6	8	11
1-5 YRS	509	3.8	7	1	1	3	5	6	7	11
6-12 YRS	261	4.2	5	1	2	4	5	7	9	11
13-19 YRS	198	4.0	5	1	2	3	5	7	8	13
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	4.8	14	1	1	4	7	9	14	16
1-5 YRS	65	2.9	10	<1	<1	2	3	7	9	17
6-12 YRS	71	4.0	20	<1	<1	2	5	11	14	22
13-19 YRS	99	3.7	10	1	1	3	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	4.7	9	2	2	4	6	11	12	12
1-11 MOS	194	5.3	19	1	2	4	7	10	11	27
1-5 YRS	402	4.6	9	1	2	4	6	8	10	16
6-12 YRS	190	5.0	8	2	2	5	6	9	11	14
13-19 YRS	161	4.8	11	1	2	4	6	8	10	15
B. *Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	23	9.0	156	1	1	7	12	15	32	62
1-5 YRS	61	4.2	12	<1	1	3	6	11	12	15
6-12 YRS	84	4.2	10	1	1	3	6	9	11	14
13-19 YRS	124	4.9	14	1	2	3	6	11	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1174	3.9	6	1	2	3	5	7	8	11
B. *Operated*	254	3.7	13	<1	1	2	4	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	962	4.9	11	1	2	4	6	9	10	15
B. *Operated*	294	4.9	25	1	1	3	6	11	13	17
1. SINGLE DX	1428	3.9	7	1	1	3	5	7	8	13
2. MULTIPLE DX	1256	4.9	14	1	2	4	6	9	11	16
A. NOT OPERATED	2136	4.3	8	1	2	4	5	7	9	13
B. OPERATED	548	4.3	20	1	1	3	5	10	12	17
TOTAL 0-27 DYS	37	4.7	7	1	2	4	6	7	11	12
1-11 MOS	422	4.8	21	1	2	4	6	9	11	18
1-5 YRS	1037	4.1	8	1	1	4	5	7	9	13
6-12 YRS	606	4.4	8	1	2	4	6	8	10	14
13-19 YRS	582	4.4	10	1	2	4	6	8	10	15
GRAND TOTAL	**2684**	**4.3**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**15**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	16	2.2	1	<1	1	2	3	4	5	5
1-5 YRS	20	1.7	1	<1	<1	1	2	3	4	5
6-12 YRS	17	2.9	4	<1	1	3	4	6	7	7
13-19 YRS	23	3.0	6	1	1	3	3	5	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	1.5		<1	<1	1	2	2	3	3
6-12 YRS	13	1.9	1	1	1	2	2	3	3	3
13-19 YRS	26	2.5	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.7	7	<1	<1	2	3	7	9	9
1-5 YRS	24	2.7	8	<1	<1	2	4	5	8	14
6-12 YRS	26	2.3	2	<1	1	2	3	4	5	7
13-19 YRS	49	4.0	8	1	1	3	5	8	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	2.3	1	1	1	2	2	4	5	5
6-12 YRS	12	3.3	5	1	1	3	4	7	8	8
13-19 YRS	29	4.9	25	1	1	3	6	11	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	2.4	4	<1	<1	2	3	4	6	11
B. *Operated*	54	2.1	3	<1	1	2	2	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	108	3.2	7	<1	1	3	4	6	9	14
B. *Operated*	52	3.9	16	1	1	2	5	8	12	23
1. SINGLE DX	130	2.3	3	<1	<1	2	3	4	5	12
2. MULTIPLE DX	160	3.4	10	<1	1	2	4	7	10	16
A. NOT OPERATED	184	2.9	6	<1	1	2	4	5	8	13
B. OPERATED	106	3.0	10	<1	1	2	3	6	8	19
TOTAL 0-27 DYS										
1-11 MOS	25	2.4	3	<1	<1	2	3	4	6	9
1-5 YRS	70	2.1	3	<1	<1	2	2	4	5	12
6-12 YRS	68	2.5	3	1	1	2	3	5	7	8
13-19 YRS	127	3.7	12	1	1	3	4	8	11	18
GRAND TOTAL	**290**	**2.9**	**7**	**<1**	**1**	**2**	**3**	**6**	**8**	**14**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	174	3.7	4	1	2	3	5	6	8	11
1-11 MOS	1370	2.9	3	1	1	3	4	5	6	8
1-5 YRS	1263	2.8	3	1	1	2	4	5	6	10
6-12 YRS	137	3.0	5	<1	<1	2	4	6	7	13
13-19 YRS	59	3.7	9	<1	1	3	5	8	10	15
B. *Operated*										
0-27 DYS	15	4.2	7	<1	<1	5	6	8	8	8
1-11 MOS	1546	1.3	2	<1	<1	<1	1	1	3	7
1-5 YRS	9935	1.1		<1	<1	<1	1	1	2	2
6-12 YRS	4478	1.2	1	<1	<1	1	1	2	2	3
13-19 YRS	1157	1.8	2	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	161	4.3	6	2	2	4	5	8	9	12
1-11 MOS	3423	3.7	7	1	2	3	5	6	8	12
1-5 YRS	4605	3.3	5	1	1	3	4	6	7	11
6-12 YRS	535	3.4	5	<1	1	3	5	6	8	12
13-19 YRS	229	3.8	9	<1	1	3	5	7	9	15
B. *Operated*										
0-27 DYS	16	4.7	5	1	3	4	6	8	9	9
1-11 MOS	459	2.7	9	<1	<1	1	4	6	8	13
1-5 YRS	6541	1.6	2	<1	<1	1	2	2	3	7
6-12 YRS	3532	1.7	1	<1	<1	1	2	2	3	6
13-19 YRS	1008	2.3	3	<1	1	2	3	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3003	2.9	3	1	1	3	4	5	6	9
B. *Operated*	17131	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	8953	3.5	6	1	1	3	4	6	8	12
B. *Operated*	11556	1.7	2	<1	<1	1	2	2	3	7
1. SINGLE DX	20134	1.5	1	<1	<1	1	1	3	4	6
2. MULTIPLE DX	20509	2.5	5	<1	<1	2	3	5	6	10
A. NOT OPERATED	11956	3.4	5	1	1	3	4	6	7	11
B. OPERATED	28687	1.4	1	<1	<1	1	2	2	3	6
TOTAL 0-27 DYS	366	4.0	5	1	2	3	5	7	8	11
1-11 MOS	6798	2.9	6	<1	<1	2	4	5	7	11
1-5 YRS	22344	1.8	3	<1	<1	1	2	4	5	8
6-12 YRS	8682	1.6	2	<1	<1	1	2	2	3	7
13-19 YRS	2453	2.3	4	<1	<1	2	3	3	5	9
GRAND TOTAL	**40643**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.4	3	1	1	3	5	5	5	5
1-11 MOS	71	3.1	5	1	1	3	4	5	7	14
1-5 YRS	131	3.5	6	1	1	3	4	6	9	12
6-12 YRS	77	3.8	4	1	2	3	5	7	7	9
13-19 YRS	78	4.0	5	1	2	3	5	7	8	12
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	119	1.9	7	<1	<1	1	1	4	7	16
1-5 YRS	793	1.4	3	<1	<1	1	1	2	3	9
6-12 YRS	468	1.8	5	<1	<1	1	2	3	4	10
13-19 YRS	175	2.5	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	7.4	12	4	4	6	10	12	12	12
1-11 MOS	173	4.2	6	2	2	4	5	7	9	12
1-5 YRS	385	3.7	8	<1	1	3	4	7	9	14
6-12 YRS	137	4.2	10	1	1	3	5	9	10	17
13-19 YRS	113	4.3	6	1	1	4	6	8	9	11
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	52	3.9	23	<1	<1	2	5	9	11	29
1-5 YRS	848	1.9	4	<1	<1	1	2	2	4	10
6-12 YRS	576	2.2	5	<1	1	2	2	3	6	12
13-19 YRS	224	3.0	8	1	1	2	3	4	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	3.6	5	1	1	3	4	6	8	11
B. *Operated*	1556	1.7	4	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	813	4.0	8	1	1	3	5	8	10	14
B. *Operated*	1701	2.2	6	<1	<1	2	2	4	6	12
1. SINGLE DX	1918	2.0	5	<1	<1	1	2	4	6	10
2. MULTIPLE DX	2514	2.8	7	<1	1	2	3	6	8	13
A. NOT OPERATED	1175	3.9	7	1	1	3	5	7	9	14
B. OPERATED	3257	2.0	5	<1	<1	1	2	3	5	11
TOTAL 0-27 DYS	12	6.5	18	1	2	5	9	13	16	16
1-11 MOS	415	3.3	9	<1	<1	2	4	7	9	15
1-5 YRS	2157	2.1	6	<1	<1	1	2	4	6	12
6-12 YRS	1258	2.4	6	<1	<1	2	3	5	7	12
13-19 YRS	590	3.2	7	1	1	3	4	6	8	13
GRAND TOTAL	**4432**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	17	2.1	3	<1	1	1	2	5	7	8
6-12 YRS	26	3.7	5	1	2	3	5	7	8	8
13-19 YRS	91	4.0	6	1	1	3	6	8	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.4		2	2	2	3	3	3	3
6-12 YRS	8	2.9	2	2	2	3	3	5	6	6
13-19 YRS	16	3.1	2	<1	2	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	4	5.0	9	1	1	5	7	8	8	8
1-5 YRS	10	2.8	3	1	1	2	4	5	6	6
6-12 YRS	25	4.4	7	2	2	4	5	7	11	14
13-19 YRS	85	4.7	9	1	2	4	5	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	6	2.7	1	2	2	2	3	5	5	5
6-12 YRS	5	2.0	2	1	1	2	3	4	4	4
13-19 YRS	13	3.9	8	1	1	3	5	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.7	6	1	1	3	5	7	8	11
B. *Operated*	29	2.9	1	1	2	3	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	125	4.6	9	1	2	4	5	9	11	15
B. *Operated*	25	3.5	7	1	1	2	4	8	10	11
1. SINGLE DX	165	3.6	5	1	1	3	5	7	8	11
2. MULTIPLE DX	150	4.4	9	1	1	4	5	9	11	14
A. NOT OPERATED	261	4.1	7	1	1	3	5	8	10	14
B. OPERATED	54	3.2	4	1	2	3	4	6	8	11
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	7	4.9	12	<1	<1	5	7	10	10	10
1-5 YRS	38	2.4	3	1	1	2	3	5	6	8
6-12 YRS	64	3.7	5	1	2	3	5	7	8	13
13-19 YRS	205	4.2	7	1	2	4	5	8	10	13
GRAND TOTAL	**315**	**4.0**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**13**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.5		<1	<1	1	2	2	2	2
6-12 YRS	16	2.4	1	1	1	2	3	3	4	4
13-19 YRS	100	2.6	5	1	1	2	3	3	4	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	2.8		2	2	3	3	3	3	3
13-19 YRS	25	2.6	1	1	2	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	122	2.5	4	1	1	2	3	3	4	15
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	30	2.6	1	2	2	3	3	4	4	4
1. SINGLE DX	124	2.5	4	1	1	2	3	3	4	15
2. MULTIPLE DX	31	2.7	1	2	2	3	3	4	4	7
A. NOT OPERATED	3	3.7	9	<1	<1	3	6	7	7	7
B. OPERATED	152	2.5	3	1	1	2	3	3	4	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.6		<1	<1	2	2	2	2	2
6-12 YRS	21	2.7	2	1	1	3	3	4	5	7
13-19 YRS	127	2.6	4	1	1	2	3	3	4	15
GRAND TOTAL	155	2.5	3	1	1	2	3	3	4	13

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	29	2.1	2	<1	<1	1	3	4	5	6
6-12 YRS	38	2.0	2	<1	<1	2	2	4	4	7
13-19 YRS	38	2.3	3	<1	<1	2	3	4	6	9
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	383	1.7	1	<1	<1	2	2	3	3	4
6-12 YRS	1312	1.9	2	<1	<1	2	2	3	3	5
13-19 YRS	1113	2.1	1	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	3.8	9	1	1	3	4	9	11	11
1-5 YRS	52	2.9	6	<1	<1	2	4	7	9	12
6-12 YRS	38	2.7	6	<1	<1	2	3	7	8	9
13-19 YRS	49	3.2	11	<1	<1	2	4	7	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.3	6	<1	<1	1	3	6	7	7
1-5 YRS	318	1.9	10	<1	<1	1	2	2	3	15
6-12 YRS	937	2.0	1	<1	1	2	2	3	3	5
13-19 YRS	731	2.3	1	1	1	2	3	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.2	2	<1	<1	2	3	4	5	8
B. *Operated*	2814	2.0	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	148	3.0	8	<1	<1	2	4	7	9	14
B. *Operated*	1993	2.1	3	<1	1	2	2	3	4	7
1. SINGLE DX	2923	2.0	1	<1	1	2	2	3	3	6
2. MULTIPLE DX	2141	2.1	3	<1	1	2	2	3	4	8
A. NOT OPERATED	257	2.7	6	<1	<1	2	3	5	8	12
B. OPERATED	4807	2.0	2	<1	1	2	2	3	3	6
TOTAL 0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	23	2.9	6	<1	1	2	4	6	8	11
1-5 YRS	782	1.9	5	<1	<1	2	2	3	4	9
6-12 YRS	2325	2.0	2	<1	1	2	2	3	3	6
13-19 YRS	1931	2.2	1	1	1	2	3	3	4	7
GRAND TOTAL	5064	2.0	2	<1	1	2	2	3	4	7

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	27	4.9	8	2	2	4	7	9	11	12
6-12 YRS	144	7.1	21	2	3	6	10	13	15	21
13-19 YRS	85	6.4	21	2	2	5	8	12	15	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	25	6.6	12	2	3	6	9	11	13	16
6-12 YRS	79	8.3	39	2	2	7	12	17	20	32
13-19 YRS	60	8.3	33	2	2	7	12	18	21	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	9.0	37	<1	<1	10	13	15	15	15
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	8	11.4	36	1	3	11	15	19	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	6.6	20	2	2	5	9	12	15	21
B. *Operated*	5	5.2	78	<1	<1	1	7	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	165	8.0	32	2	2	7	11	16	20	24
B. *Operated*	13	10.5	31	<1	1	10	14	18	20	20
1. SINGLE DX	262	6.6	21	2	2	5	9	12	15	21
2. MULTIPLE DX	178	8.2	33	2	2	7	11	17	20	23
A. NOT OPERATED	422	7.2	25	2	2	6	10	14	17	23
B. OPERATED	18	9.0	46	<1	<1	9	14	19	21	21
TOTAL 0-27 DYS										
1-11 MOS	3	3.3	4	<1	<1	4	5	5	5	5
1-5 YRS	58	5.8	13	1	2	5	7	11	12	16
6-12 YRS	225	7.5	27	2	2	6	10	14	17	23
13-19 YRS	154	7.5	29	2	2	6	10	15	20	24
GRAND TOTAL	**440**	**7.2**	**26**	**2**	**2**	**6**	**10**	**14**	**17**	**22**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	6.5	16	2	2	6	10	12	12	12
13-19 YRS	25	4.5	4	1	2	5	6	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.8		1	1	2	2	2	2	2
6-12 YRS	5	10.4	56	1	1	8	17	19	19	19
13-19 YRS	12	9.3	48	1	1	10	13	18	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	11	8.7	140	<1	1	4	6	30	38	39
13-19 YRS	47	5.7	26	1	2	5	7	10	22	99+
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	3	4.0	12	2	2	2	7	8	8	8
13-19 YRS	24	8.9	37	2	2	9	12	18	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.8	6	1	2	5	6	8	10	12
B. *Operated*	22	7.9	47	1	1	7	12	18	21	24
2. MULTIPLE DX										
A. *Not Operated*	61	6.3	45	1	2	4	7	11	27	93
B. *Operated*	32	7.4	35	2	2	5	11	17	19	21
1. SINGLE DX	55	6.0	24	1	2	5	8	12	17	24
2. MULTIPLE DX	93	6.7	42	2	2	5	8	15	21	73
A. NOT OPERATED	94	5.8	32	1	2	5	7	10	19	72
B. OPERATED	54	7.6	39	1	2	6	12	17	19	24
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	5.3	17	2	2	4	8	10	10	10
1-5 YRS	11	2.4	2	1	1	2	2	4	6	6
6-12 YRS	25	8.0	76	1	2	5	9	19	28	39
13-19 YRS	108	6.6	28	1	2	5	8	13	19	59
GRAND TOTAL	**148**	**6.4**	**35**	**1**	**2**	**5**	**8**	**13**	**19**	**40**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	6.9	40	2	2	4	9	18	21	21
1-5 YRS	8	2.9	2	1	1	3	4	4	4	4
6-12 YRS	31	3.9	5	1	1	3	5	8	9	9
13-19 YRS	190	3.7	5	1	1	3	4	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	15.0	273	4	4	7	27	34	34	34
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	4	7.3	63	2	2	4	12	19	19	19
13-19 YRS	45	3.4	5	1	2	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	13	7.2	15	1	2	8	10	12	12	12
1-5 YRS	6	5.5	13	2	2	4	7	11	12	12
6-12 YRS	42	5.8	25	1	2	4	7	9	14	30
13-19 YRS	276	4.5	9	1	2	4	5	8	10	18
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	12.3	7	10	10	12	14	15	15	15
1-5 YRS	4	8.5	30	4	4	8	13	15	15	15
6-12 YRS	7	5.9	13	2	2	4	9	11	11	11
13-19 YRS	47	7.9	32	2	2	6	10	16	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	3.9	7	1	1	3	4	7	9	13
B. *Operated*	53	4.4	26	1	2	3	4	7	11	34
2. MULTIPLE DX										
A. *Not Operated*	338	4.8	11	1	2	4	6	9	11	18
B. *Operated*	63	7.9	29	2	3	6	11	15	17	28
1. SINGLE DX	291	4.0	10	1	1	3	4	7	9	17
2. MULTIPLE DX	401	5.3	15	1	2	4	7	10	13	19
A. NOT OPERATED	576	4.4	10	1	2	4	5	8	10	18
B. OPERATED	116	6.3	30	2	2	4	8	14	17	31
TOTAL 0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	29	8.6	46	2	2	8	11	15	22	34
1-5 YRS	19	5.2	14	1	2	4	6	12	14	15
6-12 YRS	84	5.2	19	1	2	4	7	9	11	26
13-19 YRS	558	4.4	10	1	2	4	5	8	10	17
GRAND TOTAL	692	4.7	14	1	2	4	6	9	11	19

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.0	5	2	2	3	5	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.7	17	2	2	8	9	10	10	10
1-11 MOS	2	9.5	85	3	3	9	16	16	16	16
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	5	7.0	82	1	1	3	9	23	23	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	5.0	5	3	3	4	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.6	5	2	2	4	7	7	7	7
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	13	7.4	40	1	2	5	10	17	22	23
B. *Operated*	4	5.0	5	3	3	4	6	8	8	8
1. SINGLE DX	6	5.3	7	2	2	5	7	9	9	9
2. MULTIPLE DX	17	6.8	32	1	2	5	9	15	21	23
A. NOT OPERATED	18	6.6	31	1	2	5	8	14	20	23
B. OPERATED	5	5.8	7	3	3	5	8	9	9	9
TOTAL 0-27 DYS	3	6.7	17	2	2	8	9	10	10	10
1-11 MOS	3	8.7	44	3	3	7	14	16	16	16
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	14	5.7	30	1	2	4	7	10	20	23
GRAND TOTAL	23	6.4	25	1	2	5	8	11	18	23

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	3.5	4	1	1	3	5	6	6	6
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	9	5.3	19	1	1	5	8	12	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	5.4	15	1	1	5	7	11	13	13
13-19 YRS	14	5.4	18	1	1	4	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	6.7	25	1	1	6	11	13	13	13
1-5 YRS	7	5.1	7	2	2	5	7	9	9	9
6-12 YRS	14	5.1	7	2	2	4	7	9	10	10
13-19 YRS	21	4.1	6	1	2	4	5	8	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	23.0		23	23	23	23	23	23	23
1-5 YRS	5	25.2	1668	3	3	8	33	98	98	98
6-12 YRS	16	9.9	84	1	3	5	14	27	30	31
13-19 YRS	28	6.8	38	2	2	5	8	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.2	19	1	1	4	7	12	15	16
B. *Operated*	23	5.3	16	1	1	4	7	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	48	4.9	9	2	2	4	7	9	10	13
B. *Operated*	50	9.9	215	2	2	5	11	20	31	98
1. SINGLE DX	40	5.3	17	1	1	4	7	12	14	16
2. MULTIPLE DX	98	7.5	119	2	2	4	8	13	21	66
A. NOT OPERATED	65	5.0	11	1	2	4	7	10	11	16
B. OPERATED	73	8.5	156	1	2	5	9	16	27	83
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	8	8.4	53	1	2	5	12	20	23	23
1-5 YRS	17	10.5	517	1	2	5	7	11	68	98
6-12 YRS	40	7.0	43	1	2	4	9	14	23	31
13-19 YRS	72	5.6	23	1	2	4	8	11	14	28
GRAND TOTAL	138	6.8	90	1	2	4	8	13	16	39

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	5	9.4	29	1	1	10	13	15	15	15
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	11	10.7	30	5	5	10	15	18	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	10.0	24	6	6	9	11	18	19	19
1-11 MOS	14	12.1	9	7	9	12	13	16	18	18
1-5 YRS	11	12.6	32	4	7	12	14	22	24	24
6-12 YRS	8	12.3	36	<1	3	12	17	19	20	20
13-19 YRS	15	14.8	117	3	4	12	15	40	40	40
B. *Operated*										
0-27 DYS										
1-11 MOS	3	24.3	446	2	2	27	40	44	44	44
1-5 YRS	8	8.0	171	1	1	1	14	30	32	32
6-12 YRS	12	1.3		1	1	1	1	2	3	3
13-19 YRS	11	8.4	152	1	1	2	16	30	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	10.2	27	2	5	10	14	16	19	21
B. *Operated*	2	9.5	145	1	1	9	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	54	12.7	48	4	6	12	15	19	23	40
B. *Operated*	34	7.2	150	1	1	1	2	28	33	44
1. SINGLE DX	20	10.2	32	1	3	10	14	17	19	21
2. MULTIPLE DX	88	10.6	94	1	1	10	14	23	32	43
A. NOT OPERATED	72	12.1	44	4	5	12	14	18	21	40
B. OPERATED	36	7.3	145	1	1	1	3	28	33	44
TOTAL 0-27 DYS	7	10.6	22	6	6	10	13	18	19	19
1-11 MOS	22	13.1	76	2	5	12	15	21	34	44
1-5 YRS	20	10.2	90	1	1	9	14	25	29	32
6-12 YRS	22	6.2	47	<1	1	2	12	17	19	20
13-19 YRS	37	11.7	104	1	1	10	15	27	37	40
GRAND TOTAL	108	10.5	82	1	1	10	14	21	28	42

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	5.7	9	3	3	5	8	9	9	9
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	5	4.6	4	2	2	5	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	20	5.8	8	1	2	6	7	10	11	12
1-5 YRS	12	5.3	10	<1	2	4	6	10	13	13
6-12 YRS	8	3.8	3	1	1	4	5	6	6	6
13-19 YRS	22	6.4	23	2	3	5	7	12	17	24
B. *Operated*										
0-27 DYS										
1-11 MOS	4	8.3	20	2	2	9	11	12	12	12
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	10.0	113	2	2	7	13	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.8	4	2	2	4	6	8	9	9
B. *Operated*	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	65	5.5	13	2	2	5	7	9	12	22
B. *Operated*	12	8.3	64	1	1	6	12	18	27	29
1. SINGLE DX	13	4.2	5	1	2	4	5	7	9	9
2. MULTIPLE DX	77	5.9	21	1	2	5	7	12	13	28
A. NOT OPERATED	75	5.4	12	2	2	5	7	9	12	21
B. OPERATED	15	7.1	57	1	1	4	12	13	25	29
TOTAL 0-27 DYS	4	3.8		3	3	4	4	4	4	4
1-11 MOS	27	6.1	10	2	2	6	8	11	12	12
1-5 YRS	14	5.1	9	1	2	4	6	9	12	13
6-12 YRS	10	3.2	4	1	1	3	5	6	6	6
13-19 YRS	35	6.5	35	2	2	5	7	12	21	29
GRAND TOTAL	**90**	**5.7**	**19**	**1**	**2**	**5**	**7**	**11**	**12**	**27**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.3	41	1	1	4	11	15	15	15
1-11 MOS	13	9.8	20	4	6	9	10	18	20	21
1-5 YRS	9	6.4	14	1	2	5	10	12	13	13
6-12 YRS	7	8.4	30	2	2	7	12	17	18	18
13-19 YRS	11	6.6	10	4	4	6	7	11	15	15
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.5	2	5	5	6	7	8	8	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	44	7.8	20	2	3	7	10	15	17	21
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
1. SINGLE DX	4	6.5	2	5	5	6	7	8	8	8
2. MULTIPLE DX	46	7.6	20	2	2	7	9	15	17	21
A. NOT OPERATED	48	7.7	18	2	4	7	9	14	17	21
B. OPERATED	2	3.5	5	2	2	3	5	5	5	5
TOTAL 0-27 DYS	6	6.3	25	1	1	6	8	14	15	15
1-11 MOS	15	9.3	19	4	6	8	10	17	20	21
1-5 YRS	10	6.3	13	1	2	5	10	12	13	13
6-12 YRS	7	8.4	30	2	2	7	12	17	18	18
13-19 YRS	12	6.3	11	2	3	6	7	11	14	15
GRAND TOTAL	**50**	**7.5**	**18**	**2**	**3**	**7**	**9**	**14**	**17**	**21**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	98	2	2	9	16	16	16	16
1-5 YRS	9	4.7	21	<1	<1	2	8	12	13	13
6-12 YRS	13	5.8	68	<1	<1	2	5	23	23	23
13-19 YRS	8	4.0	21	1	1	3	4	12	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	8.9	48	3	3	7	9	20	26	26
1-11 MOS	10	5.6	31	1	1	4	6	14	20	20
1-5 YRS	12	11.2	62	2	3	9	17	21	26	27
6-12 YRS	11	6.0	12	2	2	7	9	10	11	11
13-19 YRS	7	3.3	6	<1	<1	3	5	7	8	8
B. *Operated*										
0-27 DYS	4	5.0	15	2	2	4	8	10	10	10
1-11 MOS	5	11.8	72	2	2	10	18	24	24	24
1-5 YRS	10	3.3	13	1	1	2	2	10	10	10
6-12 YRS	7	5.7	71	1	1	2	7	21	24	24
13-19 YRS	12	5.3	25	1	1	3	8	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.0	7	3	3	4	7	8	8	8
B. *Operated*	32	5.3	41	<1	<1	2	6	15	22	23
2. MULTIPLE DX										
A. *Not Operated*	50	7.4	39	1	2	6	9	17	20	27
B. *Operated*	38	5.7	38	1	1	2	10	14	21	24
1. SINGLE DX	35	5.2	38	<1	<1	2	6	15	21	23
2. MULTIPLE DX	88	6.6	39	1	1	4	9	16	20	27
A. NOT OPERATED	53	7.2	38	1	2	6	9	17	20	27
B. OPERATED	70	5.5	39	<1	1	2	8	15	23	24
TOTAL 0-27 DYS	14	7.8	40	2	2	6	9	16	24	26
1-11 MOS	18	7.6	48	1	2	5	10	19	22	24
1-5 YRS	32	6.6	44	1	1	3	10	17	19	27
6-12 YRS	32	5.9	44	<1	1	2	8	16	23	24
13-19 YRS	27	4.4	18	1	1	3	5	13	15	15
GRAND TOTAL	123	6.2	39	1	1	3	9	15	21	26

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	2	8.0	50	3	3	8	13	13	13	13
13-19 YRS	46	9.2	21	3	3	9	12	13	19	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	2	9.5	41	5	5	9	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.7	1	5	5	5	7	7	7	7
1-5 YRS	1	28.0		28	28	28	28	28	28	28
6-12 YRS	2	5.5	41	1	1	5	10	10	10	10
13-19 YRS	48	10.1	24	3	4	9	13	16	20	24
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	6	13.2	13	7	7	13	16	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	9.1	21	3	3	9	12	13	19	23
B. *Operated*	3	10.0	21	5	5	11	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	54	10.0	30	3	4	9	13	16	23	28
B. *Operated*	7	11.6	28	2	3	13	15	17	17	17
1. SINGLE DX	53	9.2	20	3	3	10	12	13	18	23
2. MULTIPLE DX	61	10.2	29	3	4	9	13	16	22	28
A. NOT OPERATED	104	9.6	25	3	3	9	12	15	20	26
B. OPERATED	10	11.1	24	2	3	12	14	16	17	17
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	5.8	9	2	2	5	8	10	10	10
1-5 YRS	1	28.0		28	28	28	28	28	28	28
6-12 YRS	5	7.6	28	1	1	10	11	13	13	13
13-19 YRS	102	9.9	22	3	4	10	13	16	19	24
GRAND TOTAL	114	9.7	25	3	3	9	13	16	20	26

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	11.0	200	1	1	11	21	21	21	21
6-12 YRS	3	13.0	133	4	4	9	22	26	26	26
13-19 YRS	4	19.0	175	3	3	20	29	33	33	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	17.1	134	2	3	17	28	30	30	30
6-12 YRS	11	27.6	155	11	11	29	34	46	48	48
13-19 YRS	34	25.9	212	3	3	28	35	43	45	63
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	21.5	145	13	13	21	30	30	30	30
13-19 YRS	10	22.7	188	2	3	29	36	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	15.2	137	1	2	14	26	30	33	33
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	54	24.5	201	2	3	28	32	43	45	62
B. *Operated*	12	22.5	168	2	4	29	33	36	36	36
1. SINGLE DX	10	14.6	126	1	2	12	26	30	33	33
2. MULTIPLE DX	66	24.1	193	2	3	28	32	42	45	61
A. NOT OPERATED	63	23.2	200	2	3	27	31	42	45	61
B. OPERATED	13	21.5	168	2	4	29	32	36	36	36
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	10	15.9	133	1	1	16	28	29	30	30
6-12 YRS	17	23.2	168	6	9	26	30	43	47	48
13-19 YRS	48	24.7	200	3	3	28	34	41	44	63
GRAND TOTAL	**76**	**22.9**	**193**	**2**	**3**	**27**	**31**	**39**	**45**	**59**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	3.6	2	2	2	4	4	6	6	6
1-11 MOS	18	2.6	3	<1	1	2	3	5	7	8
1-5 YRS	28	2.0	3	<1	<1	2	3	3	4	9
6-12 YRS	29	2.8	6	1	1	2	3	7	8	11
13-19 YRS	55	2.4	2	<1	1	2	3	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	4.5	11	2	2	3	5	10	13	13
1-11 MOS	19	4.7	16	1	1	3	6	9	15	18
1-5 YRS	24	3.5	9	1	1	3	4	9	11	12
6-12 YRS	16	3.4	5	1	1	3	4	6	9	10
13-19 YRS	43	3.3	6	<1	1	3	4	6	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	2.8	2	1	1	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	112	3.7	9	1	1	3	5	7	10	15
B. *Operated*	6	2.7	1	1	1	3	4	4	4	4
1. SINGLE DX	142	2.5	3	<1	1	2	3	5	7	9
2. MULTIPLE DX	118	3.7	8	1	1	3	4	7	10	15
A. NOT OPERATED	251	3.0	6	<1	1	2	4	6	8	12
B. OPERATED	9	3.0	3	1	1	2	4	6	7	7
TOTAL 0-27 DYS	19	4.1	7	2	2	4	5	7	10	13
1-11 MOS	37	3.7	11	1	1	3	4	7	10	18
1-5 YRS	53	2.7	6	<1	1	2	3	5	9	12
6-12 YRS	47	3.0	6	1	1	2	4	7	8	11
13-19 YRS	104	2.8	4	<1	1	2	4	5	7	11
GRAND TOTAL	**260**	**3.0**	**6**	**<1**	**1**	**2**	**4**	**6**	**8**	**12**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	4.0	27	1	1	1	8	10	10	10
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	19	2.7	3	<1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	10.3	89	3	3	7	17	21	21	21
1-11 MOS	13	6.4	26	1	2	5	10	13	17	18
1-5 YRS	6	6.2	45	2	2	3	8	18	19	19
6-12 YRS	8	5.8	14	2	2	5	7	12	14	14
13-19 YRS	25	3.0	3	<1	1	3	4	6	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	7.7	54	2	2	5	13	16	16	16
6-12 YRS										
13-19 YRS	5	6.4	24	2	2	7	9	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.7	4	<1	1	2	4	5	6	10
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	55	4.9	21	1	1	3	6	10	17	21
B. *Operated*	9	6.4	28	2	2	5	9	15	16	16
1. SINGLE DX	29	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	64	5.1	21	1	1	3	7	12	17	21
A. NOT OPERATED	82	4.2	16	1	1	3	5	9	13	20
B. OPERATED	11	5.9	24	2	2	5	7	15	16	16
TOTAL 0-27 DYS	4	8.0	81	1	1	5	14	21	21	21
1-11 MOS	18	5.6	23	1	1	3	10	11	16	18
1-5 YRS	11	5.9	37	2	2	3	7	17	19	19
6-12 YRS	10	4.9	14	1	1	4	5	11	14	14
13-19 YRS	50	3.3	6	1	1	3	5	6	7	14
GRAND TOTAL	**93**	**4.4**	**17**	**1**	**1**	**3**	**5**	**10**	**14**	**20**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	3.7	5	<1	1	3	6	7	8	8
1-11 MOS	29	2.7	5	<1	1	2	3	6	7	10
1-5 YRS	35	2.9	8	1	1	1	4	8	8	13
6-12 YRS	47	2.9	5	1	1	2	4	7	9	10
13-19 YRS	132	3.6	11	1	1	3	5	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS	5	2.0	2	1	1	1	3	4	4	4
1-5 YRS	7	4.1	14	1	1	3	5	11	12	12
6-12 YRS	9	3.7	3	2	2	3	5	7	7	7
13-19 YRS	14	4.6	12	<1	1	4	5	9	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	28	6.4	21	2	2	5	8	12	19	19
1-11 MOS	53	5.9	29	<1	1	4	9	13	22	97
1-5 YRS	49	4.0	11	1	1	3	5	8	12	16
6-12 YRS	50	3.6	5	1	1	3	5	7	8	9
13-19 YRS	240	4.4	19	1	1	3	6	9	11	19
B. *Operated*										
0-27 DYS	2	17.5	181	8	8	17	27	27	27	27
1-11 MOS	7	13.3	234	3	3	8	16	40	46	46
1-5 YRS	17	7.3	52	<1	1	4	11	16	24	28
6-12 YRS	17	4.9	18	1	2	3	7	12	14	15
13-19 YRS	39	10.1	235	1	2	5	10	21	50	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	3.3	8	1	1	2	4	7	9	13
B. *Operated*	35	3.9	9	1	1	3	5	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	420	4.6	18	1	1	3	6	10	12	23
B. *Operated*	82	8.9	151	1	2	5	10	17	31	70
1. SINGLE DX	295	3.4	8	1	1	3	4	7	9	13
2. MULTIPLE DX	502	5.3	42	1	1	3	6	10	14	40
A. NOT OPERATED	680	4.1	15	1	1	3	5	8	11	19
B. OPERATED	117	7.4	114	1	2	4	8	15	26	67
TOTAL 0-27 DYS	47	5.9	26	1	2	5	7	11	19	27
1-11 MOS	94	5.3	40	<1	1	3	7	11	17	76
1-5 YRS	108	4.1	18	1	1	3	5	10	13	22
6-12 YRS	123	3.5	7	1	1	3	5	7	9	14
13-19 YRS	425	4.7	39	1	1	3	6	9	12	29
GRAND TOTAL	**797**	**4.6**	**31**	**1**	**1**	**3**	**6**	**9**	**12**	**27**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	5.6	15	1	1	4	9	11	11	11
1-11 MOS	15	4.5	9	1	2	3	6	9	11	12
1-5 YRS	12	5.1	14	1	1	4	7	11	13	13
6-12 YRS	5	6.2	3	4	4	6	8	8	8	8
13-19 YRS	3	4.0	1	3	3	4	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.0	50	10	10	15	20	20	20	20
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	34	5.8	17	<1	2	5	8	12	14	16
1-11 MOS	156	7.3	60	1	2	5	9	14	20	40
1-5 YRS	109	8.7	97	1	2	6	10	16	23	64
6-12 YRS	31	9.0	52	2	2	7	14	18	19	35
13-19 YRS	42	9.9	126	2	3	7	11	20	28	69
B. *Operated*										
0-27 DYS	5	13.6	142	1	1	15	20	31	31	31
1-11 MOS	23	11.4	128	2	3	6	15	33	39	40
1-5 YRS	11	19.9	556	2	2	12	21	65	67	67
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	19	6.2	25	1	2	5	9	15	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.0	10	1	1	4	7	9	11	13
B. *Operated*	7	5.7	50	1	1	2	8	18	20	20
2. MULTIPLE DX										
A. *Not Operated*	372	8.0	74	1	2	6	9	15	21	56
B. *Operated*	61	11.0	183	2	2	6	15	26	39	67
1. SINGLE DX	47	5.1	15	1	1	4	7	10	12	20
2. MULTIPLE DX	433	8.4	90	1	2	6	10	17	23	63
A. NOT OPERATED	412	7.7	69	1	2	6	9	14	20	48
B. OPERATED	68	10.5	171	1	2	6	14	22	39	66
TOTAL 0-27 DYS	44	6.6	34	1	1	5	9	14	16	31
1-11 MOS	196	7.6	66	1	2	6	9	16	21	40
1-5 YRS	133	9.2	134	1	2	6	10	17	26	66
6-12 YRS	41	7.8	45	2	2	6	11	16	19	35
13-19 YRS	66	8.3	91	2	2	6	9	17	22	63
GRAND TOTAL	**480**	**8.1**	**84**	**1**	**2**	**6**	**9**	**16**	**21**	**62**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	18	4.7	18	1	1	3	6	10	15	17
1-5 YRS	22	5.4	17	<1	1	5	8	12	13	13
6-12 YRS	38	4.2	10	1	1	3	6	8	11	16
13-19 YRS	213	4.9	17	1	2	4	6	10	12	25
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	3.5	7	2	2	2	4	8	9	9
1-5 YRS	42	3.5	17	1	1	2	2	9	16	18
6-12 YRS	47	4.2	41	1	2	2	3	9	12	42
13-19 YRS	87	4.1	15	1	2	2	4	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	14	2	2	5	7	9	9	9
1-11 MOS	44	6.8	36	1	1	5	9	13	15	36
1-5 YRS	55	7.3	57	1	2	4	10	15	19	43
6-12 YRS	56	5.3	40	1	2	3	7	9	13	43
13-19 YRS	250	6.2	27	1	2	5	8	12	16	31
B. *Operated*										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	23	14.2	166	2	2	9	17	37	48	48
1-5 YRS	44	4.9	61	1	1	2	3	11	17	46
6-12 YRS	41	5.8	43	1	2	2	8	13	22	30
13-19 YRS	105	7.6	65	1	2	4	11	16	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	4.8	16	1	1	4	6	10	12	22
B. *Operated*	185	3.9	22	1	2	2	3	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	408	6.3	34	1	2	5	8	13	16	36
B. *Operated*	214	7.5	78	1	2	3	11	16	26	45
1. SINGLE DX	477	4.5	18	1	2	3	5	10	12	20
2. MULTIPLE DX	622	6.7	49	1	2	4	9	14	18	40
A. NOT OPERATED	700	5.7	27	1	2	4	7	11	15	29
B. OPERATED	399	5.9	55	1	2	2	8	14	18	43
TOTAL 0-27 DYS	6	7.5	109	1	1	3	9	26	28	28
1-11 MOS	93	7.9	74	1	2	6	9	17	25	46
1-5 YRS	163	5.4	44	1	1	2	7	13	16	42
6-12 YRS	182	4.9	35	1	2	3	6	10	14	38
13-19 YRS	655	5.7	29	1	2	4	7	12	15	29
GRAND TOTAL	**1099**	**5.7**	**37**	**1**	**2**	**4**	**7**	**12**	**16**	**37**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	3	11.3	56	4	4	11	17	19	19	19
1-5 YRS	5	18.4	361	2	2	11	25	51	51	51
6-12 YRS	2	7.0	72	1	1	7	13	13	13	13
13-19 YRS	7	5.3	5	3	3	5	7	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2	12.0	200	2	2	12	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	19	10.0	123	1	2	7	11	18	37	51
B. *Operated*	5	9.4	96	2	2	3	19	22	22	22
1. SINGLE DX	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX	24	9.9	113	1	2	6	12	19	31	51
A. NOT OPERATED	19	10.0	123	1	2	7	11	18	37	51
B. OPERATED	7	8.0	74	1	1	3	15	21	22	22
TOTAL 0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	3	11.3	56	4	4	11	17	19	19	19
1-5 YRS	6	18.3	289	2	3	14	18	48	51	51
6-12 YRS	4	4.8	31	1	1	2	8	13	13	13
13-19 YRS	11	6.4	33	1	2	5	8	14	21	22
GRAND TOTAL	26	9.5	107	1	2	6	11	19	28	51

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	2.5	9	<1	<1	1	4	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	13	13.0	43	2	4	15	17	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	3	15.0	217	2	2	12	26	31	31	31
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	6	7.3	23	<1	<1	7	12	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS	3	30.3	444	7	7	36	45	48	48	48
13-19 YRS	10	27.8	260	7	7	30	42	48	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	6	<1	<1	1	4	6	7	7
B. *Operated*	15	12.1	44	2	3	15	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	13	9.2	74	<1	1	6	12	22	29	31
B. *Operated*	15	26.7	254	7	7	29	41	48	50	51
1. SINGLE DX	22	9.1	51	<1	1	7	15	20	21	22
2. MULTIPLE DX	28	18.6	243	2	2	13	31	44	48	51
A. NOT OPERATED	20	7.0	59	<1	<1	4	10	16	25	31
B. OPERATED	30	19.4	198	3	4	15	29	43	48	51
TOTAL 0-27 DYS	2	12.0	128	4	4	12	20	20	20	20
1-11 MOS	5	13.4	114	2	2	12	17	31	31	31
1-5 YRS	3	8.7	80	3	3	4	15	19	19	19
6-12 YRS	7	14.7	364	1	1	6	29	48	48	48
13-19 YRS	33	15.2	177	<1	1	13	20	38	45	51
GRAND TOTAL	50	14.4	178	1	1	12	20	36	48	51

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	10.0		10	10	55	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	1	10.0		10	10	55	99+	99+	99+	99+
A. NOT OPERATED										
B. OPERATED	1	10.0		10	10	55	99+	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS										
GRAND TOTAL	**1**	**10.0**		**10**	**10**	**55**	**99+**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS	1	41.0		41	41	41	41	41	41	41
13-19 YRS	7	13.4	150	<1	<1	14	22	31	33	33
B. *Operated*										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	9	15.1	258	4	4	11	18	42	54	54
1-5 YRS	6	12.3	60	2	2	14	19	21	21	21
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	11	13.7	34	7	7	13	19	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.3	21	2	2	10	10	10	10	10
1-11 MOS	9	7.3	47	1	1	4	14	17	17	17
1-5 YRS	7	5.4	9	1	1	5	8	9	9	9
6-12 YRS	3	5.3	56	1	1	1	11	14	14	14
13-19 YRS	8	5.3	35	<1	<1	3	7	16	18	18
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	11	20.0	108	9	11	16	21	37	45	46
1-5 YRS	11	12.3	36	5	6	12	17	20	25	25
6-12 YRS	9	14.0	49	5	5	12	20	23	23	23
13-19 YRS	21	24.6	589	2	3	17	33	62	79	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	11.3	185	<1	<1	4	17	35	40	41
B. *Operated*	28	14.1	105	3	4	13	19	24	27	54
2. MULTIPLE DX										
A. *Not Operated*	30	6.1	30	1	1	4	10	15	17	18
B. *Operated*	53	19.1	289	3	5	16	22	34	58	96
1. SINGLE DX	41	13.2	128	1	2	11	19	25	37	54
2. MULTIPLE DX	83	14.4	233	1	2	11	17	31	41	86
A. NOT OPERATED	43	7.7	79	<1	1	4	11	17	28	41
B. OPERATED	81	17.4	229	3	5	14	21	32	50	87
TOTAL 0-27 DYS	5	11.8	63	2	2	10	16	24	24	24
1-11 MOS	31	13.8	152	1	2	13	17	27	45	54
1-5 YRS	27	9.4	44	1	1	8	14	19	22	25
6-12 YRS	14	13.9	113	1	1	12	20	25	37	41
13-19 YRS	47	17.1	343	1	2	13	22	33	61	97
GRAND TOTAL	**124**	**14.0**	**197**	**1**	**2**	**11**	**18**	**26**	**39**	**73**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	18.0		18	18	18	18	18	18	18
B. *Operated*	1	19.0		19	19	19	19	19	19	19
1. SINGLE DX										
2. MULTIPLE DX	2	18.5	1	18	18	18	19	19	19	19
A. NOT OPERATED	1	18.0		18	18	18	18	18	18	18
B. OPERATED	1	19.0		19	19	19	19	19	19	19
TOTAL 0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS										
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS										
GRAND TOTAL	2	18.5	1	18	18	18	19	19	19	19

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	5.3	6	3	3	5	7	8	8	8
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	4	7.0	2	6	6	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	5	7.0	14	3	3	9	10	10	10	10
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	13.0	8	11	11	13	15	15	15	15
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	2	8.5	61	3	3	8	14	14	14	14
13-19 YRS	7	9.7	30	4	4	7	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	6.5	6	2	3	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	6	6.7	11	3	3	7	10	10	10	10
B. *Operated*	13	10.0	24	3	4	11	14	16	17	17
1. SINGLE DX	11	6.5	6	2	3	7	9	10	10	10
2. MULTIPLE DX	19	8.9	22	3	3	9	13	16	17	17
A. NOT OPERATED	6	6.7	11	3	3	7	10	10	10	10
B. OPERATED	24	8.4	18	3	3	7	11	15	16	17
TOTAL 0-27 DYS	2	8.5	5	7	7	8	10	10	10	10
1-11 MOS	6	7.8	20	3	3	7	11	15	15	15
1-5 YRS	2	9.5	13	7	7	9	12	12	12	12
6-12 YRS	4	7.0	31	2	2	6	11	14	14	14
13-19 YRS	16	8.2	18	3	3	7	10	16	17	17
GRAND TOTAL	30	8.1	17	3	3	7	10	14	16	17

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.8	2	2	2	4	5	6	6	6
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	2	8.0	98	1	1	8	15	15	15	15
6-12 YRS	2	6.5	41	2	2	6	11	11	11	11
13-19 YRS	6	6.0	37	1	1	3	9	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	8.3	61	2	2	6	14	19	19	19
1-11 MOS	7	12.6	51	1	2	13	17	22	23	23
1-5 YRS	11	11.4	131	2	3	5	21	30	34	34
6-12 YRS	8	5.3	5	2	2	5	7	8	8	8
13-19 YRS	12	11.8	109	2	2	6	22	27	30	31
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	46.0		46	46	46	46	46	46	46
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	8	11.0	53	3	3	10	15	22	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.4	2	1	1	3	4	6	6	6
B. *Operated*	11	6.8	34	1	1	4	11	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	42	10.2	81	2	2	6	14	25	29	34
B. *Operated*	11	14.0	153	3	3	11	17	33	45	46
1. SINGLE DX	20	5.3	22	1	1	4	7	13	16	17
2. MULTIPLE DX	53	11.0	96	2	2	7	15	25	30	46
A. NOT OPERATED	51	9.0	74	2	2	5	12	24	27	34
B. OPERATED	22	10.4	103	1	2	9	14	20	33	46
TOTAL 0-27 DYS	5	8.6	46	2	2	9	12	19	19	19
1-11 MOS	11	9.3	53	1	1	7	14	20	23	23
1-5 YRS	14	13.4	198	1	2	6	25	35	44	46
6-12 YRS	11	6.3	14	2	2	5	8	12	14	14
13-19 YRS	32	9.0	68	2	2	5	12	24	25	31
GRAND TOTAL	73	9.4	82	1	2	6	13	24	27	43

159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	14.0	73	5	5	15	20	22	22	22
1-5 YRS										
6-12 YRS	3	18.0	133	7	7	17	27	30	30	30
13-19 YRS	3	36.0	421	16	16	35	51	57	57	57
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	3	8.0	13	4	4	9	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	10	21.0	259	5	5	16	30	46	57	57
B. Operated	4	8.3	9	4	4	9	10	11	11	11
1. SINGLE DX										
2. MULTIPLE DX	14	17.4	217	4	5	13	22	37	53	57
A. NOT OPERATED	10	21.0	259	5	5	16	30	46	57	57
B. OPERATED	4	8.3	9	4	4	9	10	11	11	11
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	14.0	73	5	5	15	20	22	22	22
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	3	18.0	133	7	7	17	27	30	30	30
13-19 YRS	6	22.0	409	4	4	13	35	55	57	57
GRAND TOTAL	14	17.4	217	4	5	13	22	37	53	57

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	3	7.3	33	4	4	4	12	14	14	14
13-19 YRS	8	3.1	2	2	2	3	4	5	6	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	5	2.4	4	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	4.3	2	3	3	4	5	6	6	6
1-11 MOS	6	5.3	7	2	2	5	6	10	10	10
1-5 YRS	8	7.5	18	2	3	7	9	14	16	16
6-12 YRS	6	6.3	13	3	3	5	9	12	12	12
13-19 YRS	24	6.3	8	3	4	6	7	11	12	13
B. Operated										
0-27 DYS										
1-11 MOS	2	7.5	41	3	3	7	12	12	12	12
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	2	8.0	72	2	2	8	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.0	10	1	2	3	4	7	12	14
B. Operated	6	3.7	13	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. Not Operated	47	6.2	10	2	3	5	8	11	12	16
B. Operated	6	9.7	34	2	2	11	14	16	16	16
1. SINGLE DX	20	3.9	10	1	1	3	5	8	12	14
2. MULTIPLE DX	53	6.6	13	2	3	6	9	12	14	16
A. NOT OPERATED	61	5.7	10	2	2	5	7	11	13	16
B. OPERATED	12	6.7	31	1	1	4	11	15	16	16
TOTAL 0-27 DYS	3	4.3	2	3	3	4	5	6	6	6
1-11 MOS	9	5.6	11	2	2	5	7	11	12	12
1-5 YRS	11	7.5	25	1	2	7	10	16	16	16
6-12 YRS	11	7.4	16	3	3	6	11	13	14	14
13-19 YRS	39	5.2	10	1	2	5	7	10	13	14
GRAND TOTAL	73	5.9	14	1	2	5	7	12	14	16

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	5	2.8	2	2	2	2	3	5	5	5
6-12 YRS	8	5.1	10	1	1	5	7	10	10	10
13-19 YRS	15	6.7	33	<1	2	5	9	14	19	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	21.0	658	5	5	10	36	59	59	59
1-11 MOS	16	12.5	166	4	5	11	12	16	46	59
1-5 YRS	19	8.7	44	2	3	7	14	17	23	27
6-12 YRS	10	11.1	55	<1	1	11	14	22	23	23
13-19 YRS	15	7.3	27	1	2	8	11	14	17	18
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.5	181	5	5	14	24	24	24	24
1-5 YRS	3	13.7	481	1	1	1	30	39	39	39
6-12 YRS	5	17.4	505	<1	<1	8	29	55	55	55
13-19 YRS	2	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.6	21	1	2	4	8	12	14	21
B. *Operated*	4	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	64	10.5	109	2	2	8	13	18	24	59
B. *Operated*	12	14.9	294	<1	1	9	22	44	53	55
1. SINGLE DX	33	5.0	21	<1	1	4	7	11	14	21
2. MULTIPLE DX	76	11.2	137	1	2	8	13	21	35	59
A. NOT OPERATED	93	8.9	86	2	2	6	12	16	21	59
B. OPERATED	16	11.5	253	<1	<1	4	16	37	50	55
TOTAL 0-27 DYS	4	21.0	658	5	5	10	36	59	59	59
1-11 MOS	19	12.3	152	4	5	11	12	21	43	59
1-5 YRS	27	8.2	77	1	2	5	10	18	29	39
6-12 YRS	26	9.3	131	<1	1	6	13	21	29	55
13-19 YRS	33	7.1	28	<1	1	6	11	14	17	21
GRAND TOTAL	109	9.3	109	1	2	6	12	18	24	59

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	8	18.1	231	5	5	14	26	42	47	47
1-5 YRS	7	22.6	723	<1	1	13	26	70	80	80
6-12 YRS	2	15.5	181	6	6	15	25	25	25	25
13-19 YRS	5	28.4	437	3	3	34	47	49	49	49
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS										
13-19 YRS	3	33.0	273	22	22	25	45	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	23	21.2	381	2	4	13	30	47	60	80
B. *Operated*	4	30.3	212	22	22	24	38	52	52	52
1. SINGLE DX										
2. MULTIPLE DX	27	22.6	358	3	5	21	30	49	56	80
A. NOT OPERATED	23	21.2	381	2	4	13	30	47	60	80
B. OPERATED	4	30.3	212	22	22	24	38	52	52	52
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	8	18.1	231	5	5	14	26	42	47	47
1-5 YRS	8	22.5	620	<1	1	15	25	65	80	80
6-12 YRS	2	15.5	181	6	6	15	25	25	25	25
13-19 YRS	8	30.1	334	3	5	29	47	51	52	52
GRAND TOTAL	27	22.6	358	3	5	21	30	49	56	80

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.0	25	3	3	8	12	13	13	13
1-5 YRS	6	4.0	22	1	1	2	5	12	13	13
6-12 YRS	5	2.4	2	1	1	2	4	4	4	4
13-19 YRS	6	7.3	11	3	3	7	10	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	5	8.6	16	3	3	10	12	12	12	12
6-12 YRS	5	2.8	1	2	2	3	3	4	4	4
13-19 YRS	14	10.1	90	1	2	7	16	22	29	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	17.6	1169	2	2	5	7	77	95	95
1-5 YRS	10	9.1	62	1	2	7	12	22	26	26
6-12 YRS	10	6.7	28	1	2	4	9	15	16	16
13-19 YRS	23	6.2	97	1	1	4	5	15	29	47
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	10.3	41	3	3	13	14	15	15	15
6-12 YRS	3	5.0	9	2	2	5	7	8	8	8
13-19 YRS	15	14.0	113	2	2	14	17	26	37	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.2	17	1	1	4	8	12	13	13
B. *Operated*	25	8.3	60	1	2	5	12	21	24	31
2. MULTIPLE DX										
A. *Not Operated*	51	8.5	214	1	1	4	7	17	26	94
B. *Operated*	22	12.0	91	2	2	11	17	24	32	41
1. SINGLE DX	45	6.9	42	1	1	4	10	16	21	31
2. MULTIPLE DX	73	9.5	178	1	2	5	12	19	26	84
A. NOT OPERATED	71	7.5	159	1	1	4	7	14	19	85
B. OPERATED	47	10.0	76	2	2	8	15	21	27	41
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	12	13.6	666	2	3	6	8	38	87	95
1-5 YRS	24	7.9	41	1	1	6	12	15	21	26
6-12 YRS	23	4.7	17	1	1	3	5	10	15	16
13-19 YRS	58	9.3	97	1	2	5	14	21	29	47
GRAND TOTAL	118	8.5	127	1	2	5	12	17	28	62

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.0	13	3	3	5	9	10	10	10
1-5 YRS	2	19.5	181	10	10	19	29	29	29	29
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	3	10.0	79	3	3	7	17	20	20	20
1-11 MOS	3	14.0	4	12	12	14	15	16	16	16
1-5 YRS	2	15.5	41	11	11	15	20	20	20	20
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	7	7.3	28	2	2	5	12	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	2	4.5	25	<1	<1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	5	11.4	106	3	3	10	15	29	29	29
B. *Operated*	16	9.9	38	2	2	11	14	19	20	20
1. SINGLE DX	3	4.0	13	<1	<1	3	7	8	8	8
2. MULTIPLE DX	21	10.2	50	2	3	10	14	20	24	29
A. NOT OPERATED	6	10.0	97	3	3	7	10	27	29	29
B. OPERATED	18	9.3	38	1	2	9	14	19	20	20
TOTAL 0-27 DYS	3	10.0	79	3	3	7	17	20	20	20
1-11 MOS	6	10.0	26	3	3	11	14	16	16	16
1-5 YRS	4	17.5	79	10	10	15	24	29	29	29
6-12 YRS	2	2.5	5	<1	<1	2	4	4	4	4
13-19 YRS	9	6.9	23	2	2	5	11	14	15	15
GRAND TOTAL	24	9.5	49	1	2	9	13	20	23	29

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	2	16.5	1	16	16	16	17	17	17	17
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	7	28.0	981	2	3	14	53	77	80	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	11	23.5	631	2	6	16	18	72	79	80
1. SINGLE DX	3	7.3	14	3	3	9	10	10	10	10
2. MULTIPLE DX	14	18.6	577	1	1	12	17	67	77	80
A. NOT OPERATED	4	3.0	16	1	1	1	5	9	9	9
B. OPERATED	13	20.8	569	2	3	14	17	69	78	80
TOTAL 0-27 DYS										
1-11 MOS	2	9.5	145	1	1	9	18	18	18	18
1-5 YRS	3	14.0	19	9	9	16	17	17	17	17
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	11	19.2	744	1	1	10	15	72	79	80
GRAND TOTAL	17	16.6	490	1	1	10	16	56	78	80

166: Aneurysm, except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS	8	5.1	22	<1	<1	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	8.0	2	7	7	8	9	9	9	9
13-19 YRS	11	6.3	30	1	1	3	11	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	3.9	16	<1	1	2	5	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	14	6.7	24	1	2	5	9	13	16	17
1. SINGLE DX	13	3.9	16	<1	1	2	5	11	12	12
2. MULTIPLE DX	14	6.7	24	1	2	5	9	13	16	17
A. NOT OPERATED										
B. OPERATED	27	5.4	21	1	1	3	9	12	14	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS	6	3.7	12	1	1	2	7	9	9	9
13-19 YRS	19	5.8	26	<1	1	3	11	13	15	17
GRAND TOTAL	27	5.4	21	1	1	3	9	12	14	17

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	8.5	5	7	7	8	10	10	10	10
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	3	7.0	3	6	6	6	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	8.5	13	6	6	8	11	11	11	11
6-12 YRS	2	12.5	221	2	2	12	23	23	23	23
13-19 YRS	12	4.4	9	1	1	4	6	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.6	6	1	1	5	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	7	9.0	11	4	5	8	10	14	15	15
1-5 YRS	2	9.5	61	4	4	9	15	15	15	15
6-12 YRS	3	5.3	33	2	2	2	10	12	12	12
13-19 YRS	17	13.9	147	3	3	10	17	30	44	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.1	8	2	2	6	8	10	10	10
B. *Operated*	16	5.9	30	1	2	4	7	11	19	23
2. MULTIPLE DX										
A. *Not Operated*	7	6.7	19	1	2	5	9	13	14	14
B. *Operated*	29	11.5	100	2	3	10	13	22	32	51
1. SINGLE DX	23	6.0	23	1	2	6	8	11	15	23
2. MULTIPLE DX	36	10.6	87	2	3	8	12	19	29	51
A. NOT OPERATED	14	6.4	13	1	2	6	9	11	13	14
B. OPERATED	45	9.5	82	2	2	8	11	19	26	51
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	8	9.6	13	4	5	9	12	15	15	15
1-5 YRS	6	8.8	16	4	4	8	11	15	15	15
6-12 YRS	7	6.6	66	2	2	2	10	21	23	23
13-19 YRS	37	9.0	90	1	2	6	10	18	29	51
GRAND TOTAL	59	8.8	66	2	2	8	11	16	24	49

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	23	4.5	6	1	2	4	6	8	9	11
1-5 YRS	138	6.8	16	1	2	7	9	12	15	18
6-12 YRS	27	5.3	14	3	3	4	6	8	12	21
13-19 YRS	45	5.3	31	1	2	4	7	9	11	37
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	11	5.5	39	1	1	1	11	15	17	17
6-12 YRS	14	3.5	11	<1	<1	2	5	8	10	11
13-19 YRS	51	6.5	46	1	2	3	10	16	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	16	7.8	25	1	1	7	11	15	17	18
1-5 YRS	69	8.3	58	1	2	6	10	19	22	40
6-12 YRS	19	9.0	32	2	2	8	13	17	20	22
13-19 YRS	44	6.4	45	2	2	4	6	13	22	36
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.0	193	2	2	4	21	27	27	27
1-5 YRS	15	13.3	448	<1	1	6	13	47	69	77
6-12 YRS	15	7.9	71	1	2	3	11	24	28	29
13-19 YRS	49	4.0	19	<1	<1	2	5	10	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	6.1	18	1	2	5	8	11	13	19
B. *Operated*	77	5.8	39	<1	1	3	9	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	149	7.7	47	2	2	6	10	17	21	36
B. *Operated*	82	6.7	119	<1	<1	3	7	17	24	67
1. SINGLE DX	311	6.0	23	1	2	5	8	11	15	22
2. MULTIPLE DX	231	7.4	73	1	1	5	9	17	22	42
A. NOT OPERATED	383	6.7	30	1	2	5	8	13	17	33
B. OPERATED	159	6.2	80	<1	1	3	8	16	21	46
TOTAL 0-27 DYS	3	3.0	4	1	1	3	4	5	5	5
1-11 MOS	42	6.2	26	1	2	5	8	12	15	27
1-5 YRS	233	7.6	58	1	2	6	9	14	18	42
6-12 YRS	75	6.4	32	1	1	5	8	14	21	25
13-19 YRS	189	5.6	35	<1	1	3	7	11	17	34
GRAND TOTAL	542	6.6	44	1	1	5	8	13	18	36

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	10.0		10	10	10	10	10	10	10
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS	4	6.5	12	3	3	6	9	10	10	10
6-12 YRS	10	5.4	20	1	2	4	6	12	17	17
13-19 YRS	227	7.3	17	2	3	7	9	12	14	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	10.0	37	6	6	7	14	17	17	17
13-19 YRS	94	7.7	22	2	3	7	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	8.0	21	3	3	8	12	14	14	14
1-5 YRS	4	7.8	26	2	2	8	12	13	13	13
6-12 YRS	5	5.4	9	3	3	4	8	10	10	10
13-19 YRS	153	8.2	23	2	3	7	11	15	18	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	9.0	73	1	1	8	15	18	18	18
6-12 YRS	7	8.1	20	2	2	8	12	14	14	14
13-19 YRS	53	11.5	49	3	5	10	14	18	28	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	7.2	17	2	3	7	9	12	14	23
B. *Operated*	97	7.7	22	2	3	7	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	170	8.1	23	2	3	7	11	15	18	20
B. *Operated*	63	11.0	47	3	4	9	14	18	26	35
1. SINGLE DX	342	7.4	19	2	3	7	10	13	15	24
2. MULTIPLE DX	233	8.9	31	2	3	8	12	16	18	29
A. NOT OPERATED	415	7.6	20	2	3	7	10	14	16	21
B. OPERATED	160	9.0	34	2	3	8	12	16	18	32
TOTAL 0-27 DYS	2	10.0		10	10	10	10	10	10	10
1-11 MOS	10	7.9	25	1	2	8	13	14	14	14
1-5 YRS	11	7.6	27	1	2	8	11	15	18	18
6-12 YRS	25	6.7	20	2	3	6	8	14	17	17
13-19 YRS	527	8.1	24	2	3	7	10	15	17	25
GRAND TOTAL	**575**	**8.0**	**24**	**2**	**3**	**7**	**10**	**14**	**17**	**25**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	50th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	9	3.1	8	<1	<1	2	3	8	10	10
6-12 YRS	5	3.8	5	1	1	5	5	6	6	6
13-19 YRS	124	3.5	2	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	19	4.8	16	1	1	3	6	12	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*	142	3.5	3	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*	23	4.6	14	<1	1	3	6	9	15	15
1. SINGLE DX	144	3.5	3	1	2	3	4	6	7	8
2. MULTIPLE DX	25	4.7	13	1	1	3	6	8	15	15
A. NOT OPERATED	4	5.3	5	2	2	6	7	7	7	7
B. OPERATED	165	3.7	4	1	2	3	4	6	7	14
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	4.0	4	2	2	3	6	7	7	7
1-5 YRS	11	3.2	7	<1	<1	2	4	8	10	10
6-12 YRS	7	4.0	5	1	1	5	6	7	7	7
13-19 YRS	144	3.7	4	1	2	3	4	6	7	15
GRAND TOTAL	**169**	**3.7**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**14**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.2	1	<1	<1	3	3	3	3	3
6-12 YRS	4	1.8		1	1	2	2	2	2	2
13-19 YRS	53	2.6	4	1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	4.0	18	<1	<1	3	7	7	7	7
1-5 YRS	8	2.6	3	<1	<1	2	4	5	5	5
6-12 YRS	7	4.6	11	1	1	5	5	10	11	11
13-19 YRS	111	4.3	3	2	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	3	2.3	1	<1	<1	3	3	3	3	3
6-12 YRS	7	3.1	2	1	1	3	5	5	5	5
13-19 YRS	43	3.8	5	1	2	3	5	6	9	10
B. *Operated*										
0-27 DYS	5	7.2	8	5	5	7	8	12	12	12
1-11 MOS	5	4.8	5	2	2	4	7	7	7	7
1-5 YRS	10	5.6	32	1	1	4	6	14	20	20
6-12 YRS	8	4.4	4	1	1	5	6	6	6	6
13-19 YRS	256	5.0	7	2	3	5	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.5	4	1	1	2	3	5	7	10
B. *Operated*	129	4.2	4	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	55	3.6	4	1	1	3	5	6	8	10
B. *Operated*	284	5.0	8	2	3	5	6	8	9	18
1. SINGLE DX	191	3.7	4	1	1	3	5	7	7	10
2. MULTIPLE DX	339	4.8	7	2	2	4	6	7	9	16
A. NOT OPERATED	117	3.0	4	1	1	3	4	6	7	10
B. OPERATED	413	4.8	7	2	2	4	6	7	9	15
TOTAL 0-27 DYS	6	6.2	13	1	1	6	7	12	12	12
1-11 MOS	9	3.9	7	<1	<1	4	7	7	7	7
1-5 YRS	26	3.7	15	<1	<1	3	4	6	11	20
6-12 YRS	26	3.7	5	1	1	3	5	6	7	11
13-19 YRS	463	4.5	6	1	2	4	6	7	8	12
GRAND TOTAL	**530**	**4.4**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.8	5	1	1	2	4	6	6	6
1-5 YRS	13	3.2	5	<1	1	3	4	7	8	8
6-12 YRS	30	4.0	16	1	1	3	4	8	11	21
13-19 YRS	125	4.4	13	<1	1	3	6	8	12	17
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	5	5.4	50	1	1	3	7	18	18	18
1-5 YRS	16	4.1	37	<1	<1	2	4	10	20	25
6-12 YRS	69	2.8	6	1	1	2	3	4	6	15
13-19 YRS	457	3.6	12	1	2	3	4	6	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	12.7	20	8	8	13	16	17	17	17
1-11 MOS	11	6.7	29	1	1	5	11	15	17	17
1-5 YRS	43	4.1	12	1	1	3	6	8	11	19
6-12 YRS	40	3.0	3	1	1	2	4	6	7	8
13-19 YRS	154	5.2	18	1	2	4	7	9	12	25
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	10	26.6	443	7	8	20	41	57	73	73
1-5 YRS	14	6.1	45	<1	1	3	8	18	22	23
6-12 YRS	28	4.2	9	1	1	3	6	9	10	11
13-19 YRS	191	6.2	67	1	2	4	6	13	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.2	13	1	1	3	5	8	11	19
B. *Operated*	548	3.5	12	1	1	3	4	6	10	18
2. MULTIPLE DX										
A. *Not Operated*	251	4.8	17	1	1	3	6	9	12	19
B. *Operated*	244	6.8	89	1	2	4	7	14	23	44
1. SINGLE DX	720	3.7	12	1	1	3	4	7	11	19
2. MULTIPLE DX	495	5.8	53	1	1	4	6	11	17	37
A. NOT OPERATED	423	4.6	15	1	1	3	6	9	12	19
B. OPERATED	792	4.5	38	1	2	3	4	9	14	31
TOTAL 0-27 DYS	5	11.2	22	5	5	13	14	17	17	17
1-11 MOS	30	12.6	258	1	1	6	13	36	42	73
1-5 YRS	86	4.3	21	<1	1	3	5	8	13	24
6-12 YRS	167	3.3	8	1	1	2	4	6	8	15
13-19 YRS	927	4.5	25	1	2	3	5	9	13	26
GRAND TOTAL	**1215**	**4.5**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

173: Acute URI, except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	214	3.1	4	1	1	3	4	6	7	10
1-11 MOS	3520	3.2	4	1	1	3	4	5	7	10
1-5 YRS	9843	2.7	3	1	1	2	3	5	6	8
6-12 YRS	1764	2.7	2	1	1	2	3	5	5	8
13-19 YRS	1294	3.4	6	1	2	3	4	5	6	10
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	19	6.8	37	1	1	4	9	16	20	23
1-5 YRS	488	2.6	5	1	1	2	2	5	7	14
6-12 YRS	921	1.9	1	<1	1	2	2	2	3	7
13-19 YRS	1283	2.1	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	275	3.9	6	1	2	3	5	7	8	14
1-11 MOS	4946	4.0	7	1	2	3	5	7	9	14
1-5 YRS	11207	3.4	5	1	1	3	4	6	7	11
6-12 YRS	2916	3.3	5	1	1	3	4	6	7	11
13-19 YRS	2548	4.0	7	1	2	3	5	7	8	13
B. *Operated*										
0-27 DYS	3	7.3	25	2	2	8	11	12	12	12
1-11 MOS	74	8.4	38	2	3	7	10	16	23	33
1-5 YRS	564	3.2	12	1	1	2	3	7	10	18
6-12 YRS	571	2.5	11	1	1	2	2	3	6	16
13-19 YRS	444	4.2	39	1	1	2	4	8	12	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16635	2.9	4	1	1	2	4	5	6	9
B. *Operated*	2713	2.2	2	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	21892	3.6	6	1	1	3	4	6	8	12
B. *Operated*	1656	3.5	22	1	1	2	3	7	10	22
1. SINGLE DX	19348	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX	23548	3.6	7	1	1	3	4	6	8	12
A. NOT OPERATED	38527	3.3	5	1	1	3	4	6	7	11
B. OPERATED	4369	2.7	10	1	1	2	2	5	7	15
TOTAL 0-27 DYS	494	3.6	5	1	1	3	4	6	8	12
1-11 MOS	8559	3.7	6	1	1	3	5	7	8	13
1-5 YRS	22102	3.1	5	1	1	3	4	5	7	10
6-12 YRS	6172	2.9	4	1	1	2	3	5	6	9
13-19 YRS	5569	3.4	9	1	1	3	4	6	7	13
GRAND TOTAL	**42896**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	158	4.4	6	2	2	4	6	8	9	11
1-11 MOS	7406	4.2	5	1	2	4	5	7	8	12
1-5 YRS	7298	3.5	4	1	1	3	4	6	7	9
6-12 YRS	840	3.3	3	1	1	3	4	6	7	8
13-19 YRS	427	3.9	5	1	2	4	5	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	19	5.9	11	<1	2	6	8	10	12	14
1-5 YRS	15	7.0	33	1	2	6	8	17	18	19
6-12 YRS	6	2.7	1	2	2	3	3	4	4	4
13-19 YRS	9	5.8	14	<1	1	5	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	125	5.2	16	2	2	4	6	10	12	20
1-11 MOS	6779	5.0	10	2	2	4	6	9	10	15
1-5 YRS	5790	4.2	7	1	2	4	5	7	9	13
6-12 YRS	780	4.2	12	1	2	4	5	7	8	14
13-19 YRS	702	4.7	6	2	2	4	6	8	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS	82	11.1	191	3	4	8	11	20	31	88
1-5 YRS	53	8.4	70	2	3	6	9	14	20	53
6-12 YRS	9	5.3	4	2	2	6	6	8	8	8
13-19 YRS	27	9.6	25	3	4	8	14	18	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16129	3.8	5	1	2	3	5	7	8	11
B. *Operated*	49	5.8	18	1	2	5	8	12	16	19
2. MULTIPLE DX										
A. *Not Operated*	14176	4.6	9	2	2	4	6	8	10	14
B. *Operated*	171	9.7	119	2	4	7	11	16	21	78
1. SINGLE DX	16178	3.8	5	1	2	3	5	7	8	11
2. MULTIPLE DX	14347	4.7	10	2	2	4	6	8	10	14
A. NOT OPERATED	30305	4.2	7	1	2	4	5	7	9	13
B. OPERATED	220	8.9	99	2	3	6	10	16	20	63
TOTAL 0-27 DYS	283	4.7	11	2	2	4	6	8	10	13
1-11 MOS	14286	4.6	9	2	2	4	6	8	9	14
1-5 YRS	13156	3.8	6	1	2	3	5	7	8	12
6-12 YRS	1635	3.7	7	1	2	3	5	6	8	11
13-19 YRS	1165	4.6	7	2	2	4	6	8	9	15
GRAND TOTAL	**30525**	**4.2**	**8**	**1**	**2**	**4**	**5**	**7**	**9**	**13**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.1	3	<1	<1	1	3	5	6	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	11	1.5		<1	<1	2	2	2	2	2
6-12 YRS	155	2.2	1	1	1	2	3	3	4	5
13-19 YRS	2762	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	52	1.4	1	<1	<1	1	1	3	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	16	2.2	2	1	1	2	3	4	5	5
6-12 YRS	266	2.4	1	1	1	2	3	4	4	6
13-19 YRS	3636	2.6	2	1	1	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	3	<1	<1	1	3	5	6	6
B. *Operated*	2933	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	58	1.4	1	<1	<1	1	1	3	4	5
B. *Operated*	3922	2.6	2	1	1	3	3	4	5	6
1. SINGLE DX	2948	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	3980	2.6	2	1	1	2	3	4	5	6
A. NOT OPERATED	73	1.6	2	<1	<1	1	2	3	5	6
B. OPERATED	6855	2.5	1	1	1	2	3	4	4	6
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	2.6	1	1	1	3	4	4	4	4
1-5 YRS	30	2.0	1	1	1	2	2	4	4	5
6-12 YRS	424	2.3	1	1	1	2	3	3	4	6
13-19 YRS	6465	2.5	1	1	1	2	3	4	4	6
GRAND TOTAL	**6928**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	40	2.0	1	1	1	2	3	3	4	4
13-19 YRS	130	2.1	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.3	1	1	1	2	3	4	4	4
13-19 YRS	7	3.0	6	<1	<1	3	3	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	4	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	63	2.3	2	1	1	2	3	4	4	8
13-19 YRS	184	2.6	3	1	1	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	175	2.1	1	<1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	13	2.7	3	<1	1	2	3	5	7	8
B. *Operated*	253	2.5	3	1	1	2	3	4	5	11
1. SINGLE DX	179	2.1	1	<1	1	2	3	3	4	5
2. MULTIPLE DX	266	2.5	3	1	1	2	3	4	5	11
A. NOT OPERATED	17	2.3	3	<1	<1	2	3	4	7	8
B. OPERATED	428	2.3	2	1	1	2	3	4	5	9
TOTAL 0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	9	1.6	1	<1	<1	1	2	4	4	4
6-12 YRS	109	2.2	1	1	1	2	3	4	4	7
13-19 YRS	325	2.4	3	1	1	2	3	4	5	11
GRAND TOTAL	**445**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.3	4	1	1	3	5	5	5	5
1-5 YRS	115	1.8	2	<1	<1	1	2	4	5	6
6-12 YRS	151	1.7	1	<1	<1	1	2	3	4	5
13-19 YRS	123	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*										
0-27 DYS	8	1.5		1	1	1	2	2	2	2
1-11 MOS	33	2.0	1	1	1	2	2	3	4	5
1-5 YRS	15813	1.7	1	<1	1	2	2	2	2	3
6-12 YRS	28191	1.7	1	<1	1	2	2	2	2	3
13-19 YRS	23203	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	4.3	28	<1	<1	3	5	6	18	22
1-5 YRS	551	1.6	2	<1	<1	1	1	3	5	8
6-12 YRS	438	1.4	1	<1	<1	1	1	2	3	5
13-19 YRS	245	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*										
0-27 DYS	7	1.7		1	1	2	2	2	2	2
1-11 MOS	93	1.9	7	<1	<1	1	2	2	3	18
1-5 YRS	16158	1.6	1	<1	<1	2	2	2	2	4
6-12 YRS	12980	1.7	1	<1	1	2	2	2	3	4
13-19 YRS	4172	2.1	1	1	1	2	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	1.9	1	<1	<1	1	2	4	4	6
B. *Operated*	67248	1.8	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1249	1.6	2	<1	<1	1	2	3	5	8
B. *Operated*	33410	1.7	1	<1	1	2	2	2	3	5
1. SINGLE DX	67642	1.8	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	34659	1.7	1	<1	1	2	2	2	3	5
A. NOT OPERATED	1643	1.7	2	<1	<1	1	2	3	5	7
B. OPERATED	100658	1.8	1	<1	1	2	2	2	3	4
TOTAL 0-27 DYS	16	1.7		1	1	2	2	2	3	3
1-11 MOS	145	2.2	8	<1	<1	2	2	4	5	22
1-5 YRS	32637	1.6	1	<1	<1	2	2	2	2	4
6-12 YRS	41760	1.7	1	<1	1	2	2	2	2	3
13-19 YRS	27743	2.0	1	1	1	2	2	3	3	5
GRAND TOTAL	**102301**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	114	2.8	3	1	1	2	3	5	7	9
1-5 YRS	492	2.5	4	<1	1	2	3	5	6	8
6-12 YRS	483	3.0	3	<1	1	3	4	5	6	8
13-19 YRS	816	3.4	4	1	2	3	4	5	6	10
B. *Operated*										
0-27 DYS	2	7.0	72	1	1	7	13	13	13	13
1-11 MOS	33	6.0	104	1	1	2	5	17	22	54
1-5 YRS	198	2.5	6	<1	<1	2	3	6	8	14
6-12 YRS	599	2.1	3	<1	<1	2	2	4	5	9
13-19 YRS	1637	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	2.9	3	<1	1	2	4	6	7	7
1-11 MOS	176	3.8	7	1	1	3	5	8	9	11
1-5 YRS	397	3.6	5	1	1	3	5	7	8	11
6-12 YRS	392	3.6	4	1	1	3	5	6	8	10
13-19 YRS	599	4.3	7	1	2	4	5	8	9	14
B. *Operated*										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	35	9.6	234	1	2	7	12	25	96	99+
1-5 YRS	246	2.3	7	<1	<1	2	2	4	6	17
6-12 YRS	542	2.5	4	<1	1	2	3	5	7	11
13-19 YRS	1161	3.0	6	1	1	2	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1925	3.0	4	1	1	3	4	5	6	8
B. *Operated*	2469	2.6	4	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	1587	3.9	6	1	1	3	5	7	8	12
B. *Operated*	1987	2.9	10	<1	1	2	3	5	8	16
1. SINGLE DX	4394	2.8	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	3574	3.4	9	1	1	3	4	6	8	14
A. NOT OPERATED	3512	3.4	5	1	1	3	4	6	7	11
B. OPERATED	4456	2.7	7	<1	1	2	3	5	6	13
TOTAL 0-27 DYS	48	2.6	4	<1	1	2	3	5	6	13
1-11 MOS	358	4.3	40	1	1	3	5	8	11	51
1-5 YRS	1333	2.8	6	<1	1	2	3	5	7	11
6-12 YRS	2016	2.7	4	<1	1	2	3	5	6	10
13-19 YRS	4213	3.1	5	1	1	3	4	5	7	11
GRAND TOTAL	**7968**	**3.0**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	432	5.6	8	2	3	5	7	10	11	13
1-11 MOS	7733	4.9	8	2	2	4	6	8	10	15
1-5 YRS	14088	4.4	6	2	2	4	5	7	9	13
6-12 YRS	5036	4.5	6	2	2	4	6	8	9	13
13-19 YRS	2740	5.1	7	2	2	4	6	8	10	14
B. *Operated*										
0-27 DYS	3	10.0	19	7	7	8	13	15	15	15
1-11 MOS	40	7.9	27	3	3	6	10	13	17	30
1-5 YRS	83	8.7	82	1	1	7	11	16	19	59
6-12 YRS	25	7.1	48	1	2	6	9	14	20	34
13-19 YRS	42	8.9	42	2	2	8	11	14	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	299	7.1	28	2	2	6	9	12	15	28
1-11 MOS	7074	5.7	14	2	2	5	7	10	12	19
1-5 YRS	12975	5.0	12	2	2	4	6	9	11	17
6-12 YRS	3451	5.3	13	2	2	4	6	9	12	18
13-19 YRS	2022	6.3	19	2	2	5	8	11	14	21
B. *Operated*										
0-27 DYS	14	9.9	22	3	4	10	11	16	20	21
1-11 MOS	145	12.4	142	3	4	9	15	21	32	91
1-5 YRS	216	12.4	168	2	3	9	14	25	35	72
6-12 YRS	84	14.9	179	3	5	11	17	27	38	84
13-19 YRS	130	15.2	106	4	6	13	19	26	36	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30029	4.6	7	2	2	4	6	8	9	13
B. *Operated*	193	8.4	56	1	2	7	11	14	20	38
2. MULTIPLE DX										
A. *Not Operated*	25821	5.4	14	2	2	4	7	9	12	18
B. *Operated*	589	13.3	147	3	4	10	16	24	35	78
1. SINGLE DX	30222	4.6	7	2	2	4	6	8	10	14
2. MULTIPLE DX	26410	5.5	18	2	2	5	7	10	13	20
A. NOT OPERATED	55850	5.0	10	2	2	4	6	9	11	16
B. OPERATED	782	12.1	129	2	3	9	15	22	32	66
TOTAL 0-27 DYS	748	6.3	17	2	3	5	8	11	12	21
1-11 MOS	14992	5.4	13	2	2	5	7	9	12	17
1-5 YRS	27362	4.7	11	2	2	4	6	8	10	16
6-12 YRS	8596	5.0	12	2	2	4	6	8	10	17
13-19 YRS	4934	5.9	18	2	2	5	7	10	13	22
GRAND TOTAL	**56632**	**5.1**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**17**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	3.4	1	1	2	4	4	5	5	5
1-11 MOS	158	3.3	3	1	1	3	4	6	7	9
1-5 YRS	399	3.3	4	1	1	3	4	6	7	12
6-12 YRS	330	2.9	3	1	1	2	4	6	7	9
13-19 YRS	460	3.2	6	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	4	3.8	5	2	2	3	5	7	7	7
13-19 YRS	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	5.1	5	2	2	5	7	8	9	9
1-11 MOS	243	4.7	13	1	2	4	5	8	11	22
1-5 YRS	738	3.9	8	1	1	3	5	7	9	13
6-12 YRS	490	3.5	5	1	2	3	4	6	8	12
13-19 YRS	660	3.6	5	1	2	3	5	7	8	11
B. *Operated*										
0-27 DYS	2	10.0	2	9	9	10	11	11	11	11
1-11 MOS	2	2.5	5	1	1	4	76	99+	99+	99+
1-5 YRS	12	9.7	43	2	3	7	15	19	23	24
6-12 YRS	6	5.7	5	2	2	6	8	8	8	8
13-19 YRS	11	5.4	4	3	3	5	6	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1366	3.2	4	1	1	3	4	6	7	10
B. *Operated*	9	3.9	3	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2140	3.8	7	1	1	3	5	7	8	13
B. *Operated*	33	7.1	23	2	3	6	9	15	22	99+
1. SINGLE DX	1375	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	2173	3.9	7	1	1	3	5	7	8	14
A. NOT OPERATED	3506	3.6	6	1	1	3	4	6	8	12
B. OPERATED	42	6.4	20	2	2	5	8	14	19	99+
TOTAL 0-27 DYS	30	4.4	5	2	2	4	5	8	9	11
1-11 MOS	404	4.1	10	1	2	3	5	7	9	21
1-5 YRS	1151	3.7	7	1	1	3	5	7	8	13
6-12 YRS	830	3.3	5	1	1	3	4	6	7	11
13-19 YRS	1133	3.5	5	1	1	3	4	6	8	10
GRAND TOTAL	**3548**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	33	4.2	3	2	2	4	5	7	8	9
1-11 MOS	1570	4.1	7	1	2	4	5	7	9	12
1-5 YRS	2779	3.3	4	1	1	3	4	6	7	9
6-12 YRS	458	3.3	4	1	1	3	4	6	7	10
13-19 YRS	246	3.7	4	1	2	3	5	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.8	28	1	1	4	9	13	13	13
1-5 YRS	17	4.5	14	1	1	3	6	8	13	16
6-12 YRS	12	4.1	11	<1	<1	3	6	9	10	10
13-19 YRS	19	4.0	7	<1	<1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	35	6.4	34	2	3	6	6	10	14	36
1-11 MOS	1450	4.9	9	2	2	4	6	9	10	14
1-5 YRS	2239	4.0	5	1	2	3	5	7	8	12
6-12 YRS	418	4.2	8	1	2	4	5	7	9	14
13-19 YRS	334	4.6	8	1	2	4	6	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	17	12.9	483	2	3	8	11	14	68	97
1-5 YRS	35	7.5	28	1	2	7	9	18	20	20
6-12 YRS	11	5.3	6	1	1	6	7	8	8	8
13-19 YRS	41	6.0	12	1	2	5	8	11	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5086	3.6	5	1	1	3	5	6	7	11
B. *Operated*	52	4.3	11	<1	1	3	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	4476	4.4	7	1	2	4	5	8	9	13
B. *Operated*	104	7.6	96	1	2	6	9	13	16	55
1. SINGLE DX	5138	3.6	5	1	1	3	5	6	8	11
2. MULTIPLE DX	4580	4.4	9	1	2	4	6	8	9	14
A. NOT OPERATED	9562	3.9	6	1	2	3	5	7	8	12
B. OPERATED	156	6.5	69	1	1	5	8	12	14	20
TOTAL 0-27 DYS	68	5.4	20	2	2	5	6	8	10	32
1-11 MOS	3041	4.6	11	1	2	4	6	8	10	14
1-5 YRS	5070	3.6	5	1	1	3	5	6	8	11
6-12 YRS	899	3.8	6	1	2	3	5	7	8	12
13-19 YRS	640	4.4	7	1	2	4	5	8	9	14
GRAND TOTAL	**9718**	**4.0**	**7**	**1**	**2**	**3**	**5**	**7**	**9**	**13**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.5	145	1	1	9	18	18	18	18
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	5	8.2	56	3	3	6	11	21	21	21
6-12 YRS	3	10.3	44	6	6	7	15	18	18	18
13-19 YRS	8	3.8	6	1	1	3	5	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	10	11.2	11	6	7	11	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.8	19	1	1	3	7	11	11	11
B. *Operated*	3	7.0	91	1	1	2	14	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	19	6.6	32	1	2	5	8	17	20	21
B. *Operated*	12	10.3	15	3	5	10	13	16	16	16
1. SINGLE DX	7	5.7	41	1	1	3	9	17	18	18
2. MULTIPLE DX	31	8.0	28	2	2	7	12	16	18	21
A. NOT OPERATED	23	6.3	29	1	2	4	8	16	19	21
B. OPERATED	15	9.6	27	1	2	9	13	16	18	18
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	5	5.0	12	3	3	3	6	11	11	11
1-5 YRS	7	8.6	62	1	1	6	15	20	21	21
6-12 YRS	5	8.2	35	2	2	7	10	18	18	18
13-19 YRS	20	7.4	23	1	1	7	11	14	16	16
GRAND TOTAL	**38**	**7.6**	**30**	**1**	**2**	**6**	**11**	**16**	**18**	**21**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	15	6.1	43	1	1	5	8	11	23	27
1-11 MOS	1646	4.8	8	2	2	4	6	8	10	13
1-5 YRS	9950	3.5	4	1	2	3	4	6	7	10
6-12 YRS	7526	3.5	4	1	2	3	4	6	7	10
13-19 YRS	5446	3.8	5	1	2	3	5	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.3	6	4	4	6	8	9	9	9
1-5 YRS	12	6.1	11	2	2	5	8	11	12	12
6-12 YRS	18	4.3	5	<1	1	4	6	7	8	9
13-19 YRS	17	7.9	38	2	2	4	12	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	5.2	9	2	2	5	6	10	12	12
1-11 MOS	1471	5.3	8	2	2	5	7	9	10	15
1-5 YRS	6483	4.1	6	1	2	4	5	7	8	12
6-12 YRS	3111	4.0	5	1	2	4	5	7	8	13
13-19 YRS	2396	4.5	9	1	2	4	6	8	10	17
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	22	15.8	352	4	5	10	16	28	62	91
1-5 YRS	68	6.9	21	3	3	6	8	11	12	32
6-12 YRS	33	7.1	67	1	2	5	7	13	26	43
13-19 YRS	53	9.4	62	2	3	7	12	19	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24583	3.6	5	1	2	3	4	6	7	10
B. *Operated*	50	6.1	19	2	2	5	8	12	16	20
2. MULTIPLE DX										
A. *Not Operated*	13472	4.3	7	1	2	4	5	7	9	14
B. *Operated*	177	8.8	89	2	3	7	10	15	21	48
1. SINGLE DX	24633	3.6	5	1	2	3	4	6	7	10
2. MULTIPLE DX	13649	4.4	8	1	2	4	5	7	9	15
A. NOT OPERATED	38055	3.9	6	1	2	3	5	7	8	12
B. OPERATED	227	8.2	75	2	3	6	10	14	20	45
TOTAL 0-27 DYS	27	5.9	27	1	2	5	7	11	14	27
1-11 MOS	3142	5.1	11	2	2	4	6	9	10	15
1-5 YRS	16513	3.7	5	1	2	3	5	6	8	11
6-12 YRS	10688	3.6	5	1	2	3	4	6	7	11
13-19 YRS	7912	4.1	7	1	2	4	5	7	8	14
GRAND TOTAL	**38282**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.3	17	3	3	5	9	11	11	11
1-11 MOS	19	4.2	3	2	2	4	6	7	7	7
1-5 YRS	26	5.8	20	2	2	4	8	12	15	21
6-12 YRS	16	3.8	3	2	2	4	5	5	8	9
13-19 YRS	29	3.7	4	1	1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	4	9.3	179	1	1	4	17	29	29	29
6-12 YRS	5	3.4	10	1	1	2	4	9	9	9
13-19 YRS	7	7.0	48	1	1	3	11	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	8.0	4	5	5	9	9	10	10	10
1-11 MOS	38	7.3	30	2	2	6	9	14	17	31
1-5 YRS	42	6.4	25	2	3	5	8	13	19	23
6-12 YRS	28	9.3	57	3	3	6	11	21	25	34
13-19 YRS	47	7.0	30	2	2	5	10	14	18	27
B. *Operated*										
0-27 DYS	2	18.0	98	11	11	18	25	25	25	25
1-11 MOS	4	17.5	183	2	2	16	26	35	35	35
1-5 YRS	11	14.3	268	1	1	8	27	39	50	51
6-12 YRS	9	7.6	19	2	2	7	11	14	15	15
13-19 YRS	17	8.4	48	2	2	8	11	26	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.5	9	2	2	4	5	8	11	18
B. *Operated*	17	6.4	59	1	1	3	8	18	26	29
2. MULTIPLE DX										
A. *Not Operated*	160	7.4	33	2	2	6	9	14	19	31
B. *Operated*	43	11.0	116	2	2	8	15	31	40	99+
1. SINGLE DX	110	4.8	17	1	2	4	5	9	12	24
2. MULTIPLE DX	203	8.1	52	2	2	6	10	17	24	42
A. NOT OPERATED	253	6.3	26	2	2	5	8	12	17	27
B. OPERATED	60	9.7	103	1	2	7	13	29	33	95
TOTAL 0-27 DYS	10	9.5	37	3	4	9	11	18	25	25
1-11 MOS	62	7.0	38	2	2	6	8	14	18	35
1-5 YRS	83	7.4	65	1	2	4	8	15	25	44
6-12 YRS	58	7.0	38	2	2	5	8	15	21	33
13-19 YRS	100	6.3	29	1	2	4	8	14	19	64
GRAND TOTAL	**313**	**6.9**	**42**	**2**	**2**	**5**	**8**	**14**	**21**	**34**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	257	3.6	7	1	1	3	5	7	9	12
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	5.8	21	3	3	4	5	14	15	15
13-19 YRS	518	6.5	18	2	3	6	8	11	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	5	4.2	3	2	2	5	5	6	6	6
6-12 YRS	7	4.7	31	2	2	2	4	15	17	17
13-19 YRS	65	4.2	13	1	1	3	5	7	11	21
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	2	13.0	8	11	11	13	15	15	15	15
1-5 YRS	2	11.0		11	11	11	11	11	11	11
6-12 YRS	9	10.1	38	4	4	9	12	20	24	24
13-19 YRS	145	10.8	74	3	4	9	13	23	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	3.6	7	1	1	3	5	7	8	12
B. *Operated*	526	6.5	17	2	3	5	8	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	79	4.3	13	1	1	3	5	7	11	20
B. *Operated*	160	10.7	70	3	4	9	13	22	26	42
1. SINGLE DX	790	5.6	16	1	2	5	7	10	13	20
2. MULTIPLE DX	239	8.6	60	1	2	6	11	17	25	38
A. NOT OPERATED	343	3.8	9	1	1	3	5	7	9	17
B. OPERATED	686	7.5	33	2	3	6	9	14	19	28
TOTAL 0-27 DYS	4	3.5	1	3	3	3	4	5	5	5
1-11 MOS	6	7.2	23	2	2	5	11	15	15	15
1-5 YRS	9	5.8	10	2	2	5	7	11	11	11
6-12 YRS	25	6.7	33	1	2	5	9	15	19	24
13-19 YRS	985	6.3	28	1	2	5	8	12	16	26
GRAND TOTAL	**1029**	**6.3**	**28**	**1**	**2**	**5**	**8**	**12**	**16**	**26**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	41	3.8	7	1	1	3	5	7	10	12
1-11 MOS	300	4.3	11	1	1	4	5	8	10	17
1-5 YRS	451	3.5	6	1	1	3	4	7	9	11
6-12 YRS	146	3.9	10	1	1	3	5	7	11	17
13-19 YRS	264	4.0	14	1	1	3	5	7	10	22
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	23	7.1	55	1	1	3	9	22	25	26
1-5 YRS	53	4.2	28	<1	1	2	5	10	15	28
6-12 YRS	38	5.2	62	<1	1	2	5	11	18	45
13-19 YRS	106	8.5	75	1	1	6	11	18	22	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	40	6.1	20	1	2	5	8	11	15	22
1-11 MOS	505	5.7	24	1	2	4	7	10	15	26
1-5 YRS	783	4.6	17	1	1	4	6	9	11	20
6-12 YRS	282	5.3	16	1	2	4	7	10	14	20
13-19 YRS	396	5.9	33	1	1	4	7	12	15	31
B. *Operated*										
0-27 DYS	3	26.7	240	11	11	27	38	42	42	42
1-11 MOS	35	16.7	363	1	3	9	19	45	59	86
1-5 YRS	101	7.1	75	1	1	4	10	18	24	82
6-12 YRS	54	8.6	80	1	1	4	14	23	29	33
13-19 YRS	139	12.2	220	1	2	8	15	30	36	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1202	3.9	9	1	1	3	5	7	9	16
B. *Operated*	221	6.7	62	<1	1	4	9	16	22	34
2. MULTIPLE DX										
A. *Not Operated*	2006	5.3	22	1	2	4	6	10	14	24
B. *Operated*	332	10.7	178	1	2	6	14	24	34	97
1. SINGLE DX	1423	4.3	19	1	1	3	5	8	11	22
2. MULTIPLE DX	2338	6.0	48	1	2	4	7	12	17	34
A. NOT OPERATED	3208	4.7	18	1	1	4	6	9	12	22
B. OPERATED	553	9.1	135	1	1	5	11	21	30	66
TOTAL 0-27 DYS	85	5.7	36	1	1	4	7	11	14	37
1-11 MOS	863	5.7	39	1	2	4	6	10	16	28
1-5 YRS	1388	4.4	19	1	1	3	5	9	11	22
6-12 YRS	520	5.2	26	1	1	4	6	11	16	24
13-19 YRS	905	6.6	68	1	1	4	8	14	20	39
GRAND TOTAL	**3761**	**5.4**	**37**	**1**	**1**	**4**	**6**	**11**	**15**	**29**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.2	34	2	2	3	4	16	17	17
1-5 YRS	94	3.3	5	<1	1	3	4	6	8	10
6-12 YRS	38	3.2	3	<1	1	3	4	6	7	8
13-19 YRS	72	3.1	8	<1	1	2	4	6	7	19
B. *Operated*										
0-27 DYS	7	1.6		<1	<1	2	2	2	2	2
1-11 MOS	9	1.7	1	<1	<1	2	2	3	3	3
1-5 YRS	1493	1.2	1	<1	<1	1	1	2	2	4
6-12 YRS	849	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	10125	2.0	2	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	19	3.8	3	2	2	3	4	7	8	9
1-5 YRS	146	2.9	5	<1	<1	2	4	6	7	9
6-12 YRS	94	3.0	6	<1	<1	2	4	6	8	13
13-19 YRS	188	2.6	5	<1	<1	2	4	6	6	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	4.1	20	<1	<1	2	10	74	99+	99+
1-5 YRS	634	1.6	3	<1	<1	1	2	2	3	7
6-12 YRS	688	1.9	4	<1	<1	2	2	3	4	7
13-19 YRS	3498	2.6	3	1	1	2	3	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.3	7	<1	1	3	4	6	7	14
B. *Operated*	12483	1.9	2	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	448	2.8	5	<1	<1	2	4	6	7	10
B. *Operated*	4828	2.4	4	<1	1	2	3	4	5	9
1. SINGLE DX	12693	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	5276	2.4	4	<1	1	2	3	4	6	9
A. NOT OPERATED	658	3.0	6	<1	<1	2	4	6	7	11
B. OPERATED	17311	2.0	2	<1	1	2	2	3	4	7
TOTAL 0-27 DYS	9	2.0	2	<1	<1	2	2	4	5	5
1-11 MOS	41	3.6	10	<1	1	3	4	9	14	99+
1-5 YRS	2367	1.5	2	<1	<1	1	1	2	4	8
6-12 YRS	1669	1.8	2	<1	<1	1	2	3	4	7
13-19 YRS	13883	2.1	2	<1	1	2	2	4	4	7
GRAND TOTAL	**17969**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**7**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	40	3.5	8	1	1	3	4	6	8	16
1-5 YRS	168	3.9	4	1	2	4	5	6	8	12
6-12 YRS	71	4.1	7	1	1	4	6	7	9	14
13-19 YRS	102	3.8	3	1	1	4	5	6	7	8
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	29	2.6	9	<1	<1	1	3	6	9	15
1-5 YRS	154	2.5	4	<1	<1	2	3	5	7	12
6-12 YRS	243	2.3	3	<1	<1	2	3	4	5	9
13-19 YRS	274	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.3	1	2	2	3	4	4	4	4
1-11 MOS	74	4.2	10	1	1	3	5	7	11	17
1-5 YRS	312	4.3	6	1	2	4	6	7	8	13
6-12 YRS	107	4.5	6	1	2	4	6	8	9	11
13-19 YRS	117	4.5	7	1	2	4	5	8	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	14	5.4	35	<1	1	4	6	11	21	24
1-5 YRS	64	4.3	22	<1	1	3	6	9	13	27
6-12 YRS	105	2.8	8	<1	1	2	3	5	8	17
13-19 YRS	144	3.5	5	1	1	3	4	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	3.9	5	1	2	4	5	6	7	12
B. *Operated*	701	2.5	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	614	4.4	6	1	2	4	5	7	9	13
B. *Operated*	327	3.5	11	1	1	3	4	7	9	19
1. SINGLE DX	1084	3.0	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	941	4.1	8	1	1	3	5	7	9	15
A. NOT OPERATED	997	4.2	6	1	2	4	5	7	8	13
B. OPERATED	1028	2.8	6	<1	<1	2	3	5	7	13
TOTAL 0-27 DYS	7	3.7	3	2	2	4	4	6	7	7
1-11 MOS	157	3.8	12	<1	1	3	5	7	10	17
1-5 YRS	698	3.8	7	<1	1	3	5	7	8	13
6-12 YRS	526	3.1	6	<1	1	2	4	6	8	11
13-19 YRS	637	3.4	5	1	1	3	4	6	8	11
GRAND TOTAL	**2025**	**3.5**	**7**	**<1**	**1**	**3**	**5**	**6**	**8**	**13**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	110	3.9	11	1	1	3	5	7	10	21
1-11 MOS	348	3.7	7	1	1	3	5	7	9	15
1-5 YRS	81	3.5	12	<1	1	2	4	8	11	17
6-12 YRS	34	3.7	31	<1	1	3	4	6	9	33
13-19 YRS	153	3.5	5	1	1	3	5	7	8	10
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	39	6.9	77	<1	1	4	7	17	29	41
1-5 YRS	65	4.0	20	<1	<1	2	5	9	13	25
6-12 YRS	34	4.8	71	<1	<1	2	5	13	17	46
13-19 YRS	77	4.4	12	<1	1	3	7	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	73	5.1	22	1	2	4	5	11	13	28
1-11 MOS	361	5.8	20	1	2	4	7	12	15	22
1-5 YRS	70	5.0	14	1	1	4	7	9	14	18
6-12 YRS	60	5.0	19	1	1	3	7	11	15	20
13-19 YRS	256	4.5	12	1	1	4	6	8	10	16
B. *Operated*										
0-27 DYS	2	8.0	8	6	6	8	10	10	10	10
1-11 MOS	52	13.5	132	1	2	9	21	28	35	56
1-5 YRS	62	8.6	97	1	1	6	14	24	29	94
6-12 YRS	29	8.1	96	<1	1	5	10	23	29	43
13-19 YRS	97	9.2	78	1	2	7	10	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	3.7	9	1	1	3	5	7	9	15
B. *Operated*	217	4.8	36	<1	<1	2	6	10	14	39
2. MULTIPLE DX										
A. *Not Operated*	820	5.2	17	1	2	4	7	10	13	20
B. *Operated*	242	9.8	99	1	1	7	13	24	30	56
1. SINGLE DX	943	3.9	15	<1	1	3	5	8	10	18
2. MULTIPLE DX	1062	6.3	39	1	2	4	8	13	19	32
A. NOT OPERATED	1546	4.5	14	1	1	3	6	9	11	19
B. OPERATED	459	7.4	75	<1	1	5	9	18	27	46
TOTAL 0-27 DYS	187	4.4	16	1	1	3	5	9	12	21
1-11 MOS	800	5.4	30	1	2	4	7	11	16	28
1-5 YRS	278	5.2	37	<1	1	3	7	12	18	30
6-12 YRS	157	5.3	48	<1	1	3	6	12	17	42
13-19 YRS	583	5.0	25	1	1	4	7	9	12	27
GRAND TOTAL	**2005**	**5.2**	**29**	**1**	**1**	**3**	**6**	**10**	**15**	**29**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	3	9.7	52	5	5	6	15	18	18	18
6-12 YRS	14	4.3	3	2	2	4	5	7	8	8
13-19 YRS	89	4.4	7	1	1	4	6	8	9	14
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	10	6.4	8	<1	2	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	5.7	9	3	3	5	8	9	9	9
6-12 YRS	15	6.4	14	2	3	5	8	10	15	17
13-19 YRS	71	4.6	8	2	2	4	5	7	10	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.8	10	2	2	4	7	9	9	9
13-19 YRS	30	6.2	14	2	2	5	9	12	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.5	8	1	2	4	6	8	9	17
B. *Operated*	14	6.2	8	1	2	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	90	5.0	10	2	2	5	6	8	10	18
B. *Operated*	34	6.0	13	2	2	5	9	11	14	15
1. SINGLE DX	122	4.7	8	1	2	4	6	8	10	17
2. MULTIPLE DX	124	5.3	11	2	2	5	6	9	12	18
A. NOT OPERATED	198	4.7	9	1	2	4	6	8	10	18
B. OPERATED	48	6.1	11	2	2	5	8	11	13	15
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	4.8	5	3	3	4	6	8	8	8
1-5 YRS	6	7.7	29	3	3	6	9	17	18	18
6-12 YRS	35	5.3	9	2	2	5	7	9	10	17
13-19 YRS	200	4.8	9	1	2	4	6	9	10	16
GRAND TOTAL	**246**	**5.0**	**10**	**1**	**2**	**4**	**6**	**9**	**10**	**17**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	4	5.3	2	4	4	5	6	7	7	7
13-19 YRS	34	4.2	4	2	2	4	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.5	25	6	6	9	13	13	13	13
1-5 YRS										
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	20	7.4	12	3	4	7	9	11	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.6	5	1	1	5	6	7	7	7
1-5 YRS	6	6.0	12	3	3	4	10	11	11	11
6-12 YRS	7	11.1	170	2	3	6	10	34	40	40
13-19 YRS	28	4.9	8	1	1	4	7	9	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.5	1	10	10	10	11	11	11	11
6-12 YRS										
13-19 YRS	25	7.2	8	3	3	7	9	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.2	4	1	2	4	5	7	8	11
B. *Operated*	24	7.3	13	3	3	6	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	46	6.0	34	1	2	5	8	10	11	40
B. *Operated*	27	7.5	8	3	3	7	9	11	12	14
1. SINGLE DX	66	5.3	9	2	2	5	6	9	11	17
2. MULTIPLE DX	73	6.5	25	1	2	6	9	10	11	34
A. NOT OPERATED	88	5.1	20	1	2	4	6	9	10	29
B. OPERATED	51	7.4	10	3	3	7	9	11	13	18
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	8	5.6	13	1	2	5	7	11	13	13
1-5 YRS	10	6.6	12	3	3	5	10	11	11	11
6-12 YRS	13	8.3	96	2	3	6	7	17	36	40
13-19 YRS	107	5.7	9	2	2	5	8	10	11	16
GRAND TOTAL	**139**	**6.0**	**18**	**2**	**2**	**5**	**8**	**10**	**11**	**20**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	16	3.6	6	<1	1	3	5	6	9	11
6-12 YRS	129	3.9	5	1	2	3	5	7	8	11
13-19 YRS	632	4.0	6	1	2	3	5	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	2	7.5	41	3	3	7	12	12	12	12
13-19 YRS	32	7.8	20	2	3	7	10	13	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	8.2	90	2	2	5	10	25	25	25
1-11 MOS	6	4.5	10	2	2	4	6	10	10	10
1-5 YRS	7	11.1	220	1	1	5	13	37	43	43
6-12 YRS	68	5.0	17	1	2	4	6	10	12	25
13-19 YRS	435	4.9	11	1	2	4	6	8	10	17
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	4	6.8	24	4	4	5	9	14	14	14
13-19 YRS	41	8.8	40	2	3	6	12	19	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	780	4.0	6	1	2	3	5	7	8	12
B. *Operated*	35	7.7	20	2	3	7	10	13	18	20
2. MULTIPLE DX										
A. *Not Operated*	521	5.0	15	1	2	4	6	9	11	24
B. *Operated*	48	8.5	37	2	3	6	11	19	21	26
1. SINGLE DX	815	4.2	7	1	2	4	5	7	9	13
2. MULTIPLE DX	569	5.3	18	1	2	4	6	10	12	25
A. NOT OPERATED	1301	4.4	10	1	2	4	6	8	10	15
B. OPERATED	83	8.2	29	2	3	7	11	17	20	24
TOTAL 0-27 DYS	8	6.9	56	2	2	4	6	20	25	25
1-11 MOS	9	5.3	10	2	2	5	7	10	10	10
1-5 YRS	24	5.8	74	<1	1	4	5	11	23	43
6-12 YRS	203	4.3	10	1	2	4	5	7	10	16
13-19 YRS	1140	4.6	10	1	2	4	6	8	10	18
GRAND TOTAL	**1384**	**4.6**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	3	4.0	7	2	2	3	6	7	7	7
6-12 YRS	18	5.6	7	3	3	5	7	9	11	12
13-19 YRS	162	4.3	5	1	2	4	6	8	9	10
B. Operated										
0-27 DYS										
1-11 MOS	3	3.7	8	2	2	2	6	7	7	7
1-5 YRS	3	3.0	7	1	1	2	5	6	6	6
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	51	8.3	9	4	5	8	10	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	5.7	4	4	4	5	7	8	8	8
6-12 YRS	16	5.8	12	2	3	5	7	9	14	16
13-19 YRS	131	5.5	11	2	2	5	7	9	11	17
B. Operated										
0-27 DYS	1	37.0		37	37	37	37	37	37	37
1-11 MOS	3	8.7	69	2	2	6	15	18	18	18
1-5 YRS	4	11.0	152	3	3	6	19	29	29	29
6-12 YRS	3	6.0	9	3	3	6	8	9	9	9
13-19 YRS	29	10.4	25	4	5	9	13	19	20	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	4.5	6	1	2	4	6	8	9	11
B. Operated	58	7.7	11	2	3	7	10	12	14	17
2. MULTIPLE DX										
A. Not Operated	152	5.6	11	2	2	5	7	9	11	17
B. Operated	40	10.7	54	3	4	9	13	20	26	37
1. SINGLE DX	242	5.2	9	1	2	5	7	9	11	14
2. MULTIPLE DX	192	6.6	24	2	2	6	8	11	16	26
A. NOT OPERATED	336	5.0	8	2	2	4	7	9	10	16
B. OPERATED	98	8.9	30	2	3	8	10	16	19	33
TOTAL 0-27 DYS	2	23.0	392	9	9	23	37	37	37	37
1-11 MOS	8	5.9	32	1	1	4	8	15	18	18
1-5 YRS	13	6.3	53	1	2	4	7	13	26	29
6-12 YRS	38	5.6	8	3	3	5	7	9	11	16
13-19 YRS	373	5.8	13	2	2	5	8	10	13	18
GRAND TOTAL	**434**	**5.8**	**16**	**2**	**2**	**5**	**8**	**10**	**13**	**20**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	8	7.0	9	3	4	6	9	12	12	12
B. Operated										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	2	9.0	8	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS										
13-19 YRS	6	7.5	5	4	4	7	8	11	11	11
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	18.8	79	8	8	21	23	30	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.6	11	<1	1	5	7	11	12	12
B. Operated	3	9.0	4	7	7	9	10	11	11	11
2. MULTIPLE DX										
A. Not Operated	7	8.3	9	4	5	8	10	13	13	13
B. Operated	6	18.8	79	8	8	21	23	30	31	31
1. SINGLE DX	15	6.3	11	<1	2	6	9	11	12	12
2. MULTIPLE DX	13	13.2	67	4	6	9	20	25	30	31
A. NOT OPERATED	19	6.6	11	1	2	7	8	12	13	13
B. OPERATED	9	15.6	75	7	7	11	23	28	31	31
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	7.0	72	<1	<1	6	13	13	13	13
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	22	10.5	51	4	5	8	11	23	26	31
GRAND TOTAL	**28**	**9.5**	**48**	**2**	**3**	**8**	**11**	**22**	**24**	**31**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	3.4	2	1	1	3	4	5	6	7
1-11 MOS	162	2.9	3	1	1	2	4	5	6	8
1-5 YRS	460	2.5	3	1	1	2	3	5	6	9
6-12 YRS	804	2.7	3	1	1	2	3	4	5	8
13-19 YRS	1669	3.1	5	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	12	4.7	7	<1	2	4	6	9	9	9
13-19 YRS	63	4.6	8	<1	1	4	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	4.0	4	2	2	4	5	7	8	8
1-11 MOS	282	4.0	7	1	2	3	5	7	9	12
1-5 YRS	925	3.1	4	1	1	3	4	5	6	11
6-12 YRS	1044	3.2	4	1	1	3	4	6	7	10
13-19 YRS	1953	3.9	7	1	1	3	5	7	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS	5	15.6	373	4	4	8	19	50	50	50
1-5 YRS	12	6.6	15	3	3	5	8	14	15	15
6-12 YRS	18	5.7	16	1	2	5	6	9	15	19
13-19 YRS	141	7.1	37	2	3	6	9	12	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3120	2.9	4	1	1	2	4	5	6	9
B. *Operated*	78	4.6	7	<1	1	4	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	4227	3.6	6	1	1	3	4	6	8	12
B. *Operated*	176	7.2	43	2	3	6	8	12	18	45
1. SINGLE DX	3198	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	4403	3.7	8	1	1	3	5	7	8	13
A. NOT OPERATED	7347	3.3	5	1	1	3	4	6	7	11
B. OPERATED	254	6.4	34	1	2	5	8	11	13	38
TOTAL 0-27 DYS	49	3.8	3	1	2	4	5	7	7	8
1-11 MOS	449	3.7	11	1	1	3	4	7	8	11
1-5 YRS	1399	2.9	4	1	1	2	4	5	6	11
6-12 YRS	1878	3.0	4	1	1	3	4	5	6	10
13-19 YRS	3826	3.7	8	1	1	3	5	7	8	13
GRAND TOTAL	**7601**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.3	4	<1	<1	2	3	5	8	8
1-11 MOS	65	3.4	13	1	1	2	4	7	9	22
1-5 YRS	60	3.3	13	1	1	2	4	6	7	25
6-12 YRS	196	3.1	3	1	1	3	4	6	7	10
13-19 YRS	417	3.1	3	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS	89	4.5	5	2	2	4	5	7	9	13
1-11 MOS	213	4.5	7	2	2	4	5	7	9	14
1-5 YRS	19	5.3	5	2	2	5	6	9	10	10
6-12 YRS	6	9.2	56	2	2	7	11	22	23	23
13-19 YRS	17	9.1	79	3	3	7	9	18	33	40
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.1	11	1	1	3	6	9	11	11
1-11 MOS	83	3.7	7	1	2	3	4	6	11	14
1-5 YRS	67	4.0	12	1	2	3	5	7	9	23
6-12 YRS	193	3.5	5	1	1	3	4	6	7	10
13-19 YRS	472	4.2	8	1	2	4	5	7	9	13
B. *Operated*										
0-27 DYS	10	7.8	37	2	3	7	8	16	24	24
1-11 MOS	40	6.6	30	2	2	5	7	10	19	29
1-5 YRS	14	9.1	49	1	2	7	16	20	21	22
6-12 YRS	7	6.7	12	1	2	7	9	11	12	12
13-19 YRS	43	12.1	124	2	3	9	14	27	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	749	3.1	5	1	1	3	4	6	7	10
B. *Operated*	344	4.8	12	2	2	4	6	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	829	4.0	8	1	1	3	5	7	9	13
B. *Operated*	114	9.1	72	2	3	7	12	19	27	44
1. SINGLE DX	1093	3.7	8	1	1	3	4	7	8	13
2. MULTIPLE DX	943	4.6	18	1	2	4	5	8	12	24
A. NOT OPERATED	1578	3.6	7	1	1	3	4	7	8	13
B. OPERATED	458	5.9	30	2	2	4	7	10	14	33
TOTAL 0-27 DYS	124	4.5	9	1	2	4	6	8	9	16
1-11 MOS	401	4.3	11	1	2	4	5	7	10	19
1-5 YRS	160	4.3	17	1	1	3	5	8	10	24
6-12 YRS	402	3.5	5	1	1	3	4	6	8	11
13-19 YRS	949	4.2	16	1	1	3	5	7	10	19
GRAND TOTAL	**2036**	**4.1**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	4.6	19	1	1	4	6	12	12	12
6-12 YRS	71	2.9	6	1	1	2	4	6	7	13
13-19 YRS	111	3.0	4	1	1	3	4	5	6	11
B. *Operated*										
0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	9	4.0	3	2	2	4	4	7	8	8
1-5 YRS	500	4.5	11	2	2	4	5	8	10	15
6-12 YRS	7256	3.7	3	2	2	3	4	6	7	10
13-19 YRS	12151	3.9	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.1	1	<1	<1	2	3	4	4	4
6-12 YRS	40	2.0	1	1	1	2	2	4	5	5
13-19 YRS	66	3.4	5	1	1	3	4	7	8	10
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	3	7.3	24	4	4	5	11	13	13	13
1-5 YRS	119	6.4	16	2	3	5	8	12	16	19
6-12 YRS	1000	5.6	15	2	3	4	6	10	14	19
13-19 YRS	1883	5.6	15	2	3	5	6	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	3.0	5	1	1	3	4	5	6	13
B. *Operated*	19920	3.8	3	2	2	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	113	2.9	4	1	1	2	4	5	7	10
B. *Operated*	3007	5.6	15	2	3	4	6	10	13	20
1. SINGLE DX	20107	3.8	3	2	2	4	4	6	7	10
2. MULTIPLE DX	3120	5.5	15	2	3	4	6	10	13	20
A. NOT OPERATED	300	2.9	4	1	1	2	4	5	7	12
B. OPERATED	22927	4.1	5	2	2	4	5	6	8	13
TOTAL 0-27 DYS	6	3.3	1	2	2	3	4	5	5	5
1-11 MOS	12	4.8	9	2	3	4	5	9	12	13
1-5 YRS	631	4.8	12	2	2	4	6	9	12	17
6-12 YRS	8367	3.9	4	2	2	3	4	6	7	12
13-19 YRS	14211	4.1	5	2	2	4	5	6	7	12
GRAND TOTAL	**23227**	**4.1**	**5**	**2**	**2**	**4**	**5**	**6**	**8**	**13**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	12.8	9	8	9	13	15	17	17	17
6-12 YRS	30	8.7	44	1	3	7	13	17	24	29
13-19 YRS	33	7.2	8	2	3	7	9	11	11	14
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	343	7.9	12	3	4	7	10	12	14	21
6-12 YRS	1527	7.5	14	3	4	7	9	12	14	21
13-19 YRS	1989	7.2	16	3	3	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	5	9.2	27	5	5	8	11	18	18	18
13-19 YRS	9	9.8	22	1	3	10	13	15	16	16
B. *Operated*										
0-27 DYS	3	9.3	9	6	6	10	11	12	12	12
1-11 MOS	4	10.5	10	7	7	10	13	14	14	14
1-5 YRS	179	11.0	31	5	6	10	13	18	23	30
6-12 YRS	720	11.1	37	4	5	9	14	19	24	32
13-19 YRS	746	11.0	47	3	4	9	14	20	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	8.6	26	2	3	8	11	15	17	28
B. *Operated*	3862	7.4	15	3	3	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	15	10.1	24	2	5	9	14	17	18	18
B. *Operated*	1652	11.0	41	4	5	9	14	19	24	33
1. SINGLE DX	3935	7.4	15	3	3	7	9	12	14	21
2. MULTIPLE DX	1667	11.0	41	4	5	9	14	19	24	33
A. NOT OPERATED	88	8.8	26	2	3	8	11	15	17	27
B. OPERATED	5514	8.5	25	3	4	7	10	14	18	27
TOTAL 0-27 DYS	4	8.8	8	6	6	8	11	12	12	12
1-11 MOS	6	8.7	14	4	4	8	12	14	14	14
1-5 YRS	533	9.0	21	4	4	8	11	15	17	26
6-12 YRS	2282	8.7	24	3	4	8	10	15	18	27
13-19 YRS	2777	8.3	27	3	3	7	10	14	17	27
GRAND TOTAL	**5602**	**8.5**	**25**	**3**	**4**	**7**	**10**	**14**	**18**	**27**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.6	4	1	1	2	3	6	6	6
6-12 YRS	121	2.0	1	1	1	2	3	3	5	7
13-19 YRS	239	2.5	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	40	4.2	8	2	2	3	5	7	11	15
6-12 YRS	646	4.0	4	2	2	4	5	6	7	11
13-19 YRS	1244	4.4	4	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	5.3	62	1	1	2	9	17	17	17
6-12 YRS	51	3.2	27	1	1	2	3	5	6	38
13-19 YRS	133	3.6	5	1	1	3	4	7	8	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	12.0	8	10	10	12	14	14	14	14
1-5 YRS	28	7.8	46	2	2	5	10	18	24	29
6-12 YRS	282	5.1	11	2	2	4	6	9	11	15
13-19 YRS	687	5.2	6	3	3	5	6	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	2.4	3	1	1	2	3	4	6	8
B. *Operated*	1931	4.2	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	188	3.5	12	1	1	3	4	7	8	15
B. *Operated*	1000	5.2	9	2	3	4	6	8	11	16
1. SINGLE DX	2296	3.9	5	1	2	4	5	6	8	12
2. MULTIPLE DX	1188	5.0	10	2	2	4	6	8	11	16
A. NOT OPERATED	553	2.8	6	1	1	2	3	5	7	11
B. OPERATED	2931	4.6	6	2	2	4	5	7	9	13
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	10.3	12	7	7	10	13	14	14	14
1-5 YRS	77	5.5	26	1	2	4	6	13	16	27
6-12 YRS	1100	4.0	7	1	2	3	5	7	8	12
13-19 YRS	2303	4.4	5	2	2	4	5	7	9	13
GRAND TOTAL	**3484**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**13**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	25.5	1201	1	1	25	50	50	50	50
1-11 MOS	50	1.2		<1	<1	1	1	2	2	5
1-5 YRS	45	1.3		<1	<1	1	1	2	3	4
6-12 YRS	13	2.1	1	<1	<1	2	3	4	4	4
13-19 YRS	34	1.9	1	<1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS	66	2.3	12	<1	<1	1	2	3	5	25
1-11 MOS	2696	1.7	1	<1	<1	1	2	3	3	6
1-5 YRS	5331	1.6	1	<1	<1	2	2	2	3	4
6-12 YRS	3244	2.0	1	<1	<1	2	2	3	4	5
13-19 YRS	4579	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	228	1.8	3	<1	<1	1	2	4	6	9
1-5 YRS	315	1.4	2	<1	<1	1	1	2	3	7
6-12 YRS	57	1.5	1	<1	<1	1	1	3	4	6
13-19 YRS	48	1.8	3	<1	<1	1	1	5	6	7
B. *Operated*										
0-27 DYS	43	3.3	29	<1	<1	2	3	5	9	35
1-11 MOS	1962	2.3	8	<1	<1	2	2	4	5	11
1-5 YRS	3641	2.0	3	<1	<1	2	2	3	4	8
6-12 YRS	1396	2.4	2	<1	1	2	3	4	5	7
13-19 YRS	1194	3.6	3	1	2	3	4	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	1.8	17	<1	<1	1	2	3	4	8
B. *Operated*	15916	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	649	1.6	2	<1	<1	1	1	3	5	8
B. *Operated*	8236	2.3	4	<1	<1	2	3	4	5	9
1. SINGLE DX	16060	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	8885	2.3	4	<1	<1	2	3	4	5	9
A. NOT OPERATED	793	1.6	5	<1	<1	1	1	3	4	8
B. OPERATED	24152	2.2	2	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS	112	3.1	39	<1	<1	2	3	4	7	41
1-11 MOS	4936	1.9	4	<1	<1	2	2	3	4	9
1-5 YRS	9332	1.7	1	<1	<1	2	2	3	3	6
6-12 YRS	4710	2.1	1	<1	1	2	2	3	4	6
13-19 YRS	5855	3.2	2	1	2	3	4	5	6	8
GRAND TOTAL	**24945**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	12	1.3		<1	<1	1	2	2	2	2
1-5 YRS	19	1.1		<1	<1	1	1	1	2	2
6-12 YRS	6	1.7	3	<1	<1	1	1	5	5	5
13-19 YRS	5	1.6		1	1	2	2	2	2	2
B. *Operated*										
0-27 DYS	47	2.4	5	1	1	2	2	5	9	10
1-11 MOS	425	2.0	2	<1	1	2	2	4	5	8
1-5 YRS	327	1.9	1	<1	1	2	2	3	4	7
6-12 YRS	61	2.2	1	<1	1	2	3	4	4	5
13-19 YRS	140	3.7	3	2	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	13	2.5	3	<1	<1	2	4	5	6	6
1-5 YRS	15	2.1	2	1	1	2	2	4	5	5
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	6	4.5	18	<1	<1	3	8	11	11	11
B. *Operated*										
0-27 DYS	35	2.9	6	1	1	2	3	7	8	11
1-11 MOS	280	2.9	9	1	1	2	3	6	8	23
1-5 YRS	203	2.6	6	<1	1	2	3	4	7	16
6-12 YRS	43	2.3	1	1	1	2	3	3	4	7
13-19 YRS	56	4.2	4	2	2	4	5	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	1.3		<1	<1	1	1	2	2	5
B. *Operated*	1000	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	38	2.6	5	<1	<1	2	4	5	7	11
B. *Operated*	617	2.9	7	1	1	2	3	5	7	16
1. SINGLE DX	1043	2.2	2	<1	1	2	3	4	5	9
2. MULTIPLE DX	655	2.9	7	1	1	2	3	5	7	14
A. NOT OPERATED	81	1.9	3	<1	<1	1	2	4	5	10
B. OPERATED	1617	2.5	4	<1	1	2	3	5	6	10
TOTAL 0-27 DYS	85	2.6	5	1	1	2	3	5	8	11
1-11 MOS	730	2.3	5	<1	1	2	3	4	6	11
1-5 YRS	564	2.1	3	<1	1	2	2	4	5	9
6-12 YRS	112	2.2	1	<1	1	2	3	4	4	6
13-19 YRS	207	3.8	4	1	2	3	5	6	7	11
GRAND TOTAL	**1698**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	18	2.5	9	<1	<1	1	2	8	11	11
6-12 YRS	6	2.2	1	<1	<1	2	3	3	3	3
13-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	309	2.2	1	<1	1	2	3	3	4	6
1-5 YRS	1567	2.0	2	<1	<1	2	2	3	4	6
6-12 YRS	675	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	304	2.7	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	49	2.4	5	<1	<1	1	3	6	7	10
1-5 YRS	82	2.6	24	<1	<1	1	2	5	7	32
6-12 YRS	13	1.2		<1	<1	1	1	2	3	3
13-19 YRS	6	2.7	3	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	51	99+	99+	99+	99+
1-11 MOS	104	2.9	8	<1	<1	2	3	5	7	56
1-5 YRS	303	2.7	4	<1	1	2	3	5	6	12
6-12 YRS	130	2.6	3	1	1	2	3	5	6	9
13-19 YRS	91	3.8	5	1	2	3	4	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.1	5	<1	<1	1	2	4	9	11
B. *Operated*	2857	2.1	2	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	150	2.4	15	<1	<1	1	2	6	6	24
B. *Operated*	629	2.9	5	<1	1	2	3	5	7	13
1. SINGLE DX	2890	2.1	2	<1	1	2	2	3	4	6
2. MULTIPLE DX	779	2.8	7	<1	1	2	3	5	7	14
A. NOT OPERATED	183	2.4	13	<1	<1	1	2	5	7	21
B. OPERATED	3486	2.3	2	<1	1	2	3	4	5	8
TOTAL 0-27 DYS	3	2.0		2	2	2	51	99+	99+	99+
1-11 MOS	468	2.4	3	<1	1	2	3	4	5	10
1-5 YRS	1970	2.2	3	<1	<1	2	2	3	4	9
6-12 YRS	824	2.1	1	<1	1	2	2	3	4	7
13-19 YRS	404	2.9	3	1	1	3	4	5	6	9
GRAND TOTAL	**3669**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.3		<1	<1	<1	2	2	2	2
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	7	2.0	5	<1	<1	1	2	6	7	7
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	32	3.5	16	<1	<1	2	4	7	8	22
1-5 YRS	114	2.2	4	<1	<1	2	2	3	6	12
6-12 YRS	153	2.2	2	<1	1	2	3	4	5	6
13-19 YRS	249	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.5	1	8	8	8	9	9	9	9
1-11 MOS	4	1.8	2	<1	<1	1	2	4	4	4
1-5 YRS	4	2.5	4	<1	<1	2	4	5	5	5
6-12 YRS	4	1.3		<1	<1	1	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	6.0	16	2	2	6	7	13	14	14
1-5 YRS	48	3.0	8	<1	<1	2	3	7	10	14
6-12 YRS	42	2.8	3	1	1	2	3	5	6	10
13-19 YRS	76	4.0	6	2	2	4	4	6	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.7	3	<1	<1	1	2	3	6	7
B. *Operated*	549	2.6	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	15	2.7	7	<1	<1	1	4	8	9	9
B. *Operated*	174	3.6	7	1	1	3	4	6	10	14
1. SINGLE DX	562	2.6	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	189	3.5	7	<1	1	3	4	6	9	14
A. NOT OPERATED	28	2.2	5	<1	<1	1	2	6	8	9
B. OPERATED	723	2.8	4	<1	1	2	3	5	6	11
TOTAL 0-27 DYS	4	7.8	2	6	6	8	9	9	9	9
1-11 MOS	44	3.7	15	<1	<1	2	5	7	10	22
1-5 YRS	169	2.4	5	<1	<1	2	3	4	8	12
6-12 YRS	201	2.3	2	<1	1	2	3	4	5	7
13-19 YRS	333	3.1	3	1	1	3	4	5	6	10
GRAND TOTAL	**751**	**2.8**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	2	6.0	32	2	2	6	10	10	10	10
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	22	4.3	5	1	2	4	5	7	9	10
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	5	4.6	23	<1	<1	2	8	12	12	12
1-5 YRS	14	6.3	126	2	2	2	4	14	37	44
6-12 YRS	5	1.8		1	1	2	2	2	2	2
13-19 YRS	8	4.3	4	2	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	10	5.3	7	1	2	5	7	9	9	9
1-5 YRS	6	3.7	3	<1	<1	4	5	6	6	6
6-12 YRS	5	4.0	8	2	2	2	6	8	8	8
13-19 YRS	65	4.6	9	1	1	4	5	9	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS	7	17.4	114	3	4	22	29	79	99+	99+
1-5 YRS	6	17.7	120	2	2	21	24	30	31	31
6-12 YRS	6	7.8	14	1	2	8	11	11	11	11
13-19 YRS	27	9.4	106	2	2	7	9	22	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.0	6	1	1	3	5	7	10	10
B. *Operated*	33	5.2	64	1	1	2	5	11	18	44
2. MULTIPLE DX										
A. *Not Operated*	87	4.6	9	1	1	4	6	9	10	15
B. *Operated*	46	11.5	106	2	2	8	18	29	34	99+
1. SINGLE DX	63	4.7	36	1	1	3	5	9	11	41
2. MULTIPLE DX	133	7.0	53	1	2	5	8	17	25	57
A. NOT OPERATED	117	4.5	8	1	1	4	5	9	10	14
B. OPERATED	79	8.9	97	1	2	6	11	25	31	85
TOTAL 0-27 DYS	3	10.0	81	1	1	10	17	19	19	19
1-11 MOS	24	8.4	73	<1	1	6	10	26	48	99+
1-5 YRS	28	8.1	112	1	2	3	9	23	32	44
6-12 YRS	19	4.5	12	1	1	3	8	10	11	11
13-19 YRS	122	5.6	33	1	2	4	7	9	13	35
GRAND TOTAL	**196**	**6.3**	**48**	**1**	**2**	**4**	**7**	**12**	**22**	**47**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	6	2.2	2	1	1	2	3	4	4	4
1-5 YRS	27	1.6		<1	<1	1	2	2	3	3
6-12 YRS	32	2.0	1	<1	<1	2	2	3	4	5
13-19 YRS	54	3.8	2	1	2	4	5	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.4	3	<1	<1	2	3	5	5	5
1-5 YRS	3	4.3	12	1	1	4	7	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	3.0	9	1	1	2	4	8	8	8
B. *Operated*										
0-27 DYS	2	8.5	41	4	4	8	13	13	13	13
1-11 MOS	7	3.6	22	<1	<1	2	3	12	14	14
1-5 YRS	11	2.6	5	1	1	2	3	7	8	8
6-12 YRS	8	2.0	1	1	1	2	3	4	4	4
13-19 YRS	25	5.6	8	2	3	5	7	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	119	2.7	2	<1	1	2	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	14	3.0	6	<1	1	2	4	8	8	8
B. *Operated*	53	4.3	11	1	1	4	6	8	12	17
1. SINGLE DX	121	2.7	2	<1	1	2	4	5	5	7
2. MULTIPLE DX	67	4.0	10	1	1	3	6	8	9	16
A. NOT OPERATED	16	2.9	5	<1	1	2	4	7	8	8
B. OPERATED	172	3.2	6	<1	1	3	4	6	7	14
TOTAL 0-27 DYS	2	8.5	41	4	4	8	13	13	13	13
1-11 MOS	19	2.8	9	<1	<1	2	3	5	10	14
1-5 YRS	41	2.0	3	<1	<1	2	2	4	7	8
6-12 YRS	41	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	85	4.3	5	1	2	4	5	7	8	14
GRAND TOTAL	**188**	**3.2**	**6**	<1	1	3	4	6	7	14

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	6	2.3	3	<1	<1	2	4	5	5	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	26	2.2	4	<1	1	2	3	4	8	8
1-5 YRS	78	3.1	36	1	1	2	3	4	6	41
6-12 YRS	43	3.0	6	<1	1	2	3	5	8	13
13-19 YRS	71	3.6	6	1	2	3	4	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	5	4.0	14	1	1	2	7	9	9	9
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	12	3.9	10	1	1	3	5	10	11	11
1-5 YRS	15	4.6	9	1	1	3	7	9	10	10
6-12 YRS	6	9.2	87	2	2	6	10	25	27	27
13-19 YRS	20	9.5	109	2	2	5	11	31	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.7	3	<1	<1	2	4	5	6	6
B. *Operated*	219	3.1	16	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	10	2.9	8	<1	<1	2	3	8	9	9
B. *Operated*	55	6.8	57	1	2	4	8	12	30	35
1. SINGLE DX	231	3.1	16	1	1	2	3	5	7	14
2. MULTIPLE DX	65	6.2	52	1	1	4	7	11	28	34
A. NOT OPERATED	22	2.8	5	<1	<1	2	4	6	8	9
B. OPERATED	274	3.9	27	1	1	3	4	7	10	31
TOTAL 0-27 DYS	3	4.7	5	2	2	6	6	6	6	6
1-11 MOS	44	2.6	5	<1	1	2	3	5	8	11
1-5 YRS	100	3.3	30	1	1	2	3	6	8	32
6-12 YRS	51	3.8	18	1	1	3	4	8	11	27
13-19 YRS	98	4.7	32	1	2	3	4	8	14	33
GRAND TOTAL	**296**	**3.8**	**25**	1	1	3	4	7	10	31

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	100	2.3	3	<1	1	2	3	5	6	9
1-5 YRS	158	2.4	9	1	1	2	2	5	7	11
6-12 YRS	78	4.5	15	1	2	4	5	8	11	23
13-19 YRS	192	4.3	9	1	1	4	6	8	10	16
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	144	6.5	69	2	3	5	7	9	12	48
1-5 YRS	106	6.3	9	2	3	6	8	10	12	16
6-12 YRS	71	7.7	12	3	4	7	9	11	16	19
13-19 YRS	182	9.0	24	4	5	8	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	4.9	10	2	2	5	6	10	11	11
1-11 MOS	65	4.0	7	1	1	4	5	7	8	16
1-5 YRS	103	5.1	25	1	1	4	6	11	15	27
6-12 YRS	64	4.6	11	1	1	4	6	9	10	17
13-19 YRS	134	5.1	18	1	1	4	7	10	12	23
B. *Operated*										
0-27 DYS	4	8.0	13	4	4	10	34	99+	99+	99+
1-11 MOS	101	9.5	115	3	3	7	10	17	28	64
1-5 YRS	123	9.1	46	3	4	8	10	14	20	39
6-12 YRS	82	8.3	24	4	4	7	10	13	16	32
13-19 YRS	225	12.3	90	5	6	10	14	20	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	3.4	9	1	1	2	4	7	8	17
B. *Operated*	504	7.5	33	3	3	7	9	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	373	4.8	17	1	1	4	6	9	12	21
B. *Operated*	535	10.4	76	3	4	8	12	18	26	53
1. SINGLE DX	1036	5.4	25	1	1	4	7	10	13	21
2. MULTIPLE DX	908	8.1	59	1	2	6	10	15	20	42
A. NOT OPERATED	905	4.0	13	1	1	3	5	8	10	18
B. OPERATED	1039	9.0	57	3	4	7	10	15	20	44
TOTAL 0-27 DYS	16	4.6	13	1	1	4	7	12	69	99+
1-11 MOS	410	5.8	61	1	1	4	7	10	14	37
1-5 YRS	490	5.5	28	1	1	4	7	11	14	29
6-12 YRS	295	6.3	19	2	2	6	8	10	16	23
13-19 YRS	733	8.1	50	1	2	7	10	15	19	42
GRAND TOTAL	**1944**	**6.7**	**43**	**1**	**1**	**5**	**8**	**12**	**16**	**34**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	522	3.9	7	1	2	3	5	6	8	17
1-11 MOS	5879	3.9	5	1	2	3	5	6	8	11
1-5 YRS	7148	3.1	4	1	1	3	4	5	6	9
6-12 YRS	4429	2.4	2	1	1	2	3	4	5	7
13-19 YRS	5024	2.7	4	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	4	5.8	5	4	4	5	7	9	9	9
1-11 MOS	47	8.2	73	<1	1	5	9	19	32	38
1-5 YRS	54	3.8	12	<1	<1	3	4	8	11	16
6-12 YRS	77	4.5	9	1	2	4	5	9	10	18
13-19 YRS	244	4.7	7	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	539	5.3	15	2	2	4	6	10	11	18
1-11 MOS	9355	4.7	12	2	2	4	6	8	10	18
1-5 YRS	11506	3.7	5	1	2	3	4	6	7	12
6-12 YRS	3507	3.1	4	1	1	3	4	5	6	10
13-19 YRS	3363	3.4	6	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS	14	7.7	23	<1	1	7	10	15	16	16
1-11 MOS	215	10.2	114	3	3	6	10	24	36	52
1-5 YRS	148	7.7	100	2	3	5	8	14	32	99+
6-12 YRS	74	6.0	15	2	3	5	7	11	14	20
13-19 YRS	192	7.0	43	1	2	6	8	13	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23002	3.1	4	1	1	3	4	5	7	10
B. *Operated*	426	5.0	16	1	2	4	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	28270	3.9	8	1	2	3	5	7	8	14
B. *Operated*	643	8.1	78	2	3	6	8	16	24	60
1. SINGLE DX	23428	3.1	5	1	1	3	4	5	7	10
2. MULTIPLE DX	28913	4.0	10	1	2	3	5	7	9	15
A. NOT OPERATED	51272	3.6	6	1	1	3	4	6	8	12
B. OPERATED	1069	6.9	56	1	2	5	7	12	19	44
TOTAL 0-27 DYS	1079	4.6	12	1	2	4	5	8	11	18
1-11 MOS	15496	4.5	12	2	2	4	5	7	9	17
1-5 YRS	18856	3.5	6	1	2	3	4	6	7	12
6-12 YRS	8087	2.8	3	1	1	2	3	5	6	9
13-19 YRS	8823	3.1	6	1	1	3	4	6	7	11
GRAND TOTAL	**52341**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	2.0		2	2	2	2	2	2	2
1-5 YRS	4	6.8	8	4	4	6	9	10	10	10
6-12 YRS	3	7.3	44	3	3	4	12	15	15	15
13-19 YRS	13	4.2	5	<1	1	3	5	7	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.5	113	2	2	9	17	17	17	17
1-5 YRS	4	8.8	26	4	4	7	12	16	16	16
6-12 YRS	2	12.0	72	6	6	12	18	18	18	18
13-19 YRS	12	5.7	4	2	3	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	15.3	72	7	7	15	22	24	24	24
1-11 MOS	8	5.5	8	2	2	5	8	9	10	10
1-5 YRS	9	6.2	35	<1	1	5	7	15	21	21
6-12 YRS	4	4.5		4	4	4	5	5	5	5
13-19 YRS	7	3.7	4	1	1	4	4	6	7	7
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	9.7	9	7	7	9	12	13	13	13
1-5 YRS	3	16.7	1	16	16	16	18	18	18	18
6-12 YRS	2	11.5	41	7	7	11	16	16	16	16
13-19 YRS	11	12.8	185	4	5	9	12	30	51	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	5.0	11	1	2	4	6	10	12	15
B. *Operated*	20	7.3	21	2	3	6	8	16	17	18
2. MULTIPLE DX										
A. *Not Operated*	31	6.1	27	1	2	4	7	12	21	24
B. *Operated*	20	12.7	105	5	6	10	15	17	35	53
1. SINGLE DX	44	6.0	17	2	2	5	8	11	16	18
2. MULTIPLE DX	51	8.7	67	2	3	7	10	16	21	53
A. NOT OPERATED	55	5.6	20	1	2	4	7	10	15	24
B. OPERATED	40	10.0	69	3	4	8	12	17	18	53
TOTAL 0-27 DYS	5	13.2	45	7	7	10	17	24	24	24
1-11 MOS	16	6.1	20	2	2	5	8	13	16	17
1-5 YRS	20	8.4	34	1	2	7	13	17	19	21
6-12 YRS	11	7.9	31	3	3	5	13	17	18	18
13-19 YRS	43	6.7	61	1	2	5	8	10	13	53
GRAND TOTAL	95	7.5	45	2	3	6	9	16	18	40

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.3	2	1	1	2	3	4	4	4
1-11 MOS	18	3.7	4	1	1	3	5	7	8	8
1-5 YRS	31	2.5	2	<1	1	2	3	5	5	6
6-12 YRS	13	3.0	4	1	1	2	4	7	7	7
13-19 YRS	59	3.4	9	1	1	3	4	6	10	18
B. *Operated*										
0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	98	2.4	5	<1	<1	2	3	5	6	13
1-5 YRS	64	2.8	6	<1	<1	2	3	7	8	11
6-12 YRS	53	2.9	2	1	1	2	4	5	6	8
13-19 YRS	503	3.6	8	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	2.8	3	1	1	2	4	6	6	6
1-11 MOS	32	4.3	26	1	1	3	5	9	16	26
1-5 YRS	27	4.3	7	1	1	4	6	7	9	12
6-12 YRS	28	3.0	2	1	1	3	4	5	6	8
13-19 YRS	42	3.9	7	1	1	3	5	6	11	12
B. *Operated*										
0-27 DYS	5	5.6	2	4	4	5	7	7	7	7
1-11 MOS	43	2.9	5	<1	1	2	4	6	8	9
1-5 YRS	28	4.6	29	1	2	3	5	10	14	28
6-12 YRS	21	5.2	29	<1	1	4	6	11	20	23
13-19 YRS	283	4.6	11	1	2	4	5	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.1	6	1	1	3	4	6	7	14
B. *Operated*	721	3.3	7	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	138	3.8	10	1	1	3	5	6	9	18
B. *Operated*	380	4.4	13	1	2	4	5	8	9	22
1. SINGLE DX	846	3.3	7	1	1	3	4	6	7	13
2. MULTIPLE DX	518	4.3	12	1	1	3	5	7	9	20
A. NOT OPERATED	263	3.5	8	1	1	3	4	6	8	16
B. OPERATED	1101	3.7	9	1	1	3	5	7	8	15
TOTAL 0-27 DYS	21	3.4	3	1	1	3	5	6	7	7
1-11 MOS	191	2.9	9	<1	<1	2	4	6	8	16
1-5 YRS	150	3.3	10	<1	1	2	4	7	9	12
6-12 YRS	115	3.3	8	1	1	3	4	6	7	19
13-19 YRS	887	3.9	9	1	1	3	5	7	8	14
GRAND TOTAL	1364	3.7	9	1	1	3	5	6	8	15

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	29	4.1	16	<1	1	3	4	10	14	17
1-11 MOS	110	3.1	5	1	1	3	4	5	6	13
1-5 YRS	510	2.8	5	1	1	2	3	5	7	11
6-12 YRS	901	3.3	8	1	1	3	4	6	8	14
13-19 YRS	1764	4.4	16	1	1	3	5	8	10	20
B. *Operated*										
0-27 DYS	5	11.0	154	<1	<1	3	21	29	29	29
1-11 MOS	21	4.3	12	1	1	3	6	10	12	12
1-5 YRS	194	3.9	16	<1	1	2	5	9	11	21
6-12 YRS	233	5.8	40	<1	1	4	7	12	17	36
13-19 YRS	587	7.8	44	1	2	6	10	15	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	37	3.8	6	1	2	3	5	7	9	12
1-11 MOS	126	4.1	7	1	2	3	5	8	9	13
1-5 YRS	405	3.6	11	1	1	3	4	7	9	15
6-12 YRS	759	3.7	10	1	1	3	5	7	9	12
13-19 YRS	1517	5.2	21	1	2	4	6	9	12	23
B. *Operated*										
0-27 DYS	6	21.7	889	2	3	10	66	96	99+	99+
1-11 MOS	36	7.4	61	2	2	5	9	14	18	45
1-5 YRS	128	6.4	33	1	1	5	8	12	16	32
6-12 YRS	191	7.8	62	1	2	5	10	16	24	40
13-19 YRS	733	11.0	108	2	3	8	14	23	30	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3314	3.8	12	1	1	3	5	7	9	16
B. *Operated*	1040	6.6	40	1	1	5	8	14	19	33
2. MULTIPLE DX										
A. *Not Operated*	2844	4.5	16	1	1	3	6	8	11	20
B. *Operated*	1094	9.9	97	2	2	7	12	21	28	61
1. SINGLE DX	4354	4.5	20	1	1	3	5	9	12	24
2. MULTIPLE DX	3938	6.0	45	1	1	4	7	12	17	35
A. NOT OPERATED	6158	4.1	14	1	1	3	5	8	10	18
B. OPERATED	2134	8.3	72	1	2	6	10	17	24	43
TOTAL 0-27 DYS	77	5.8	100	1	1	3	6	12	21	95
1-11 MOS	293	4.1	15	1	1	3	5	8	11	18
1-5 YRS	1237	3.6	13	1	1	3	4	7	10	18
6-12 YRS	2084	4.1	19	1	1	3	5	8	10	24
13-19 YRS	4601	6.1	42	1	2	4	7	12	17	33
GRAND TOTAL	**8292**	**5.2**	**32**	**1**	**1**	**4**	**6**	**10**	**15**	**30**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	9.8	134	1	1	5	13	30	32	32
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	32.5	113	25	25	32	40	40	40	40
1-5 YRS	3	5.7	6	3	3	6	7	8	8	8
6-12 YRS	5	4.4	10	1	1	3	7	9	9	9
13-19 YRS	14	21.7	192	2	4	23	28	32	50	55
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.5	41	2	2	6	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	9.8	134	1	1	5	13	30	32	32
B. *Operated*	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	24	17.0	201	2	3	15	26	31	44	55
B. *Operated*	4	6.8	14	2	2	7	9	11	11	11
1. SINGLE DX	7	10.7	117	1	2	5	15	29	32	32
2. MULTIPLE DX	28	15.5	186	2	2	9	25	30	41	55
A. NOT OPERATED	30	15.6	191	1	2	9	26	31	40	55
B. OPERATED	5	8.6	28	2	2	8	12	16	16	16
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	24.3	256	8	8	25	36	40	40	40
1-5 YRS	3	5.7	6	3	3	6	7	8	8	8
6-12 YRS	5	4.4	10	1	1	3	7	9	9	9
13-19 YRS	23	17.0	184	1	2	16	27	30	40	55
GRAND TOTAL	**35**	**14.6**	**172**	**1**	**2**	**8**	**25**	**30**	**38**	**55**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	7	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	3	4.0	3	2	2	5	5	5	5	5
13-19 YRS	17	4.4	12	1	1	4	7	10	12	12
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	3.3	5	2	2	2	5	6	6	6
1-5 YRS	7	4.7	13	1	1	4	6	11	12	12
6-12 YRS	14	3.1	5	1	1	2	4	6	8	9
13-19 YRS	47	3.1	10	<1	1	2	4	6	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	3	5.0	7	2	2	6	7	7	7	7
1-5 YRS	10	4.0	10	1	1	3	7	9	10	10
6-12 YRS	6	3.0	5	<1	<1	2	4	7	7	7
13-19 YRS	33	5.8	23	1	2	4	7	12	18	20
B. *Operated*										
0-27 DYS										
1-11 MOS	5	6.6	26	1	1	5	12	12	12	12
1-5 YRS	5	4.0	7	2	2	3	6	8	8	8
6-12 YRS	4	6.0	31	1	1	5	10	13	13	13
13-19 YRS	42	8.7	78	2	2	6	10	18	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.6	8	<1	1	2	5	7	11	12
B. *Operated*	72	3.3	9	1	1	2	4	6	11	14
2. MULTIPLE DX										
A. *Not Operated*	54	5.3	18	1	1	4	7	10	14	20
B. *Operated*	56	7.9	64	1	2	5	10	15	28	41
1. SINGLE DX	102	3.4	9	<1	1	2	4	6	11	14
2. MULTIPLE DX	110	6.6	43	1	2	5	9	13	18	35
A. NOT OPERATED	84	4.7	15	1	1	3	7	10	12	19
B. OPERATED	128	5.3	38	1	1	3	6	12	14	33
TOTAL 0-27 DYS	3	7.3	30	1	1	10	11	11	11	11
1-11 MOS	14	4.6	13	1	1	3	6	12	12	12
1-5 YRS	29	3.7	8	<1	1	3	5	8	10	12
6-12 YRS	27	3.6	8	1	1	2	5	8	10	13
13-19 YRS	139	5.6	38	1	1	3	7	13	16	32
GRAND TOTAL	**212**	**5.1**	**29**	**1**	**1**	**3**	**6**	**11**	**14**	**30**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	7.7	25	2	2	7	12	14	14	14
1-5 YRS	33	5.3	85	1	1	3	5	7	12	55
6-12 YRS	56	6.1	28	2	2	5	8	12	13	32
13-19 YRS	209	5.7	12	2	2	5	7	10	13	18
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	2	7.5	61	2	2	7	13	13	13	13
6-12 YRS	7	9.7	71	3	3	7	12	24	27	27
13-19 YRS	21	6.6	36	1	1	7	10	13	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	8.6	58	1	1	5	12	21	22	22
1-5 YRS	17	6.6	26	<1	1	5	12	13	16	18
6-12 YRS	54	5.2	11	2	2	4	6	11	13	16
13-19 YRS	132	6.4	18	2	2	6	8	11	16	22
B. *Operated*										
0-27 DYS										
1-11 MOS	5	12.4	157	3	3	8	17	34	34	34
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS	7	9.4	69	2	2	8	14	23	25	25
13-19 YRS	30	12.2	106	2	2	11	15	23	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	5.8	23	2	2	5	7	11	13	22
B. *Operated*	32	7.0	42	1	1	6	11	14	23	27
2. MULTIPLE DX										
A. *Not Operated*	212	6.2	19	2	2	5	8	12	16	22
B. *Operated*	44	11.4	100	2	2	10	15	24	29	51
1. SINGLE DX	338	5.9	25	1	2	5	7	11	14	24
2. MULTIPLE DX	256	7.1	36	2	2	5	9	14	20	27
A. NOT OPERATED	518	6.0	21	2	2	5	7	11	14	22
B. OPERATED	76	9.5	80	1	2	8	13	22	26	47
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	23	8.6	64	1	2	5	12	20	26	34
1-5 YRS	54	5.7	61	1	1	4	6	13	13	53
6-12 YRS	124	6.1	26	2	2	5	7	12	14	29
13-19 YRS	392	6.5	25	2	2	5	8	12	16	23
GRAND TOTAL	**594**	**6.4**	**30**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	7	2.6	2	1	1	3	4	4	4	4
13-19 YRS	200	3.4	6	1	1	3	4	6	8	15
B. *Operated*										
0-27 DYS	5	9.0	41	5	5	6	12	20	20	20
1-11 MOS	6	8.3	5	5	5	8	11	11	11	11
1-5 YRS	6	4.5	5	2	2	5	6	7	7	7
6-12 YRS	29	5.9	11	2	2	6	7	9	10	19
13-19 YRS	1170	7.2	7	4	5	7	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	3	5.3	9	2	2	6	7	8	8	8
1-5 YRS	5	5.6	13	2	2	5	8	11	11	11
6-12 YRS	5	5.0	17	2	2	3	7	12	12	12
13-19 YRS	124	4.3	9	1	1	3	5	9	10	15
B. *Operated*										
0-27 DYS	4	9.0	4	6	6	10	10	10	10	10
1-11 MOS	14	9.3	10	5	6	9	12	14	14	14
1-5 YRS	5	8.6	63	1	1	7	15	20	20	20
6-12 YRS	14	9.0	12	3	5	9	11	12	16	17
13-19 YRS	577	9.2	20	5	5	8	11	15	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	3.4	6	1	1	3	4	6	8	15
B. *Operated*	1216	7.2	8	4	5	6	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	139	4.4	9	1	1	3	5	9	11	15
B. *Operated*	614	9.2	20	5	5	8	11	14	17	24
1. SINGLE DX	1425	6.6	9	2	3	6	8	10	12	16
2. MULTIPLE DX	753	8.3	22	2	3	7	10	14	16	23
A. NOT OPERATED	348	3.8	8	1	1	3	5	7	9	15
B. OPERATED	1830	7.8	13	4	5	7	9	12	14	20
TOTAL 0-27 DYS	11	7.9	23	3	3	6	10	14	20	20
1-11 MOS	24	8.5	9	4	5	8	11	13	14	14
1-5 YRS	17	6.1	23	1	2	6	7	13	18	20
6-12 YRS	55	6.2	14	2	2	6	8	11	12	19
13-19 YRS	2071	7.2	14	2	3	6	9	12	14	20
GRAND TOTAL	**2178**	**7.2**	**14**	**2**	**3**	**6**	**9**	**12**	**14**	**20**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.0	4	1	1	3	4	5	5	5
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	6.8	20	2	2	7	10	13	13	13
13-19 YRS	174	3.8	6	1	2	3	5	7	8	15
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	3	7.3	2	6	6	7	8	9	9	9
13-19 YRS	126	7.6	12	4	5	7	9	12	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	3	5.7	22	2	2	4	9	11	11	11
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	10	4.8	4	2	2	5	6	7	8	8
13-19 YRS	167	4.6	8	1	2	4	6	8	9	12
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	9.3	16	6	6	8	12	15	15	15
1-5 YRS										
6-12 YRS	3	5.3	5	4	4	4	7	8	8	8
13-19 YRS	114	9.2	24	4	6	8	10	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	3.9	7	1	2	3	5	7	9	15
B. *Operated*	131	7.6	11	4	5	7	9	11	16	19
2. MULTIPLE DX										
A. *Not Operated*	184	4.5	8	1	2	4	6	8	9	12
B. *Operated*	122	9.1	23	4	5	8	10	14	18	32
1. SINGLE DX	314	5.4	12	1	2	5	7	9	12	19
2. MULTIPLE DX	306	6.4	19	2	2	6	8	11	14	24
A. NOT OPERATED	367	4.2	7	1	2	4	5	8	9	13
B. OPERATED	253	8.3	18	4	5	7	9	13	17	25
TOTAL 0-27 DYS	4	5.3	13	2	2	4	8	10	10	10
1-11 MOS	11	6.2	17	1	2	5	8	13	15	15
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	21	5.7	8	2	2	5	7	9	11	13
13-19 YRS	581	5.9	16	1	2	5	8	10	13	20
GRAND TOTAL	**620**	**5.9**	**16**	**1**	**2**	**5**	**8**	**10**	**13**	**20**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	10	4.9	17	1	1	3	6	12	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS										
13-19 YRS	37	9.8	21	5	6	9	12	17	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	12	4.2	5	1	2	4	5	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	14.0	8	12	12	14	16	16	16	16
13-19 YRS	28	10.1	19	5	5	9	12	16	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.6	16	1	1	3	5	12	14	14
B. *Operated*	38	9.9	22	5	6	9	12	17	19	24
2. MULTIPLE DX										
A. *Not Operated*	15	4.6	7	1	2	4	7	9	10	10
B. *Operated*	30	10.4	19	5	6	10	12	16	18	23
1. SINGLE DX	49	8.7	25	2	3	8	11	16	18	24
2. MULTIPLE DX	45	8.5	22	2	3	7	11	15	17	23
A. NOT OPERATED	26	4.6	10	1	2	3	6	10	11	14
B. OPERATED	68	10.1	20	5	6	9	12	17	18	24
TOTAL 0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	4	10.0	35	2	2	11	14	16	16	16
13-19 YRS	87	8.6	23	2	3	8	11	15	18	24
GRAND TOTAL	**94**	**8.6**	**23**	**2**	**3**	**8**	**11**	**16**	**18**	**24**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	7.7	24	2	2	10	11	11	11	11
1-5 YRS	5	5.6	7	<1	<1	6	7	8	8	8
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	10	6.0	20	1	1	4	10	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	7	8.4	65	1	1	5	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	14.1	15	10	10	14	15	21	22	22
1-5 YRS	4	7.0	12	2	2	8	9	10	10	10
6-12 YRS	3	7.7	33	1	1	11	11	11	11	11
13-19 YRS	12	4.6	6	<1	1	4	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.7	16	7	7	10	14	15	15	15
1-5 YRS										
6-12 YRS										
13-19 YRS	15	15.1	76	2	2	15	18	25	33	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.7	15	<1	1	4	8	12	13	13
B. *Operated*	10	8.3	48	1	1	7	13	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	27	7.8	26	1	2	8	11	14	16	22
B. *Operated*	18	14.4	67	2	3	15	17	24	32	36
1. SINGLE DX	31	6.5	26	1	1	5	10	13	18	19
2. MULTIPLE DX	45	10.4	52	1	2	10	15	19	23	36
A. NOT OPERATED	48	6.9	22	1	1	6	10	13	14	22
B. OPERATED	28	12.2	67	1	2	13	17	20	26	36
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	14	11.9	20	3	6	12	14	16	21	22
1-5 YRS	10	6.5	9	<1	1	7	8	9	10	10
6-12 YRS	6	5.0	22	1	1	3	11	11	11	11
13-19 YRS	44	9.1	60	1	2	6	15	19	22	36
GRAND TOTAL	**76**	**8.8**	**45**	**1**	**2**	**8**	**13**	**17**	**20**	**33**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	14	7.7	8	4	5	7	8	12	14	15
6-12 YRS	43	5.6	10	1	2	5	8	8	11	17
13-19 YRS	297	5.5	10	1	2	5	7	9	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	7	13.7	120	2	3	8	25	29	29	29
13-19 YRS	26	10.2	57	1	2	10	13	23	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	9.0	129	1	1	4	17	22	22	22
1-5 YRS	13	7.8	46	1	2	7	8	15	26	28
6-12 YRS	41	8.2	99	1	2	5	10	16	19	62
13-19 YRS	229	6.7	40	2	2	5	8	11	16	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	24.0	392	10	10	24	38	38	38	38
6-12 YRS	5	8.2	7	5	5	8	10	12	12	12
13-19 YRS	58	18.9	311	3	4	13	23	42	57	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	5.6	10	1	2	5	7	9	11	17
B. *Operated*	34	10.9	67	1	2	9	13	25	29	32
2. MULTIPLE DX										
A. *Not Operated*	287	7.0	49	2	2	5	8	12	17	36
B. *Operated*	65	18.2	293	3	5	12	20	41	56	89
1. SINGLE DX	390	6.0	17	1	2	5	8	11	13	25
2. MULTIPLE DX	352	9.1	112	2	3	6	10	17	28	62
A. NOT OPERATED	643	6.2	28	2	2	5	8	11	14	23
B. OPERATED	99	15.7	227	2	3	11	17	32	47	82
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	6.2	80	1	1	3	8	22	22	22
1-5 YRS	30	8.8	53	2	3	7	9	13	28	38
6-12 YRS	96	7.4	58	2	2	6	8	13	18	47
13-19 YRS	610	7.4	66	2	2	5	8	13	18	46
GRAND TOTAL	742	7.5	65	2	2	6	8	13	18	44

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	24	3.2	7	<1	1	3	4	7	10	11
1-11 MOS	64	3.0	4	1	1	2	4	6	7	10
1-5 YRS	116	2.8	2	1	1	3	4	5	5	8
6-12 YRS	83	3.6	12	1	1	3	4	7	8	23
13-19 YRS	165	3.7	5	1	1	3	5	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	3.7	5	2	2	3	4	8	8	8
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	11	5.8	14	1	2	5	7	11	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	5.0	11	1	1	5	8	10	12	13
1-11 MOS	53	4.4	15	1	1	3	5	9	13	20
1-5 YRS	143	4.0	23	1	1	3	4	6	10	34
6-12 YRS	107	4.0	8	1	1	3	5	8	9	16
13-19 YRS	284	4.2	13	1	1	3	5	7	9	21
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	7.7	9	5	5	7	10	11	11	11
1-5 YRS	17	7.5	46	1	1	7	8	19	24	25
6-12 YRS	16	6.9	35	1	1	6	10	12	20	24
13-19 YRS	56	9.2	53	2	3	7	11	17	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	3.3	6	1	1	3	4	6	7	10
B. *Operated*	20	5.0	10	1	2	4	6	8	12	15
2. MULTIPLE DX										
A. *Not Operated*	606	4.2	15	1	1	3	5	8	10	21
B. *Operated*	93	8.4	47	1	2	7	11	16	24	36
1. SINGLE DX	472	3.4	6	1	1	3	4	6	8	10
2. MULTIPLE DX	699	4.7	21	1	1	3	6	9	12	25
A. NOT OPERATED	1058	3.8	11	1	1	3	5	7	9	17
B. OPERATED	113	7.8	42	1	2	6	10	15	23	35
TOTAL 0-27 DYS	44	4.1	10	1	1	3	5	9	10	13
1-11 MOS	121	3.7	10	1	1	3	5	7	10	18
1-5 YRS	282	3.7	17	1	1	3	4	6	9	28
6-12 YRS	208	4.1	12	1	1	3	5	8	10	20
13-19 YRS	516	4.6	17	1	1	4	6	8	11	24
GRAND TOTAL	1171	4.2	15	1	1	3	5	8	10	23

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	59	3.5	2	1	2	3	4	6	7	7
1-11 MOS	159	4.2	9	1	2	4	5	7	10	17
1-5 YRS	60	4.5	9	1	1	4	5	10	11	14
6-12 YRS	15	3.7	6	2	2	3	5	6	10	11
13-19 YRS	7	7.6	33	3	3	4	11	17	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS	3	13.3	246	1	1	8	25	31	31	31
1-5 YRS	13	2.8	5	<1	<1	2	3	6	8	9
6-12 YRS	5	2.4	10	<1	<1	1	3	8	8	8
13-19 YRS	3	21.0	192	13	13	13	31	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	33	4.3	7	2	2	3	6	8	11	12
1-11 MOS	178	5.3	16	2	2	4	6	9	14	22
1-5 YRS	75	6.2	24	2	2	5	8	12	16	24
6-12 YRS	13	3.8	4	1	2	3	5	7	9	9
13-19 YRS	8	8.6	65	2	3	5	11	23	26	26
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	10.8	118	4	4	8	11	23	41	44
1-5 YRS	5	11.2	65	5	5	8	16	24	24	24
6-12 YRS	7	18.1	1283	<1	<1	5	10	81	99	99+
13-19 YRS	7	7.0	11	1	2	9	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	4.2	8	1	2	3	5	7	10	16
B. *Operated*	24	6.3	88	<1	<1	2	8	15	33	37
2. MULTIPLE DX										
A. *Not Operated*	307	5.4	18	2	2	4	6	10	14	24
B. *Operated*	32	11.4	317	1	2	7	10	17	42	99
1. SINGLE DX	324	4.3	14	1	2	3	5	8	11	19
2. MULTIPLE DX	339	6.0	49	2	2	4	7	11	15	26
A. NOT OPERATED	607	4.8	14	2	2	4	6	9	11	22
B. OPERATED	56	9.2	222	<1	1	5	10	14	35	96
TOTAL 0-27 DYS	93	3.8	4	2	2	3	5	7	7	12
1-11 MOS	352	5.0	19	2	2	4	6	9	12	22
1-5 YRS	153	5.4	19	1	2	4	7	10	14	24
6-12 YRS	40	6.1	234	<1	1	3	5	8	11	99
13-19 YRS	25	9.4	66	2	3	8	12	18	29	37
GRAND TOTAL	**663**	**5.2**	**32**	**1**	**2**	**4**	**6**	**9**	**13**	**25**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	3.3	3	1	1	3	5	6	6	6
1-5 YRS	164	6.9	24	1	2	6	9	14	18	24
6-12 YRS	128	7.3	34	1	2	6	9	15	18	33
13-19 YRS	90	5.5	12	1	2	5	7	10	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	33	5.0	22	1	2	3	6	11	16	22
6-12 YRS	49	4.7	18	1	2	3	6	10	16	18
13-19 YRS	111	4.4	16	2	2	3	5	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.8	6	2	2	4	6	8	8	8
1-5 YRS	91	7.9	29	2	2	6	11	16	20	21
6-12 YRS	112	5.7	16	1	2	5	7	11	12	20
13-19 YRS	106	6.6	28	1	2	5	8	14	19	25
B. *Operated*										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	2	11.0	32	7	7	11	15	15	15	15
1-5 YRS	15	8.7	113	1	1	5	14	39	83	99+
6-12 YRS	27	5.4	20	1	2	4	7	14	16	16
13-19 YRS	116	8.8	87	1	2	6	12	16	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	6.7	25	1	2	5	9	13	16	23
B. *Operated*	194	4.5	17	2	2	3	6	10	15	21
2. MULTIPLE DX										
A. *Not Operated*	313	6.6	24	1	2	5	9	13	17	22
B. *Operated*	162	8.2	77	1	2	5	11	16	24	61
1. SINGLE DX	584	6.0	23	1	2	4	8	12	16	23
2. MULTIPLE DX	475	7.2	43	1	2	5	9	15	19	38
A. NOT OPERATED	703	6.7	25	1	2	5	9	13	17	23
B. OPERATED	356	6.2	48	1	2	3	8	14	18	45
TOTAL 0-27 DYS	3	5.3	9	2	2	6	7	8	8	8
1-11 MOS	14	4.7	13	1	2	4	6	9	14	15
1-5 YRS	303	7.1	30	1	2	6	10	15	19	24
6-12 YRS	316	6.1	25	1	2	5	8	13	16	24
13-19 YRS	423	6.4	40	2	2	4	8	13	18	27
GRAND TOTAL	**1059**	**6.5**	**32**	**1**	**2**	**5**	**9**	**13**	**17**	**26**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	50	4.6	6	2	2	4	6	6	11	13
6-12 YRS	127	5.9	13	2	2	5	7	11	13	19
13-19 YRS	59	4.9	11	1	2	4	6	8	13	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	10.0	166	2	2	5	18	29	29	29
6-12 YRS	8	5.6	32	2	2	4	6	15	19	19
13-19 YRS	16	4.9	16	1	1	4	6	8	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	43	6.3	25	1	2	5	8	13	17	25
6-12 YRS	77	7.2	15	2	3	6	10	13	14	15
13-19 YRS	45	7.5	29	2	3	7	9	15	21	26
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	5.4	9	1	1	6	7	9	9	9
6-12 YRS	6	7.0	19	2	2	7	10	13	13	13
13-19 YRS	23	9.3	47	1	2	9	12	18	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	5.4	11	2	2	5	6	10	12	18
B. *Operated*	28	5.8	38	1	2	4	7	14	20	29
2. MULTIPLE DX										
A. *Not Operated*	165	7.1	21	2	3	6	9	13	15	25
B. *Operated*	34	8.3	38	1	2	7	12	16	23	26
1. SINGLE DX	266	5.4	14	2	2	5	6	10	13	19
2. MULTIPLE DX	199	7.3	24	2	2	6	10	13	16	25
A. NOT OPERATED	403	6.1	16	2	2	5	7	12	14	20
B. OPERATED	62	7.2	39	1	2	6	9	16	21	29
TOTAL 0-27 DYS										
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	102	5.6	20	1	2	5	6	11	14	27
6-12 YRS	218	6.4	15	2	2	6	8	12	14	19
13-19 YRS	143	6.4	25	1	2	5	7	13	17	26
GRAND TOTAL	465	6.2	19	2	2	5	8	12	15	24

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	7	1.7	1	<1	<1	1	2	4	4	4
13-19 YRS	6	3.8	5	<1	<1	4	5	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	6.5	83	1	1	3	12	20	20	20
6-12 YRS	21	9.5	186	<1	<1	3	11	34	42	48
13-19 YRS	44	8.7	82	<1	1	5	12	23	34	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	15.5	18	11	11	15	18	21	21	21
1-5 YRS	10	11.3	347	1	1	4	8	41	62	62
6-12 YRS	25	5.7	40	<1	1	2	6	16	22	23
13-19 YRS	36	4.1	17	<1	1	3	6	10	13	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.7	2	5	5	7	8	8	8	8
6-12 YRS	32	7.2	84	<1	1	4	7	27	35	99+
13-19 YRS	135	7.9	78	<1	<1	4	11	19	27	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.2	14	<1	<1	2	4	6	12	17
B. *Operated*	69	8.8	111	<1	1	4	11	24	38	90
2. MULTIPLE DX										
A. *Not Operated*	75	6.2	74	<1	1	3	7	16	21	52
B. *Operated*	170	7.8	78	<1	<1	4	11	21	32	88
1. SINGLE DX	88	7.6	95	<1	1	3	9	22	33	80
2. MULTIPLE DX	245	7.3	77	<1	<1	4	10	19	26	63
A. NOT OPERATED	94	5.6	63	<1	1	3	6	14	20	45
B. OPERATED	239	8.1	87	<1	<1	4	11	22	33	99+
TOTAL 0-27 DYS										
1-11 MOS	5	15.8	14	11	11	16	21	92	99+	99+
1-5 YRS	22	7.6	176	1	1	4	7	20	37	62
6-12 YRS	85	6.9	91	<1	1	3	6	22	34	81
13-19 YRS	221	7.3	69	<1	<1	4	10	19	26	40
GRAND TOTAL	333	7.4	81	<1	<1	4	10	20	28	67

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	3.7		3	3	4	4	4	4	4
1-5 YRS	10	7.7	74	1	1	5	6	23	26	26
6-12 YRS	6	7.3	64	1	1	4	13	20	21	21
13-19 YRS	9	5.3	39	1	1	2	7	16	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	7	4.9	18	<1	<1	3	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	11	7.8	30	<1	1	9	12	15	16	16
1-5 YRS	12	6.0	24	1	1	4	9	14	15	15
6-12 YRS	12	3.7	4	<1	1	3	5	7	8	8
13-19 YRS	19	6.1	33	<1	1	4	7	16	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS	2	30.0	512	14	14	30	46	46	46	46
1-5 YRS	3	13.0	49	5	5	15	17	18	18	18
6-12 YRS	5	18.6	99	7	7	21	29	93	99+	99+
13-19 YRS	51	4.7	69	<1	<1	<1	5	13	16	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	6.5	48	1	1	4	7	20	21	26
B. *Operated*	10	3.8	15	<1	<1	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	56	5.9	24	<1	1	4	8	14	16	21
B. *Operated*	61	7.1	109	<1	<1	<1	9	24	39	93
1. SINGLE DX	39	5.8	41	1	1	4	8	17	21	26
2. MULTIPLE DX	117	6.5	68	<1	<1	3	9	16	24	63
A. NOT OPERATED	85	6.1	32	1	1	4	8	15	21	24
B. OPERATED	71	6.6	97	<1	<1	1	9	19	34	88
TOTAL 0-27 DYS	3	7.3	2	6	6	7	8	9	9	9
1-11 MOS	17	9.4	115	<1	1	6	13	16	35	46
1-5 YRS	26	7.3	47	1	1	5	10	18	22	26
6-12 YRS	24	7.6	69	1	1	4	10	25	47	99+
13-19 YRS	86	5.1	53	<1	<1	2	6	12	20	41
GRAND TOTAL	156	6.4	61	<1	<1	3	9	16	22	46

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	4.2	2	2	2	4	5	6	7	7
1-5 YRS	153	4.3	4	2	2	4	5	7	8	11
6-12 YRS	232	4.2	4	2	2	4	5	7	8	12
13-19 YRS	714	4.3	5	2	2	4	5	7	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS	18	6.3	12	1	2	6	7	10	14	16
6-12 YRS	26	6.3	9	3	3	6	7	10	12	17
13-19 YRS	44	5.8	8	3	3	5	7	8	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5	2	2	2	3	4	5	5	5
1-11 MOS	22	5.0	6	2	3	4	7	9	10	11
1-5 YRS	144	4.8	5	2	2	4	6	7	9	11
6-12 YRS	168	4.8	8	2	2	4	6	8	9	15
13-19 YRS	727	4.9	6	2	2	5	6	8	9	14
B. *Operated*										
0-27 DYS	4	12.8	18	10	10	11	15	19	19	19
1-11 MOS	6	9.8	45	5	5	8	9	22	23	23
1-5 YRS	33	6.8	22	2	3	5	7	14	19	20
6-12 YRS	46	7.1	17	2	2	6	9	13	16	17
13-19 YRS	112	8.3	20	3	4	7	10	15	18	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1109	4.3	4	2	2	4	5	7	8	12
B. *Operated*	90	6.1	9	3	3	6	7	9	10	19
2. MULTIPLE DX										
A. *Not Operated*	1065	4.8	6	2	2	4	6	8	9	14
B. *Operated*	201	7.9	21	3	3	7	9	15	18	21
1. SINGLE DX	1199	4.4	5	2	2	4	5	7	8	12
2. MULTIPLE DX	1266	5.3	9	2	2	5	6	9	11	18
A. NOT OPERATED	2174	4.6	5	2	2	4	5	7	8	13
B. OPERATED	291	7.3	18	3	3	6	9	14	17	21
TOTAL 0-27 DYS	9	7.7	31	2	2	5	11	16	19	19
1-11 MOS	39	5.6	14	2	3	5	7	9	11	23
1-5 YRS	348	4.9	7	2	2	4	6	7	9	16
6-12 YRS	472	4.8	8	2	2	4	6	8	10	16
13-19 YRS	1597	4.9	7	2	2	4	6	8	9	16
GRAND TOTAL	2465	4.9	7	2	2	4	6	8	9	16

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	19	5.5	8	<1	1	6	7	9	10	10
1-5 YRS	179	4.4	10	2	2	4	5	7	10	15
6-12 YRS	268	4.2	25	1	2	4	5	7	8	13
13-19 YRS	772	4.2	4	2	2	4	5	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	22	3.6	8	<1	1	3	6	7	10	12
6-12 YRS	52	4.3	13	<1	1	3	6	8	9	22
13-19 YRS	88	6.5	80	1	1	5	8	11	13	58
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	28	5.9	10	2	2	6	8	10	11	14
1-5 YRS	138	5.2	11	2	2	4	7	10	12	17
6-12 YRS	164	4.7	20	2	2	4	5	8	9	15
13-19 YRS	735	4.9	11	2	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS	9	9.2	48	1	2	8	10	21	25	25
1-5 YRS	61	6.3	23	<1	1	5	9	13	15	25
6-12 YRS	102	5.0	15	<1	1	4	7	10	11	18
13-19 YRS	215	7.6	25	1	2	7	9	13	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1240	4.2	10	2	2	4	5	7	8	13
B. *Operated*	163	5.4	50	<1	1	5	7	10	11	22
2. MULTIPLE DX										
A. *Not Operated*	1065	4.9	12	2	2	4	6	8	10	15
B. *Operated*	387	6.8	24	1	1	6	9	13	16	25
1. SINGLE DX	1403	4.4	14	1	2	4	5	7	8	13
2. MULTIPLE DX	1452	5.4	16	1	2	5	7	10	12	19
A. NOT OPERATED	2305	4.6	11	2	2	4	5	8	9	14
B. OPERATED	550	6.3	32	1	1	5	8	12	15	24
TOTAL 0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	57	6.3	16	1	2	6	8	10	13	24
1-5 YRS	400	4.9	12	1	2	4	6	9	12	16
6-12 YRS	586	4.5	21	1	2	4	5	8	9	16
13-19 YRS	1810	5.0	14	2	2	4	6	8	11	19
GRAND TOTAL	**2855**	**4.9**	**15**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	28	2.5	3	1	1	2	3	4	5	8
13-19 YRS	186	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	2	10.5	13	8	8	10	13	13	13	13
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	23	7.6	17	1	2	8	11	14	15	15
13-19 YRS	87	7.1	20	2	2	7	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	2.0	4	1	1	1	3	5	5	5
6-12 YRS	15	4.0	5	1	2	3	6	7	8	8
13-19 YRS	129	3.6	8	1	1	3	5	7	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.0	19	3	3	4	9	11	11	11
1-5 YRS	8	9.5	28	2	2	11	13	16	17	17
6-12 YRS	26	9.7	111	1	2	8	10	14	41	47
13-19 YRS	75	10.7	62	1	3	9	14	19	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	2.6	3	1	1	2	3	5	6	9
B. *Operated*	114	7.4	22	2	2	7	9	13	15	26
2. MULTIPLE DX										
A. *Not Operated*	150	3.6	7	1	1	3	5	7	8	16
B. *Operated*	112	10.3	69	1	3	8	12	17	27	45
1. SINGLE DX	331	4.2	15	1	1	3	6	9	12	19
2. MULTIPLE DX	262	6.5	44	1	1	5	8	13	17	40
A. NOT OPERATED	367	3.0	5	1	1	2	4	6	7	11
B. OPERATED	226	8.8	47	2	2	8	11	15	21	41
TOTAL 0-27 DYS	3	11.0	156	1	1	7	20	25	25	25
1-11 MOS	7	6.3	19	2	2	4	10	13	13	13
1-5 YRS	14	6.9	28	1	1	6	12	13	16	17
6-12 YRS	92	6.0	45	1	1	4	8	11	14	44
13-19 YRS	477	5.0	25	1	1	3	7	10	14	26
GRAND TOTAL	**593**	**5.2**	**29**	**1**	**1**	**3**	**7**	**11**	**15**	**27**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	7	2.1	1	1	1	2	3	4	4	4
1-5 YRS	4	2.5	1	2	2	2	3	4	4	4
6-12 YRS	47	2.9	3	1	1	3	4	6	6	7
13-19 YRS	700	2.5	3	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	6	6.0	8	3	3	5	9	10	10	10
1-5 YRS	3	8.0	67	1	1	6	14	17	17	17
6-12 YRS	48	6.1	11	2	2	6	8	10	12	18
13-19 YRS	353	5.4	9	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	3	13.0	301	2	2	4	26	33	33	33
6-12 YRS	11	3.0	2	1	1	3	4	5	6	6
13-19 YRS	182	2.9	4	1	1	2	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.5	25	4	4	7	11	11	11	11
1-5 YRS	7	8.0	9	4	4	9	11	12	12	12
6-12 YRS	13	7.2	47	2	2	5	8	14	25	28
13-19 YRS	146	7.0	22	2	3	5	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	760	2.5	3	1	1	2	3	4	5	8
B. *Operated*	411	5.5	10	2	2	5	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	200	3.0	9	1	1	2	4	5	6	15
B. *Operated*	168	7.1	23	2	3	5	9	12	16	27
1. SINGLE DX	1171	3.5	7	1	1	3	5	7	9	12
2. MULTIPLE DX	368	4.9	19	1	1	4	6	10	12	25
A. NOT OPERATED	960	2.6	4	1	1	2	3	5	6	9
B. OPERATED	579	6.0	14	2	2	5	8	11	12	20
TOTAL 0-27 DYS	3	7.3	72	<1	<1	4	14	17	17	17
1-11 MOS	19	3.9	9	1	1	3	4	10	11	11
1-5 YRS	17	7.6	62	1	2	5	10	16	27	33
6-12 YRS	119	4.6	13	1	2	4	6	9	11	21
13-19 YRS	1381	3.7	9	1	1	3	5	8	10	16
GRAND TOTAL	**1539**	**3.9**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	20	4.7	23	1	1	3	7	11	16	19
1-5 YRS	43	2.9	13	<1	<1	2	3	5	9	21
6-12 YRS	39	2.7	4	1	1	2	3	6	7	8
13-19 YRS	51	2.6	3	1	1	2	3	5	6	7
B. *Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	23	7.0	39	<1	1	6	10	12	21	28
1-5 YRS	472	5.3	19	<1	1	5	8	11	12	17
6-12 YRS	460	6.4	20	<1	1	7	9	12	14	19
13-19 YRS	282	7.1	29	1	1	7	10	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.7	4	2	2	4	7	7	7	7
1-11 MOS	34	6.9	46	1	1	5	9	15	24	31
1-5 YRS	85	4.2	17	1	1	3	5	8	11	23
6-12 YRS	61	3.6	11	<1	1	3	4	7	9	22
13-19 YRS	108	3.8	5	1	1	3	5	6	8	12
B. *Operated*										
0-27 DYS	2	13.5	221	3	3	13	24	24	24	24
1-11 MOS	40	10.7	102	1	2	8	14	24	34	47
1-5 YRS	522	6.3	30	<1	1	5	9	13	16	22
6-12 YRS	547	7.0	37	<1	1	7	10	14	17	31
13-19 YRS	367	8.6	35	1	2	8	11	15	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.0	9	1	1	2	3	6	7	19
B. *Operated*	1239	6.2	22	<1	1	6	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	294	4.2	15	1	1	3	5	8	11	24
B. *Operated*	1478	7.2	37	<1	1	7	10	14	17	31
1. SINGLE DX	1392	5.8	22	<1	1	5	9	11	14	20
2. MULTIPLE DX	1772	6.7	35	<1	1	6	10	13	17	29
A. NOT OPERATED	447	3.8	13	1	1	3	5	7	10	22
B. OPERATED	2717	6.7	31	<1	1	7	10	13	16	26
TOTAL 0-27 DYS	10	6.1	43	1	1	4	7	16	24	24
1-11 MOS	117	7.8	64	1	1	6	10	15	26	43
1-5 YRS	1122	5.6	24	<1	1	4	9	12	14	20
6-12 YRS	1107	6.4	29	<1	1	6	9	12	15	25
13-19 YRS	808	7.0	31	1	1	6	10	13	17	26
GRAND TOTAL	**3164**	**6.3**	**29**	**<1**	**1**	**6**	**9**	**12**	**16**	**25**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.5	3	1	1	2	3	5	6	6
13-19 YRS	52	2.4	2	<1	<1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.8	63	1	1	2	8	20	21	21
6-12 YRS	11	6.6	22	1	3	5	8	14	18	18
13-19 YRS	28	5.4	12	1	1	5	6	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	16	4.0	3	2	2	4	5	7	7	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	8	6.5	14	1	1	7	9	11	12	12
6-12 YRS	6	3.8	1	3	3	4	5	5	5	5
13-19 YRS	36	6.5	33	2	2	4	9	11	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.4	2	<1	1	2	3	4	5	8
B. *Operated*	45	5.8	20	1	1	5	7	13	14	21
2. MULTIPLE DX										
A. *Not Operated*	18	3.8	3	2	2	4	4	7	7	7
B. *Operated*	51	6.1	26	2	2	4	9	11	15	32
1. SINGLE DX	105	3.9	13	<1	1	3	5	8	12	19
2. MULTIPLE DX	69	5.5	21	2	2	4	7	10	12	29
A. NOT OPERATED	78	2.7	3	<1	1	2	4	5	6	8
B. OPERATED	96	6.0	23	1	2	5	8	12	14	27
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	14	6.2	32	1	1	6	9	13	19	21
6-12 YRS	27	4.5	13	1	1	4	5	8	13	18
13-19 YRS	132	4.4	16	1	1	3	5	9	11	18
GRAND TOTAL	174	4.5	17	1	1	3	6	9	12	20

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.7	10	<1	<1	3	3	9	10	10
1-5 YRS	121	3.0	3	1	1	3	4	5	6	10
6-12 YRS	177	3.1	3	1	1	3	4	5	6	9
13-19 YRS	215	3.2	4	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	157	2.4	3	<1	1	2	3	5	7	9
6-12 YRS	248	2.2	3	<1	<1	2	3	5	6	8
13-19 YRS	377	3.0	16	<1	1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	5.1	2	3	3	6	6	7	7	7
1-5 YRS	105	3.7	9	1	1	3	4	6	7	19
6-12 YRS	151	3.5	4	1	1	3	4	6	7	10
13-19 YRS	308	4.0	7	1	2	4	5	7	9	14
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	4.4	8	2	2	4	6	9	9	9
1-5 YRS	281	2.4	3	<1	<1	2	3	5	6	8
6-12 YRS	389	2.7	4	<1	1	2	3	5	6	10
13-19 YRS	589	3.7	10	1	1	3	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	3.1	3	1	1	3	4	5	6	10
B. *Operated*	786	2.6	10	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	572	3.8	6	1	1	3	5	6	8	13
B. *Operated*	1265	3.1	7	<1	1	2	4	6	8	15
1. SINGLE DX	1306	2.8	7	<1	1	2	4	5	6	10
2. MULTIPLE DX	1837	3.3	7	1	1	3	4	6	8	14
A. NOT OPERATED	1092	3.5	5	1	1	3	4	6	7	11
B. OPERATED	2051	2.9	8	<1	1	2	4	6	7	14
TOTAL 0-27 DYS	4	4.0	5	2	2	3	5	7	7	7
1-11 MOS	21	4.2	6	1	2	3	6	8	9	10
1-5 YRS	664	2.7	4	<1	1	2	4	5	6	9
6-12 YRS	965	2.8	4	<1	1	2	4	5	6	9
13-19 YRS	1489	3.5	10	1	1	3	4	6	9	15
GRAND TOTAL	3143	3.1	7	<1	1	2	4	6	7	13

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	1.8	2	<1	<1	1	2	4	5	5
6-12 YRS	9	2.6	4	1	1	2	3	6	7	7
13-19 YRS	12	3.2	5	<1	1	2	5	7	8	8
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	32	1.7	2	<1	<1	1	2	3	6	6
1-5 YRS	1596	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	1285	1.6	2	<1	<1	1	2	3	3	6
13-19 YRS	519	2.6	7	<1	1	2	3	4	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.8	7	<1	<1	1	5	7	7	7
1-5 YRS	28	1.5	1	<1	<1	1	2	3	3	4
6-12 YRS	26	1.7	1	<1	<1	1	2	3	4	5
13-19 YRS	16	2.4	2	<1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	15	2.1	4	1	1	1	2	6	7	7
1-5 YRS	1125	1.9	2	<1	<1	1	2	3	4	8
6-12 YRS	1247	1.9	2	<1	<1	1	2	4	5	8
13-19 YRS	591	3.4	21	1	1	2	4	6	8	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.4	4	<1	<1	2	3	5	7	8
B. *Operated*	3433	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	75	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*	2978	2.2	6	<1	<1	2	2	4	6	10
1. SINGLE DX	3470	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	3053	2.2	6	<1	<1	2	2	4	6	10
A. NOT OPERATED	112	2.0	2	<1	<1	1	3	4	5	8
B. OPERATED	6411	1.9	4	<1	<1	1	2	3	5	9
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	52	1.9	3	<1	<1	1	2	4	6	7
1-5 YRS	2765	1.6	2	<1	<1	1	2	3	4	7
6-12 YRS	2567	1.8	2	<1	<1	1	2	3	4	7
13-19 YRS	1138	3.0	14	<1	1	2	3	6	8	18
GRAND TOTAL	6523	1.9	4	<1	<1	1	2	3	5	9

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	62	5.4	17	2	2	5	6	9	11	27
1-11 MOS	288	4.1	6	1	2	4	5	7	9	13
1-5 YRS	830	3.2	4	1	1	3	4	6	7	10
6-12 YRS	717	3.1	3	1	1	3	4	5	6	10
13-19 YRS	967	3.3	4	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	4	5.3	7	3	3	5	7	8	8	8
1-11 MOS	43	3.9	12	<1	1	3	5	9	12	14
1-5 YRS	746	2.2	5	<1	<1	1	2	5	7	10
6-12 YRS	860	2.3	4	<1	<1	2	2	5	7	10
13-19 YRS	772	2.8	8	<1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	101	5.8	15	2	3	5	7	11	14	21
1-11 MOS	524	4.9	9	2	2	4	6	8	11	14
1-5 YRS	1109	4.1	7	1	1	3	5	7	9	13
6-12 YRS	855	3.6	5	1	1	3	4	7	8	12
13-19 YRS	1516	4.3	12	1	1	4	5	8	10	16
B. *Operated*										
0-27 DYS	17	6.6	29	2	2	4	8	13	19	23
1-11 MOS	106	5.9	21	1	1	5	8	11	14	22
1-5 YRS	1119	2.7	9	<1	1	2	3	7	9	14
6-12 YRS	1135	2.8	9	<1	1	2	3	6	9	15
13-19 YRS	1067	4.0	14	1	1	3	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2864	3.3	5	1	1	3	4	6	7	11
B. *Operated*	2425	2.4	6	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	4105	4.2	9	1	1	4	5	8	9	14
B. *Operated*	3444	3.3	12	<1	1	2	4	7	10	17
1. SINGLE DX	5289	2.9	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	7549	3.8	11	1	1	3	5	7	9	15
A. NOT OPERATED	6969	3.9	8	1	1	3	5	7	8	13
B. OPERATED	5869	2.9	10	<1	1	2	3	7	9	15
TOTAL 0-27 DYS	184	5.7	17	2	2	5	7	11	13	24
1-11 MOS	961	4.7	10	1	2	4	6	9	11	15
1-5 YRS	3804	3.1	7	<1	1	2	4	6	8	12
6-12 YRS	3567	2.9	6	<1	1	2	4	6	8	12
13-19 YRS	4322	3.7	10	1	1	3	5	7	9	15
GRAND TOTAL	12838	3.4	9	1	1	3	4	7	9	14

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	8	7.8	7	5	5	7	9	12	13	13
1-5 YRS	9	4.6	8	<1	<1	6	7	7	7	7
6-12 YRS	10	5.8	29	<1	1	5	6	13	20	20
13-19 YRS	8	4.4	8	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.0	32	5	5	9	13	13	13	13
6-12 YRS										
13-19 YRS	5	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	15	10.3	44	2	2	8	16	19	22	23
1-5 YRS	10	5.5	15	2	2	4	7	11	15	15
6-12 YRS	5	7.4	34	2	2	6	10	17	17	17
13-19 YRS	9	7.0	75	<1	<1	5	8	21	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0		3	3	3	3	3	3	3
B. *Operated*	35	5.6	14	<1	1	6	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	7	4.6	16	1	1	4	5	11	13	13
B. *Operated*	40	7.9	42	1	2	6	9	18	21	29
1. SINGLE DX	37	5.5	14	<1	1	6	7	9	12	20
2. MULTIPLE DX	47	7.4	39	1	2	6	8	17	20	29
A. NOT OPERATED	9	4.2	12	1	1	3	4	10	13	13
B. OPERATED	75	6.8	30	1	2	6	8	16	19	27
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	24	9.2	32	2	3	8	12	19	20	23
1-5 YRS	21	5.4	13	<1	1	5	7	10	14	15
6-12 YRS	15	6.3	29	<1	2	6	6	17	19	20
13-19 YRS	23	5.0	33	<1	1	3	6	8	16	29
GRAND TOTAL	84	6.5	29	1	2	6	8	18	19	27

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	52	3.3	8	1	1	2	4	8	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	12	6.5	264	<1	<1	2	3	20	53	58
13-19 YRS	72	2.7	4	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS										
6-12 YRS	4	3.0	1	2	2	3	4	4	4	4
13-19 YRS	48	4.4	10	1	1	4	6	8	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.0	512	1	1	17	33	33	33	33
6-12 YRS	5	3.0	5	2	2	2	4	7	7	7
13-19 YRS	101	3.7	13	1	1	2	5	7	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.3	8	1	1	2	4	8	9	15
B. *Operated*	86	3.2	39	<1	1	2	3	5	7	41
2. MULTIPLE DX										
A. *Not Operated*	54	4.2	9	1	2	3	6	7	11	14
B. *Operated*	108	3.9	20	1	1	2	5	7	13	27
1. SINGLE DX	138	3.2	27	<1	1	2	4	6	8	20
2. MULTIPLE DX	162	4.0	16	1	1	3	5	7	12	21
A. NOT OPERATED	106	3.8	8	1	1	3	5	8	10	15
B. OPERATED	194	3.6	29	<1	1	2	4	7	9	28
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	4	9.3	251	<1	<1	1	17	33	33	33
6-12 YRS	21	5.0	150	<1	1	2	3	5	30	58
13-19 YRS	273	3.5	9	1	1	2	4	7	9	14
GRAND TOTAL	300	3.6	21	1	1	2	4	7	9	18

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	16	1.2		<1	<1	1	1	2	2	2
1-5 YRS	16	1.3		<1	<1	1	2	2	2	2
6-12 YRS	10	1.6		1	1	2	2	2	2	2
13-19 YRS	4	2.3	4	<1	<1	1	3	5	5	5
B. Operated										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	159	1.8	1	<1	<1	2	2	3	3	4
1-5 YRS	606	2.0	1	<1	1	2	2	3	4	7
6-12 YRS	225	2.2	1	<1	1	2	3	3	4	6
13-19 YRS	390	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	22	1.4	1	<1	<1	1	1	3	4	4
1-5 YRS	58	1.9	7	<1	<1	1	1	4	5	18
6-12 YRS	6	1.3		<1	<1	1	2	2	2	2
13-19 YRS	9	2.1	2	<1	<1	2	3	4	4	4
B. Operated										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	153	2.1	3	<1	<1	2	2	4	5	8
1-5 YRS	633	2.1	3	<1	<1	2	3	3	4	7
6-12 YRS	221	2.4	1	<1	1	2	3	4	4	5
13-19 YRS	210	3.5	3	1	2	3	4	5	7	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	1.4	1	<1	<1	1	2	2	2	5
B. Operated	1383	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	95	1.7	5	<1	<1	1	2	4	4	14
B. Operated	1219	2.4	3	<1	1	2	3	4	5	8
1. SINGLE DX	1429	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	1314	2.4	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	141	1.6	3	<1	<1	1	2	3	4	10
B. OPERATED	2602	2.4	2	<1	1	2	3	4	5	7
TOTAL 0-27 DYS	5	2.2	1	<1	<1	3	3	3	3	3
1-11 MOS	350	1.9	2	<1	<1	2	2	3	4	6
1-5 YRS	1313	2.1	2	<1	<1	2	2	3	4	7
6-12 YRS	462	2.3	1	<1	1	2	3	4	4	5
13-19 YRS	613	3.2	2	1	1	3	4	5	6	8
GRAND TOTAL	**2743**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	14	2.4	2	<1	1	2	3	5	5	5
6-12 YRS	93	3.3	5	1	1	3	4	7	7	10
13-19 YRS	446	4.2	6	1	2	4	5	8	9	12
B. Operated										
0-27 DYS										
1-11 MOS	3	3.0		3	3	3	3	3	3	3
1-5 YRS	9	2.3	2	<1	<1	2	3	5	5	5
6-12 YRS	51	3.1	8	1	1	2	4	6	9	17
13-19 YRS	117	4.2	12	1	1	3	5	9	11	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	4.1	6	2	2	3	6	8	8	8
6-12 YRS	23	5.7	15	1	2	5	7	12	15	16
13-19 YRS	143	4.7	7	1	2	4	6	9	10	14
B. Operated										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	17	3.6	17	1	1	2	4	7	14	18
6-12 YRS	31	4.4	11	1	1	3	6	9	12	14
13-19 YRS	89	5.3	14	1	2	4	7	11	14	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	554	4.0	6	1	1	4	5	7	9	12
B. Operated	180	3.8	10	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	176	4.8	8	1	2	4	6	9	10	15
B. Operated	141	4.8	14	1	1	4	7	10	13	18
1. SINGLE DX	734	4.0	7	1	1	3	5	7	9	13
2. MULTIPLE DX	317	4.8	11	1	2	4	6	9	11	16
A. NOT OPERATED	730	4.2	7	1	1	4	5	8	[illegible]	13
B. OPERATED	321	4.3	12	1	1	3	5	9	11	17
TOTAL 0-27 DYS	3	5.0	16	1	1	5	8	9	9	9
1-11 MOS	7	3.0	1	1	1	3	4	4	4	4
1-5 YRS	48	3.1	8	1	1	2	4	6	7	18
6-12 YRS	198	3.7	9	1	1	3	5	7	9	16
13-19 YRS	795	4.4	8	1	2	4	6	8	10	14
GRAND TOTAL	**1051**	**4.2**	**8**	**1**	**1**	**4**	**5**	**8**	**10**	**14**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	1.1		<1	<1	1	1	2	2	2
1-11 MOS	45	1.4		<1	<1	1	2	2	3	4
1-5 YRS	526	1.5	1	<1	<1	1	2	2	2	4
6-12 YRS	278	1.6	1	<1	<1	2	2	2	3	4
13-19 YRS	191	1.8	1	<1	<1	2	2	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS	372	1.4		<1	<1	1	2	2	2	3
1-5 YRS	1790	1.6	1	<1	<1	2	2	2	2	4
6-12 YRS	1101	1.7	1	<1	<1	2	2	2	3	4
13-19 YRS	782	2.0	1	<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	2.4	4	<1	<1	1	4	5	5	5
1-11 MOS	48	1.7	2	<1	<1	1	2	4	5	8
1-5 YRS	183	1.3		<1	<1	1	2	2	3	4
6-12 YRS	61	1.8	1	<1	<1	2	2	3	3	4
13-19 YRS	34	2.2	2	<1	<1	2	3	3	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS	64	2.3	7	<1	<1	2	2	4	6	18
1-5 YRS	442	1.9	2	<1	1	2	2	3	4	7
6-12 YRS	300	2.1	1	<1	<1	2	2	3	4	6
13-19 YRS	245	2.6	3	1	1	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	1.6	1	<1	<1	1	2	2	3	4
B. *Operated*	4045	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	331	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	1051	2.1	2	<1	1	2	2	3	5	7
1. SINGLE DX	5099	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	1382	2.0	2	<1	<1	2	2	3	4	7
A. NOT OPERATED	1385	1.6	1	<1	<1	1	2	2	3	4
B. OPERATED	5096	1.8	1	<1	<1	2	2	2	3	5
TOTAL 0-27 DYS	19	1.5	1	<1	<1	1	1	3	5	5
1-11 MOS	529	1.6	1	<1	<1	1	2	2	3	6
1-5 YRS	2941	1.6	1	<1	<1	2	2	2	3	5
6-12 YRS	1740	1.8	1	<1	<1	2	2	2	3	5
13-19 YRS	1252	2.1	1	<1	1	2	2	3	4	6
GRAND TOTAL	**6481**	**1.8**	**1**	**<1**	**<1**	**2**	**2**	**2**	**3**	**5**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.2	3	1	1	3	4	6	6	6
1-11 MOS	5	2.8	6	1	1	2	4	7	7	7
1-5 YRS	55	2.2	3	<1	1	2	3	4	6	9
6-12 YRS	98	1.7	1	<1	<1	1	2	3	4	5
13-19 YRS	95	2.3	3	<1	<1	2	3	5	6	9
B. *Operated*										
0-27 DYS	5	1.4		1	1	1	2	2	2	2
1-11 MOS	27	2.4	6	<1	1	2	2	3	5	14
1-5 YRS	251	2.0	3	<1	1	2	2	4	5	10
6-12 YRS	728	2.1	2	1	1	2	3	3	4	7
13-19 YRS	1543	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	4.5	4	2	2	4	6	7	7	7
1-11 MOS	7	5.0	18	<1	<1	4	7	12	13	13
1-5 YRS	56	2.7	4	<1	1	2	4	5	7	11
6-12 YRS	28	2.3	2	1	1	2	3	4	5	5
13-19 YRS	60	3.4	9	1	1	2	5	7	8	15
B. *Operated*										
0-27 DYS	6	2.5	2	<1	<1	2	3	5	5	5
1-11 MOS	30	3.6	7	1	1	3	5	8	8	9
1-5 YRS	179	2.3	3	<1	<1	2	3	5	6	9
6-12 YRS	257	2.8	5	1	1	2	3	5	7	11
13-19 YRS	520	3.4	8	1	1	3	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	2.1	2	<1	<1	2	3	4	6	7
B. *Operated*	2554	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	159	3.1	6	1	1	2	4	7	8	13
B. *Operated*	992	3.1	7	1	1	2	4	5	8	14
1. SINGLE DX	2813	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	1151	3.1	6	1	1	2	4	6	8	13
A. NOT OPERATED	418	2.5	4	<1	1	2	3	5	7	10
B. OPERATED	3546	2.6	4	1	1	2	3	5	6	10
TOTAL 0-27 DYS	25	3.1	4	<1	1	3	4	6	7	7
1-11 MOS	69	3.2	8	1	1	2	4	8	8	14
1-5 YRS	541	2.2	3	<1	1	2	3	4	5	9
6-12 YRS	1111	2.2	3	1	1	2	3	4	5	9
13-19 YRS	2218	2.9	5	1	1	2	3	5	7	11
GRAND TOTAL	**3964**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	12	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.4	1	1	1	2	3	4	4	4
1-5 YRS	7	3.0	3	<1	<1	3	4	6	6	6
6-12 YRS	12	2.0		1	1	2	2	3	3	3
13-19 YRS	585	2.2	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	2.9	9	<1	<1	1	4	8	10	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS										
6-12 YRS	8	2.4	2	<1	<1	2	4	4	4	4
13-19 YRS	141	2.8	4	1	1	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	610	2.2	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	11	2.9	9	<1	<1	1	4	8	10	10
B. *Operated*	152	2.7	4	1	1	2	3	5	6	9
1. SINGLE DX	625	2.2	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	163	2.8	4	<1	1	2	3	5	6	10
A. NOT OPERATED	26	2.1	5	<1	<1	1	2	4	8	10
B. OPERATED	762	2.3	2	<1	1	2	3	4	4	7
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	7	2.0	1	<1	<1	2	3	4	4	4
1-5 YRS	8	2.8	3	<1	<1	2	4	5	6	6
6-12 YRS	22	2.1	1	<1	1	2	2	4	4	4
13-19 YRS	749	2.3	2	<1	1	2	3	4	4	7
GRAND TOTAL	**788**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**	**7**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	3.2	3	2	2	2	5	6	6	6
1-11 MOS	6	4.5	8	2	2	3	8	8	8	8
1-5 YRS	4	3.8	1	3	3	4	4	5	5	5
6-12 YRS	9	3.1	3	<1	<1	3	5	6	6	6
13-19 YRS	74	3.4	5	1	1	3	5	6	7	12
B. *Operated*										
0-27 DYS	13	3.4	3	1	1	3	4	6	7	7
1-11 MOS	6	4.2	7	2	2	3	5	9	9	9
1-5 YRS	7	4.1	12	1	1	3	7	10	10	10
6-12 YRS	98	2.6	3	1	1	2	3	4	5	12
13-19 YRS	1564	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.3	12	<1	<1	3	5	10	11	11
1-11 MOS	4	4.8	10	2	2	5	7	8	8	8
1-5 YRS	2	7.5	1	7	7	7	8	8	8	8
6-12 YRS	6	3.0	1	2	2	3	4	4	4	4
13-19 YRS	43	2.2	2	<1	<1	2	4	4	5	6
B. *Operated*										
0-27 DYS	9	5.8	7	3	3	6	7	10	11	11
1-11 MOS	5	4.4	7	<1	<1	4	6	8	8	8
1-5 YRS	3	6.0	4	4	4	6	7	8	8	8
6-12 YRS	10	3.5	7	1	1	3	4	8	9	9
13-19 YRS	317	3.8	12	1	2	3	4	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	3.4	4	1	1	3	5	6	7	11
B. *Operated*	1688	2.9	2	1	1	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	61	2.9	4	<1	<1	2	4	6	7	11
B. *Operated*	344	3.8	12	1	2	3	4	6	8	18
1. SINGLE DX	1792	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX	405	3.7	11	1	1	3	4	6	8	16
A. NOT OPERATED	165	3.2	4	<1	1	3	4	6	7	11
B. OPERATED	2032	3.1	4	1	1	3	4	5	6	9
TOTAL 0-27 DYS	39	4.0	6	1	2	3	6	7	10	11
1-11 MOS	21	4.4	7	1	2	4	7	8	9	9
1-5 YRS	16	4.8	7	1	2	4	7	8	9	10
6-12 YRS	123	2.7	3	1	1	2	3	4	6	11
13-19 YRS	1998	3.0	4	1	1	3	4	5	6	9
GRAND TOTAL	**2197**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	49	2.6	2	1	1	2	3	4	7	7
13-19 YRS	1123	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	7.3	14	2	2	8	10	11	11	11
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	56	4.8	7	1	2	4	6	7	10	13
13-19 YRS	1903	4.6	6	1	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	21	4.0	9	1	1	3	5	8	10	13
13-19 YRS	544	3.5	6	1	1	3	4	6	8	14
B. *Operated*										
0-27 DYS	3	6.7	2	5	5	7	8	8	8	8
1-11 MOS	4	5.5	12	<1	<1	6	8	9	9	9
1-5 YRS	3	7.3	24	4	4	5	11	13	13	13
6-12 YRS	45	6.4	9	2	3	6	8	11	12	15
13-19 YRS	1641	5.2	8	1	2	5	7	9	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1176	2.6	3	1	1	2	3	5	6	9
B. *Operated*	1966	4.6	6	1	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	569	3.5	6	1	1	3	4	6	8	14
B. *Operated*	1696	5.3	8	1	2	5	7	9	10	15
1. SINGLE DX	3142	3.9	6	1	1	3	5	7	8	12
2. MULTIPLE DX	2265	4.8	8	1	2	4	6	8	10	14
A. NOT OPERATED	1745	2.9	4	1	1	2	4	5	7	10
B. OPERATED	3662	4.9	7	1	2	5	6	8	10	13
TOTAL 0-27 DYS	5	6.0	2	5	5	5	7	8	8	8
1-11 MOS	12	5.0	13	<1	<1	5	8	10	11	11
1-5 YRS	8	5.0	14	1	1	4	6	11	13	13
6-12 YRS	171	4.5	8	1	1	4	6	8	11	13
13-19 YRS	5211	4.2	7	1	1	4	6	7	9	13
GRAND TOTAL	**5407**	**4.3**	**7**	**1**	**1**	**4**	**6**	**8**	**9**	**13**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	3.2	1	2	2	3	4	4	4	4
1-5 YRS										
6-12 YRS	16	4.0	5	1	2	3	5	7	9	10
13-19 YRS	3806	4.4	5	2	2	4	5	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.6	7	2	2	3	7	8	8	8
1-5 YRS	2	7.5	1	7	7	7	8	8	8	8
6-12 YRS	19	7.5	32	2	3	6	9	13	21	27
13-19 YRS	1207	5.3	12	1	2	5	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	18	4.4	11	<1	1	4	7	9	11	13
13-19 YRS	2102	5.2	10	2	2	5	6	9	10	15
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	4.6	12	<1	<1	4	6	10	11	11
1-5 YRS	5	4.2	8	1	1	4	7	7	7	7
6-12 YRS	27	8.4	30	2	4	6	12	14	19	28
13-19 YRS	1791	6.6	16	2	2	6	8	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3828	4.4	5	2	2	4	5	7	9	12
B. *Operated*	1233	5.3	13	1	2	5	7	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	2126	5.2	10	2	2	5	6	9	10	15
B. *Operated*	1831	6.6	17	2	2	6	8	12	14	20
1. SINGLE DX	5061	4.7	7	1	2	4	6	8	9	13
2. MULTIPLE DX	3957	5.8	13	2	2	5	7	10	12	18
A. NOT OPERATED	5954	4.7	7	2	2	4	6	8	9	13
B. OPERATED	3064	6.1	15	1	2	6	8	11	13	20
TOTAL 0-27 DYS	3	13.0	91	7	7	8	20	24	24	24
1-11 MOS	20	4.1	6	<1	1	3	5	7	9	11
1-5 YRS	9	4.3	9	1	1	4	7	8	8	8
6-12 YRS	80	6.4	24	1	2	5	8	13	14	28
13-19 YRS	8906	5.2	10	2	2	5	7	9	11	16
GRAND TOTAL	**9018**	**5.2**	**10**	**2**	**2**	**5**	**7**	**9**	**11**	**16**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	54	3.4	4	<1	1	3	5	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.8	7	<1	<1	4	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	253	3.4	6	<1	1	2	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	34	3.9	5	1	1	4	5	7	9	9
B. *Operated*										
0-27 DYS	4	4.3	11	<1	<1	4	7	8	8	8
1-11 MOS	7	6.4	3	4	4	7	8	8	8	8
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	9.5	41	5	5	9	14	14	14	14
13-19 YRS	299	4.2	8	1	1	3	6	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.4	4	<1	1	3	5	6	7	8
B. *Operated*	258	3.4	6	<1	1	2	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	35	3.9	5	1	1	4	5	7	9	9
B. *Operated*	313	4.3	9	1	1	4	6	8	9	15
1. SINGLE DX	312	3.4	5	<1	1	3	5	7	8	10
2. MULTIPLE DX	348	4.2	8	1	1	4	6	8	9	15
A. NOT OPERATED	89	3.6	4	1	1	3	5	7	8	9
B. OPERATED	571	3.9	7	<1	1	3	6	7	9	13
TOTAL 0-27 DYS	4	4.3	11	<1	<1	4	7	8	8	8
1-11 MOS	11	5.5	6	<1	1	6	7	8	8	8
1-5 YRS	3	5.3	4	3	3	6	7	7	7	7
6-12 YRS	2	9.5	41	5	5	9	14	14	14	14
13-19 YRS	640	3.8	7	<1	1	3	6	7	8	12
GRAND TOTAL	**660**	**3.8**	**7**	**<1**	**1**	**3**	**6**	**7**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	3.0	3	2	2	2	4	5	5	5
13-19 YRS	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	56	2.1	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	26	4.2	6	1	1	4	6	8	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	4	6.0	19	1	1	6	9	11	11	11
13-19 YRS	122	3.2	5	1	1	2	4	7	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.6	2	1	1	2	4	5	5	5
B. *Operated*	61	2.0	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	27	4.3	6	1	1	4	6	8	9	10
B. *Operated*	130	3.3	5	1	1	2	4	7	8	10
1. SINGLE DX	69	2.1	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX	157	3.5	5	1	1	3	5	7	8	10
A. NOT OPERATED	35	3.9	5	1	1	4	6	6	9	10
B. OPERATED	191	2.9	4	<1	1	2	3	6	8	10
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	8	2.0	3	1	1	2	2	5	6	6
6-12 YRS	9	4.2	11	1	1	3	6	10	11	11
13-19 YRS	208	3.0	4	<1	1	2	4	6	8	10
GRAND TOTAL	**226**	**3.0**	**4**	**<1**	**1**	**2**	**4**	**6**	**8**	**10**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	29	2.5	2	<1	1	2	4	5	5	5
6-12 YRS	28	2.4	2	<1	1	2	3	4	5	7
13-19 YRS	206	3.8	4	1	2	3	5	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	2.7	4	<1	<1	2	4	6	6	6
6-12 YRS	12	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	475	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	22	3.5	9	<1	1	2	6	8	10	11
6-12 YRS	20	3.9	4	1	2	3	5	7	8	8
13-19 YRS	229	4.6	5	2	2	4	6	8	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.0	49	1	1	3	11	14	14	14
1-5 YRS	19	2.2	3	<1	1	2	2	5	7	8
6-12 YRS	16	2.9	6	<1	1	2	3	8	9	9
13-19 YRS	284	3.7	8	1	1	3	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	3.5	4	1	1	3	4	6	7	10
B. *Operated*	495	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	272	4.5	5	1	2	4	6	8	9	11
B. *Operated*	322	3.6	8	1	1	3	5	7	9	15
1. SINGLE DX	759	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	594	4.0	7	1	1	3	5	7	9	14
A. NOT OPERATED	536	4.0	5	1	2	4	5	7	8	11
B. OPERATED	817	2.9	5	<1	1	2	4	6	7	12
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	4.2	31	1	1	2	6	14	14	14
1-5 YRS	77	2.7	5	<1	1	2	3	6	7	10
6-12 YRS	76	2.8	4	<1	1	2	4	6	8	9
13-19 YRS	1194	3.4	5	1	1	3	4	6	8	12
GRAND TOTAL	1353	3.3	5	1	1	3	4	6	8	12

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	3.5	13	<1	<1	3	6	6	6	6
1-11 MOS	6	8.3	5	5	5	8	9	12	12	12
1-5 YRS	7	4.4	15	1	1	3	7	10	11	11
6-12 YRS	5	5.0	15	1	1	6	8	9	9	9
13-19 YRS	16	4.1	4	<1	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	4	11.3	90	4	4	8	17	25	25	25
1-11 MOS	3	9.7	16	6	6	9	13	14	14	14
1-5 YRS	5	9.4	18	6	6	8	12	16	16	16
6-12 YRS	6	6.8	23	1	1	7	12	12	12	12
13-19 YRS	23	6.4	12	2	3	5	8	12	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*	36	5.0	10	<1	1	5	7	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	41	7.5	22	2	3	6	10	13	16	25
1. SINGLE DX	38	4.9	10	<1	1	5	7	9	10	12
2. MULTIPLE DX	43	7.3	22	2	2	6	10	13	16	25
A. NOT OPERATED	4	2.8	6	1	1	2	4	6	6	6
B. OPERATED	77	6.3	18	1	2	6	8	12	13	23
TOTAL 0-27 DYS	6	8.7	73	<1	<1	6	10	23	25	25
1-11 MOS	10	8.5	8	5	5	8	9	13	14	14
1-5 YRS	12	6.5	21	1	1	6	9	13	16	16
6-12 YRS	11	6.0	18	1	1	6	9	12	12	12
13-19 YRS	42	5.2	10	1	2	5	7	9	12	16
GRAND TOTAL	81	6.2	18	1	1	5	8	12	13	22

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	3.0	2	1	1	3	3	5	6	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	57	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	3.5	4	1	1	3	4	6	7	8
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	53	2.9	5	<1	1	2	3	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.0	2	1	1	3	3	5	6	6
B. Operated	57	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	19	3.5	4	1	1	3	4	6	7	8
B. Operated	54	2.9	5	<1	1	2	3	5	8	14
1. SINGLE DX	68	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX	73	3.1	5	<1	1	2	4	6	8	13
A. NOT OPERATED	30	3.3	3	1	1	3	4	6	6	8
B. OPERATED	111	2.4	3	<1	1	2	3	4	5	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	140	2.6	3	<1	1	2	3	4	6	10
GRAND TOTAL	141	2.6	3	<1	1	2	3	4	6	10

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	23	2.6	3	1	1	2	3	5	6	7
13-19 YRS	421	2.1	2	<1	1	2	3	4	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	22	2.5	5	<1	1	2	2	4	7	12
13-19 YRS	1511	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	29	3.6	10	1	1	3	4	7	11	15
13-19 YRS	457	3.3	8	1	1	3	4	6	7	15
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	35	3.9	12	<1	1	3	5	6	11	19
13-19 YRS	1289	3.0	6	1	1	2	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	444	2.1	2	<1	1	2	3	4	4	6
B. Operated	1533	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	486	3.3	8	1	1	3	4	6	7	15
B. Operated	1324	3.0	6	1	1	2	4	6	8	14
1. SINGLE DX	1977	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	1810	3.1	7	1	1	2	4	6	8	14
A. NOT OPERATED	930	2.7	5	1	1	2	3	5	6	11
B. OPERATED	2857	2.5	4	<1	1	2	3	4	6	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	109	3.3	8	1	1	2	4	5	8	17
13-19 YRS	3678	2.5	4	<1	1	2	3	5	6	10
GRAND TOTAL	3787	2.5	4	<1	1	2	3	5	6	10

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	1.8		<1	<1	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	4	1.8		<1	<1	2	2	2	2	2
1. SINGLE DX	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	5	1.6		<1	<1	2	2	2	2	2
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	6	1.5		<1	<1	1	2	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	1.4		<1	<1	1	2	2	2	2
GRAND TOTAL	7	1.4		<1	<1	1	2	2	2	2

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	8	2.3	10	<1	<1	1	2	8	10	10
6-12 YRS	27	2.4	19	<1	<1	1	2	3	7	24
13-19 YRS	143	2.5	3	<1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	8	2.5	5	1	1	2	3	6	8	8
1-5 YRS	15	3.4	13	<1	<1	2	5	7	12	14
6-12 YRS	49	3.3	7	<1	1	3	5	7	10	11
13-19 YRS	696	2.8	5	<1	1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	2.7	4	<1	<1	2	4	5	7	7
6-12 YRS	16	3.2	7	<1	1	2	4	7	10	11
13-19 YRS	134	3.1	5	<1	1	2	4	6	7	11
B. *Operated*										
0-27 DYS	4	5.5	6	2	2	6	7	7	7	7
1-11 MOS	14	4.1	20	<1	1	2	6	9	15	17
1-5 YRS	9	4.3	7	1	1	5	6	8	9	9
6-12 YRS	52	4.7	8	1	1	4	6	8	9	15
13-19 YRS	651	3.9	15	1	1	3	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	2.5	6	<1	1	2	3	4	6	12
B. *Operated*	770	2.8	5	<1	1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	164	3.0	5	<1	<1	2	4	6	7	11
B. *Operated*	730	4.0	14	1	1	3	5	7	9	13
1. SINGLE DX	951	2.8	5	<1	1	2	3	6	7	11
2. MULTIPLE DX	894	3.8	13	<1	1	3	5	7	9	13
A. NOT OPERATED	345	2.7	6	<1	1	2	3	5	7	11
B. OPERATED	1500	3.4	10	<1	1	2	5	7	8	13
TOTAL 0-27 DYS	7	3.9	7	1	1	2	7	7	7	7
1-11 MOS	24	3.4	13	<1	1	2	4	8	11	17
1-5 YRS	46	3.2	8	<1	<1	2	5	7	9	14
6-12 YRS	144	3.6	10	<1	1	3	5	7	9	16
13-19 YRS	1624	3.2	9	<1	1	2	4	6	8	12
GRAND TOTAL	1845	3.3	9	<1	1	2	4	7	8	13

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	65	2.0	1	<1	1	2	2	4	5	6
13-19 YRS	869	2.2	3	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	13	2.2	5	<1	<1	1	2	5	8	9
13-19 YRS	635	2.7	4	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	30	2.3	2	1	1	2	3	5	5	6
13-19 YRS	578	2.7	5	<1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS	2	8.0		8	8	8	8	8	8	8
1-11 MOS	5	6.2	4	4	4	6	7	9	9	9
1-5 YRS	9	3.7	15	<1	<1	2	6	10	12	12
6-12 YRS	24	2.1	2	<1	1	2	3	5	5	6
13-19 YRS	655	3.5	8	<1	1	2	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	939	2.2	3	<1	1	2	3	4	5	7
B. *Operated*	651	2.6	4	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	610	2.7	5	<1	1	2	4	5	6	9
B. *Operated*	695	3.4	8	<1	1	2	5	7	8	13
1. SINGLE DX	1590	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	1305	3.1	6	<1	1	2	4	6	8	12
A. NOT OPERATED	1549	2.4	3	<1	1	2	3	4	6	8
B. OPERATED	1346	3.1	6	<1	1	2	4	6	8	12
TOTAL 0-27 DYS	4	5.0	13	1	1	5	8	8	8	8
1-11 MOS	6	6.2	3	4	4	6	7	9	9	9
1-5 YRS	16	2.7	9	<1	1	2	2	7	10	12
6-12 YRS	132	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	2737	2.7	5	<1	1	2	3	5	7	11
GRAND TOTAL	2895	2.7	5	<1	1	2	3	5	7	11

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	2.4	2	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	7.3	26	3	3	6	11	13	13	13
13-19 YRS	480	5.3	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	327	5.8	7	3	4	5	7	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.4	2	1	1	2	4	5	5	5
B. *Operated*	483	5.3	3	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	13	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*	328	5.8	7	3	4	5	7	8	10	15
1. SINGLE DX	494	5.2	4	3	3	5	6	7	8	12
2. MULTIPLE DX	341	5.6	7	2	3	5	6	8	10	15
A. NOT OPERATED	24	2.3	2	<1	1	2	3	5	5	5
B. OPERATED	811	5.5	5	3	3	5	6	8	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	6.8	19	3	3	5	9	13	13	13
13-19 YRS	831	5.4	5	2	3	5	6	8	9	13
GRAND TOTAL	835	5.4	5	2	3	5	6	8	9	13

1,405 Hospitals, United States, January–December 1981

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	269	1.3	1	<1	1	1	2	2	2	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	34	1.5	1	<1	<1	1	2	2	3	4
13-19 YRS	7696	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	58	1.6	1	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.2		2	2	2	2	3	3	3
13-19 YRS	2055	1.8	3	<1	<1	1	2	3	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	1.3	1	<1	1	1	2	2	2	5
B. *Operated*	7730	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	58	1.6	1	<1	<1	1	2	3	4	7
B. *Operated*	2061	1.8	3	<1	<1	1	2	3	5	9
1. SINGLE DX	8002	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	2119	1.8	3	<1	<1	1	2	3	5	9
A. NOT OPERATED	330	1.4	1	<1	<1	1	2	2	3	5
B. OPERATED	9791	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	43	1.6		<1	<1	1	2	2	3	4
13-19 YRS	10078	1.5	1	<1	<1	1	2	2	3	6
GRAND TOTAL	10121	1.5	1	<1	<1	1	2	2	3	6

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	2.0	2	1	1	2	3	3	3	3
1. SINGLE DX	3	2.7	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX	2	2.0	2	1	1	2	3	3	3	3
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	4	2.0	1	<1	<1	2	3	3	3	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	2.4	2	<1	<1	3	3	4	4	4
GRAND TOTAL	5	2.4	2	<1	<1	3	3	4	4	4

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.5	2	<1	<1	2	3	4	4	4
13-19 YRS	1047	1.7	1	<1	1	1	2	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	20	1.8	1	<1	<1	1	2	3	4	4
13-19 YRS	7590	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	192	2.5	3	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.0	7	2	2	3	6	7	7	7
13-19 YRS	1119	2.6	5	1	1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1051	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	7610	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	192	2.5	3	1	1	2	3	5	6	8
B. *Operated*	1122	2.6	5	1	1	2	3	5	6	11
1. SINGLE DX	8661	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1314	2.5	5	1	1	2	3	5	6	10
A. NOT OPERATED	1243	1.8	2	<1	1	1	2	3	4	7
B. OPERATED	8732	1.7	2	<1	<1	1	2	3	4	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	27	2.1	2	<1	<1	2	3	4	5	7
13-19 YRS	9948	1.8	2	<1	<1	1	2	3	4	7
GRAND TOTAL	9975	1.8	2	<1	<1	1	2	3	4	7

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	275	2.9	6	<1	1	2	4	6	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	757	2.1	3	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	84	3.5	5	<1	1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	214	3.7	19	1	1	3	4	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	2.9	6	<1	1	2	4	6	6	11
B. *Operated*	758	2.1	3	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	84	3.5	5	<1	1	3	5	7	8	9
B. *Operated*	214	3.7	19	1	1	3	4	7	10	20
1. SINGLE DX	1033	2.4	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	298	3.7	15	1	1	3	4	7	9	18
A. NOT OPERATED	359	3.1	5	<1	1	3	4	6	7	10
B. OPERATED	972	2.5	7	<1	1	2	3	5	6	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1330	2.6	6	<1	1	2	3	5	6	11
GRAND TOTAL	1331	2.6	6	<1	1	2	3	5	6	11

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1023	2.3	3	<1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	2.6	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	202	3.1	3	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	5.7	41	1	1	3	6	15	22	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1024	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	30	2.6	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	202	3.1	3	1	1	3	4	5	7	9
B. *Operated*	18	5.7	41	1	1	3	6	15	22	25
1. SINGLE DX	1054	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	220	3.3	7	1	1	3	4	6	7	13
A. NOT OPERATED	1226	2.4	3	<1	1	2	3	4	5	8
B. OPERATED	48	3.7	18	1	1	3	4	6	12	25
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1273	2.5	4	<1	1	2	3	4	5	9
GRAND TOTAL	1274	2.5	4	<1	1	2	3	4	5	9

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	58	1.9	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.9	7	1	1	2	4	5	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.3	1	1	1	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	1.9	1	1	1	2	3	3	4	5
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	15	2.9	7	1	1	2	4	5	9	11
B. *Operated*	3	2.3	1	1	1	3	3	3	3	3
1. SINGLE DX	59	1.9	1	1	1	2	3	3	4	5
2. MULTIPLE DX	18	2.8	6	1	1	2	3	5	9	11
A. NOT OPERATED	73	2.1	2	1	1	2	3	4	5	10
B. OPERATED	4	2.8	2	1	1	3	4	4	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	77	2.1	2	1	1	2	3	4	5	9
GRAND TOTAL	77	2.1	2	1	1	2	3	4	5	9

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	5.0	20	2	2	3	7	13	14	14
13-19 YRS	1017	3.7	7	1	1	3	4	6	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	86	3.7	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	224	4.5	10	<1	1	3	6	9	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	51	4.3	17	1	1	3	5	9	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1024	3.7	7	1	1	3	4	6	8	14
B. *Operated*	86	3.7	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	225	4.5	10	<1	1	3	6	9	11	16
B. *Operated*	51	4.3	17	1	1	3	5	9	14	20
1. SINGLE DX	1110	3.7	7	1	1	3	4	6	8	14
2. MULTIPLE DX	276	4.5	11	<1	1	3	6	9	11	16
A. NOT OPERATED	1249	3.8	8	1	1	3	5	7	9	15
B. OPERATED	137	4.0	9	1	1	3	5	8	9	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	4.8	18	2	2	3	6	12	14	14
13-19 YRS	1378	3.9	8	1	1	3	5	7	9	15
GRAND TOTAL	1386	3.9	8	1	1	3	5	7	9	15

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1259	3.2	3	1	2	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	3.1	4	<1	<1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	444	3.6	6	1	1	3	4	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	4.9	9	2	2	4	6	8	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1259	3.2	3	1	2	3	4	5	7	9
B. *Operated*	9	3.1	4	<1	<1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	444	3.6	6	1	1	3	4	7	8	13
B. *Operated*	14	4.9	9	2	2	4	6	8	12	13
1. SINGLE DX	1268	3.2	3	1	2	3	4	5	7	9
2. MULTIPLE DX	458	3.7	6	1	1	3	4	7	8	13
A. NOT OPERATED	1703	3.3	4	1	2	3	4	6	7	11
B. OPERATED	23	4.2	7	1	1	3	5	7	10	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1726	3.4	4	1	2	3	4	6	7	11
GRAND TOTAL	1726	3.4	4	1	2	3	4	6	7	11

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	6.2	160	<1	<1	1	1	29	32	32
13-19 YRS	7094	1.2	1	<1	<1	1	1	2	2	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	552	1.2	1	<1	<1	<1	1	1	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	595	1.8	4	<1	<1	1	2	3	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	69	1.7	2	<1	<1	1	2	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7100	1.2	1	<1	<1	1	1	2	2	4
B. *Operated*	554	1.2	1	<1	<1	<1	1	1	3	6
2. MULTIPLE DX										
A. *Not Operated*	596	1.8	4	<1	<1	1	2	3	5	11
B. *Operated*	69	1.7	2	<1	<1	1	2	4	5	6
1. SINGLE DX	7654	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	665	1.8	3	<1	<1	1	2	3	5	11
A. NOT OPERATED	7696	1.2	1	<1	<1	1	1	2	2	5
B. OPERATED	623	1.3	1	<1	<1	1	1	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	4.4	107	<1	<1	1	1	20	32	32
13-19 YRS	8310	1.2	1	<1	<1	1	1	2	3	5
GRAND TOTAL	8319	1.2	1	<1	<1	1	1	2	3	5

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	222	3.2	11	<1	1	2	3	6	9	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	3.8	19	<1	<1	2	4	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	60	4.1	11	1	1	3	5	7	9	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.8	13	1	1	5	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	3.2	11	<1	1	2	3	6	9	19
B. *Operated*	12	3.8	19	<1	<1	2	4	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	61	4.1	11	1	1	3	5	7	9	22
B. *Operated*	5	4.8	13	1	1	5	7	10	10	10
1. SINGLE DX	234	3.2	11	<1	1	2	3	6	10	19
2. MULTIPLE DX	66	4.1	11	1	1	3	5	7	10	21
A. NOT OPERATED	283	3.4	11	<1	1	2	4	6	9	20
B. OPERATED	17	4.1	17	<1	1	2	5	10	13	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	299	3.4	11	<1	1	2	4	6	10	20
GRAND TOTAL	300	3.4	11	<1	1	2	4	6	10	19

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	535	2.2	3	<1	<1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	42	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	120	2.6	5	<1	1	2	3	5	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	3.8	6	<1	<1	4	5	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	536	2.2	3	<1	<1	2	3	4	5	9
B. *Operated*	42	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	120	2.6	5	<1	1	2	3	5	8	11
B. *Operated*	16	3.8	6	<1	<1	4	5	7	8	9
1. SINGLE DX	578	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	136	2.7	5	<1	1	2	4	5	8	11
A. NOT OPERATED	656	2.3	3	<1	<1	2	3	4	5	10
B. OPERATED	58	2.3	4	<1	<1	1	3	5	7	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	713	2.3	3	<1	<1	2	3	4	5	10
GRAND TOTAL	**714**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1099	3.4	4	<1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	117	2.3	4	<1	<1	1	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1102	3.9	6	1	1	4	5	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	88	4.4	17	<1	<1	3	5	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1099	3.4	4	<1	1	3	4	6	7	10
B. *Operated*	117	2.3	4	<1	<1	1	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	1103	3.9	6	1	1	4	5	6	8	11
B. *Operated*	88	4.4	17	<1	<1	3	5	10	13	20
1. SINGLE DX	1216	3.3	4	<1	<1	3	4	6	7	10
2. MULTIPLE DX	1191	3.9	7	1	1	4	5	7	8	12
A. NOT OPERATED	2202	3.6	5	<1	1	3	5	6	7	10
B. OPERATED	205	3.2	11	<1	<1	2	4	7	9	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2406	3.6	5	<1	1	3	5	6	7	11
GRAND TOTAL	**2407**	**3.6**	**5**	**<1**	**1**	**3**	**5**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	326	4.1	23	<1	1	3	5	8	12	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	4.1	29	<1	<1	3	4	8	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	801	4.2	18	1	1	3	5	8	11	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	99	4.0	12	<1	1	3	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	4.1	23	<1	1	3	5	8	12	33
B. *Operated*	26	4.1	29	<1	<1	3	4	8	15	27
2. MULTIPLE DX										
A. *Not Operated*	801	4.2	18	1	1	3	5	8	11	23
B. *Operated*	99	4.0	12	<1	1	3	5	8	11	19
1. SINGLE DX	352	4.1	23	<1	1	3	4	8	12	33
2. MULTIPLE DX	900	4.2	18	<1	1	3	5	8	11	22
A. NOT OPERATED	1127	4.2	20	<1	1	3	5	8	12	24
B. OPERATED	125	4.0	15	<1	1	3	5	8	12	23
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1252	4.2	19	<1	1	3	5	8	12	24
GRAND TOTAL	**1252**	**4.2**	**19**	**<1**	**1**	**3**	**5**	**8**	**12**	**24**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	2673	2.4	8	<1	<1	1	3	5	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	610	2.7	9	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1030	3.0	9	<1	<1	2	4	6	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	293	3.7	12	<1	<1	3	5	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2677	2.4	8	<1	<1	1	3	5	6	13
B. *Operated*	610	2.7	9	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	1031	3.0	9	<1	<1	2	4	6	7	15
B. *Operated*	293	3.7	12	<1	<1	3	5	8	10	16
1. SINGLE DX	3287	2.5	8	<1	<1	2	3	5	6	14
2. MULTIPLE DX	1324	3.2	10	<1	<1	2	4	6	8	16
A. NOT OPERATED	3708	2.6	8	<1	<1	2	3	5	7	14
B. OPERATED	903	3.0	10	<1	<1	2	4	6	8	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	4606	2.7	9	<1	<1	2	3	5	7	15
GRAND TOTAL	**4611**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	399	2.9	1	2	2	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	148	4.7	34	2	2	3	5	7	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	452	3.5	7	2	2	3	4	5	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	22.0		22	22	22	22	22	22	22
13-19 YRS	501	6.3	63	2	2	4	6	12	20	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	2.9	1	2	2	3	3	4	5	7
B. *Operated*	148	4.7	34	2	2	3	5	7	9	22
2. MULTIPLE DX										
A. *Not Operated*	453	3.5	7	2	2	3	4	5	6	13
B. *Operated*	502	6.3	64	2	2	4	6	12	21	46
1. SINGLE DX	547	3.4	11	2	2	3	4	5	6	13
2. MULTIPLE DX	955	5.0	39	2	2	3	5	7	14	40
A. NOT OPERATED	852	3.2	4	2	2	3	4	4	5	10
B. OPERATED	650	6.0	57	2	2	4	5	10	19	46
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	12.0	200	2	2	12	22	22	22	22
13-19 YRS	1500	4.4	29	2	2	3	4	6	10	33
GRAND TOTAL	**1502**	**4.4**	**29**	**2**	**2**	**3**	**4**	**6**	**10**	**33**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	50	2.9	1	1	2	3	3	4	5	8
13-19 YRS	38401	2.8	1	1	2	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.9	1	2	2	3	4	4	4	4
13-19 YRS	7126	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.3	2	3	3	4	5	6	6	6
13-19 YRS	1468	3.2	3	2	2	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	19	2	2	3	8	10	10	10
13-19 YRS	852	3.4	2	2	2	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38451	2.8	1	1	2	3	3	4	4	5
B. *Operated*	7134	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	1471	3.2	3	2	2	3	4	5	6	9
B. *Operated*	855	3.4	2	2	2	3	4	5	6	9
1. SINGLE DX	45585	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	2326	3.3	3	2	2	3	4	5	6	9
A. NOT OPERATED	39922	2.8	1	1	2	3	3	4	4	6
B. OPERATED	7989	2.9	1	1	2	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	64	3.1	2	1	2	3	4	4	5	10
13-19 YRS	47847	2.9	1	1	2	3	3	4	4	6
GRAND TOTAL	**47911**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	3.2	5	1	1	3	3	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	69	5.9	13	3	3	5	7	9	10	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	4.8	19	2	2	3	5	13	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	103	6.8	34	2	3	5	7	12	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.2	5	1	1	3	3	7	8	9
B. *Operated*	69	5.9	13	3	3	5	7	9	10	27
2. MULTIPLE DX										
A. *Not Operated*	20	4.8	19	2	2	3	5	13	16	16
B. *Operated*	104	6.8	34	2	3	5	7	11	18	35
1. SINGLE DX	88	5.3	13	2	2	5	6	8	10	24
2. MULTIPLE DX	124	6.4	32	2	2	5	7	11	17	31
A. NOT OPERATED	39	4.0	12	1	2	3	4	8	13	16
B. OPERATED	173	6.4	26	2	3	5	7	10	16	28
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	211	6.0	24	2	2	5	6	10	16	27
GRAND TOTAL	**212**	**6.0**	**24**	**2**	**2**	**5**	**6**	**10**	**16**	**27**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	158	2.8	2	1	1	3	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	185	4.4	4	2	2	4	5	7	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	160	3.1	5	1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	374	5.0	17	2	2	4	6	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.8	2	1	1	3	3	4	5	8
B. *Operated*	185	4.4	4	2	2	4	5	7	7	13
2. MULTIPLE DX										
A. *Not Operated*	161	3.1	5	1	1	3	4	5	7	13
B. *Operated*	374	5.0	17	2	2	4	6	8	10	19
1. SINGLE DX	343	3.7	4	1	2	3	5	6	7	10
2. MULTIPLE DX	535	4.5	14	1	2	4	5	7	9	17
A. NOT OPERATED	319	2.9	3	1	1	3	3	5	6	10
B. OPERATED	559	4.8	13	2	2	4	6	7	9	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	877	4.2	10	1	2	4	5	7	8	15
GRAND TOTAL	**878**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**8**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	35	2.7	1	1	1	3	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	382	2.8	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	3.6	2	2	2	3	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	192	3.4	6	1	2	3	4	5	6	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.7	1	1	1	3	3	4	5	5
B. *Operated*	382	2.8	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	7	3.6	2	2	2	3	5	6	6	6
B. *Operated*	192	3.4	6	1	2	3	4	5	6	14
1. SINGLE DX	417	2.8	1	1	1	3	3	4	5	6
2. MULTIPLE DX	199	3.5	5	1	2	3	4	5	6	14
A. NOT OPERATED	42	2.9	1	1	1	3	3	5	5	6
B. OPERATED	574	3.0	3	1	1	3	4	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	616	3.0	3	1	1	3	4	4	5	8
GRAND TOTAL	**616**	**3.0**	**3**	**1**	**1**	**3**	**4**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	175	2.9	1	1	2	3	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	97	3.2	5	1	1	3	4	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	92	3.3	2	2	2	3	4	5	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	115	3.7	2	2	2	3	4	5	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	2.9	1	1	2	3	3	4	5	5
B. *Operated*	97	3.2	5	1	1	3	4	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	92	3.3	2	2	2	3	4	5	5	8
B. *Operated*	115	3.7	2	2	2	3	4	5	8	9
1. SINGLE DX	272	3.0	2	1	2	3	4	4	5	7
2. MULTIPLE DX	207	3.5	2	2	2	3	4	5	7	9
A. NOT OPERATED	267	3.0	1	1	2	3	4	4	5	7
B. OPERATED	212	3.5	4	1	2	3	4	5	7	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	479	3.2	2	1	2	3	4	5	5	8
GRAND TOTAL	**479**	**3.2**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	56	4.1	11	2	2	3	4	6	7	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	4.0	3	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	79	4.0	20	1	1	3	4	7	10	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	281	5.6	17	2	2	5	6	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	4.1	11	2	2	3	4	6	7	25
B. *Operated*	43	4.0	3	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	79	4.0	20	1	1	3	4	7	10	31
B. *Operated*	282	5.6	17	2	2	5	6	9	13	23
1. SINGLE DX	99	4.1	7	2	2	3	5	6	7	18
2. MULTIPLE DX	361	5.3	18	2	2	4	6	9	12	24
A. NOT OPERATED	135	4.0	16	1	2	3	4	6	9	28
B. OPERATED	325	5.4	15	2	2	5	6	9	12	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	459	5.0	16	2	2	4	6	8	11	24
GRAND TOTAL	**460**	**5.0**	**16**	**2**	**2**	**4**	**6**	**8**	**11**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	135	2.7	1	1	1	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	1175	4.8	3	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	67	3.1	5	1	2	3	3	5	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	1175	5.6	9	2	3	5	7	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.7	1	1	1	3	3	4	4	6
B. *Operated*	1177	4.8	3	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	67	3.1	5	1	2	3	3	5	6	13
B. *Operated*	1178	5.6	9	2	3	5	7	8	10	17
1. SINGLE DX	1312	4.6	3	2	2	5	6	7	7	9
2. MULTIPLE DX	1245	5.5	9	2	3	5	6	8	10	16
A. NOT OPERATED	202	2.9	2	1	2	3	3	4	5	10
B. OPERATED	2355	5.2	6	2	3	5	6	7	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	4.2	4	2	2	4	5	7	7	7
13-19 YRS	2552	5.0	6	2	3	5	6	7	9	13
GRAND TOTAL	**2557**	**5.0**	**6**	**2**	**3**	**5**	**6**	**7**	**9**	**13**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	266	2.8	1	1	2	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	885	3.7	2	2	2	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	120	2.9	2	1	1	3	4	4	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1889	4.5	5	2	2	4	6	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	2.8	1	1	2	3	3	4	4	5
B. *Operated*	885	3.7	2	2	2	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	120	2.9	2	1	1	3	4	4	4	8
B. *Operated*	1890	4.5	5	2	2	4	6	7	9	13
1. SINGLE DX	1151	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	2010	4.4	5	2	2	4	5	7	8	13
A. NOT OPERATED	386	2.8	1	1	1	3	3	4	4	6
B. OPERATED	2775	4.3	5	2	2	4	5	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	3160	4.1	4	2	2	4	5	6	7	11
GRAND TOTAL	**3161**	**4.1**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	3.4	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	5.0	5	3	3	4	6	9	9	9
13-19 YRS	2627	5.7	5	4	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	4.6	8	2	2	4	5	7	12	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	6.5	4	4	4	6	8	9	9	9
13-19 YRS	3818	6.3	6	4	4	6	7	9	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.4	2	1	2	3	4	5	6	8
B. *Operated*	2633	5.7	5	4	4	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	25	4.6	8	2	2	4	5	7	12	13
B. *Operated*	3824	6.3	6	4	4	6	7	9	10	14
1. SINGLE DX	2676	5.6	5	3	4	5	6	7	8	10
2. MULTIPLE DX	3849	6.3	6	4	4	6	7	9	10	14
A. NOT OPERATED	68	3.9	4	2	2	3	5	6	7	13
B. OPERATED	6457	6.0	6	4	4	6	7	8	10	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	5.8	4	3	3	5	7	9	9	9
13-19 YRS	6513	6.0	6	4	4	6	7	8	10	14
GRAND TOTAL	**6525**	**6.0**	**6**	**4**	**4**	**6**	**7**	**8**	**10**	**14**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	490	3.2	1	1	2	3	4	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.7	14	2	2	3	7	9	9	9
13-19 YRS	699	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	241	3.5	3	2	2	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	2	2	2	4	5	5	5	5
13-19 YRS	1480	4.7	8	2	2	4	6	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	491	3.2	1	1	2	3	4	4	5	6
B. *Operated*	702	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	242	3.4	3	2	2	3	4	5	6	8
B. *Operated*	1483	4.7	8	2	2	4	6	7	9	14
1. SINGLE DX	1193	3.7	3	2	2	3	4	6	7	9
2. MULTIPLE DX	1725	4.6	7	2	2	4	5	7	8	14
A. NOT OPERATED	733	3.3	2	1	2	3	4	5	5	7
B. OPERATED	2185	4.5	7	2	2	4	6	7	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	3.8	6	2	2	3	4	8	9	9
13-19 YRS	2910	4.2	6	2	2	4	5	7	8	13
GRAND TOTAL	**2918**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	58	3.0	2	1	2	3	3	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	202	4.5	4	2	2	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	41	3.2	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	375	5.8	16	2	3	5	7	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.0	2	1	2	3	3	5	5	7
B. *Operated*	202	4.5	4	2	2	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	41	3.2	2	1	2	3	4	5	6	8
B. *Operated*	376	5.8	16	2	3	5	7	8	11	19
1. SINGLE DX	260	4.2	4	2	2	4	5	7	8	10
2. MULTIPLE DX	417	5.5	15	2	3	5	6	8	10	18
A. NOT OPERATED	99	3.1	2	1	2	3	4	5	5	8
B. OPERATED	578	5.3	12	2	2	5	6	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	676	5.0	11	2	2	5	6	8	9	15
GRAND TOTAL	**677**	**5.0**	**11**	**2**	**2**	**5**	**6**	**8**	**9**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	2.9	3	1	1	2	4	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.0	1	5	5	6	7	7	7	7
13-19 YRS	1659	5.5	2	4	4	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	3.3	1	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	4.6	1	3	3	5	5	6	6	6
13-19 YRS	1137	6.0	4	4	4	6	7	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.9	3	1	1	2	4	6	7	8
B. *Operated*	1662	5.5	2	4	4	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	7	3.3	1	2	2	3	4	5	5	5
B. *Operated*	1142	6.0	4	4	4	6	7	8	9	13
1. SINGLE DX	1683	5.5	2	3	4	5	6	7	8	9
2. MULTIPLE DX	1149	5.9	4	4	4	6	7	8	9	13
A. NOT OPERATED	28	3.0	3	1	1	3	4	5	6	8
B. OPERATED	2804	5.7	3	4	4	6	6	7	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	5.1	2	3	3	5	6	7	7	7
13-19 YRS	2824	5.7	3	4	4	6	6	7	8	11
GRAND TOTAL	**2832**	**5.7**	**3**	**4**	**4**	**6**	**6**	**7**	**8**	**11**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	923	3.3	1	2	2	3	4	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	688	3.6	2	2	2	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	534	3.7	4	2	2	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1850	4.7	10	2	2	4	6	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	924	3.3	1	2	2	3	4	4	5	7
B. *Operated*	690	3.6	2	2	2	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	534	3.7	4	2	2	3	4	6	7	12
B. *Operated*	1851	4.7	10	2	2	4	6	7	9	15
1. SINGLE DX	1614	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX	2385	4.5	9	2	2	4	5	7	8	15
A. NOT OPERATED	1458	3.4	2	2	2	3	4	5	6	9
B. OPERATED	2541	4.4	9	2	2	4	5	7	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.5		3	3	3	4	4	4	4
13-19 YRS	3995	4.1	6	2	2	4	5	6	8	12
GRAND TOTAL	**3999**	**4.1**	**6**	**2**	**2**	**4**	**5**	**6**	**8**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	2734	2.9	2	2	2	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	1340	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	642	3.0	1	1	2	3	4	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1279	3.4	3	2	2	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2736	2.9	2	2	2	3	3	4	4	5
B. *Operated*	1342	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	643	3.0	1	1	2	3	4	4	5	7
B. *Operated*	1279	3.4	3	2	2	3	4	5	6	9
1. SINGLE DX	4078	2.9	2	2	2	3	3	4	4	6
2. MULTIPLE DX	1922	3.3	3	2	2	3	4	5	6	8
A. NOT OPERATED	3379	2.9	2	2	2	3	3	4	4	6
B. OPERATED	2621	3.2	2	2	2	3	4	5	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.2	1	2	2	3	4	4	4	4
13-19 YRS	5995	3.1	2	2	2	3	4	4	5	7
GRAND TOTAL	**6000**	**3.1**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	461	2.7	2	1	1	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	2.9	2	1	1	3	3	5	6	6
13-19 YRS	4526	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	102	3.0	1	1	2	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1760	3.1	3	2	2	3	4	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	2.7	2	1	1	3	3	4	4	6
B. *Operated*	4536	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	102	3.0	1	1	2	3	3	4	5	7
B. *Operated*	1761	3.1	3	2	2	3	4	4	5	8
1. SINGLE DX	4997	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	1863	3.1	3	2	2	3	4	4	5	8
A. NOT OPERATED	563	2.8	2	1	2	3	3	4	4	6
B. OPERATED	6297	2.9	2	1	2	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.9	2	1	1	3	3	4	6	6
13-19 YRS	6849	2.8	2	1	2	3	3	4	4	6
GRAND TOTAL	**6860**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	357	3.0	1	1	2	3	4	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	3.0	1	2	2	3	4	4	4	4
13-19 YRS	4727	3.0	2	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	106	3.2	3	1	2	3	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2963	3.2	2	2	2	3	4	5	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	3.0	1	1	2	3	4	4	5	8
B. *Operated*	4737	3.0	2	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	106	3.2	3	1	2	3	3	5	6	10
B. *Operated*	2964	3.3	2	2	2	3	4	5	5	8
1. SINGLE DX	5094	3.0	2	2	2	3	3	4	4	6
2. MULTIPLE DX	3070	3.2	2	2	2	3	4	5	5	8
A. NOT OPERATED	463	3.1	2	1	2	3	4	4	5	8
B. OPERATED	7701	3.1	2	2	2	3	4	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	3.1	1	2	2	3	4	4	4	4
13-19 YRS	8153	3.1	2	2	2	3	4	4	5	7
GRAND TOTAL	**8164**	**3.1**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	322	3.0	3	1	2	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	1786	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	82	3.0	2	1	2	3	3	4	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1209	3.4	5	2	2	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	3.0	3	1	2	3	3	4	5	6
B. *Operated*	1788	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	82	3.0	2	1	2	3	3	4	5	11
B. *Operated*	1209	3.4	5	2	2	3	4	5	6	8
1. SINGLE DX	2112	3.0	2	2	2	3	3	4	4	6
2. MULTIPLE DX	1291	3.4	5	2	2	3	4	5	6	8
A. NOT OPERATED	406	3.0	3	1	2	3	3	4	5	8
B. OPERATED	2997	3.1	3	2	2	3	4	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.3		3	3	3	4	4	4	4
13-19 YRS	3399	3.1	3	2	2	3	4	4	5	7
GRAND TOTAL	**3403**	**3.1**	**3**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.0	1	3	3	4	5	5	5	5
13-19 YRS	4915	3.2	4	1	2	3	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	2.9	3	<1	1	3	3	6	7	7
13-19 YRS	13745	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	2.9	4	1	1	2	4	6	7	7
13-19 YRS	2720	3.5	7	1	2	3	4	6	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	4.9	4	2	3	4	7	8	8	8
13-19 YRS	11610	4.6	11	2	2	4	5	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4918	3.2	4	1	2	3	4	5	6	10
B. *Operated*	13763	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	2729	3.5	7	1	2	3	4	6	7	14
B. *Operated*	11624	4.6	11	2	2	4	5	8	10	18
1. SINGLE DX	18681	3.3	3	2	2	3	4	5	6	9
2. MULTIPLE DX	14353	4.4	10	2	2	4	5	7	9	17
A. NOT OPERATED	7647	3.3	5	1	2	3	4	5	6	11
B. OPERATED	25387	3.9	7	2	2	3	4	6	8	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	44	3.6	4	1	1	3	5	7	7	8
13-19 YRS	32990	3.8	6	2	2	3	4	6	8	13
GRAND TOTAL	**33034**	**3.8**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	176	4.2	7	2	2	4	5	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	4.9	9	1	2	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	73	4.6	18	2	2	4	5	6	8	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	24	5.1	9	1	2	5	7	9	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	4.2	7	2	2	4	5	6	7	13
B. *Operated*	19	4.9	9	1	2	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	73	4.6	18	2	2	4	5	6	8	31
B. *Operated*	24	5.1	9	1	2	5	7	9	12	13
1. SINGLE DX	195	4.2	7	2	2	4	5	6	7	14
2. MULTIPLE DX	97	4.8	16	2	2	4	6	7	9	26
A. NOT OPERATED	249	4.3	10	2	2	4	5	6	7	15
B. OPERATED	43	5.0	9	1	2	4	7	9	12	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	292	4.4	10	2	2	4	5	7	8	14
GRAND TOTAL	**292**	**4.4**	**10**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	98	1.7	1	<1	<1	1	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	253	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	40	2.4	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	127	2.9	15	1	1	2	3	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	1.7	1	<1	<1	1	2	3	3	5
B. *Operated*	254	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	40	2.4	2	1	1	2	3	4	5	7
B. *Operated*	127	2.9	15	1	1	2	3	5	7	17
1. SINGLE DX	352	1.8	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	167	2.8	12	1	1	2	3	5	6	10
A. NOT OPERATED	138	1.9	1	<1	1	2	2	3	4	6
B. OPERATED	381	2.2	6	1	1	2	2	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	518	2.1	5	<1	1	2	2	4	5	8
GRAND TOTAL	**519**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**4**	**5**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	93	4.2	10	1	1	3	5	9	12	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	11.0	128	3	3	11	19	19	19	19
13-19 YRS	127	3.4	8	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	49	3.4	5	<1	1	3	4	7	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	74	4.8	25	1	2	3	5	8	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.2	10	1	1	3	5	9	12	14
B. *Operated*	129	3.5	10	1	1	3	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	49	3.4	5	<1	1	3	4	7	8	10
B. *Operated*	74	4.8	25	1	2	3	5	8	17	25
1. SINGLE DX	222	3.8	10	1	1	3	4	8	11	16
2. MULTIPLE DX	123	4.2	17	1	1	3	5	8	12	24
A. NOT OPERATED	142	3.9	9	1	1	3	5	8	10	14
B. OPERATED	203	4.0	16	1	1	3	4	8	13	23
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	11.0	128	3	3	11	19	19	19	19
13-19 YRS	343	3.9	12	1	1	3	4	8	10	20
GRAND TOTAL	**345**	**4.0**	**13**	**1**	**1**	**3**	**4**	**8**	**11**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	28	5.4	10	1	2	5	7	10	12	13
1-11 MOS	229	4.6	7	2	2	4	6	7	10	15
1-5 YRS	863	4.0	7	2	2	3	5	7	8	13
6-12 YRS	855	4.4	7	2	2	4	5	7	9	16
13-19 YRS	1053	4.4	6	2	2	4	5	7	9	13
B. *Operated*										
0-27 DYS	4	3.5	2	2	2	3	4	5	5	5
1-11 MOS	133	4.2	8	<1	1	4	5	8	9	15
1-5 YRS	490	4.0	9	<1	1	3	5	8	10	15
6-12 YRS	381	5.2	17	1	1	4	6	9	13	20
13-19 YRS	549	5.1	14	1	2	4	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	4.9	9	2	3	4	6	9	11	16
1-11 MOS	293	5.3	13	2	2	4	6	10	11	18
1-5 YRS	733	4.6	8	1	2	4	6	8	10	14
6-12 YRS	612	4.9	12	2	2	4	6	8	10	19
13-19 YRS	887	5.0	10	2	2	4	6	8	11	18
B. *Operated*										
0-27 DYS	2	11.0	32	7	7	11	15	15	15	15
1-11 MOS	95	8.1	97	2	2	6	9	13	18	64
1-5 YRS	279	5.8	27	1	2	4	7	11	14	24
6-12 YRS	241	7.5	49	2	2	6	9	14	19	36
13-19 YRS	424	7.2	45	2	2	5	9	15	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3028	4.3	7	2	2	4	5	7	9	13
B. *Operated*	1557	4.7	13	1	1	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	2551	4.9	10	2	2	4	6	8	11	17
B. *Operated*	1041	7.0	46	2	2	5	8	13	19	36
1. SINGLE DX	4585	4.4	9	1	2	4	5	8	10	15
2. MULTIPLE DX	3592	5.5	21	2	2	4	6	10	13	25
A. NOT OPERATED	5579	4.6	8	2	2	4	6	8	10	16
B. OPERATED	2598	5.6	28	1	2	4	7	11	14	28
TOTAL 0-27 DYS	60	5.3	11	1	2	4	7	10	12	16
1-11 MOS	750	5.3	22	1	2	4	6	9	11	18
1-5 YRS	2365	4.4	10	1	2	4	5	8	10	16
6-12 YRS	2089	5.0	16	2	2	4	6	9	12	20
13-19 YRS	2913	5.1	15	2	2	4	6	9	12	21
GRAND TOTAL	8177	4.9	15	1	2	4	6	9	11	19

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	128	4.1	4	1	2	4	5	7	8	11
1-11 MOS	91	4.0	4	1	2	4	5	7	8	11
1-5 YRS	376	4.1	5	1	2	4	5	7	9	12
6-12 YRS	205	4.4	9	1	2	4	6	8	9	17
13-19 YRS	221	4.1	5	1	2	4	5	7	9	11
B. *Operated*										
0-27 DYS	4	5.8	9	2	2	6	8	9	9	9
1-11 MOS	49	4.1	12	1	1	3	5	8	12	15
1-5 YRS	220	3.7	12	<1	1	3	5	8	10	19
6-12 YRS	205	3.7	15	<1	1	2	4	9	11	23
13-19 YRS	357	4.1	12	1	1	3	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	92	4.8	6	2	2	4	6	9	10	12
1-11 MOS	112	5.1	11	2	2	4	6	8	11	22
1-5 YRS	400	4.9	12	2	2	4	6	9	11	18
6-12 YRS	239	4.9	24	2	2	4	6	8	11	23
13-19 YRS	279	5.0	19	2	2	4	6	8	11	23
B. *Operated*										
0-27 DYS	3	5.0	16	1	1	5	8	9	9	9
1-11 MOS	66	6.8	30	1	1	6	9	11	13	37
1-5 YRS	132	5.7	18	<1	1	5	8	12	14	19
6-12 YRS	102	6.0	32	1	2	4	8	13	18	31
13-19 YRS	199	5.5	23	1	1	4	7	10	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1021	4.1	5	1	2	4	5	7	9	12
B. *Operated*	835	3.9	13	<1	1	3	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	1122	4.9	16	2	2	4	6	9	11	20
B. *Operated*	502	5.8	25	1	1	4	8	11	15	25
1. SINGLE DX	1856	4.0	9	1	1	3	5	7	9	16
2. MULTIPLE DX	1624	5.2	19	1	2	4	6	10	12	21
A. NOT OPERATED	2143	4.6	11	1	2	4	5	8	10	16
B. OPERATED	1337	4.6	18	1	1	3	6	10	13	20
TOTAL 0-27 DYS	227	4.4	5	2	2	4	5	7	9	11
1-11 MOS	318	5.0	14	1	2	4	6	9	11	17
1-5 YRS	1128	4.5	11	1	1	4	6	8	11	17
6-12 YRS	751	4.6	19	1	1	3	6	9	11	21
13-19 YRS	1056	4.6	15	1	1	4	6	8	11	20
GRAND TOTAL	3480	4.6	14	1	1	4	6	8	11	18

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	59	3.1	4	1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	10	2.9	3	1	1	2	3	6	6	6
1-5 YRS	14	2.3	1	<1	<1	2	3	3	5	5
6-12 YRS	40	3.3	2	1	2	3	4	5	6	8
13-19 YRS	4130	3.8	6	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS										
13-19 YRS	33	1.9	7	<1	<1	1	1	3	6	15
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.7	4	8	8	9	11	12	12	12
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	482	5.2	16	2	2	4	6	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.0	4	1	1	2	4	5	7	9
B. *Operated*	4196	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	35	2.0	7	<1	<1	1	1	4	7	15
B. *Operated*	490	5.2	16	2	2	4	6	9	12	19
1. SINGLE DX	4259	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX	525	5.0	16	1	2	4	6	8	12	19
A. NOT OPERATED	98	2.6	5	<1	<1	2	4	5	7	12
B. OPERATED	4686	3.9	7	1	2	4	5	6	8	12
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	15	4.0	12	1	1	2	6	9	11	12
1-5 YRS	20	2.5	2	<1	<1	2	3	4	6	7
6-12 YRS	43	3.3	2	1	2	3	4	5	6	8
13-19 YRS	4704	3.9	7	1	2	4	5	6	8	12
GRAND TOTAL	**4784**	**3.9**	**7**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	1.3		<1	<1	1	2	2	2	2
6-12 YRS	3	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	61	1.5	1	<1	<1	1	2	3	3	5
1-5 YRS	280	1.4	1	<1	<1	1	2	2	3	7
6-12 YRS	233	1.5	1	<1	<1	1	2	2	3	4
13-19 YRS	348	1.9	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	6	1.3		<1	<1	1	2	2	2	2
1-5 YRS	9	1.2		<1	<1	1	1	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	9	2.6	5	<1	<1	2	3	6	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.2	3	1	1	3	4	6	6	6
1-5 YRS	31	1.7	1	<1	<1	2	2	3	3	4
6-12 YRS	46	1.8	1	<1	<1	1	2	3	5	7
13-19 YRS	61	2.4	2	<1	<1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.8	3	<1	<1	1	2	3	6	7
B. *Operated*	923	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	27	1.7	2	<1	<1	1	2	3	5	8
B. *Operated*	144	2.1	2	<1	<1	2	2	4	6	7
1. SINGLE DX	937	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	171	2.0	2	<1	<1	2	2	4	6	7
A. NOT OPERATED	41	1.7	2	<1	<1	1	2	3	5	8
B. OPERATED	1067	1.7	2	<1	<1	1	2	3	3	6
TOTAL 0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	74	1.7	1	<1	<1	1	2	3	4	7
1-5 YRS	326	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	283	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	422	2.0	2	<1	<1	2	2	3	4	7
GRAND TOTAL	**1108**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**7**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	56	4.1	4	2	2	4	5	7	8	10
1-11 MOS	213	3.8	8	1	1	3	5	7	9	14
1-5 YRS	583	3.5	7	1	1	3	4	6	8	13
6-12 YRS	410	4.2	20	1	1	3	5	8	14	23
13-19 YRS	495	4.9	27	1	1	3	6	11	17	27
B. *Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	45	2.7	12	<1	<1	1	2	6	11	16
1-5 YRS	367	2.4	10	<1	<1	2	2	4	7	14
6-12 YRS	939	2.4	5	<1	<1	2	2	4	6	12
13-19 YRS	2208	2.8	16	<1	<1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	56	4.3	6	1	2	4	6	8	10	12
1-11 MOS	342	4.9	10	1	2	4	6	8	11	15
1-5 YRS	637	4.3	14	1	1	3	5	8	11	19
6-12 YRS	308	4.7	20	1	1	4	6	8	12	20
13-19 YRS	477	6.2	36	1	1	4	7	14	19	30
B. *Operated*										
0-27 DYS	4	7.0	11	5	5	6	9	12	12	12
1-11 MOS	16	7.6	47	<1	1	4	11	18	21	23
1-5 YRS	180	5.2	68	<1	1	2	5	11	28	40
6-12 YRS	347	4.4	35	<1	1	2	4	11	17	29
13-19 YRS	909	6.2	97	1	1	3	6	15	25	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1757	4.1	16	1	1	3	5	8	11	22
B. *Operated*	3561	2.7	12	<1	<1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	1820	4.9	20	1	1	4	6	10	13	25
B. *Operated*	1456	5.7	78	<1	1	2	6	14	22	50
1. SINGLE DX	5318	3.2	14	<1	1	2	3	6	9	19
2. MULTIPLE DX	3276	5.3	46	1	1	3	6	11	17	36
A. NOT OPERATED	3577	4.5	18	1	1	3	5	9	12	23
B. OPERATED	5017	3.5	33	<1	<1	2	3	7	12	30
TOTAL 0-27 DYS	118	4.3	5	2	2	4	5	8	8	12
1-11 MOS	616	4.4	11	1	1	4	6	8	11	17
1-5 YRS	1767	3.7	17	<1	1	3	4	7	10	21
6-12 YRS	2004	3.4	16	<1	1	2	4	7	10	21
13-19 YRS	4089	4.2	40	<1	1	2	4	9	15	32
GRAND TOTAL	**8594**	**4.0**	**27**	**<1**	**1**	**2**	**4**	**8**	**12**	**28**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	32.0		32	32	32	32	32	32	32
1-5 YRS	7	16.6	816	2	2	7	9	67	81	81
6-12 YRS	22	6.3	20	1	2	5	9	14	16	17
13-19 YRS	85	7.6	34	2	3	6	9	13	18	32
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	8.3	104	1	1	4	16	20	20	20
6-12 YRS	13	9.4	79	1	2	7	13	22	29	31
13-19 YRS	43	11.0	246	2	2	6	12	24	41	85
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	6.6	5	4	4	6	8	10	10	10
6-12 YRS	14	6.4	33	2	2	4	7	16	20	21
13-19 YRS	144	9.7	99	2	3	7	10	23	29	52
B. *Operated*										
0-27 DYS										
1-11 MOS	2	18.0	288	6	6	18	30	30	30	30
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	14	14.9	170	1	3	9	20	37	39	39
13-19 YRS	63	13.9	160	1	2	9	19	30	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	8.1	81	2	2	6	9	14	19	49
B. *Operated*	60	10.5	196	1	2	6	12	21	32	82
2. MULTIPLE DX										
A. *Not Operated*	163	9.3	91	2	3	6	10	21	29	51
B. *Operated*	81	13.9	160	1	2	9	19	31	39	59
1. SINGLE DX	176	8.9	121	2	2	6	10	17	30	75
2. MULTIPLE DX	244	10.9	118	2	3	7	13	27	35	53
A. NOT OPERATED	279	8.8	87	2	3	6	10	17	28	51
B. OPERATED	141	12.4	177	1	2	8	16	30	38	64
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	18.8	201	6	6	18	31	32	32	32
1-5 YRS	17	10.5	351	1	2	6	8	18	60	81
6-12 YRS	63	8.9	77	1	2	6	12	20	33	39
13-19 YRS	335	10.1	116	2	2	7	11	23	31	57
GRAND TOTAL	**420**	**10.0**	**120**	**2**	**2**	**7**	**11**	**22**	**31**	**58**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	2	2	2	4	5	5	5	5
1-5 YRS	123	5.3	17	1	1	4	7	10	11	26
6-12 YRS	182	5.9	19	2	2	5	7	11	15	24
13-19 YRS	144	6.4	19	2	2	5	8	12	17	20
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	3	8.7	44	1	1	12	13	13	13	13
1-5 YRS	26	4.5	25	<1	<1	3	5	12	15	22
6-12 YRS	21	7.1	31	1	1	6	10	18	19	19
13-19 YRS	52	8.2	70	1	1	4	14	20	24	42
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	10.9	46	3	4	9	15	22	23	23
1-5 YRS	61	7.8	70	1	2	5	9	19	25	45
6-12 YRS	94	7.8	39	2	3	6	10	15	21	32
13-19 YRS	99	8.2	46	2	3	6	10	17	21	37
B. *Operated*										
0-27 DYS										
1-11 MOS	6	15.3	27	9	9	14	18	23	24	24
1-5 YRS	6	8.8	28	2	2	9	9	17	18	18
6-12 YRS	17	11.8	80	2	3	7	20	22	27	29
13-19 YRS	46	12.6	209	2	2	7	13	32	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	5.9	18	1	2	5	7	11	15	22
B. *Operated*	103	7.1	51	<1	1	4	10	18	21	33
2. MULTIPLE DX										
A. *Not Operated*	261	8.1	49	2	2	6	10	17	23	33
B. *Operated*	75	12.3	150	2	2	9	17	24	40	66
1. SINGLE DX	555	6.1	25	1	2	5	8	12	17	25
2. MULTIPLE DX	336	9.0	74	2	2	6	11	19	25	46
A. NOT OPERATED	713	6.7	31	1	2	5	8	13	18	27
B. OPERATED	178	9.3	99	1	1	6	13	20	25	50
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	19	10.8	44	1	2	12	15	21	24	24
1-5 YRS	216	6.0	34	1	1	4	7	11	17	30
6-12 YRS	314	6.9	31	2	2	5	9	15	19	28
13-19 YRS	341	8.0	63	2	2	6	10	17	21	44
GRAND TOTAL	**891**	**7.2**	**45**	**1**	**2**	**5**	**9**	**15**	**20**	**33**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	5	3.4	5	<1	<1	3	5	7	7	7
6-12 YRS	9	7.4	28	2	2	7	10	16	18	18
13-19 YRS	10	7.4	64	1	1	4	9	20	28	28
B. *Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	3	12.0	4	10	10	12	13	14	14	14
1-5 YRS	6	12.3	55	2	2	15	15	21	22	22
6-12 YRS	10	10.1	84	2	2	7	17	25	27	27
13-19 YRS	74	5.2	37	1	2	3	5	14	21	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	8	7.3	17	2	3	6	9	13	15	15
6-12 YRS	3	6.7	6	4	4	7	8	9	9	9
13-19 YRS	11	6.5	53	1	1	4	5	20	24	24
B. *Operated*										
0-27 DYS	2	18.5	25	15	15	18	22	22	22	22
1-11 MOS	5	12.4	13	9	9	11	15	18	18	18
1-5 YRS	3	25.3	36	19	19	26	30	31	31	31
6-12 YRS	4	10.5	50	2	2	10	15	19	19	19
13-19 YRS	64	4.5	33	1	1	3	5	11	12	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	6.8	41	1	2	4	9	17	20	28
B. *Operated*	94	6.6	51	1	2	4	8	17	23	30
2. MULTIPLE DX										
A. *Not Operated*	25	6.3	30	1	1	5	8	15	19	24
B. *Operated*	78	6.5	55	1	1	3	9	16	21	39
1. SINGLE DX	120	6.7	48	1	2	4	8	17	23	30
2. MULTIPLE DX	103	6.5	48	1	1	4	9	16	20	36
A. NOT OPERATED	51	6.6	35	1	1	5	8	16	18	28
B. OPERATED	172	6.6	52	1	2	3	8	17	22	31
TOTAL 0-27 DYS	5	13.4	136	1	1	15	23	27	27	27
1-11 MOS	11	11.3	24	1	5	11	14	18	18	18
1-5 YRS	22	10.2	71	1	2	7	15	23	28	31
6-12 YRS	26	8.8	48	2	2	7	12	19	24	27
13-19 YRS	159	5.2	38	1	1	3	5	11	18	31
GRAND TOTAL	**223**	**6.6**	**48**	**1**	**2**	**4**	**9**	**17**	**22**	**31**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	11.0	200	1	1	11	21	21	21	21
1-11 MOS	23	9.4	47	1	2	10	13	17	24	27
1-5 YRS	175	7.4	38	1	2	5	10	17	20	27
6-12 YRS	137	7.0	28	2	2	6	9	14	16	29
13-19 YRS	162	6.9	33	2	2	5	9	14	16	31
B. *Operated*										
0-27 DYS	4	16.8	100	2	2	21	23	23	23	23
1-11 MOS	27	15.7	45	6	8	15	21	25	29	29
1-5 YRS	85	13.7	63	4	5	12	17	24	29	39
6-12 YRS	68	15.0	94	3	4	14	21	29	31	50
13-19 YRS	165	7.3	59	1	2	4	9	15	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0		8	8	8	8	8	8	8
1-11 MOS	38	12.5	54	3	4	13	15	22	28	35
1-5 YRS	86	10.4	68	2	3	7	16	22	28	35
6-12 YRS	80	7.9	40	1	2	5	11	18	20	26
13-19 YRS	123	8.8	105	2	3	6	10	17	23	61
B. *Operated*										
0-27 DYS	3	25.0	336	5	5	29	38	41	41	41
1-11 MOS	31	18.5	51	6	10	19	22	29	29	35
1-5 YRS	50	17.2	105	5	7	15	22	32	36	56
6-12 YRS	65	17.8	104	3	4	16	26	31	34	39
13-19 YRS	111	11.4	137	2	2	7	16	27	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	7.2	34	1	2	5	10	15	19	29
B. *Operated*	349	11.1	79	2	2	9	16	24	29	37
2. MULTIPLE DX										
A. *Not Operated*	329	9.4	74	2	3	7	13	20	24	35
B. *Operated*	260	15.1	123	2	3	14	22	30	34	42
1. SINGLE DX	848	8.8	56	2	2	6	13	19	24	33
2. MULTIPLE DX	589	11.9	104	2	3	9	17	26	31	40
A. NOT OPERATED	828	8.1	51	2	2	6	11	17	21	31
B. OPERATED	609	12.8	101	2	2	11	19	27	31	41
TOTAL 0-27 DYS	11	16.4	159	1	2	19	23	34	40	41
1-11 MOS	119	14.2	59	3	4	14	19	25	29	35
1-5 YRS	396	10.6	70	2	2	8	15	22	27	36
6-12 YRS	350	10.7	77	2	2	8	15	24	29	35
13-19 YRS	561	8.3	79	2	2	5	10	18	26	41
GRAND TOTAL	**1437**	**10.1**	**78**	**2**	**2**	**7**	**14**	**22**	**28**	**38**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	22	2.2	2	<1	<1	2	3	4	5	6
13-19 YRS	121	2.5	3	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.4	2	1	1	4	4	5	5	5
1-5 YRS	11	3.0	3	1	1	3	4	5	7	7
6-12 YRS	159	2.9	4	<1	1	2	4	5	7	10
13-19 YRS	4897	3.1	4	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	16	4.6	17	<1	<1	3	6	12	13	13
13-19 YRS	89	2.4	7	<1	<1	1	3	6	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.4	8	1	1	2	5	8	8	8
1-5 YRS	3	3.7	6	1	1	4	5	6	6	6
6-12 YRS	77	3.3	4	1	1	3	4	6	7	9
13-19 YRS	2614	3.5	6	1	1	3	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	5072	3.1	4	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	106	2.7	9	<1	<1	1	4	6	8	16
B. *Operated*	2699	3.5	6	1	1	3	5	6	8	12
1. SINGLE DX	5216	3.1	4	1	1	3	4	5	7	9
2. MULTIPLE DX	2805	3.5	6	1	1	3	5	6	8	12
A. NOT OPERATED	250	2.6	6	<1	<1	2	3	5	7	13
B. OPERATED	7771	3.3	5	1	1	3	4	6	7	10
TOTAL 0-27 DYS										
1-11 MOS	10	3.4	4	1	1	3	4	6	8	8
1-5 YRS	16	2.9	3	<1	1	3	4	6	7	7
6-12 YRS	274	3.1	5	1	1	2	4	6	7	12
13-19 YRS	7721	3.2	5	1	1	3	4	6	7	10
GRAND TOTAL	**8021**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	3.1	7	<1	1	2	4	6	10	11
1-5 YRS	249	3.6	7	1	1	3	4	6	8	15
6-12 YRS	259	3.9	6	1	1	3	5	7	9	12
13-19 YRS	245	3.8	8	<1	1	3	5	8	10	13
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	12	4.6	18	1	1	3	5	11	15	16
1-5 YRS	79	4.4	33	<1	1	2	4	9	18	31
6-12 YRS	338	3.6	7	<1	1	3	4	6	8	15
13-19 YRS	4885	3.6	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	3.3	3	1	1	3	4	6	6	6
1-5 YRS	143	4.1	10	1	1	3	5	8	11	15
6-12 YRS	177	4.2	10	1	1	3	5	8	10	17
13-19 YRS	287	4.3	21	<1	1	3	6	9	12	24
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.0	13	<1	<1	3	7	8	8	8
1-5 YRS	55	5.3	15	2	2	4	7	11	12	22
6-12 YRS	203	5.9	43	1	2	4	6	11	20	37
13-19 YRS	1608	4.2	13	1	2	3	5	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	767	3.8	7	1	1	3	5	7	9	13
B. *Operated*	5316	3.6	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	614	4.2	15	1	1	3	5	8	11	18
B. *Operated*	1869	4.4	17	1	2	3	5	8	10	22
1. SINGLE DX	6083	3.6	5	1	1	3	4	6	7	12
2. MULTIPLE DX	2483	4.3	17	1	1	3	5	8	10	21
A. NOT OPERATED	1381	4.0	11	1	1	3	5	8	10	16
B. OPERATED	7185	3.8	8	1	1	3	5	6	8	14
TOTAL 0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	35	3.7	10	<1	1	3	4	8	10	16
1-5 YRS	526	4.0	12	1	1	3	5	8	10	18
6-12 YRS	977	4.3	15	1	1	3	5	8	10	21
13-19 YRS	7025	3.7	7	1	1	3	5	6	8	13
GRAND TOTAL	**8566**	**3.8**	**9**	**1**	**1**	**3**	**5**	**6**	**8**	**15**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	8	9.5	56	2	3	7	11	22	26	26
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	18	<1	<1	3	7	7	7	7
6-12 YRS										
13-19 YRS	2	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	9.7	49	2	3	8	11	21	26	26
B. *Operated*	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*	4	8.5	33	<1	<1	10	13	13	13	13
1. SINGLE DX	11	9.7	40	2	3	8	12	18	25	26
2. MULTIPLE DX	6	7.8	21	<1	1	7	13	13	13	13
A. NOT OPERATED	11	9.1	41	2	3	7	11	18	25	26
B. OPERATED	6	9.0	22	<1	1	10	13	13	13	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	18	<1	<1	3	7	7	7	7
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	14	9.6	34	2	4	8	13	15	23	26
GRAND TOTAL	**17**	**9.1**	**33**	**1**	**2**	**8**	**12**	**13**	**22**	**26**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	14	5.2	21	1	1	4	7	10	16	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	14	5.2	12	1	1	4	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	9	12.6	521	1	1	6	8	48	73	73
B. *Operated*										
0-27 DYS	2	11.0	162	2	2	11	20	20	20	20
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	7.0	19	2	2	9	10	10	10	10
6-12 YRS	2	9.5	5	8	8	9	11	11	11	11
13-19 YRS	17	11.4	214	2	4	8	10	17	49	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.2	21	1	1	3	7	11	16	18
B. *Operated*	15	5.1	12	1	1	4	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	12	10.9	388	1	2	6	7	29	67	73
B. *Operated*	25	10.6	153	2	2	8	10	17	31	66
1. SINGLE DX	32	5.2	16	1	1	4	8	10	12	18
2. MULTIPLE DX	37	10.7	221	1	2	7	10	17	50	73
A. NOT OPERATED	29	7.6	173	1	1	5	7	11	21	73
B. OPERATED	40	8.5	106	1	2	7	10	13	18	66
TOTAL 0-27 DYS	3	9.0	93	2	2	5	16	20	20	20
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	5	7.2	20	2	2	9	10	12	12	12
6-12 YRS	6	6.0	13	1	1	6	8	11	11	11
13-19 YRS	54	8.4	162	1	1	6	9	12	18	73
GRAND TOTAL	**69**	**8.1**	**132**	**1**	**1**	**6**	**9**	**12**	**18**	**72**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	17	7.0	30	1	1	8	9	14	19	21
6-12 YRS	9	6.3	20	1	2	5	9	13	15	15
13-19 YRS	157	7.7	26	2	2	7	10	14	17	25
B. *Operated*										
0-27 DYS	5	6.6	17	2	2	5	9	13	13	13
1-11 MOS	5	8.0	10	5	5	7	10	13	13	13
1-5 YRS	2	13.0	128	5	5	13	21	21	21	21
6-12 YRS	9	7.1	31	1	1	6	11	15	16	16
13-19 YRS	527	7.8	25	1	2	7	10	15	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	14.4	95	4	4	12	19	30	30	30
1-5 YRS	4	8.0	6	5	5	8	10	11	11	11
6-12 YRS	2	8.0	8	6	6	8	10	10	10	10
13-19 YRS	54	8.3	40	1	3	7	10	15	17	37
B. *Operated*										
0-27 DYS	2	10.0		10	10	10	10	10	10	10
1-11 MOS	4	11.5	110	1	1	9	18	26	26	26
1-5 YRS	3	13.0	121	2	2	13	21	24	24	24
6-12 YRS	5	11.2	131	2	2	10	16	30	30	30
13-19 YRS	90	10.2	56	2	3	8	14	19	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	7.6	26	1	2	7	10	14	16	24
B. *Operated*	548	7.8	25	1	2	7	10	15	18	23
2. MULTIPLE DX										
A. *Not Operated*	66	8.7	42	2	3	8	11	15	19	36
B. *Operated*	104	10.4	59	2	2	9	14	22	25	39
1. SINGLE DX	734	7.7	25	1	2	7	10	14	17	23
2. MULTIPLE DX	170	9.7	53	2	3	8	12	17	25	36
A. NOT OPERATED	252	7.9	30	1	2	7	10	14	17	30
B. OPERATED	652	8.2	32	1	2	7	11	15	19	26
TOTAL 0-27 DYS	10	7.0	12	2	2	7	10	12	13	13
1-11 MOS	15	11.4	61	2	4	10	13	26	29	30
1-5 YRS	26	8.3	40	1	2	8	11	20	22	24
6-12 YRS	25	7.7	43	1	2	6	11	15	19	30
13-19 YRS	828	8.1	30	1	2	7	10	15	18	26
GRAND TOTAL	**904**	**8.1**	**31**	**1**	**2**	**7**	**10**	**15**	**18**	**27**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	4	5.8	25	2	2	4	9	13	13	13
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	40	6.5	16	1	2	6	9	12	14	15
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	8.3	6	6	6	8	10	11	11	11
1-5 YRS	2	8.0	98	<1	<1	7	15	15	15	15
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	53	7.4	28	1	2	6	10	16	20	97
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	8.5	61	3	3	8	14	14	14	14
6-12 YRS	2	11.5	41	7	7	11	16	16	16	16
13-19 YRS	24	8.0	25	2	3	7	10	15	19	22
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	9.7	57	1	2	7	14	21	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	6.1	16	1	2	5	9	12	14	15
B. *Operated*	61	7.2	27	1	2	6	10	15	19	91
2. MULTIPLE DX										
A. *Not Operated*	29	8.1	25	2	3	7	11	16	18	22
B. *Operated*	13	9.2	55	1	2	7	12	20	25	26
1. SINGLE DX	109	6.7	22	1	2	6	10	14	16	56
2. MULTIPLE DX	42	8.5	34	2	3	7	11	18	20	26
A. NOT OPERATED	77	6.9	20	2	2	6	9	14	15	21
B. OPERATED	74	7.6	32	1	2	6	10	17	20	81
TOTAL 0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	4	7.5	7	5	5	7	9	11	11	11
1-5 YRS	8	7.0	35	<1	1	4	13	15	15	15
6-12 YRS	7	5.0	27	1	1	3	6	14	16	16
13-19 YRS	129	7.4	26	1	2	6	10	15	18	41
GRAND TOTAL	**151**	**7.2**	**26**	**1**	**2**	**6**	**10**	**15**	**18**	**26**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	2	7.5	5	6	6	7	9	9	9	9
13-19 YRS	62	6.0	9	2	2	6	8	10	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	29	5.4	13	2	2	5	7	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	3	7.3	44	3	3	4	12	15	15	15
13-19 YRS	55	6.1	14	1	2	6	8	11	14	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	19	8.1	26	2	2	8	13	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	6.2	9	2	2	6	8	11	11	14
B. *Operated*	30	5.4	13	2	2	5	7	10	14	15
2. MULTIPLE DX										
A. *Not Operated*	61	6.0	15	1	2	5	8	11	15	19
B. *Operated*	20	7.9	26	2	2	7	12	15	16	17
1. SINGLE DX	95	5.9	10	2	2	6	8	10	12	15
2. MULTIPLE DX	81	6.4	18	1	2	6	9	13	15	18
A. NOT OPERATED	126	6.1	12	2	2	6	8	11	12	16
B. OPERATED	50	6.4	19	2	2	5	9	14	15	17
TOTAL 0-27 DYS										
1-11 MOS	3	3.3	4	1	1	4	5	5	5	5
1-5 YRS	3	7.3	42	1	1	7	12	14	14	14
6-12 YRS	5	7.4	23	3	3	6	10	15	15	15
13-19 YRS	165	6.2	14	2	2	6	8	11	13	17
GRAND TOTAL	**176**	**6.2**	**14**	**2**	**2**	**6**	**8**	**11**	**14**	**17**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.5	11	1	1	3	6	8	8	8
13-19 YRS	16	6.1	44	<1	2	4	7	9	23	29
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	6.3	20	1	1	6	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	15.5	41	11	11	15	20	20	20	20
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	20	6.5	16	1	2	6	8	13	14	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	3	6.0	37	2	2	3	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.6	37	<1	1	4	7	9	19	29
B. *Operated*	14	6.3	20	1	1	6	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	24	7.1	23	1	2	6	10	13	16	20
B. *Operated*	5	5.6	19	2	2	5	7	13	13	13
1. SINGLE DX	34	5.9	29	1	1	4	8	11	14	29
2. MULTIPLE DX	29	6.9	22	1	2	6	10	13	15	20
A. NOT OPERATED	44	6.4	30	1	1	5	8	13	16	29
B. OPERATED	19	6.1	18	1	1	5	9	12	14	15
TOTAL 0-27 DYS										
1-11 MOS	3	12.0	57	5	5	11	18	20	20	20
1-5 YRS	2	3.0	8	<1	<1	2	5	5	5	5
6-12 YRS	5	4.8	17	1	1	4	8	10	10	10
13-19 YRS	53	6.3	25	1	2	5	8	13	15	29
GRAND TOTAL	**63**	**6.3**	**26**	**1**	**1**	**5**	**9**	**13**	**15**	**28**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	9.0	50	4	4	9	14	14	14	14
1-11 MOS	5	5.8	30	1	1	4	8	15	15	15
1-5 YRS	32	2.4	4	<1	<1	2	3	5	7	8
6-12 YRS	110	4.0	10	1	1	3	5	8	10	17
13-19 YRS	499	5.2	15	1	2	4	7	10	12	21
B. *Operated*										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	10	3.8	4	2	2	3	6	7	7	7
6-12 YRS	31	5.5	30	1	1	3	8	13	14	25
13-19 YRS	298	5.1	19	1	2	3	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	9.8	43	2	2	9	14	18	18	18
1-11 MOS	7	8.9	43	1	2	7	14	18	19	19
1-5 YRS	34	2.7	4	<1	1	2	4	6	7	8
6-12 YRS	64	3.8	9	1	1	3	5	7	10	15
13-19 YRS	398	5.7	26	1	1	4	7	11	15	27
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	2	13.5	313	<1	<1	13	26	26	26	26
6-12 YRS	17	5.2	11	1	1	4	8	10	11	11
13-19 YRS	168	6.4	23	1	2	5	9	14	16	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	648	4.9	15	1	1	4	6	10	12	19
B. *Operated*	343	5.1	20	1	2	3	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	507	5.3	24	1	1	4	7	11	15	23
B. *Operated*	189	6.5	24	1	2	5	9	14	17	21
1. SINGLE DX	991	5.0	16	1	1	4	7	10	13	21
2. MULTIPLE DX	696	5.6	24	1	1	4	7	12	15	22
A. NOT OPERATED	1155	5.1	19	1	1	4	7	10	13	21
B. OPERATED	532	5.6	22	1	2	4	8	12	15	23
TOTAL 0-27 DYS	9	9.8	33	2	3	10	15	18	18	18
1-11 MOS	15	7.4	35	1	1	4	14	15	18	19
1-5 YRS	78	3.0	11	<1	1	2	3	7	7	21
6-12 YRS	222	4.3	12	1	1	3	5	9	12	17
13-19 YRS	1363	5.5	20	1	2	4	7	11	14	22
GRAND TOTAL	**1687**	**5.3**	**20**	**1**	**1**	**4**	**7**	**11**	**14**	**21**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.3	2	2	2	3	4	5	5	5
1-5 YRS	277	3.5	9	1	1	3	4	6	8	14
6-12 YRS	272	4.4	9	1	2	4	6	9	10	14
13-19 YRS	149	4.1	5	1	2	4	6	7	9	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.6	1	1	1	3	3	4	4	4
1-5 YRS	150	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	204	2.8	5	<1	1	2	3	5	7	12
13-19 YRS	1212	2.8	5	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	8	6	6	8	10	10	10	10
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	103	3.9	9	1	1	3	4	7	10	16
6-12 YRS	83	4.7	24	1	1	3	6	8	13	31
13-19 YRS	100	4.5	10	1	1	4	6	8	10	16
B. *Operated*										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS	22	4.6	33	<1	<1	2	5	13	18	24
6-12 YRS	53	3.6	14	1	1	3	4	7	9	26
13-19 YRS	418	3.4	11	1	1	3	4	6	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	702	4.0	8	1	1	3	5	8	9	14
B. *Operated*	1572	2.7	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	289	4.4	14	1	1	3	6	8	11	18
B. *Operated*	497	3.5	12	1	1	3	4	6	8	19
1. SINGLE DX	2274	3.1	6	<1	1	2	4	6	7	13
2. MULTIPLE DX	786	3.8	13	1	1	3	5	7	9	18
A. NOT OPERATED	991	4.1	10	1	1	3	5	8	10	15
B. OPERATED	2069	2.9	7	<1	1	2	3	5	6	13
TOTAL 0-27 DYS	5	6.0	16	2	2	6	10	10	10	10
1-11 MOS	12	3.7	4	1	2	3	4	7	8	8
1-5 YRS	552	3.1	9	<1	<1	2	4	6	8	15
6-12 YRS	612	3.9	11	1	1	3	5	8	10	15
13-19 YRS	1879	3.1	7	<1	1	3	4	6	7	13
GRAND TOTAL	**3060**	**3.3**	**8**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	6	3.8	20	<1	<1	1	6	11	12	12
1-5 YRS	10	2.4	2	1	1	2	3	4	5	5
6-12 YRS	121	3.3	2	1	2	3	4	5	6	8
13-19 YRS	1171	3.6	3	1	2	3	4	6	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	15	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	4	3.3	5	<1	<1	3	5	6	6	6
6-12 YRS	79	3.6	2	1	2	4	5	5	6	7
13-19 YRS	962	4.0	2	2	2	4	5	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	1310	3.6	3	1	2	3	4	6	6	11
2. MULTIPLE DX										
A. *Not Operated*	20	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	1050	3.9	2	2	2	4	5	6	7	9
1. SINGLE DX	1320	3.5	3	1	2	3	4	6	6	11
2. MULTIPLE DX	1070	3.9	3	2	2	4	5	6	7	9
A. NOT OPERATED	30	1.5	1	<1	<1	1	2	3	3	4
B. OPERATED	2360	3.7	3	2	2	3	5	6	7	10
TOTAL 0-27 DYS	4	5.5	2	4	4	5	6	7	7	7
1-11 MOS	9	3.9	13	<1	<1	3	5	10	12	12
1-5 YRS	17	2.6	2	<1	1	2	4	5	6	6
6-12 YRS	205	3.4	2	1	2	3	4	5	6	7
13-19 YRS	2155	3.7	3	2	2	4	5	6	7	10
GRAND TOTAL	**2390**	**3.7**	**3**	**1**	**2**	**3**	**5**	**6**	**7**	**10**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.2		<1	<1	1	1	2	2	2
6-12 YRS	11	1.8	2	<1	<1	1	2	4	5	5
13-19 YRS	22	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS	12	1.3		<1	<1	1	2	2	2	2
1-5 YRS	298	1.9	1	<1	<1	2	2	3	4	6
6-12 YRS	701	1.9	1	<1	<1	2	2	3	4	5
13-19 YRS	1772	2.0	7	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	9	1.2		<1	<1	<1	1	2	2	2
13-19 YRS	27	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	22	3.4	19	<1	1	2	3	6	13	22
6-12 YRS	62	2.2	1	<1	<1	2	3	4	4	7
13-19 YRS	241	2.4	2	<1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	2783	1.9	5	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	44	1.3		<1	<1	1	2	2	3	4
B. *Operated*	327	2.4	3	<1	1	2	3	4	5	8
1. SINGLE DX	2822	1.9	4	<1	<1	2	2	3	4	5
2. MULTIPLE DX	371	2.3	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	83	1.5	1	<1	<1	1	2	3	4	5
B. OPERATED	3110	2.0	4	<1	<1	2	2	3	4	6
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	12	1.3		<1	<1	1	2	2	2	2
1-5 YRS	334	2.0	3	<1	<1	2	2	3	4	7
6-12 YRS	783	1.9	1	<1	<1	2	2	3	4	5
13-19 YRS	2062	2.0	6	<1	<1	2	2	3	4	6
GRAND TOTAL	**3193**	**2.0**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**6**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	8.6	65	<1	<1	6	14	21	21	21
1-11 MOS	30	15.7	61	4	6	14	22	27	28	34
1-5 YRS	103	13.4	64	2	4	12	20	24	29	34
6-12 YRS	161	16.6	111	2	5	15	22	29	33	51
13-19 YRS	100	14.9	126	2	4	12	20	30	40	51
B. *Operated*										
0-27 DYS	3	12.3	122	2	2	11	21	24	24	24
1-11 MOS	7	18.0	30	11	11	19	21	26	27	27
1-5 YRS	69	15.6	124	2	3	14	22	31	39	47
6-12 YRS	143	17.9	155	2	3	16	26	34	43	53
13-19 YRS	207	13.2	116	2	3	9	20	29	36	45
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	72	2	2	8	14	14	14	14
1-11 MOS	18	15.7	75	1	3	15	21	28	32	34
1-5 YRS	61	17.2	139	2	3	15	26	30	36	55
6-12 YRS	72	17.9	139	2	3	16	25	32	40	59
13-19 YRS	63	19.5	171	2	6	17	27	39	43	65
B. *Operated*										
0-27 DYS	2	19.0	32	15	15	19	23	23	23	23
1-11 MOS	13	26.7	229	8	9	21	38	47	57	59
1-5 YRS	50	23.6	226	4	5	23	31	43	44	80
6-12 YRS	99	23.4	213	2	4	23	31	44	47	67
13-19 YRS	135	18.4	224	2	3	14	26	39	52	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	15.2	100	2	4	14	21	28	32	45
B. *Operated*	429	15.2	133	2	3	13	22	30	39	47
2. MULTIPLE DX										
A. *Not Operated*	216	17.9	142	2	3	16	25	31	40	59
B. *Operated*	299	21.3	225	2	4	20	29	43	49	75
1. SINGLE DX	828	15.2	117	2	3	14	22	29	36	46
2. MULTIPLE DX	515	19.9	192	2	3	18	28	39	46	65
A. NOT OPERATED	615	16.1	116	2	4	14	22	29	35	49
B. OPERATED	728	17.7	179	2	3	15	25	36	44	58
TOTAL 0-27 DYS	12	11.2	72	<1	1	11	18	23	24	24
1-11 MOS	68	18.1	107	4	8	16	22	30	38	56
1-5 YRS	283	16.6	135	2	4	14	23	31	38	47
6-12 YRS	475	18.6	155	2	4	16	26	34	43	56
13-19 YRS	505	15.7	159	2	3	13	22	33	42	58
GRAND TOTAL	**1343**	**17.0**	**151**	**2**	**3**	**15**	**24**	**32**	**42**	**57**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	5	3.0	12	<1	<1	1	4	9	9	9
1-5 YRS	86	6.2	41	1	1	4	7	16	18	32
6-12 YRS	230	6.5	35	1	1	5	9	14	19	29
13-19 YRS	217	4.5	33	1	1	3	6	9	11	34
B. *Operated*										
0-27 DYS										
1-11 MOS	11	4.1	12	1	1	3	5	9	13	13
1-5 YRS	122	4.5	13	<1	1	3	6	10	13	17
6-12 YRS	957	5.3	32	1	1	4	6	10	15	31
13-19 YRS	3082	4.3	16	1	2	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	5	12.0	27	3	3	13	15	16	16	16
1-5 YRS	29	6.2	28	1	1	4	9	15	17	21
6-12 YRS	110	7.2	74	<1	1	4	8	20	28	39
13-19 YRS	201	4.3	30	<1	1	3	5	8	10	37
B. *Operated*										
0-27 DYS	2	29.5	1013	7	7	29	52	52	52	52
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS	48	8.5	85	1	1	5	11	23	29	39
6-12 YRS	216	6.8	93	1	1	4	7	15	22	60
13-19 YRS	1033	5.1	28	1	2	3	5	10	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	5.6	35	1	1	4	7	11	17	30
B. *Operated*	4172	4.6	20	1	1	3	5	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	347	5.5	46	<1	1	3	6	12	18	34
B. *Operated*	1300	5.6	44	1	2	4	6	11	16	34
1. SINGLE DX	4713	4.7	22	1	1	3	6	9	12	24
2. MULTIPLE DX	1647	5.5	44	1	1	4	6	11	17	34
A. NOT OPERATED	888	5.5	39	1	1	4	7	11	17	33
B. OPERATED	5472	4.8	26	1	1	3	5	9	13	26
TOTAL 0-27 DYS	7	10.0	347	1	1	3	6	43	52	52
1-11 MOS	22	6.7	48	<1	1	3	13	15	21	28
1-5 YRS	285	5.9	37	1	1	4	7	13	18	32
6-12 YRS	1513	5.8	44	1	1	4	7	12	18	35
13-19 YRS	4533	4.5	20	1	1	3	5	8	12	24
GRAND TOTAL	**6360**	**4.9**	**28**	**1**	**1**	**3**	**6**	**9**	**14**	**28**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	9	1.7	3	<1	<1	1	2	4	6	6
6-12 YRS	6	4.5	6	2	2	4	7	8	8	8
13-19 YRS	13	4.7	38	<1	<1	2	5	12	21	23
B. *Operated*										
0-27 DYS										
1-11 MOS	8	2.9	2	<1	<1	3	4	5	6	6
1-5 YRS	87	3.4	6	1	1	3	4	6	7	16
6-12 YRS	238	4.0	4	1	2	4	5	7	8	10
13-19 YRS	604	3.9	13	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	8	1.8	1	<1	<1	1	2	3	3	3
6-12 YRS	14	1.7	4	<1	<1	1	1	3	7	8
13-19 YRS	18	4.7	46	<1	<1	2	4	19	21	21
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	53	3.2	3	1	1	3	4	5	7	10
6-12 YRS	180	4.7	16	1	2	4	6	8	10	28
13-19 YRS	407	5.7	48	1	2	4	6	10	14	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.6	20	<1	<1	2	4	8	9	23
B. *Operated*	937	3.9	10	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	42	3.0	22	<1	<1	1	3	7	18	21
B. *Operated*	642	5.2	36	1	2	4	6	9	13	31
1. SINGLE DX	967	3.9	10	1	1	3	5	7	9	14
2. MULTIPLE DX	684	5.0	35	1	1	4	6	9	13	30
A. NOT OPERATED	72	3.3	21	<1	<1	2	3	8	15	23
B. OPERATED	1579	4.4	21	1	1	3	5	8	10	20
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	2.8	2	<1	1	3	4	5	6	6
1-5 YRS	157	3.2	5	1	1	3	4	6	7	14
6-12 YRS	438	4.2	9	1	2	4	5	7	9	13
13-19 YRS	1042	4.6	28	1	1	3	5	8	11	23
GRAND TOTAL	**1651**	**4.4**	**21**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	21	8.3	141	<1	1	5	8	17	38	55
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	5.8	25	1	2	4	7	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	9	5.7	11	1	1	6	8	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	21.0	392	7	7	21	33	35	35	35
6-12 YRS										
13-19 YRS	4	6.0	47	1	1	3	10	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.6	127	<1	1	5	7	13	34	55
B. *Operated*	8	5.8	25	1	2	4	7	14	17	17
2. MULTIPLE DX										
A. *Not Operated*	11	5.2	11	<1	1	5	7	10	11	11
B. *Operated*	6	11.0	167	1	1	6	16	33	35	35
1. SINGLE DX	32	7.2	100	1	1	4	7	13	24	55
2. MULTIPLE DX	17	7.2	67	<1	1	5	8	15	28	35
A. NOT OPERATED	35	6.9	90	<1	1	5	7	11	22	55
B. OPERATED	14	8.0	85	1	1	5	8	19	31	35
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	14.3	329	<1	<1	7	28	35	35	35
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	42	7.0	81	1	1	5	8	13	20	55
GRAND TOTAL	**49**	**7.2**	**87**	**1**	**1**	**5**	**7**	**14**	**25**	**55**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	3.6	7	1	1	3	5	8	9	9
1-5 YRS	86	2.4	6	<1	1	2	3	4	5	17
6-12 YRS	178	3.5	10	1	1	3	4	6	8	13
13-19 YRS	440	3.7	7	1	1	3	5	7	9	12
B. *Operated*										
0-27 DYS	3	4.3	9	<1	<1	5	6	7	7	7
1-11 MOS	15	2.2	4	<1	<1	2	2	3	8	9
1-5 YRS	157	2.5	3	<1	<1	2	3	5	6	8
6-12 YRS	441	4.6	26	1	1	3	5	12	16	23
13-19 YRS	1972	4.7	25	1	1	3	5	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.6	1	4	4	6	6	7	7	7
1-11 MOS	13	6.2	34	<1	1	4	8	15	19	20
1-5 YRS	80	3.3	12	<1	<1	2	4	7	10	19
6-12 YRS	128	3.4	6	<1	1	3	4	7	9	11
13-19 YRS	456	4.6	16	1	1	4	6	9	12	21
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	2.3	1	1	1	2	3	4	4	4
1-5 YRS	99	2.8	2	1	1	3	4	5	5	8
6-12 YRS	240	6.0	61	1	2	3	6	12	23	39
13-19 YRS	1369	4.4	27	1	1	3	4	10	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	716	3.5	8	1	1	3	5	7	9	12
B. *Operated*	2588	4.5	24	1	1	3	5	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	682	4.3	14	1	1	3	6	8	11	20
B. *Operated*	1719	4.5	31	1	1	3	4	10	16	31
1. SINGLE DX	3304	4.3	20	1	1	3	5	10	14	22
2. MULTIPLE DX	2401	4.4	26	1	1	3	5	9	14	27
A. NOT OPERATED	1398	3.9	11	1	1	3	5	8	10	17
B. OPERATED	4307	4.5	26	1	1	3	5	11	15	26
TOTAL 0-27 DYS	9	5.2	3	<1	2	6	6	7	7	7
1-11 MOS	50	3.6	14	<1	1	2	4	8	13	20
1-5 YRS	422	2.7	5	<1	1	2	3	5	6	12
6-12 YRS	987	4.6	30	1	1	3	5	10	15	30
13-19 YRS	4237	4.5	23	1	1	3	5	10	15	23
GRAND TOTAL	**5705**	**4.4**	**23**	**1**	**1**	**3**	**5**	**10**	**14**	**24**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	4.8	6	1	1	5	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	3	4.0	9	1	1	4	6	7	7	7
13-19 YRS	23	5.5	11	2	3	4	8	10	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	7.3	21	2	2	7	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.4	6	1	1	5	6	8	8	8
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	28	5.2	10	2	2	4	7	10	12	14
B. *Operated*	4	7.3	21	2	2	7	10	13	13	13
1. SINGLE DX	10	4.6	6	1	1	5	6	8	8	8
2. MULTIPLE DX	32	5.5	11	2	2	4	8	11	13	14
A. NOT OPERATED	37	5.0	9	1	2	4	7	9	11	14
B. OPERATED	5	7.0	16	2	2	6	9	13	13	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	5	4.0	7	1	1	4	6	7	7	7
13-19 YRS	35	5.5	11	2	2	5	8	10	13	14
GRAND TOTAL	**42**	**5.3**	**10**	**1**	**2**	**5**	**8**	**9**	**12**	**14**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	15	6.7	37	1	1	4	10	17	19	20
1-11 MOS	60	2.8	12	<1	<1	2	3	5	9	23
1-5 YRS	65	2.2	4	<1	<1	2	3	4	8	86
6-12 YRS	35	3.5	7	1	1	3	4	9	9	13
13-19 YRS	23	4.0	13	<1	1	3	4	8	13	16
B. *Operated*										
0-27 DYS	26	11.1	89	4	4	9	12	18	40	41
1-11 MOS	81	7.7	40	1	2	7	10	15	19	35
1-5 YRS	51	6.8	25	2	2	5	10	16	19	98
6-12 YRS	20	5.5	13	1	2	4	7	11	13	14
13-19 YRS	33	8.5	39	2	2	7	12	17	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	10.4	97	2	2	6	15	28	31	32
1-11 MOS	115	5.5	39	<1	1	4	7	11	19	32
1-5 YRS	178	4.4	20	<1	1	3	5	10	15	23
6-12 YRS	76	5.3	58	1	1	3	7	9	14	51
13-19 YRS	61	7.2	142	1	1	4	10	14	17	83
B. *Operated*										
0-27 DYS	18	17.1	174	3	7	12	24	33	48	57
1-11 MOS	81	14.7	274	2	3	10	14	38	48	86
1-5 YRS	119	13.1	269	2	2	6	15	33	53	79
6-12 YRS	93	10.7	133	2	2	7	12	26	39	86
13-19 YRS	63	11.1	84	2	2	8	16	27	32	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	3.2	12	<1	1	2	4	7	10	22
B. *Operated*	211	7.8	41	1	2	6	11	15	19	40
2. MULTIPLE DX										
A. *Not Operated*	442	5.4	51	1	1	3	7	11	17	29
B. *Operated*	374	12.7	202	2	2	8	15	31	44	81
1. SINGLE DX	409	5.6	32	1	1	4	8	12	17	38
2. MULTIPLE DX	816	8.7	133	1	1	5	10	19	31	70
A. NOT OPERATED	640	4.7	40	<1	1	3	5	10	16	28
B. OPERATED	585	10.9	149	2	2	7	12	25	37	78
TOTAL 0-27 DYS	71	11.6	110	1	2	9	14	25	34	54
1-11 MOS	337	7.8	108	1	1	5	9	16	26	56
1-5 YRS	413	6.8	107	1	1	3	7	16	25	78
6-12 YRS	224	7.3	85	1	1	4	8	15	25	82
13-19 YRS	180	8.4	90	1	2	6	11	18	26	75
GRAND TOTAL	**1225**	**7.7**	**102**	**1**	**1**	**4**	**9**	**17**	**26**	**65**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	239	1.1		<1	<1	1	1	1	2	3
1-5 YRS	262	1.2	2	<1	<1	1	1	2	2	5
6-12 YRS	27	2.3	6	<1	<1	1	2	5	9	11
13-19 YRS	17	3.0	8	<1	1	2	3	7	10	11
B. *Operated*										
0-27 DYS	12	2.8	7	1	1	2	3	6	10	11
1-11 MOS	186	2.2	3	<1	<1	2	3	4	5	9
1-5 YRS	675	2.0	1	<1	<1	2	2	3	4	8
6-12 YRS	743	2.2	2	<1	1	2	2	3	4	7
13-19 YRS	509	2.6	3	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	14.3	481	<1	<1	4	26	47	47	47
1-11 MOS	47	2.0	5	<1	<1	1	1	5	7	10
1-5 YRS	81	1.3	1	<1	<1	1	1	2	3	6
6-12 YRS	19	1.6	1	<1	<1	1	2	3	4	4
13-19 YRS	11	1.4	1	<1	<1	1	1	3	5	5
B. *Operated*										
0-27 DYS	3	4.3	6	2	2	4	6	7	7	7
1-11 MOS	64	3.5	47	<1	1	2	3	7	8	49
1-5 YRS	199	2.3	2	<1	1	2	3	4	5	9
6-12 YRS	190	2.5	5	<1	1	2	3	4	6	12
13-19 YRS	168	3.2	8	1	1	2	4	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	1.3	2	<1	<1	1	1	2	2	7
B. *Operated*	2125	2.2	2	<1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	162	1.9	15	<1	<1	1	1	3	5	10
B. *Operated*	624	2.8	9	<1	1	2	3	5	7	11
1. SINGLE DX	2671	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	786	2.6	11	<1	<1	2	3	4	7	11
A. NOT OPERATED	708	1.4	5	<1	<1	1	1	2	3	8
B. OPERATED	2749	2.3	4	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	20	5.3	102	<1	1	2	4	9	29	47
1-11 MOS	536	1.8	8	<1	<1	1	2	3	5	10
1-5 YRS	1217	1.8	2	<1	<1	2	2	3	4	7
6-12 YRS	979	2.2	2	<1	1	2	2	3	5	9
13-19 YRS	705	2.7	5	1	1	2	3	5	7	12
GRAND TOTAL	**3457**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	35	4.4	24	1	1	3	5	8	11	28
1-11 MOS	58	3.3	7	<1	1	3	4	8	10	11
1-5 YRS	43	2.8	6	<1	<1	2	3	6	8	11
6-12 YRS	20	2.7	2	<1	1	2	4	5	5	5
13-19 YRS	17	2.8	7	<1	1	2	3	5	10	12
B. *Operated*										
0-27 DYS	18	8.2	99	<1	<1	5	10	18	33	42
1-11 MOS	245	4.9	24	1	1	2	7	11	14	20
1-5 YRS	733	4.6	23	1	1	2	7	10	12	20
6-12 YRS	305	4.5	21	1	1	2	8	9	11	20
13-19 YRS	325	4.2	12	1	1	2	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	67	6.6	58	1	1	5	7	13	24	41
1-11 MOS	300	5.6	49	1	1	4	6	11	15	33
1-5 YRS	230	4.7	30	<1	1	3	6	9	14	33
6-12 YRS	71	4.7	41	<1	1	3	6	8	10	41
13-19 YRS	82	5.7	38	1	1	4	7	13	19	32
B. *Operated*										
0-27 DYS	79	12.9	294	1	1	8	14	39	65	96
1-11 MOS	554	8.8	126	1	1	6	11	21	30	74
1-5 YRS	759	6.1	53	1	1	2	9	12	17	43
6-12 YRS	342	6.1	51	1	1	2	9	12	19	43
13-19 YRS	263	7.1	90	1	2	3	9	14	22	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	3.3	10	<1	1	2	4	7	9	12
B. *Operated*	1626	4.6	22	1	1	2	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	750	5.3	42	1	1	4	6	10	15	34
B. *Operated*	2007	7.2	90	1	1	3	9	15	24	60
1. SINGLE DX	1799	4.5	21	1	1	2	7	10	11	19
2. MULTIPLE DX	2757	6.7	77	1	1	3	9	14	22	46
A. NOT OPERATED	923	4.9	37	<1	1	3	6	10	14	33
B. OPERATED	3633	6.1	61	1	1	2	8	12	18	43
TOTAL 0-27 DYS	199	8.9	160	1	1	5	9	19	39	81
1-11 MOS	1157	6.9	82	1	1	4	9	15	24	50
1-5 YRS	1775	5.2	37	1	1	2	8	11	14	30
6-12 YRS	738	5.2	37	1	1	2	8	11	14	39
13-19 YRS	687	5.5	46	1	1	3	8	11	15	30
GRAND TOTAL	**4556**	**5.8**	**56**	**1**	**1**	**3**	**8**	**12**	**17**	**42**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.5	2	1	1	2	3	4	4	4
1-11 MOS	8	4.3	44	1	1	1	4	16	20	20
1-5 YRS	7	1.1		<1	<1	1	1	2	2	2
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	28	5.1	5	2	2	5	7	8	8	10
1-11 MOS	428	4.8	6	2	2	4	6	8	8	13
1-5 YRS	570	4.3	4	2	2	4	6	7	8	10
6-12 YRS	216	3.2	2	1	2	3	4	5	6	9
13-19 YRS	159	2.8	3	1	1	2	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	5.9	20	1	1	6	8	13	14	14
1-11 MOS	25	3.3	47	<1	<1	1	2	6	21	32
1-5 YRS	55	1.8	3	<1	<1	1	1	5	6	9
6-12 YRS	9	1.1		<1	<1	1	1	2	2	2
13-19 YRS	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	10	7.2	56	1	1	3	12	19	24	24
1-11 MOS	151	6.3	50	2	2	5	6	9	14	39
1-5 YRS	376	4.6	6	1	2	4	6	7	8	11
6-12 YRS	132	3.6	6	1	1	3	4	7	8	12
13-19 YRS	159	3.2	4	1	1	3	4	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.7	17	<1	<1	1	2	5	12	20
B. *Operated*	1401	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	102	2.4	16	<1	<1	1	2	6	8	24
B. *Operated*	828	4.5	15	1	2	4	5	7	9	21
1. SINGLE DX	1422	4.1	5	1	2	4	5	7	8	11
2. MULTIPLE DX	930	4.3	16	1	1	4	5	7	9	21
A. NOT OPERATED	123	2.5	16	<1	<1	1	2	6	8	23
B. OPERATED	2229	4.3	9	1	2	4	5	7	8	12
TOTAL 0-27 DYS	51	5.5	18	1	1	4	7	10	14	24
1-11 MOS	612	5.1	19	1	2	4	6	8	9	31
1-5 YRS	1008	4.2	5	1	2	4	6	7	8	11
6-12 YRS	357	3.3	4	1	2	3	4	5	7	10
13-19 YRS	324	3.0	3	1	1	3	4	5	6	10
GRAND TOTAL	**2352**	**4.2**	**9**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	29	2.8	4	<1	1	3	4	5	6	10
1-11 MOS	56	3.2	7	1	1	3	4	6	7	15
1-5 YRS	18	3.3	8	1	1	2	4	7	10	12
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	339	4.2	8	2	2	4	5	7	8	10
1-11 MOS	771	4.0	4	2	2	4	5	6	8	11
1-5 YRS	107	4.5	3	2	3	4	6	7	8	10
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	3.7	9	1	1	3	4	9	10	10
1-11 MOS	48	4.5	9	2	2	4	5	8	11	18
1-5 YRS	13	5.0	11	1	1	4	7	9	12	13
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	80	6.0	11	2	3	5	8	10	11	19
1-11 MOS	170	5.5	9	3	3	5	7	9	12	17
1-5 YRS	26	8.0	21	3	4	6	9	15	17	21
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.1	6	1	1	2	4	6	7	13
B. *Operated*	1217	4.1	5	2	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	72	4.5	9	1	2	4	6	8	11	17
B. *Operated*	276	5.9	11	3	3	5	7	10	13	18
1. SINGLE DX	1320	4.0	5	2	2	4	5	6	8	11
2. MULTIPLE DX	348	5.6	11	2	3	5	7	10	12	18
A. NOT OPERATED	175	3.7	8	1	1	3	5	7	10	14
B. OPERATED	1493	4.4	7	2	2	4	5	7	9	14
TOTAL 0-27 DYS	459	4.4	8	2	2	4	5	7	9	13
1-11 MOS	1045	4.2	6	2	2	4	5	7	8	13
1-5 YRS	164	5.0	9	2	2	4	6	8	10	16
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**1668**	**4.3**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	31	3.9	10	1	1	3	5	8	10	14
1-11 MOS	132	3.0	13	<1	<1	2	4	6	8	21
1-5 YRS	161	1.9	3	<1	<1	1	2	4	5	10
6-12 YRS	48	2.2	3	<1	<1	1	3	5	5	5
13-19 YRS	27	3.1	6	<1	<1	3	4	6	7	12
B. *Operated*										
0-27 DYS	30	11.7	153	1	1	8	13	30	41	52
1-11 MOS	162	6.1	38	<1	1	4	9	14	20	27
1-5 YRS	386	3.3	15	<1	<1	2	4	8	10	22
6-12 YRS	175	3.8	7	<1	1	3	5	8	9	11
13-19 YRS	268	4.2	16	1	1	3	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	16	2.9	7	1	1	2	3	5	10	12
1-11 MOS	111	7.4	120	1	1	4	9	15	17	64
1-5 YRS	109	5.0	43	<1	1	3	7	10	18	70
6-12 YRS	40	3.9	9	<1	<1	3	5	8	10	13
13-19 YRS	28	3.8	6	<1	<1	3	6	7	9	9
B. *Operated*										
0-27 DYS	31	23.1	356	5	7	18	33	54	77	99+
1-11 MOS	133	15.5	305	1	2	10	20	32	57	89
1-5 YRS	206	7.6	66	<1	1	5	9	16	20	47
6-12 YRS	143	5.5	20	1	2	4	7	10	12	25
13-19 YRS	239	5.1	15	1	2	4	7	10	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	2.5	7	<1	<1	2	3	5	7	13
B. *Operated*	1021	4.3	24	<1	<1	3	5	9	14	23
2. MULTIPLE DX										
A. *Not Operated*	304	5.5	63	<1	1	4	7	11	16	45
B. *Operated*	752	8.4	118	1	2	5	10	18	29	64
1. SINGLE DX	1420	3.8	20	<1	<1	2	5	8	11	22
2. MULTIPLE DX	1056	7.6	104	1	1	5	9	16	25	59
A. NOT OPERATED	703	3.8	34	<1	<1	2	5	8	11	31
B. OPERATED	1773	6.1	68	<1	1	4	7	13	19	46
TOTAL 0-27 DYS	108	11.4	212	1	1	7	13	34	52	88
1-11 MOS	538	7.9	136	<1	1	4	9	18	28	68
1-5 YRS	862	4.3	33	<1	<1	2	5	10	15	34
6-12 YRS	406	4.2	12	<1	1	3	5	8	10	15
13-19 YRS	562	4.5	15	1	1	3	6	9	12	19
GRAND TOTAL	**2476**	**5.4**	**59**	**<1**	**1**	**3**	**6**	**11**	**17**	**41**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	1.3		<1	<1	1	2	2	2	2
6-12 YRS	22	1.5	1	<1	<1	1	2	3	4	4
13-19 YRS	7	2.6	5	<1	<1	1	4	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	8	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	1105	2.6	2	1	1	2	3	4	5	7
6-12 YRS	1349	2.9	2	1	1	3	4	5	6	8
13-19 YRS	431	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	69	1.2	1	<1	<1	1	1	2	2	6
6-12 YRS	44	1.6	2	<1	<1	1	2	3	4	8
13-19 YRS	8	2.1	8	<1	<1	1	2	7	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	23	2.2	2	<1	<1	2	3	4	5	5
1-5 YRS	1193	2.7	3	<1	1	2	3	5	5	9
6-12 YRS	1018	3.3	4	1	2	3	4	5	7	10
13-19 YRS	311	3.8	4	2	2	3	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	2893	2.8	2	1	1	3	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	122	1.5	2	<1	<1	1	1	2	4	9
B. *Operated*	2545	3.1	4	1	1	3	4	5	6	10
1. SINGLE DX	2937	2.8	2	1	1	3	3	5	6	8
2. MULTIPLE DX	2667	3.0	4	<1	1	3	4	5	6	10
A. NOT OPERATED	166	1.5	2	<1	<1	1	1	3	4	9
B. OPERATED	5438	2.9	3	1	1	3	4	5	6	9
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	32	2.0	1	<1	<1	2	2	4	5	5
1-5 YRS	2381	2.6	2	<1	1	2	3	4	5	8
6-12 YRS	2433	3.0	3	1	1	3	4	5	6	9
13-19 YRS	757	3.4	3	1	2	3	4	5	6	9
GRAND TOTAL	**5604**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	4.3	7	2	2	4	6	7	7	7
1-11 MOS	10	2.1	1	1	1	2	3	3	3	3
1-5 YRS	36	2.2	3	<1	<1	2	3	4	6	8
6-12 YRS	26	2.2	2	<1	1	2	3	5	5	5
13-19 YRS	22	2.9	4	1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS	6	5.7	8	1	1	6	7	9	9	9
1-11 MOS	59	5.8	32	<1	1	4	8	13	15	32
1-5 YRS	1110	5.4	18	<1	1	4	8	11	13	17
6-12 YRS	453	4.3	16	<1	1	3	6	10	12	17
13-19 YRS	465	4.4	14	<1	1	3	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	5.3	40	<1	<1	2	13	14	14	14
1-11 MOS	28	4.5	69	<1	1	2	4	8	13	45
1-5 YRS	85	3.1	65	<1	<1	1	2	6	10	54
6-12 YRS	27	3.2	5	<1	1	3	5	6	8	9
13-19 YRS	48	3.2	6	1	1	3	4	7	9	10
B. *Operated*										
0-27 DYS	17	10.2	165	<1	1	7	12	24	44	53
1-11 MOS	79	7.6	64	1	1	5	10	19	26	35
1-5 YRS	600	5.2	27	<1	1	3	8	12	14	23
6-12 YRS	379	5.1	23	1	1	3	8	11	14	17
13-19 YRS	456	5.4	20	1	1	4	7	11	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	2093	4.9	17	<1	1	4	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	194	3.4	41	<1	<1	2	3	7	10	36
B. *Operated*	1531	5.4	28	1	1	4	8	12	15	24
1. SINGLE DX	2191	4.8	17	<1	1	3	7	10	12	17
2. MULTIPLE DX	1725	5.2	30	<1	1	3	7	11	14	25
A. NOT OPERATED	292	3.1	29	<1	<1	2	3	6	8	21
B. OPERATED	3624	5.1	22	<1	1	4	8	11	13	20
TOTAL 0-27 DYS	33	7.8	97	<1	1	6	10	14	24	53
1-11 MOS	176	6.2	52	1	1	4	8	14	21	35
1-5 YRS	1831	5.1	23	<1	1	4	8	11	13	19
6-12 YRS	885	4.6	19	<1	1	3	7	11	13	17
13-19 YRS	991	4.8	17	<1	1	3	6	10	13	19
GRAND TOTAL	**3916**	**5.0**	**23**	**<1**	**1**	**3**	**7**	**11**	**13**	**20**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	20	2.0	7	<1	<1	1	1	4	9	12
1-5 YRS	25	1.4	1	<1	<1	1	2	2	4	4
6-12 YRS	5	2.6	3	1	1	2	4	5	5	5
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	3	3.7	4	2	2	3	5	6	6	6
1-11 MOS	394	2.9	3	1	1	3	4	5	5	9
1-5 YRS	491	3.4	4	1	2	3	4	5	7	12
6-12 YRS	229	4.3	5	2	2	4	5	7	9	12
13-19 YRS	203	5.0	9	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	31	1.6	2	<1	<1	1	1	4	5	7
1-5 YRS	34	1.2	1	<1	<1	1	1	2	2	5
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	74	3.9	5	1	1	3	5	7	7	12
1-5 YRS	170	3.8	7	1	2	3	4	6	7	18
6-12 YRS	171	4.9	7	2	2	4	6	9	10	14
13-19 YRS	297	4.7	6	2	2	4	5	8	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	1.7	3	<1	<1	1	2	4	5	12
B. *Operated*	1320	3.6	5	1	2	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	74	1.4	1	<1	<1	1	1	2	4	7
B. *Operated*	713	4.5	7	2	2	4	5	7	9	16
1. SINGLE DX	1372	3.6	5	1	1	3	4	6	7	13
2. MULTIPLE DX	787	4.2	7	1	1	4	5	7	9	15
A. NOT OPERATED	126	1.5	2	<1	<1	1	1	3	5	8
B. OPERATED	2033	3.9	6	1	2	3	5	6	8	13
TOTAL 0-27 DYS	4	6.3	30	2	2	4	10	14	14	14
1-11 MOS	519	2.9	4	<1	1	3	4	5	6	11
1-5 YRS	720	3.4	5	1	1	3	4	5	7	12
6-12 YRS	409	4.5	6	2	2	4	5	8	9	13
13-19 YRS	507	4.8	7	2	2	4	6	8	9	16
GRAND TOTAL	**2159**	**3.8**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**13**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	28	3.8	13	<1	<1	2	5	11	12	13
1-11 MOS	262	3.0	19	<1	<1	1	2	8	13	23
1-5 YRS	241	2.8	28	<1	<1	2	2	4	7	29
6-12 YRS	65	4.0	35	<1	1	3	4	6	13	34
13-19 YRS	111	4.4	14	1	1	3	6	8	10	24
B. *Operated*										
0-27 DYS	16	6.2	52	1	2	4	6	9	25	32
1-11 MOS	606	6.1	37	1	1	4	8	14	17	25
1-5 YRS	1309	3.8	20	<1	1	2	4	8	12	25
6-12 YRS	1080	4.1	14	1	1	3	5	8	11	19
13-19 YRS	1769	4.2	15	1	2	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	37	9.4	53	<1	1	8	13	19	24	32
1-11 MOS	232	4.5	24	<1	1	3	6	10	15	24
1-5 YRS	291	4.2	26	<1	<1	2	5	10	14	30
6-12 YRS	107	4.4	30	<1	<1	3	5	10	14	32
13-19 YRS	154	4.7	29	<1	1	3	6	10	12	26
B. *Operated*										
0-27 DYS	17	16.8	388	2	3	9	16	56	65	67
1-11 MOS	193	8.5	95	1	2	5	10	23	30	68
1-5 YRS	463	6.1	56	1	1	4	7	14	20	45
6-12 YRS	409	6.9	80	1	2	4	7	13	22	49
13-19 YRS	685	5.8	28	1	2	4	7	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	707	3.3	23	<1	<1	2	3	7	10	26
B. *Operated*	4780	4.3	19	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	821	4.7	29	<1	1	3	6	11	15	29
B. *Operated*	1767	6.5	59	1	2	4	7	14	20	44
1. SINGLE DX	5487	4.2	20	1	1	3	5	9	12	22
2. MULTIPLE DX	2588	5.9	50	1	1	4	7	13	19	39
A. NOT OPERATED	1528	4.0	26	<1	<1	2	5	9	13	27
B. OPERATED	6547	4.9	31	1	1	3	6	10	15	29
TOTAL 0-27 DYS	98	8.6	115	<1	1	5	11	17	29	64
1-11 MOS	1293	5.5	42	<1	1	3	8	13	18	32
1-5 YRS	2304	4.2	30	<1	1	2	5	9	14	29
6-12 YRS	1661	4.8	33	1	1	3	5	9	13	32
13-19 YRS	2719	4.7	19	1	2	3	6	9	13	22
GRAND TOTAL	**8075**	**4.8**	**30**	**1**	**1**	**3**	**6**	**10**	**15**	**29**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5475	3.4	16	1	1	2	3	6	10	23
1-11 MOS	489	5.8	54	1	1	3	6	14	21	35
1-5 YRS	569	5.9	52	1	1	3	6	15	23	34
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	66	6.3	91	1	2	4	5	11	27	59
1-11 MOS	46	7.4	78	<1	<1	4	9	18	29	37
1-5 YRS	20	3.9	39	<1	<1	2	3	9	20	28
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2514	7.9	94	1	2	4	9	20	29	44
1-11 MOS	693	10.4	128	1	2	6	14	26	35	57
1-5 YRS	549	13.9	229	2	2	8	19	34	48	99+
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	198	17.5	420	2	3	11	23	53	80	99+
1-11 MOS	99	13.3	184	1	1	10	22	47	99+	99+
1-5 YRS	58	17.2	501	1	2	9	21	77	99	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6533	3.8	23	1	1	2	4	7	13	27
B. *Operated*	132	6.3	79	<1	1	3	6	14	27	43
2. MULTIPLE DX										
A. *Not Operated*	3756	9.3	125	1	2	5	12	23	33	60
B. *Operated*	355	16.3	369	1	2	10	22	51	95	99+
1. SINGLE DX	6665	3.8	24	1	1	2	4	7	13	27
2. MULTIPLE DX	4111	9.9	150	1	2	5	13	25	36	81
A. NOT OPERATED	10289	5.8	67	1	1	3	5	14	23	42
B. OPERATED	487	13.6	310	1	2	7	18	42	66	99+
TOTAL 0-27 DYS	8253	5.1	58	1	1	3	4	12	19	41
1-11 MOS	1327	8.8	109	1	1	5	11	24	33	59
1-5 YRS	1196	10.1	173	1	2	5	13	27	37	94
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**10776**	**6.1**	**81**	**1**	**1**	**3**	**6**	**15**	**24**	**48**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	94	3.9	6	1	1	3	5	7	10	12
1-11 MOS	731	3.3	11	1	1	2	4	6	9	13
1-5 YRS	2865	2.8	7	1	1	2	3	5	6	11
6-12 YRS	1424	3.0	4	1	1	2	4	5	7	11
13-19 YRS	1774	3.5	10	1	1	3	4	7	8	14
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	4.1	6	<1	<1	4	6	8	8	8
1-5 YRS	14	4.6	8	2	2	4	7	10	10	10
6-12 YRS	24	5.5	90	2	2	3	5	8	22	49
13-19 YRS	41	6.6	69	2	2	4	7	12	20	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	46	6.2	35	1	2	5	7	9	17	32
1-11 MOS	1179	4.1	16	1	1	3	5	7	10	21
1-5 YRS	4822	3.4	9	1	1	3	4	6	8	13
6-12 YRS	981	4.0	11	1	1	3	5	7	10	18
13-19 YRS	1180	4.9	23	1	1	4	6	10	13	22
B. *Operated*										
0-27 DYS	1	41.0		41	41	41	41	41	41	41
1-11 MOS	28	9.1	51	3	3	6	10	20	27	28
1-5 YRS	78	8.2	63	1	2	5	10	19	26	85
6-12 YRS	30	8.7	117	3	3	5	9	13	23	61
13-19 YRS	75	9.2	129	1	2	6	11	16	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6888	3.1	7	1	1	2	4	6	7	12
B. *Operated*	87	5.8	59	2	2	3	7	10	13	49
2. MULTIPLE DX										
A. *Not Operated*	8210	3.8	13	1	1	3	5	7	9	18
B. *Operated*	212	8.9	96	1	2	6	11	19	28	59
1. SINGLE DX	6975	3.1	8	1	1	2	4	6	7	12
2. MULTIPLE DX	8422	3.9	15	1	1	3	5	7	10	20
A. NOT OPERATED	15098	3.5	10	1	1	3	4	6	8	15
B. OPERATED	299	8.0	87	2	2	5	9	17	27	56
TOTAL 0-27 DYS	144	4.9	26	1	1	4	6	9	11	33
1-11 MOS	1945	3.9	15	1	1	3	5	7	9	20
1-5 YRS	7779	3.2	9	1	1	3	4	6	7	14
6-12 YRS	2459	3.5	10	1	1	3	4	6	8	15
13-19 YRS	3070	4.2	20	1	1	3	5	8	10	21
GRAND TOTAL	15397	3.5	12	1	1	3	4	6	9	16

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	222	3.4	3	1	2	3	4	5	7	9
1-11 MOS	698	2.9	3	1	1	3	4	5	6	9
1-5 YRS	803	2.9	5	1	1	2	3	5	7	10
6-12 YRS	309	3.4	5	1	1	3	4	6	7	12
13-19 YRS	250	4.1	8	1	1	3	5	7	10	15
B. *Operated*										
0-27 DYS	6	4.0	4	3	3	3	4	8	8	8
1-11 MOS	5	5.6	5	3	3	5	8	8	8	8
1-5 YRS	15	4.0	4	1	2	4	6	7	7	7
6-12 YRS	6	8.0	46	3	3	5	12	19	20	20
13-19 YRS	16	9.3	46	1	1	9	13	14	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	169	4.0	5	1	2	4	5	7	8	11
1-11 MOS	989	3.5	8	1	1	3	4	6	7	13
1-5 YRS	1360	3.2	4	1	1	3	4	6	7	10
6-12 YRS	449	3.7	7	1	1	3	5	7	8	18
13-19 YRS	409	4.7	13	1	2	4	6	9	11	19
B. *Operated*										
0-27 DYS	6	5.0	12	3	3	4	5	11	12	12
1-11 MOS	19	5.1	11	2	2	4	8	12	97	99+
1-5 YRS	38	8.7	72	1	1	6	10	24	27	30
6-12 YRS	31	7.1	23	1	2	6	10	18	17	18
13-19 YRS	44	10.8	65	3	3	9	13	21	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2282	3.1	4	1	1	3	4	5	7	11
B. *Operated*	48	6.4	27	1	2	5	8	13	15	28
2. MULTIPLE DX										
A. *Not Operated*	3376	3.6	7	1	1	3	4	6	8	13
B. *Operated*	138	8.3	51	2	2	6	11	18	26	42
1. SINGLE DX	2330	3.2	5	1	1	3	4	5	7	12
2. MULTIPLE DX	3514	3.8	9	1	1	3	4	7	9	16
A. NOT OPERATED	5658	3.4	6	1	1	3	4	6	8	12
B. OPERATED	186	7.9	45	2	2	6	11	17	24	35
TOTAL 0-27 DYS	403	3.7	4	1	2	3	4	6	8	11
1-11 MOS	1711	3.3	6	1	1	3	4	6	7	12
1-5 YRS	2216	3.2	6	1	1	3	4	5	7	11
6-12 YRS	795	3.7	7	1	1	3	4	7	9	16
13-19 YRS	719	5.0	18	1	2	4	6	10	12	24
GRAND TOTAL	5844	3.5	8	1	1	3	4	6	8	14

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	59	2.4	2	<1	1	2	3	4	5	6
6-12 YRS	430	2.7	3	1	1	2	3	5	6	8
13-19 YRS	910	3.2	4	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	6.5	33	1	1	4	12	15	15	15
13-19 YRS	41	3.7	7	1	1	3	5	8	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	51	3.6	7	<1	1	3	4	7	10	13
6-12 YRS	391	3.5	6	1	1	3	4	6	9	12
13-19 YRS	886	4.1	9	1	2	3	5	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	9	4.7	12	1	1	4	7	10	12	12
13-19 YRS	42	5.6	8	2	2	6	7	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1402	3.0	4	1	1	3	4	6	7	10
B. *Operated*	47	4.1	11	1	1	3	5	8	12	15
2. MULTIPLE DX										
A. *Not Operated*	1331	3.9	8	1	1	3	5	7	9	15
B. *Operated*	53	5.4	9	1	2	5	7	9	11	15
1. SINGLE DX	1449	3.0	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1384	3.9	8	1	1	3	5	7	9	15
A. NOT OPERATED	2733	3.4	6	1	1	3	4	6	8	13
B. OPERATED	100	4.8	10	1	2	4	7	9	11	15
TOTAL 0-27 DYS	4	4.3	7	2	2	3	6	8	8	8
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	112	3.0	5	<1	1	3	4	5	7	12
6-12 YRS	836	3.1	5	1	1	3	4	6	7	11
13-19 YRS	1879	3.7	7	1	1	3	5	7	8	13
GRAND TOTAL	2833	3.5	6	1	1	3	4	6	8	13

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	42	1.9	1	<1	<1	2	3	3	3	6
6-12 YRS	47	2.0	1	<1	<1	2	2	3	4	7
13-19 YRS	66	2.9	9	<1	1	2	3	5	7	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	66	1.3	1	<1	<1	1	1	2	2	6
6-12 YRS	65	1.9	2	<1	<1	1	2	4	5	9
13-19 YRS	51	3.3	5	1	1	3	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	1	3	3	4	5	5	5	5
1-11 MOS	12	5.0	45	<1	<1	2	5	15	23	24
1-5 YRS	74	2.9	9	<1	1	2	3	6	7	18
6-12 YRS	85	3.0	5	1	1	2	4	6	7	11
13-19 YRS	75	3.4	5	1	1	3	5	7	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	20	2.1	3	<1	<1	1	3	5	6	7
6-12 YRS	30	3.0	6	<1	1	2	3	6	8	12
13-19 YRS	37	3.7	7	<1	1	3	4	9	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	2.4	5	<1	1	2	3	4	6	8
B. *Operated*	183	2.0	3	<1	<1	1	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	249	3.2	8	<1	1	2	4	6	9	17
B. *Operated*	88	3.1	6	<1	<1	2	4	7	9	11
1. SINGLE DX	342	2.2	4	<1	<1	2	3	4	6	8
2. MULTIPLE DX	337	3.2	8	<1	1	2	4	6	9	13
A. NOT OPERATED	408	2.9	7	<1	1	2	3	6	7	14
B. OPERATED	271	2.4	4	<1	<1	2	3	5	7	9
TOTAL 0-27 DYS	5	3.6	1	2	2	4	4	5	5	5
1-11 MOS	16	4.4	36	<1	<1	2	5	11	20	24
1-5 YRS	202	2.1	4	<1	<1	1	2	4	6	13
6-12 YRS	227	2.5	4	<1	<1	2	3	5	6	11
13-19 YRS	229	3.3	6	1	1	3	4	7	9	10
GRAND TOTAL	679	2.7	6	<1	<1	2	3	5	7	11

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.2	3	1	1	2	4	6	7	7
1-5 YRS	57	4.3	54	<1	1	3	5	7	8	53
6-12 YRS	70	3.0	4	<1	1	2	4	6	6	12
13-19 YRS	104	3.8	6	1	1	3	5	7	10	10
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.8	17	<1	<1	2	8	10	10	10
1-5 YRS	169	1.9	3	<1	<1	1	2	3	5	13
6-12 YRS	286	2.0	3	<1	<1	2	2	3	4	10
13-19 YRS	517	2.5	6	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	3.4	3	2	2	3	4	6	6	6
1-11 MOS	28	4.4	17	1	1	3	5	9	16	18
1-5 YRS	70	4.0	10	<1	1	4	5	8	9	18
6-12 YRS	72	3.4	3	1	1	3	4	6	7	9
13-19 YRS	116	4.1	6	1	1	3	5	8	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	9	11.1	44	4	4	10	16	20	22	22
1-5 YRS	45	4.6	33	<1	1	2	6	10	15	28
6-12 YRS	65	3.4	14	1	1	2	3	8	11	22
13-19 YRS	123	5.1	27	1	1	3	7	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	3.6	17	1	1	3	5	7	8	11
B. *Operated*	979	2.2	5	<1	<1	2	2	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	291	3.9	7	1	1	3	5	7	8	17
B. *Operated*	242	4.8	27	1	1	3	6	11	16	27
1. SINGLE DX	1221	2.5	7	<1	<1	2	3	5	7	11
2. MULTIPLE DX	533	4.3	16	1	1	3	5	9	11	23
A. NOT OPERATED	533	3.8	12	1	1	3	5	7	8	14
B. OPERATED	1221	2.8	10	<1	<1	2	3	5	8	17
TOTAL 0-27 DYS	6	3.5	2	2	2	3	4	6	6	6
1-11 MOS	54	5.2	25	1	1	4	6	14	17	22
1-5 YRS	341	3.1	18	<1	<1	2	4	7	8	19
6-12 YRS	493	2.5	5	<1	1	2	3	5	6	12
13-19 YRS	860	3.2	10	<1	1	2	4	7	9	13
GRAND TOTAL	**1754**	**3.1**	**11**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	9.0	2	8	8	9	10	10	10	10
1-5 YRS	3	12.3	46	7	7	10	17	20	20	20
6-12 YRS										
13-19 YRS	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	7	2	2	6	7	7	7	7
1-5 YRS	17	9.4	310	1	1	3	12	14	54	75
6-12 YRS	14	6.1	50	<1	1	3	8	15	24	27
13-19 YRS	49	6.2	43	1	1	4	7	16	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	7.3	36	<1	<1	8	12	13	13	13
1-5 YRS	2	11.0	50	6	6	11	16	16	16	16
6-12 YRS										
13-19 YRS	4	7.5	46	1	1	6	12	17	17	17
B. *Operated*										
0-27 DYS	2	19.5	265	8	8	19	31	31	31	31
1-11 MOS	4	14.8	176	5	5	10	23	34	34	34
1-5 YRS	10	6.5	70	2	2	3	5	21	28	28
6-12 YRS	16	7.4	66	1	1	3	12	21	25	27
13-19 YRS	35	9.9	190	<1	1	4	14	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	10.9	37	3	4	10	16	20	20	20
B. *Operated*	83	6.8	95	1	1	4	8	14	23	59
2. MULTIPLE DX										
A. *Not Operated*	10	7.7	34	<1	<1	6	13	16	17	17
B. *Operated*	67	9.4	142	1	1	4	13	29	39	92
1. SINGLE DX	90	7.1	91	1	1	4	8	16	22	56
2. MULTIPLE DX	77	9.2	127	1	1	4	13	28	37	88
A. NOT OPERATED	17	9.0	36	<1	1	8	14	18	19	20
B. OPERATED	150	7.9	117	1	1	4	9	22	30	75
TOTAL 0-27 DYS	4	11.3	179	3	3	6	19	31	31	31
1-11 MOS	12	9.5	73	<1	1	7	11	19	32	34
1-5 YRS	32	8.8	188	1	1	4	12	17	27	75
6-12 YRS	30	6.8	57	1	1	3	9	19	27	27
13-19 YRS	89	7.8	103	1	1	4	9	22	30	83
GRAND TOTAL	**167**	**8.0**	**108**	**1**	**1**	**4**	**10**	**21**	**28**	**72**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	9	2.8	3	1	1	2	3	6	7	7
1-5 YRS	10	3.4	8	1	1	3	3	8	11	11
6-12 YRS	89	2.8	3	1	1	2	3	5	5	10
13-19 YRS	276	3.0	5	1	1	3	4	5	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	12	3.8	4	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.8	13	1	1	2	6	9	9	9
1-11 MOS	8	2.6	1	1	1	3	3	4	4	4
1-5 YRS	12	3.3	3	1	1	3	5	6	6	6
6-12 YRS	77	3.4	4	1	1	3	4	6	8	9
13-19 YRS	353	3.5	6	1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	14.3	46	9	9	12	19	22	22	22
1-5 YRS	4	4.0	11	2	2	3	6	9	9	9
6-12 YRS	3	4.3	2	3	3	4	5	6	6	6
13-19 YRS	25	5.6	40	1	1	4	7	12	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	386	3.0	5	1	1	2	4	5	6	11
B. *Operated*	16	3.6	4	1	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	454	3.5	5	1	1	3	5	6	8	11
B. *Operated*	36	5.9	39	1	1	4	8	12	19	32
1. SINGLE DX	402	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX	490	3.6	8	1	1	3	5	7	8	12
A. NOT OPERATED	840	3.2	5	1	1	3	4	6	7	11
B. OPERATED	52	5.2	29	1	2	4	6	10	12	32
TOTAL 0-27 DYS	7	3.0	8	<1	<1	2	4	8	9	9
1-11 MOS	21	4.4	24	1	1	3	4	10	16	22
1-5 YRS	27	3.5	6	1	1	3	5	6	9	11
6-12 YRS	171	3.1	3	1	1	3	4	5	7	9
13-19 YRS	666	3.4	7	1	1	3	4	6	8	12
GRAND TOTAL	**892**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	127	3.7	22	1	1	2	4	8	11	21
1-11 MOS	693	3.6	16	1	1	3	4	7	9	18
1-5 YRS	228	2.4	4	1	1	2	3	5	6	10
6-12 YRS	56	2.6	5	1	1	2	3	5	6	14
13-19 YRS	84	2.7	4	<1	1	2	4	6	7	9
B. *Operated*										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	13	7.7	110	<1	1	4	8	22	36	42
1-5 YRS	23	3.0	10	<1	1	1	4	8	10	11
6-12 YRS	20	6.1	184	1	1	3	5	7	35	63
13-19 YRS	28	3.3	6	1	1	3	4	6	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	70	5.0	38	1	1	4	6	9	11	42
1-11 MOS	612	4.9	25	1	1	3	6	10	12	22
1-5 YRS	322	3.7	11	1	1	3	5	7	9	19
6-12 YRS	82	4.2	34	1	1	3	4	7	13	37
13-19 YRS	160	4.1	16	1	1	3	5	7	12	19
B. *Operated*										
0-27 DYS	4	18.8	561	4	4	8	32	54	54	54
1-11 MOS	31	12.2	312	1	2	5	11	33	65	71
1-5 YRS	21	10.1	252	<1	1	3	8	35	48	61
6-12 YRS	18	5.5	27	<1	<1	4	8	13	17	19
13-19 YRS	39	8.1	44	2	2	6	9	18	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1188	3.3	13	1	1	2	4	7	9	18
B. *Operated*	91	4.8	68	1	1	2	5	9	11	54
2. MULTIPLE DX										
A. *Not Operated*	1246	4.4	22	1	1	3	5	9	12	21
B. *Operated*	113	9.5	171	1	1	5	10	20	37	68
1. SINGLE DX	1279	3.4	17	1	1	2	4	7	9	17
2. MULTIPLE DX	1359	4.9	36	1	1	3	5	9	13	32
A. NOT OPERATED	2434	3.9	18	1	1	3	5	8	10	20
B. OPERATED	204	7.4	130	1	1	4	8	16	28	64
TOTAL 0-27 DYS	203	4.5	40	1	1	3	5	9	12	46
1-11 MOS	1354	4.4	29	1	1	3	5	9	12	23
1-5 YRS	594	3.4	19	1	1	2	4	6	8	21
6-12 YRS	176	4.0	41	1	1	2	4	7	12	39
13-19 YRS	311	4.2	18	1	1	3	5	8	12	21
GRAND TOTAL	**2638**	**4.1**	**27**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	9	1.2		1	1	1	2	2	2	2
1-5 YRS	70	1.9	1	<1	1	2	2	3	4	6
6-12 YRS	95	2.1	2	1	1	2	2	4	4	8
13-19 YRS	187	2.7	2	1	1	2	3	5	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	199	1.6	2	<1	<1	1	2	3	4	8
6-12 YRS	390	1.6	1	<1	<1	1	2	3	3	6
13-19 YRS	152	2.8	7	<1	1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	7	1	1	2	5	6	6	6
1-11 MOS	6	7.0	5	4	4	7	8	10	10	10
1-5 YRS	62	2.4	3	<1	1	2	3	5	6	7
6-12 YRS	81	4.2	73	1	1	3	4	6	7	60
13-19 YRS	165	3.4	4	1	1	3	4	7	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.3		5	5	5	6	6	6	6
1-5 YRS	221	2.4	12	<1	<1	1	2	5	8	14
6-12 YRS	409	2.3	8	<1	<1	2	2	4	5	15
13-19 YRS	118	4.3	17	<1	1	3	5	9	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	2.3	2	1	1	2	3	4	5	8
B. *Operated*	742	1.8	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	317	3.5	22	1	1	3	4	6	7	11
B. *Operated*	751	2.6	11	<1	<1	2	3	5	8	17
1. SINGLE DX	1105	2.0	2	<1	1	2	2	4	5	9
2. MULTIPLE DX	1068	2.9	14	<1	1	2	3	6	8	16
A. NOT OPERATED	680	2.9	12	1	1	2	3	5	7	10
B. OPERATED	1493	2.2	7	<1	<1	1	2	4	6	13
TOTAL 0-27 DYS	5	2.4	4	1	1	2	3	6	6	6
1-11 MOS	19	3.7	9	1	1	2	6	8	9	10
1-5 YRS	552	2.1	6	<1	<1	1	2	4	6	11
6-12 YRS	975	2.1	10	<1	<1	2	2	4	5	10
13-19 YRS	622	3.2	7	1	1	2	4	6	8	14
GRAND TOTAL	2173	2.4	8	<1	1	2	3	5	6	13

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	34	2.1	1	1	1	2	3	3	4	6
1-11 MOS	162	2.7	3	1	1	2	3	5	6	8
1-5 YRS	507	2.3	3	<1	1	2	3	4	5	7
6-12 YRS	3169	2.4	3	1	1	2	3	4	5	9
13-19 YRS	5463	2.7	4	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	13	4	4	6	9	9	9	9
1-5 YRS	24	3.2	2	1	1	3	4	5	6	6
6-12 YRS	266	3.7	4	1	2	3	4	6	7	11
13-19 YRS	824	4.1	8	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	2.4	2	<1	1	2	3	4	5	6
1-11 MOS	109	3.4	5	1	1	3	4	6	8	12
1-5 YRS	361	2.6	4	1	1	2	3	5	6	10
6-12 YRS	1620	2.8	4	1	1	2	4	5	6	9
13-19 YRS	3375	3.3	7	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	2	8.0	50	3	3	8	13	13	13	13
1-11 MOS	3	7.3	57	2	2	4	13	16	16	16
1-5 YRS	15	3.9	6	<1	1	3	5	6	9	10
6-12 YRS	175	4.8	12	2	2	4	6	8	11	18
13-19 YRS	607	5.3	13	1	2	4	6	10	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9335	2.6	3	1	1	2	3	5	6	9
B. *Operated*	1116	4.0	7	1	2	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	5484	3.1	6	1	1	3	4	6	7	12
B. *Operated*	802	5.2	13	1	2	4	6	9	12	20
1. SINGLE DX	10451	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	6286	3.4	7	1	1	3	4	6	8	14
A. NOT OPERATED	14819	2.8	4	1	1	2	4	5	6	10
B. OPERATED	1918	4.5	10	1	2	4	5	8	10	17
TOTAL 0-27 DYS	55	2.4	4	1	1	2	3	4	5	13
1-11 MOS	276	3.1	4	1	1	3	4	5	7	11
1-5 YRS	907	2.5	3	<1	1	2	3	4	5	9
6-12 YRS	5230	2.7	4	1	1	2	3	5	6	10
13-19 YRS	10269	3.2	6	1	1	3	4	6	8	12
GRAND TOTAL	16737	3.0	5	1	1	2	4	5	7	11

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	69	2.4	4	1	1	2	3	5	5	13
1-11 MOS	232	3.0	7	1	1	2	4	5	7	11
1-5 YRS	179	2.7	3	<1	1	2	3	5	6	8
6-12 YRS	215	3.2	6	1	1	3	4	6	7	10
13-19 YRS	171	3.3	7	1	1	3	4	6	9	13
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	6	2.2	1	1	1	2	3	3	3	3
6-12 YRS	20	4.3	9	1	1	4	6	8	10	12
13-19 YRS	36	4.6	17	1	1	3	6	9	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	72	4.0	21	1	2	3	5	6	8	33
1-11 MOS	437	4.1	20	1	1	3	5	7	9	16
1-5 YRS	521	3.0	5	1	1	2	4	5	7	10
6-12 YRS	435	3.4	15	1	1	3	4	6	8	17
13-19 YRS	404	3.7	8	1	1	3	5	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS	16	7.8	32	<1	1	6	14	16	17	17
1-5 YRS	22	6.5	21	1	2	5	9	14	16	17
6-12 YRS	33	5.3	19	1	1	5	7	11	14	20
13-19 YRS	84	8.2	68	1	1	6	10	17	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	866	3.0	6	1	1	2	4	6	7	12
B. *Operated*	66	4.1	13	1	1	3	5	9	10	20
2. MULTIPLE DX										
A. *Not Operated*	1869	3.5	12	1	1	3	4	6	8	15
B. *Operated*	155	7.3	48	1	1	5	9	14	20	35
1. SINGLE DX	932	3.1	6	1	1	2	4	6	7	12
2. MULTIPLE DX	2024	3.8	16	1	1	3	5	7	9	18
A. NOT OPERATED	2735	3.4	10	1	1	3	4	6	8	14
B. OPERATED	221	6.3	40	1	1	5	8	14	17	34
TOTAL 0-27 DYS	142	3.2	13	1	1	2	4	5	7	16
1-11 MOS	688	3.8	17	1	1	3	4	7	9	16
1-5 YRS	728	3.0	5	1	1	2	4	5	7	13
6-12 YRS	703	3.5	12	1	1	3	4	6	8	16
13-19 YRS	695	4.2	18	1	1	3	5	8	11	22
GRAND TOTAL	**2956**	**3.6**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	647	3.5	14	1	1	3	4	6	8	17
1-11 MOS	1553	4.9	24	1	1	3	6	9	13	23
1-5 YRS	1244	3.9	28	1	1	3	4	7	11	28
6-12 YRS	813	3.3	25	1	1	2	4	6	7	23
13-19 YRS	1928	3.8	25	1	1	3	4	7	9	28
B. *Operated*										
0-27 DYS	5	5.4	7	2	2	5	7	9	9	9
1-11 MOS	42	4.7	21	1	1	3	6	14	14	18
1-5 YRS	128	3.2	34	<1	<1	2	3	6	9	25
6-12 YRS	138	2.4	4	<1	1	2	3	4	6	13
13-19 YRS	249	3.6	16	1	1	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	428	5.2	18	1	2	4	6	10	14	24
1-11 MOS	1901	6.9	37	1	2	5	9	14	18	30
1-5 YRS	1417	4.8	23	1	1	3	6	9	12	25
6-12 YRS	838	3.9	12	1	1	3	5	7	10	16
13-19 YRS	1935	4.3	24	1	1	3	5	8	10	24
B. *Operated*										
0-27 DYS	16	9.1	43	3	4	7	9	21	23	24
1-11 MOS	94	13.5	185	2	2	10	17	36	52	99+
1-5 YRS	107	6.9	86	1	1	4	8	15	26	48
6-12 YRS	96	5.0	34	1	1	3	6	10	14	33
13-19 YRS	245	5.1	35	1	1	3	6	10	14	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6185	4.0	24	1	1	3	5	7	10	25
B. *Operated*	562	3.3	18	<1	1	2	3	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	6519	5.2	27	1	1	4	6	10	14	26
B. *Operated*	558	6.9	79	1	1	4	8	15	24	56
1. SINGLE DX	6747	3.9	24	1	1	3	4	7	10	23
2. MULTIPLE DX	7077	5.3	31	1	1	4	6	10	14	29
A. NOT OPERATED	12704	4.6	26	1	1	3	5	9	12	26
B. OPERATED	1120	5.1	52	1	1	3	6	11	17	45
TOTAL 0-27 DYS	1096	4.3	17	1	1	3	5	8	11	21
1-11 MOS	3590	6.2	38	1	2	4	8	13	17	32
1-5 YRS	2896	4.4	28	1	1	3	5	9	12	28
6-12 YRS	1885	3.6	19	1	1	3	4	7	9	19
13-19 YRS	4357	4.1	25	1	1	3	5	7	10	26
GRAND TOTAL	**13824**	**4.6**	**28**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	46	1.9	1	1	1	2	2	4	4	4
1-11 MOS	611	2.1	2	1	1	2	2	4	5	9
1-5 YRS	605	2.2	3	1	1	2	3	4	5	8
6-12 YRS	251	2.8	5	1	1	2	3	5	7	15
13-19 YRS	133	4.1	14	1	1	3	5	8	11	20
B. *Operated*										
0-27 DYS										
1-11 MOS	29	4.9	7	1	2	4	6	8	9	13
1-5 YRS	76	5.5	30	1	2	4	7	9	14	33
6-12 YRS	98	5.5	12	2	2	5	7	10	12	19
13-19 YRS	55	8.9	189	2	2	6	9	13	25	96
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	3.9	9	1	1	3	5	8	11	12
1-11 MOS	303	3.6	16	1	1	2	4	8	10	21
1-5 YRS	400	3.7	16	1	1	2	5	7	10	19
6-12 YRS	261	4.0	17	1	1	3	5	8	10	26
13-19 YRS	205	5.4	37	1	1	4	6	11	15	29
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	20	13.4	369	1	2	7	12	32	59	84
1-5 YRS	91	11.2	139	1	2	7	13	27	39	84
6-12 YRS	120	10.5	120	1	2	7	13	27	46	99+
13-19 YRS	234	15.8	304	2	3	9	22	43	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1646	2.4	4	1	1	2	3	5	6	11
B. *Operated*	258	6.2	56	1	2	5	7	10	13	35
2. MULTIPLE DX										
A. *Not Operated*	1184	4.0	20	1	1	3	5	9	11	24
B. *Operated*	466	13.4	231	1	2	8	18	36	59	99+
1. SINGLE DX	1904	2.9	13	1	1	2	3	6	8	14
2. MULTIPLE DX	1650	6.7	97	1	1	3	7	15	26	73
A. NOT OPERATED	2830	3.1	11	1	1	2	3	6	8	16
B. OPERATED	724	10.8	180	1	2	7	12	27	43	99+
TOTAL 0-27 DYS	62	2.5	4	1	1	2	3	4	7	12
1-11 MOS	963	2.9	17	1	1	2	3	6	8	16
1-5 YRS	1172	3.6	25	1	1	2	4	7	10	29
6-12 YRS	730	4.9	36	1	1	3	6	10	15	36
13-19 YRS	627	9.3	171	1	1	5	10	23	39	99+
GRAND TOTAL	3554	4.6	55	1	1	2	5	9	15	46

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.8		1	1	2	2	2	2	2
1-11 MOS	73	2.0	2	1	1	2	2	4	4	7
1-5 YRS	267	2.3	3	1	1	2	3	4	6	9
6-12 YRS	203	3.1	5	1	1	2	4	6	7	12
13-19 YRS	222	4.2	10	1	1	3	5	8	10	18
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	15	7.5	72	1	1	5	7	17	30	35
6-12 YRS	31	9.7	155	2	3	7	9	14	39	66
13-19 YRS	58	7.5	44	1	2	6	9	13	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	17.0	512	1	1	17	33	33	33	33
1-11 MOS	61	3.7	15	1	1	2	3	10	13	17
1-5 YRS	182	3.8	18	1	1	3	4	8	11	21
6-12 YRS	222	4.9	24	1	1	3	6	11	14	25
13-19 YRS	303	6.3	45	1	1	4	7	13	18	39
B. *Operated*										
0-27 DYS										
1-11 MOS	5	21.0	404	7	7	13	31	55	55	55
1-5 YRS	51	9.0	83	1	1	7	12	23	38	99
6-12 YRS	59	11.5	188	1	2	7	13	28	37	67
13-19 YRS	186	14.9	270	2	2	9	19	39	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	769	3.0	6	1	1	2	4	6	7	13
B. *Operated*	106	8.1	79	2	2	6	9	13	25	51
2. MULTIPLE DX										
A. *Not Operated*	770	5.1	32	1	1	3	6	11	15	32
B. *Operated*	301	13.3	228	1	2	8	16	33	52	99+
1. SINGLE DX	875	3.6	18	1	1	2	4	7	9	18
2. MULTIPLE DX	1071	7.4	100	1	1	4	8	16	26	69
A. NOT OPERATED	1539	4.1	20	1	1	3	5	8	12	20
B. OPERATED	407	12.0	194	1	2	7	13	30	42	96
TOTAL 0-27 DYS	6	6.8	165	1	1	2	2	30	33	33
1-11 MOS	141	3.4	31	1	1	2	3	7	12	26
1-5 YRS	515	3.6	22	1	1	2	4	7	12	34
6-12 YRS	515	5.2	50	1	1	3	6	11	15	37
13-19 YRS	769	7.9	105	1	2	5	9	17	26	71
GRAND TOTAL	1946	5.7	67	1	1	3	6	12	19	48

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	22	1.9	2	<1	1	1	2	4	5	6
6-12 YRS	53	2.1	2	<1	1	2	3	4	6	7
13-19 YRS	148	2.1	3	<1	<1	2	2	4	5	12
B. *Operated*										
0-27 DYS	3	4.0	27	1	1	1	8	10	10	10
1-11 MOS	4	2.5	2	<1	<1	2	3	4	4	4
1-5 YRS	123	1.8	2	<1	<1	1	2	3	5	6
6-12 YRS	909	1.8	1	<1	<1	1	2	3	4	7
13-19 YRS	3285	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	34	2.8	3	1	1	3	4	5	6	7
6-12 YRS	83	2.7	3	<1	1	2	3	5	7	9
13-19 YRS	285	2.8	10	<1	1	2	3	6	7	16
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.3		5	5	5	6	6	6	6
1-5 YRS	93	3.6	15	1	1	2	5	8	9	22
6-12 YRS	446	3.5	17	1	1	2	4	7	9	18
13-19 YRS	2455	4.4	22	1	1	3	5	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	2.1	3	<1	1	2	3	4	5	10
B. *Operated*	4324	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	406	2.7	8	<1	1	2	3	5	7	11
B. *Operated*	2997	4.2	21	1	1	3	5	8	11	21
1. SINGLE DX	4549	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	3403	4.0	20	1	1	3	5	8	10	20
A. NOT OPERATED	631	2.5	6	<1	1	2	3	5	6	10
B. OPERATED	7321	3.0	11	<1	1	2	3	6	8	14
TOTAL 0-27 DYS	3	4.0	27	1	1	1	8	10	10	10
1-11 MOS	13	2.9	3	<1	1	3	4	5	6	6
1-5 YRS	272	2.5	7	<1	<1	2	3	5	7	9
6-12 YRS	1491	2.3	7	<1	<1	2	3	4	6	10
13-19 YRS	6173	3.1	12	<1	1	2	4	6	8	15
GRAND TOTAL	7952	3.0	11	<1	1	2	3	6	8	14

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	12.5	113	5	5	12	20	20	20	20
1-5 YRS	15	7.0	69	1	1	4	8	13	29	34
6-12 YRS	170	3.7	8	1	1	3	5	8	9	15
13-19 YRS	812	5.4	22	1	1	4	7	10	13	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	12.0	116	2	2	6	20	28	28	28
6-12 YRS	10	11.3	124	2	2	7	16	29	38	38
13-19 YRS	127	14.0	119	3	4	11	19	30	36	57
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	5	7.4	23	3	3	5	10	15	15	15
1-5 YRS	9	5.8	99	1	1	3	4	21	32	32
6-12 YRS	80	5.0	20	1	1	4	6	10	15	24
13-19 YRS	718	6.4	36	1	2	5	8	13	17	29
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	6	9.0	32	2	2	9	15	15	15	15
6-12 YRS	15	16.5	535	1	2	7	22	28	77	93
13-19 YRS	303	14.1	152	2	3	10	18	31	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	999	5.2	21	1	1	4	7	10	13	23
B. *Operated*	142	13.8	118	3	4	11	19	29	37	57
2. MULTIPLE DX										
A. *Not Operated*	813	6.3	35	1	2	5	7	12	17	30
B. *Operated*	325	14.0	167	2	3	10	18	30	43	99+
1. SINGLE DX	1141	6.2	41	1	1	4	7	12	18	36
2. MULTIPLE DX	1138	8.5	85	1	2	6	10	18	26	58
A. NOT OPERATED	1812	5.7	27	1	1	4	7	11	14	25
B. OPERATED	467	14.0	152	2	3	11	18	30	40	90
TOTAL 0-27 DYS	2	12.0	128	4	4	12	20	20	20	20
1-11 MOS	7	8.9	40	3	3	5	13	19	20	20
1-5 YRS	35	7.7	74	1	1	4	10	18	31	34
6-12 YRS	275	5.0	52	1	1	3	6	9	15	27
13-19 YRS	1960	7.7	65	1	2	5	9	16	23	43
GRAND TOTAL	2279	7.4	64	1	2	5	9	15	22	42

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	6	5.0	78	<1	<1	1	2	21	23	23
13-19 YRS	30	8.0	73	1	2	6	10	17	22	44
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	29.0	457	8	10	22	45	71	84	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	24	17.3	626	1	1	9	13	63	82	88
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	2	49.0	72	43	43	49	55	55	55	55
13-19 YRS	106	38.1	593	9	11	36	59	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	7.5	71	1	1	5	9	18	23	44
B. *Operated*	31	29.0	457	8	10	22	45	71	84	99+
2. MULTIPLE DX										
A. *Not Operated*	25	16.7	611	<1	1	9	13	61	81	88
B. *Operated*	109	38.1	586	9	11	36	58	95	99+	99+
1. SINGLE DX	68	17.3	358	1	2	10	23	49	70	97
2. MULTIPLE DX	134	34.1	656	3	5	29	56	85	99	99+
A. NOT OPERATED	62	11.2	302	1	1	6	10	22	54	87
B. OPERATED	140	36.1	568	9	10	32	56	85	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.5	13	8	8	10	13	13	13	13
6-12 YRS	9	14.3	446	<1	<1	2	28	50	55	55
13-19 YRS	191	29.3	620	3	4	23	47	80	97	99+
GRAND TOTAL	202	28.4	616	2	3	21	46	76	96	99+

346: Fracture of ribs, sternum, larynx, and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	3.9	13	1	1	3	5	10	11	11
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	22	2.3	4	1	1	2	2	6	7	9
13-19 YRS	85	2.5	5	1	1	2	3	5	6	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	6.1	24	2	2	4	7	14	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.7	36	2	2	7	12	14	14	14
1-11 MOS	16	7.9	31	2	2	6	11	16	19	20
1-5 YRS	23	4.2	17	<1	1	3	5	9	14	19
6-12 YRS	47	3.6	6	1	1	3	4	7	8	13
13-19 YRS	289	4.7	46	1	1	3	6	9	11	34
B. *Operated*										
0-27 DYS										
1-11 MOS	3	17.3	116	5	5	22	24	25	25	25
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	18	12.1	133	2	2	7	14	35	38	39
13-19 YRS	142	10.7	183	2	3	7	11	19	34	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	2.6	5	1	1	2	3	5	7	13
B. *Operated*	11	6.1	24	2	2	4	7	14	18	18
2. MULTIPLE DX										
A. *Not Operated*	378	4.7	39	1	1	3	6	9	12	24
B. *Operated*	165	10.9	174	2	3	7	12	23	37	82
1. SINGLE DX	128	2.9	8	1	1	2	3	6	8	18
2. MULTIPLE DX	543	6.6	87	1	1	4	7	12	18	51
A. NOT OPERATED	495	4.2	32	1	1	3	5	8	11	20
B. OPERATED	176	10.6	166	2	3	7	12	22	35	81
TOTAL 0-27 DYS	4	7.5	24	2	2	7	11	14	14	14
1-11 MOS	26	7.9	46	1	2	5	11	20	23	25
1-5 YRS	27	4.0	15	1	1	3	5	8	13	19
6-12 YRS	87	5.0	44	1	1	3	6	9	14	38
13-19 YRS	527	6.0	84	1	1	4	7	11	16	51
GRAND TOTAL	671	5.9	74	1	1	4	7	12	16	45

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.8	9	1	1	5	7	9	9	9
1-5 YRS	21	3.9	12	<1	1	2	5	9	12	13
6-12 YRS	68	4.9	25	1	1	4	6	9	12	33
13-19 YRS	356	6.7	38	1	2	5	8	13	18	39
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	25.0		25	25	25	25	25	25	25
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	37	16.9	318	2	2	11	23	39	58	80
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	12.0	61	2	2	12	17	21	21	21
1-5 YRS	43	6.7	27	2	3	5	9	12	17	27
6-12 YRS	73	8.5	49	2	2	6	11	18	21	40
13-19 YRS	389	11.1	122	2	3	8	12	23	34	61
B. *Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS										
1-5 YRS	11	12.6	79	2	3	12	18	25	30	31
6-12 YRS	29	14.7	116	4	5	9	20	33	35	43
13-19 YRS	265	22.5	344	3	5	16	31	51	64	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	451	6.3	35	1	2	5	8	12	17	35
B. *Operated*	39	17.1	303	2	3	14	24	37	57	80
2. MULTIPLE DX										
A. *Not Operated*	509	10.3	105	2	3	7	12	21	31	57
B. *Operated*	306	21.4	320	3	5	15	29	49	58	83
1. SINGLE DX	490	7.1	64	1	2	5	8	14	22	42
2. MULTIPLE DX	815	14.5	214	2	3	9	18	34	48	72
A. NOT OPERATED	960	8.4	76	1	2	6	10	17	24	44
B. OPERATED	345	20.9	319	3	4	15	28	49	58	81
TOTAL 0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	10	7.7	39	1	1	6	12	17	21	21
1-5 YRS	76	7.0	41	1	2	5	9	15	23	30
6-12 YRS	171	8.2	62	1	2	5	10	19	23	41
13-19 YRS	1047	12.7	194	2	3	8	15	30	44	72
GRAND TOTAL	1305	11.7	170	2	2	7	13	27	42	68

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	6.0	29	1	1	5	10	12	12	12
1-11 MOS	46	3.5	10	<1	1	2	4	8	11	14
1-5 YRS	252	3.4	20	<1	1	2	3	10	15	20
6-12 YRS	339	4.2	46	<1	1	2	3	12	18	26
13-19 YRS	184	3.1	19	<1	1	2	3	5	12	24
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	15	6.9	53	1	2	4	11	16	23	26
1-5 YRS	1011	4.2	25	1	1	2	4	12	16	23
6-12 YRS	2169	4.5	32	1	1	2	4	13	19	25
13-19 YRS	1113	4.2	22	1	1	3	4	8	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.8	8	2	2	3	5	9	9	9
1-11 MOS	16	6.9	32	1	2	5	11	16	17	18
1-5 YRS	57	5.5	28	1	1	3	7	15	16	21
6-12 YRS	98	4.4	28	<1	1	2	5	12	17	26
13-19 YRS	119	4.9	27	<1	1	4	6	10	16	28
B. *Operated*										
0-27 DYS										
1-11 MOS	14	8.6	77	1	1	5	16	22	27	28
1-5 YRS	191	7.6	60	1	1	4	11	17	22	41
6-12 YRS	534	7.1	54	1	1	4	9	19	23	30
13-19 YRS	450	8.4	97	1	2	5	9	21	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	825	3.7	30	<1	1	2	3	10	16	24
B. *Operated*	4310	4.4	28	1	1	2	4	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	296	4.9	27	1	1	3	6	12	17	24
B. *Operated*	1189	7.7	72	1	1	4	10	19	25	41
1. SINGLE DX	5135	4.2	28	1	1	2	4	11	17	24
2. MULTIPLE DX	1485	7.1	64	1	1	4	9	18	23	40
A. NOT OPERATED	1121	4.0	30	<1	1	2	4	11	16	24
B. OPERATED	5499	5.1	39	1	1	3	5	14	19	28
TOTAL 0-27 DYS	12	4.3	13	1	1	3	7	10	12	12
1-11 MOS	91	5.4	34	1	1	3	7	15	18	27
1-5 YRS	1511	4.5	30	1	1	2	5	13	17	23
6-12 YRS	3140	4.9	38	1	1	2	5	14	20	26
13-19 YRS	1866	5.1	43	1	1	3	5	11	19	36
GRAND TOTAL	6620	4.9	38	1	1	3	5	13	19	27

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	4	2.5	2	<1	<1	2	3	4	4	4
1-5 YRS	73	1.7	5	<1	<1	1	2	3	4	16
6-12 YRS	267	1.7	1	<1	1	1	2	3	4	7
13-19 YRS	131	2.0	7	<1	<1	1	2	3	4	11
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	1.2		1	1	1	2	2	2	2
1-5 YRS	1059	1.5	5	<1	1	1	2	2	3	6
6-12 YRS	5073	1.7	2	<1	1	1	2	3	4	7
13-19 YRS	2577	2.5	6	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.3	2	1	1	2	4	4	4	4
1-5 YRS	36	2.3	4	<1	1	2	3	5	6	10
6-12 YRS	109	2.6	10	1	1	2	3	5	7	17
13-19 YRS	161	2.7	5	1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.0	19	1	1	8	9	9	9	9
1-5 YRS	154	2.4	5	1	1	2	3	5	7	11
6-12 YRS	760	3.3	24	1	1	2	3	7	10	26
13-19 YRS	882	5.4	47	1	1	3	6	12	17	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	1.8	4	<1	<1	1	2	3	4	7
B. *Operated*	8716	1.9	4	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	312	2.6	6	1	1	2	3	5	7	11
B. *Operated*	1799	4.3	35	1	1	3	5	9	14	29
1. SINGLE DX	9193	1.9	4	<1	1	1	2	4	5	8
2. MULTIPLE DX	2111	4.0	31	1	1	2	4	8	12	28
A. NOT OPERATED	789	2.1	5	<1	1	1	3	4	5	10
B. OPERATED	10515	2.3	10	1	1	1	2	4	6	14
TOTAL 0-27 DYS	4	2.0	1	1	1	2	3	3	3	3
1-11 MOS	18	2.7	6	<1	1	2	4	7	9	9
1-5 YRS	1322	1.6	5	<1	1	1	2	3	4	8
6-12 YRS	6209	1.9	5	<1	1	1	2	3	5	9
13-19 YRS	3751	3.2	17	1	1	2	4	6	9	18
GRAND TOTAL	11304	2.3	9	1	1	1	2	4	6	14

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	1.9	2	<1	<1	1	3	4	5	5
6-12 YRS	34	1.9	1	1	1	2	2	3	4	4
13-19 YRS	78	2.2	3	<1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	124	1.9	3	<1	<1	1	2	3	5	12
6-12 YRS	542	1.8	3	<1	1	1	2	3	4	8
13-19 YRS	2062	2.0	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	5.6	33	<1	1	4	6	16	19	19
6-12 YRS	40	4.0	25	<1	1	2	4	10	17	22
13-19 YRS	102	3.4	9	<1	1	2	4	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	5	1	1	2	4	6	6	6
1-5 YRS	88	2.5	7	<1	1	2	3	4	6	17
6-12 YRS	187	3.2	10	1	1	2	4	6	11	15
13-19 YRS	691	3.6	17	1	1	2	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	2732	1.9	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	150	3.7	15	<1	1	3	4	8	11	21
B. *Operated*	970	3.4	15	1	1	2	4	7	10	19
1. SINGLE DX	2859	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX	1120	3.4	15	1	1	2	4	7	10	20
A. NOT OPERATED	277	2.9	9	<1	1	2	4	5	8	20
B. OPERATED	3702	2.3	6	<1	1	2	3	4	6	12
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.1	3	1	1	1	3	5	6	6
1-5 YRS	235	2.2	6	<1	<1	1	2	4	6	14
6-12 YRS	803	2.3	6	<1	1	2	2	4	6	15
13-19 YRS	2933	2.4	6	<1	1	2	3	4	6	11
GRAND TOTAL	3979	2.4	6	<1	1	2	3	4	6	13

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	8.5	96	1	1	3	13	24	30	31
1-5 YRS	77	14.1	97	1	2	15	21	26	28	42
6-12 YRS	46	25.5	258	4	4	26	31	46	58	71
13-19 YRS	59	11.5	281	<1	1	4	8	44	51	64
B. *Operated*										
0-27 DYS	5	18.2	91	6	6	17	26	30	30	30
1-11 MOS	9	8.1	26	2	2	8	11	15	18	18
1-5 YRS	45	14.8	185	2	3	15	21	25	31	81
6-12 YRS	136	12.4	94	4	4	9	17	25	30	52
13-19 YRS	200	13.2	134	3	4	10	15	24	41	58
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	12.0	128	4	4	12	20	20	20	20
1-11 MOS	5	12.0	140	5	5	7	15	33	33	33
1-5 YRS	22	18.4	157	1	2	19	25	35	43	46
6-12 YRS	34	21.3	178	2	3	22	33	36	42	44
13-19 YRS	26	16.4	311	2	2	12	31	53	69	99+
B. *Operated*										
0-27 DYS	2	21.0		21	21	21	80	99+	99+	99+
1-11 MOS	17	25.5	344	5	8	20	31	58	69	72
1-5 YRS	27	18.0	127	2	4	14	26	33	36	48
6-12 YRS	79	21.6	335	2	3	18	30	44	51	92
13-19 YRS	187	20.8	306	4	5	15	28	47	64	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	15.7	221	1	2	12	24	35	46	65
B. *Operated*	395	13.1	124	3	4	10	16	25	35	57
2. MULTIPLE DX										
A. *Not Operated*	89	18.4	208	2	2	17	30	37	44	86
B. *Operated*	312	21.0	297	3	5	16	28	44	63	97
1. SINGLE DX	588	13.9	157	2	3	10	19	29	39	60
2. MULTIPLE DX	401	20.4	278	2	4	16	29	43	55	97
A. NOT OPERATED	282	16.6	218	1	2	14	26	35	45	65
B. OPERATED	707	16.6	215	3	4	12	21	36	49	85
TOTAL 0-27 DYS	9	17.4	72	4	5	20	25	65	99+	99+
1-11 MOS	42	15.7	245	1	2	11	20	34	49	72
1-5 YRS	171	15.5	133	1	2	15	22	28	33	48
6-12 YRS	295	17.9	220	3	4	14	26	38	44	68
13-19 YRS	472	16.2	243	2	4	11	19	38	54	86
GRAND TOTAL	989	16.6	216	2	3	12	22	36	48	75

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	8.2	35	2	2	8	12	16	16	16
1-11 MOS	179	9.7	68	1	1	7	16	20	23	30
1-5 YRS	736	16.4	100	1	2	17	23	27	33	46
6-12 YRS	517	24.0	169	2	4	25	31	39	47	57
13-19 YRS	239	24.4	409	1	2	25	38	51	61	75
B. *Operated*										
0-27 DYS	2	7.5	85	1	1	7	14	14	14	14
1-11 MOS	64	7.4	47	1	1	4	13	19	21	24
1-5 YRS	458	14.0	112	1	2	14	22	26	31	41
6-12 YRS	559	21.4	239	2	3	22	30	40	50	66
13-19 YRS	827	14.9	210	2	2	11	20	36	49	68
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	13.0	57	4	4	13	18	22	22	22
1-11 MOS	37	10.8	52	1	2	10	17	21	22	24
1-5 YRS	259	19.8	160	2	3	20	26	33	40	67
6-12 YRS	211	25.0	193	2	4	26	33	43	47	61
13-19 YRS	148	29.6	445	1	3	30	46	59	74	99+
B. *Operated*										
0-27 DYS	2	21.0	2	20	20	21	22	22	22	22
1-11 MOS	12	11.4	80	1	2	10	19	24	27	27
1-5 YRS	191	19.3	134	2	4	20	27	36	39	83
6-12 YRS	383	25.5	220	3	4	26	35	42	51	69
13-19 YRS	1146	25.8	357	4	6	20	36	55	68	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1677	19.2	186	1	2	19	26	35	44	61
B. *Operated*	1910	16.4	201	2	2	13	24	35	44	66
2. MULTIPLE DX										
A. *Not Operated*	659	23.1	251	2	3	22	31	43	52	81
B. *Operated*	1734	24.9	305	3	5	21	34	50	63	93
1. SINGLE DX	3587	17.7	196	1	2	16	25	35	44	64
2. MULTIPLE DX	2393	24.4	291	3	5	22	33	48	61	91
A. NOT OPERATED	2336	20.3	207	1	2	20	28	38	47	67
B. OPERATED	3644	20.4	269	2	3	17	29	43	54	82
TOTAL 0-27 DYS	14	11.3	55	1	2	12	16	22	22	22
1-11 MOS	292	9.4	63	1	1	7	16	20	23	29
1-5 YRS	1644	16.6	121	1	2	17	23	29	35	48
6-12 YRS	1670	23.6	210	2	3	24	32	41	49	65
13-19 YRS	2360	22.1	344	2	3	17	33	50	62	92
GRAND TOTAL	5980	20.4	245	2	3	19	28	41	51	76

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	17	2.5	8	<1	1	1	2	7	10	11
1-5 YRS	280	2.3	6	<1	1	2	3	4	6	16
6-12 YRS	542	2.9	5	1	1	2	4	5	7	12
13-19 YRS	611	3.2	10	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	5.0	21	1	1	2	9	11	12	12
1-5 YRS	292	2.5	5	1	1	2	3	5	6	10
6-12 YRS	1256	3.9	15	1	1	3	5	7	10	16
13-19 YRS	2010	5.0	23	1	1	4	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	11	7.7	26	3	3	6	11	16	17	17
1-5 YRS	88	3.5	8	1	1	3	5	7	8	13
6-12 YRS	111	4.9	45	1	1	4	5	9	10	36
13-19 YRS	231	4.9	22	1	1	4	6	9	12	62
B. *Operated*										
0-27 DYS	3	5.3	6	3	3	5	7	8	8	8
1-11 MOS	3	22.0	208	10	10	18	33	38	38	38
1-5 YRS	98	6.5	102	1	1	3	6	14	29	60
6-12 YRS	348	8.2	106	1	2	5	8	18	30	56
13-19 YRS	1100	11.7	177	2	3	7	14	26	41	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1450	2.9	7	1	1	2	4	5	7	12
B. *Operated*	3566	4.4	19	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	442	4.7	25	1	1	4	6	9	11	20
B. *Operated*	1552	10.6	160	1	2	6	12	24	38	76
1. SINGLE DX	5016	4.0	16	1	1	3	5	8	10	18
2. MULTIPLE DX	1994	9.3	136	1	2	6	10	21	34	75
A. NOT OPERATED	1892	3.3	12	1	1	2	4	6	9	15
B. OPERATED	5118	6.3	70	1	1	4	7	12	19	51
TOTAL 0-27 DYS	5	5.6	8	3	3	5	8	9	9	9
1-11 MOS	38	6.0	53	1	1	3	9	15	18	38
1-5 YRS	758	3.1	20	1	1	2	3	6	8	22
6-12 YRS	2257	4.3	31	1	1	3	5	8	11	30
13-19 YRS	3952	6.6	74	1	1	4	7	13	20	54
GRAND TOTAL	7010	5.5	56	1	1	3	6	11	16	44

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	66	2.1	2	<1	1	2	3	4	5	7
6-12 YRS	199	3.0	16	1	1	2	4	5	6	17
13-19 YRS	409	2.9	5	<1	1	2	4	6	8	11
B. *Operated*										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	6	7.0	44	1	1	7	13	14	14	14
1-5 YRS	90	2.8	13	1	1	2	3	5	6	23
6-12 YRS	726	3.4	6	1	1	3	4	6	8	14
13-19 YRS	3034	3.9	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	6	6.5	16	3	3	5	11	12	12	12
1-5 YRS	40	4.1	25	1	1	2	5	9	13	28
6-12 YRS	73	4.2	56	<1	1	3	5	7	9	52
13-19 YRS	305	4.3	16	1	1	3	5	9	12	21
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	4	8.0	7	5	5	8	10	11	11	11
1-5 YRS	39	7.5	96	1	1	5	9	13	31	47
6-12 YRS	248	6.7	52	1	2	4	7	13	22	38
13-19 YRS	1556	7.0	68	2	2	6	7	12	19	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	676	2.8	8	<1	1	2	4	5	7	11
B. *Operated*	3858	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	425	4.3	24	1	1	3	5	9	12	23
B. *Operated*	1849	7.0	66	2	2	5	7	13	19	45
1. SINGLE DX	4534	3.6	8	1	1	3	5	7	8	14
2. MULTIPLE DX	2274	6.5	59	1	2	4	7	12	18	42
A. NOT OPERATED	1101	3.4	15	<1	1	2	4	7	9	17
B. OPERATED	5707	4.8	29	1	1	4	5	9	12	30
TOTAL 0-27 DYS	5	5.4	15	2	2	4	9	10	10	10
1-11 MOS	18	6.4	22	1	1	5	11	13	14	14
1-5 YRS	235	3.6	29	1	1	2	4	7	10	38
6-12 YRS	1246	4.0	22	1	1	3	5	7	10	26
13-19 YRS	5304	4.8	28	1	1	4	5	8	11	27
GRAND TOTAL	6808	4.6	27	1	1	3	5	8	11	27

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	17	2.7	19	<1	1	2	2	4	14	19
6-12 YRS	31	2.2	4	1	1	2	2	4	6	11
13-19 YRS	110	2.1	2	1	1	2	3	4	5	6
B. Operated										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS	34	2.7	3	1	1	2	4	5	6	7
13-19 YRS	240	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	10	4.9	15	1	1	4	6	10	14	14
1-5 YRS	63	3.5	22	1	1	2	4	6	12	27
6-12 YRS	94	3.7	25	1	1	2	3	7	13	30
13-19 YRS	329	4.2	22	1	1	3	5	8	10	24
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	8	3.3	3	1	1	3	5	6	6	6
6-12 YRS	32	6.7	121	1	1	4	8	18	55	99+
13-19 YRS	178	6.5	58	1	1	4	7	13	25	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	161	2.2	4	1	1	2	3	4	5	10
B. Operated	279	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	498	4.0	22	1	1	3	5	8	11	25
B. Operated	219	6.4	65	1	1	4	7	13	24	72
1. SINGLE DX	440	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	717	4.7	36	1	1	3	6	9	14	36
A. NOT OPERATED	659	3.6	18	1	1	2	4	7	10	24
B. OPERATED	498	4.5	33	1	1	3	5	8	12	38
TOTAL 0-27 DYS	3	4.0	9	1	1	4	6	7	7	7
1-11 MOS	14	5.0	19	1	1	4	6	14	14	14
1-5 YRS	92	3.3	19	1	1	2	3	6	12	25
6-12 YRS	191	3.8	35	1	1	2	4	7	12	50
13-19 YRS	857	4.1	23	1	1	3	5	8	10	32
GRAND TOTAL	1157	4.0	25	1	1	3	4	8	11	32

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	17	2.3	2	<1	1	2	2	5	6	7
1-5 YRS	22	3.0	4	<1	1	2	4	6	7	7
6-12 YRS	12	1.8	1	1	1	2	2	3	4	4
13-19 YRS	12	4.5	11	<1	<1	4	6	9	12	12
B. Operated										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	7.0	25	2	2	6	11	13	13	13
6-12 YRS	9	6.4	13	1	1	7	9	10	10	10
13-19 YRS	8	13.6	185	2	2	8	22	36	38	38
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	6	12.7	633	1	1	3	4	58	64	64
1-5 YRS	16	3.9	8	1	1	3	6	9	9	9
6-12 YRS	6	3.3	2	2	2	3	4	6	6	6
13-19 YRS	11	7.0	43	2	2	5	8	19	21	21
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	17.5	146	1	1	21	26	27	27	27
6-12 YRS	7	8.6	35	2	2	6	14	16	17	17
13-19 YRS	19	28.2	501	4	6	21	47	64	70	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.8	5	<1	1	2	4	6	7	11
B. Operated	22	8.9	85	1	1	8	10	19	34	38
2. MULTIPLE DX										
A. Not Operated	39	6.1	108	1	2	3	6	9	20	64
B. Operated	30	22.2	405	2	3	15	29	56	67	73
1. SINGLE DX	86	4.4	32	<1	1	2	5	9	12	35
2. MULTIPLE DX	69	13.1	298	1	2	6	16	37	59	72
A. NOT OPERATED	103	4.1	56	1	1	2	4	7	9	41
B. OPERATED	52	16.6	309	1	2	10	21	43	58	73
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	24	4.8	161	<1	1	2	3	5	24	64
1-5 YRS	46	4.9	33	1	1	3	6	9	18	27
6-12 YRS	34	4.7	18	1	1	3	7	11	14	17
13-19 YRS	50	15.5	331	1	2	8	21	45	59	73
GRAND TOTAL	155	8.3	168	1	1	3	8	21	36	67

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	25	2.0	2	<1	<1	1	3	4	5	6
B. Operated										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS										
1-5 YRS	3	2.0	3	1	1	1	3	4	4	4
6-12 YRS	18	2.9	13	<1	1	2	3	4	12	17
13-19 YRS	655	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	4.0	27	<1	<1	1	8	10	10	10
13-19 YRS	31	3.1	7	1	1	2	5	6	8	12
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	7.4	123	1	1	3	10	27	27	27
6-12 YRS	5	2.2	2	1	1	2	3	4	4	4
13-19 YRS	92	5.1	25	1	1	3	6	10	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.0	2	<1	<1	1	3	4	5	6
B. Operated	678	3.0	3	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	37	3.3	8	<1	1	2	5	8	10	12
B. Operated	102	5.1	28	1	1	3	6	10	10	28
1. SINGLE DX	704	3.0	3	1	1	3	4	5	5	7
2. MULTIPLE DX	139	4.6	24	1	1	3	6	9	12	27
A. NOT OPERATED	63	2.7	6	<1	1	2	3	6	9	12
B. OPERATED	780	3.3	6	1	1	3	4	5	6	12
TOTAL 0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	10	4.6	64	<1	<1	2	4	16	27	27
6-12 YRS	26	2.9	12	<1	1	2	3	4	11	17
13-19 YRS	803	3.2	5	1	1	3	4	5	6	11
GRAND TOTAL	843	3.2	6	1	1	3	4	5	6	12

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.3	4	2	2	5	6	6	6	6
6-12 YRS	22	3.8	17	<1	1	3	4	9	14	19
13-19 YRS	99	3.0	7	<1	<1	2	4	6	7	16
B. Operated										
0-27 DYS	4	3.0	2	2	2	3	29	99+	99+	99+
1-11 MOS	3	4.0	4	2	2	4	5	6	6	6
1-5 YRS	4	4.0	5	<1	<1	4	5	6	6	6
6-12 YRS	160	3.7	5	1	1	3	5	6	7	14
13-19 YRS	4431	3.5	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	12	5.3	30	<1	1	3	6	15	18	19
13-19 YRS	77	2.3	6	<1	<1	1	3	5	8	13
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	4	2.8	1	2	2	3	3	4	4	4
6-12 YRS	49	4.2	9	1	1	4	5	8	11	18
13-19 YRS	2059	4.2	9	1	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	3.1	9	<1	<1	2	4	6	7	20
B. Operated	4602	3.5	4	1	1	3	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	91	2.7	10	<1	<1	1	4	6	9	17
B. Operated	2113	4.2	9	1	2	4	5	7	9	16
1. SINGLE DX	4726	3.5	4	1	1	3	4	6	7	10
2. MULTIPLE DX	2204	4.1	9	1	1	4	5	7	9	16
A. NOT OPERATED	215	3.0	9	<1	<1	2	4	6	8	19
B. OPERATED	6715	3.7	6	1	1	3	5	6	7	12
TOTAL 0-27 DYS	5	2.8	2	2	2	3	5	90	99+	99+
1-11 MOS	3	4.0	4	2	2	4	5	6	6	6
1-5 YRS	13	3.6	4	<1	1	4	5	6	6	6
6-12 YRS	243	3.9	8	1	1	3	5	6	9	15
13-19 YRS	6666	3.7	6	1	1	3	5	6	7	12
GRAND TOTAL	6930	3.7	6	1	1	3	5	6	7	12

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	23	5.3	40	<1	1	3	6	12	24	25
6-12 YRS	39	3.2	9	1	1	2	4	6	9	17
13-19 YRS	109	4.0	13	1	1	3	5	8	10	20
B. *Operated*										
0-27 DYS										
1-11 MOS	11	2.5	4	<1	<1	2	3	5	8	8
1-5 YRS	75	4.3	31	<1	1	2	5	12	16	28
6-12 YRS	342	2.6	11	<1	1	1	3	6	9	19
13-19 YRS	642	3.9	32	<1	1	2	4	9	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.0	7	<1	<1	2	5	6	6	6
1-5 YRS	10	5.3	18	1	1	4	8	12	13	13
6-12 YRS	35	3.9	12	1	1	3	6	10	11	12
13-19 YRS	108	8.2	87	1	1	6	9	19	33	42
B. *Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	21	5.3	16	<1	1	4	7	12	13	14
6-12 YRS	108	5.5	86	1	1	2	5	14	25	50
13-19 YRS	354	10.2	143	1	1	6	13	25	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	3.9	15	<1	1	3	5	8	10	22
B. *Operated*	1070	3.5	26	<1	1	2	4	8	14	26
2. MULTIPLE DX										
A. *Not Operated*	156	7.0	60	1	1	5	8	13	26	42
B. *Operated*	486	8.9	128	1	1	5	11	22	32	62
1. SINGLE DX	1247	3.6	24	<1	1	2	4	8	13	24
2. MULTIPLE DX	642	8.4	114	1	1	5	10	21	31	47
A. NOT OPERATED	333	5.4	42	1	1	3	7	11	17	40
B. OPERATED	1556	5.2	64	1	1	2	5	13	20	42
TOTAL 0-27 DYS	3	4.0	7	1	1	5	6	6	6	6
1-11 MOS	20	2.5	4	<1	<1	2	3	5	7	8
1-5 YRS	129	4.7	29	<1	1	3	6	12	16	28
6-12 YRS	524	3.4	28	1	1	2	3	7	12	28
13-19 YRS	1213	6.1	76	1	1	3	7	15	23	43
GRAND TOTAL	1889	5.2	60	1	1	2	6	12	20	42

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	3.9	5	1	1	4	6	6	8	8
6-12 YRS	36	3.4	12	<1	1	2	4	7	8	20
13-19 YRS	185	2.5	4	<1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.5	13	7	7	9	12	12	12	12
6-12 YRS	69	3.3	5	1	1	3	4	7	9	9
13-19 YRS	1527	3.7	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	6	5.3	8	2	2	5	7	10	10	10
6-12 YRS	29	5.9	64	1	2	4	6	10	19	48
13-19 YRS	112	3.8	10	<1	1	3	5	9	11	14
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	50	4.1	5	1	2	4	5	7	8	10
13-19 YRS	1321	4.8	9	1	2	4	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	2.7	5	<1	1	2	4	6	7	9
B. *Operated*	1598	3.7	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	148	4.3	21	1	1	3	5	9	11	16
B. *Operated*	1374	4.7	8	1	2	4	6	8	10	15
1. SINGLE DX	1834	3.6	5	1	1	3	5	6	8	11
2. MULTIPLE DX	1522	4.7	10	1	2	4	6	8	10	15
A. NOT OPERATED	384	3.3	12	<1	1	2	4	7	9	13
B. OPERATED	2972	4.2	7	1	1	4	5	7	9	14
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	2	9.5	145	1	1	9	18	18	18	18
1-5 YRS	23	4.7	8	1	2	4	6	8	11	12
6-12 YRS	184	3.9	16	1	1	3	5	7	9	18
13-19 YRS	3145	4.1	7	1	1	4	5	7	9	14
GRAND TOTAL	3356	4.1	8	1	1	4	5	7	9	14

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.0	72	1	1	7	13	13	13	13
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	23	4.3	17	1	1	4	6	9	14	18
13-19 YRS	511	5.0	10	1	2	4	7	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	50	5.5	13	1	1	5	8	11	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.0	7	3	3	7	8	8	8	8
1-11 MOS	3	4.7	5	2	2	6	6	6	6	6
1-5 YRS	6	5.0	21	1	1	3	8	12	13	13
6-12 YRS	33	4.2	8	1	2	3	6	8	9	14
13-19 YRS	385	5.9	19	1	2	5	8	11	14	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	46	9.C	42	2	3	7	12	17	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	5.0	11	1	1	4	7	9	11	15
B. *Operated*	52	5.5	13	1	1	5	8	11	12	15
2. MULTIPLE DX										
A. *Not Operated*	430	5.8	18	1	2	5	7	11	14	21
B. *Operated*	48	8.7	42	2	3	7	12	17	23	32
1. SINGLE DX	591	5.0	11	1	1	4	7	10	11	15
2. MULTIPLE DX	478	6.1	21	1	2	5	8	11	14	24
A. NOT OPERATED	969	5.3	14	1	2	5	7	10	13	18
B. OPERATED	100	7.0	29	1	2	6	10	13	17	28
TOTAL 0-27 DYS	4	5.0	9	2	2	5	7	8	8	8
1-11 MOS	5	5.6	22	1	1	6	8	13	13	13
1-5 YRS	10	4.5	15	1	1	3	8	11	13	13
6-12 YRS	58	4.3	11	1	1	3	6	8	11	18
13-19 YRS	992	5.6	16	1	2	5	7	10	13	19
GRAND TOTAL	**1069**	**5.5**	**16**	**1**	**2**	**5**	**7**	**10**	**13**	**19**

362: Sprains and strains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	5	6.6	35	1	1	7	9	16	16	16
1-5 YRS	58	2.1	2	<1	1	2	3	4	5	6
6-12 YRS	167	2.6	3	1	1	2	4	5	6	7
13-19 YRS	830	3.6	9	1	1	3	5	7	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	48	1	1	1	10	13	13	13
13-19 YRS	41	4.8	15	1	2	3	6	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.4	11	2	2	8	10	10	10	10
1-5 YRS	26	2.3	5	<1	1	2	3	4	6	12
6-12 YRS	98	2.9	5	1	1	2	4	7	8	12
13-19 YRS	973	4.5	15	1	1	4	6	9	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	11.0	18	8	8	11	14	14	14	14
13-19 YRS	51	5.9	16	1	1	5	9	11	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1061	3.4	8	1	1	3	4	7	9	13
B. *Operated*	44	4.8	16	1	2	3	6	12	14	17
2. MULTIPLE DX										
A. *Not Operated*	1102	4.3	14	1	1	3	6	9	11	15
B. *Operated*	54	6.2	16	1	1	5	10	12	14	16
1. SINGLE DX	1105	3.4	8	1	1	3	4	7	9	14
2. MULTIPLE DX	1156	4.4	14	1	1	3	6	9	11	15
A. NOT OPERATED	2163	3.8	11	1	1	3	5	8	10	15
B. OPERATED	98	5.6	17	1	1	4	8	12	14	17
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	10	7.0	21	1	1	7	10	13	16	16
1-5 YRS	85	2.3	3	<1	1	2	3	4	5	11
6-12 YRS	270	2.8	5	1	1	2	4	5	7	12
13-19 YRS	1895	4.1	12	1	1	3	5	8	11	16
GRAND TOTAL	**2261**	**3.9**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.3	4	<1	<1	1	3	5	5	5
1-5 YRS	29	2.8	4	1	1	2	4	6	6	9
6-12 YRS	99	3.1	9	<1	1	2	4	6	9	15
13-19 YRS	302	2.8	5	<1	1	2	3	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	16	1.5	1	1	1	1	2	2	4	4
6-12 YRS	77	2.8	3	1	1	2	4	5	6	10
13-19 YRS	839	2.9	4	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	30	3.5	12	<1	<1	2	4	9	12	15
6-12 YRS	51	3.3	9	1	1	3	4	7	12	98
13-19 YRS	209	3.5	6	1	1	3	4	6	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	7	3.6	1	2	2	3	5	5	5	5
6-12 YRS	20	3.1	4	1	1	3	4	6	7	8
13-19 YRS	248	3.8	14	1	1	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	2.8	6	<1	1	2	3	6	8	13
B. *Operated*	933	2.9	4	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	292	3.4	7	1	1	3	4	6	9	16
B. *Operated*	276	3.7	13	1	1	3	4	6	8	14
1. SINGLE DX	1367	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	568	3.6	10	1	1	3	4	6	9	15
A. NOT OPERATED	726	3.1	7	<1	1	2	4	6	8	15
B. OPERATED	1209	3.0	6	1	1	3	4	5	6	10
TOTAL 0-27 DYS										
1-11 MOS	8	2.4	3	<1	<1	2	4	5	5	5
1-5 YRS	82	2.9	7	1	1	2	4	6	9	14
6-12 YRS	247	3.1	7	1	1	2	4	6	7	15
13-19 YRS	1598	3.1	6	1	1	3	4	5	7	11
GRAND TOTAL	**1935**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.0	16	1	1	1	4	10	10	10
1-11 MOS	221	1.5	1	1	1	1	2	2	3	5
1-5 YRS	2136	1.4	1	1	1	1	2	2	3	5
6-12 YRS	4137	1.5	1	1	1	1	2	2	3	5
13-19 YRS	4074	1.9	3	<1	1	1	2	3	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	3.1	37	1	1	1	2	5	20	24
6-12 YRS	14	1.9	3	1	1	1	2	5	6	6
13-19 YRS	35	2.2	5	1	1	2	2	4	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	2.9	3	1	1	2	4	6	6	6
1-11 MOS	137	2.4	6	1	1	2	3	5	6	17
1-5 YRS	1332	2.2	6	1	1	2	2	4	6	10
6-12 YRS	2995	2.1	3	1	1	2	2	4	5	9
13-19 YRS	5864	2.7	9	<1	1	2	3	5	7	13
B. *Operated*										
0-27 DYS	3	3.3	10	1	1	2	6	7	7	7
1-11 MOS	6	4.5	10	1	1	4	6	10	10	10
1-5 YRS	184	3.6	30	1	1	2	4	7	13	24
6-12 YRS	468	4.1	50	1	1	2	4	8	12	40
13-19 YRS	1810	4.9	64	1	1	2	5	11	18	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10573	1.7	2	<1	1	1	2	3	4	7
B. *Operated*	63	2.3	11	1	1	1	2	4	7	22
2. MULTIPLE DX										
A. *Not Operated*	10335	2.5	7	1	1	2	3	5	6	12
B. *Operated*	2471	4.7	59	1	1	2	5	10	16	47
1. SINGLE DX	10636	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	12806	2.9	18	1	1	2	3	5	8	19
A. NOT OPERATED	20908	2.1	5	1	1	1	2	4	5	10
B. OPERATED	2534	4.6	58	1	1	2	5	10	16	47
TOTAL 0-27 DYS	15	3.0	7	1	1	2	4	7	9	10
1-11 MOS	364	1.8	3	1	1	1	2	4	5	8
1-5 YRS	3666	1.8	5	1	1	1	2	3	4	9
6-12 YRS	7614	1.9	6	1	1	1	2	3	4	9
13-19 YRS	11783	2.8	16	<1	1	2	3	5	7	18
GRAND TOTAL	**23442**	**2.3**	**11**	**1**	**1**	**2**	**2**	**4**	**6**	**14**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.6	2	<1	<1	1	2	4	5	5
1-11 MOS	198	1.5	3	<1	1	1	1	2	3	12
1-5 YRS	871	1.7	6	<1	1	1	2	3	4	9
6-12 YRS	992	1.8	5	1	1	1	2	3	4	10
13-19 YRS	987	2.9	20	<1	1	2	3	6	9	26
B. *Operated*										
0-27 DYS										
1-11 MOS	15	17.0	291	4	4	13	20	33	62	72
1-5 YRS	29	9.3	54	2	2	7	11	23	27	29
6-12 YRS	45	5.8	11	1	1	6	8	10	11	15
13-19 YRS	87	13.6	268	1	3	8	15	24	55	81
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.3	3	1	1	3	5	6	6	6
1-11 MOS	168	3.2	17	1	1	2	4	6	13	22
1-5 YRS	822	2.7	17	1	1	2	3	5	7	17
6-12 YRS	1000	2.6	12	1	1	2	3	5	8	18
13-19 YRS	1480	4.2	47	<1	1	2	4	9	16	41
B. *Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	23	19.4	353	1	2	16	25	47	62	76
1-5 YRS	125	8.7	156	1	1	4	9	25	37	66
6-12 YRS	198	11.9	332	1	1	4	14	31	65	97
13-19 YRS	732	17.5	467	1	1	8	30	63	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3056	2.1	10	<1	1	1	2	4	6	14
B. *Operated*	176	11.2	180	1	2	7	12	22	32	78
2. MULTIPLE DX										
A. *Not Operated*	3476	3.4	29	1	1	2	3	7	11	27
B. *Operated*	1080	15.5	414	1	1	6	24	54	76	99+
1. SINGLE DX	3232	2.6	24	<1	1	1	2	5	8	23
2. MULTIPLE DX	4556	6.2	147	1	1	2	5	16	33	90
A. NOT OPERATED	6532	2.8	21	1	1	1	3	5	8	23
B. OPERATED	1256	14.9	383	1	1	7	20	51	73	99+
TOTAL 0-27 DYS	16	2.2	3	<1	<1	1	3	5	6	6
1-11 MOS	404	3.8	61	1	1	1	3	8	17	40
1-5 YRS	1847	2.7	25	1	1	1	2	5	8	29
6-12 YRS	2235	3.1	45	1	1	1	2	6	10	32
13-19 YRS	3286	7.0	173	<1	1	2	6	20	40	98
GRAND TOTAL	**7788**	**4.7**	**99**	**1**	**1**	**2**	**4**	**10**	**22**	**70**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	16	2.6	6	1	1	2	3	4	9	11
6-12 YRS	15	2.1	2	<1	<1	2	3	4	5	5
13-19 YRS	80	3.3	5	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	6.5	14	4	4	5	9	12	12	12
6-12 YRS	8	4.9	8	2	2	4	6	10	11	11
13-19 YRS	144	6.7	25	1	3	5	8	12	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	12	3.4	7	1	1	3	5	8	9	9
6-12 YRS	34	4.7	14	1	1	4	6	9	11	20
13-19 YRS	172	4.8	25	1	1	4	6	9	12	24
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	2	8	8	9	10	10	10	10
1-5 YRS	18	7.8	17	2	3	8	11	16	63	99+
6-12 YRS	29	11.8	188	1	2	7	10	45	54	99+
13-19 YRS	336	11.3	127	3	4	8	12	20	32	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.0	5	1	1	2	4	5	8	11
B. *Operated*	156	6.6	24	1	3	5	8	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	220	4.7	22	1	1	4	6	9	11	23
B. *Operated*	385	11.1	126	3	4	8	12	21	39	72
1. SINGLE DX	269	5.1	19	1	1	4	6	10	12	24
2. MULTIPLE DX	605	8.8	98	1	2	6	10	17	27	63
A. NOT OPERATED	333	4.1	17	1	1	3	5	8	10	21
B. OPERATED	541	9.8	101	2	3	7	11	18	28	64
TOTAL 0-27 DYS										
1-11 MOS	6	5.0	17	1	1	5	8	10	10	10
1-5 YRS	50	5.0	16	1	1	4	8	11	12	99
6-12 YRS	86	6.6	83	1	1	4	7	11	26	83
13-19 YRS	732	8.0	80	1	2	6	9	16	23	58
GRAND TOTAL	**874**	**7.7**	**76**	**1**	**2**	**5**	**9**	**15**	**22**	**59**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	76	3.3	16	<1	1	2	4	7	10	25
6-12 YRS	345	3.8	11	1	1	3	5	8	11	16
13-19 YRS	664	3.9	9	1	1	3	5	8	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	32	8.8	41	2	3	6	11	17	23	30
6-12 YRS	180	6.8	11	2	3	6	8	12	14	18
13-19 YRS	365	7.0	13	3	3	7	8	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.0	4	1	1	1	3	5	5	5
1-5 YRS	71	5.3	29	1	1	3	6	12	18	25
6-12 YRS	285	4.2	12	1	1	3	5	10	12	16
13-19 YRS	723	4.1	11	1	1	3	5	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS	4	22.8	688	8	8	10	37	62	62	62
1-5 YRS	89	13.2	134	4	5	8	15	28	41	58
6-12 YRS	283	10.9	103	3	4	7	12	23	28	60
13-19 YRS	1031	13.4	165	4	5	9	14	28	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1088	3.8	10	1	1	3	5	8	10	16
B. *Operated*	577	7.0	14	2	3	6	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	1083	4.2	12	1	1	3	5	8	11	17
B. *Operated*	1407	12.9	152	3	5	9	14	27	41	73
1. SINGLE DX	1665	4.9	14	1	1	4	7	9	12	18
2. MULTIPLE DX	2490	9.1	110	1	2	7	10	19	28	62
A. NOT OPERATED	2171	4.0	11	1	1	3	5	8	11	17
B. OPERATED	1984	11.2	119	3	4	8	12	22	34	68
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	10.1	349	1	1	3	9	37	62	62
1-5 YRS	268	7.7	78	1	1	5	9	18	27	42
6-12 YRS	1093	6.2	44	1	1	5	8	12	16	33
13-19 YRS	2783	7.9	87	1	2	6	9	15	23	54
GRAND TOTAL	**4155**	**7.4**	**76**	**1**	**1**	**5**	**9**	**14**	**22**	**50**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	26	2.4	5	<1	<1	1	3	5	7	11
6-12 YRS	25	2.4	2	<1	1	2	3	5	5	6
13-19 YRS	30	2.9	3	<1	1	3	4	6	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	12	2.2	2	1	1	2	3	4	4	4
1-5 YRS	309	2.1	4	<1	1	1	3	5	6	10
6-12 YRS	301	3.3	9	1	1	2	4	6	9	16
13-19 YRS	279	3.2	5	<1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	23	3.6	6	<1	1	3	5	7	9	9
6-12 YRS	32	3.6	8	<1	1	3	4	9	10	11
13-19 YRS	51	2.7	3	1	1	2	4	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	8	4.9	32	1	1	3	5	15	18	18
1-5 YRS	181	3.0	8	<1	1	2	4	7	8	17
6-12 YRS	231	4.1	12	1	1	3	5	8	11	17
13-19 YRS	405	4.9	46	1	1	4	6	9	11	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.6	3	<1	1	2	3	5	6	10
B. *Operated*	901	2.9	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	108	3.1	5	<1	1	3	4	6	9	11
B. *Operated*	825	4.3	29	1	1	3	5	8	11	24
1. SINGLE DX	982	2.8	6	1	1	2	4	6	7	12
2. MULTIPLE DX	933	4.2	26	1	1	3	5	8	10	22
A. NOT OPERATED	189	2.9	4	<1	1	2	4	5	7	11
B. OPERATED	1726	3.5	17	1	1	2	5	7	9	18
TOTAL 0-27 DYS										
1-11 MOS	22	3.1	13	1	1	2	4	5	11	18
1-5 YRS	539	2.5	6	<1	1	2	3	5	7	11
6-12 YRS	589	3.6	10	1	1	3	5	7	9	15
13-19 YRS	755	4.1	27	1	1	3	5	8	10	21
GRAND TOTAL	**1915**	**3.5**	**16**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	134	2.3	4	1	1	1	3	5	6	10
6-12 YRS	98	2.4	3	1	1	2	3	5	6	9
13-19 YRS	181	2.1	3	<1	<1	2	3	4	5	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	40	1.4	1	<1	<1	1	2	3	3	5
1-5 YRS	785	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	346	2.3	6	<1	1	2	2	5	6	12
13-19 YRS	413	3.2	32	<1	1	2	3	6	8	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3	24	1	1	2	8	10	10	10
1-11 MOS	23	2.8	3	<1	1	2	4	6	6	6
1-5 YRS	180	2.6	7	1	1	2	3	5	6	15
6-12 YRS	178	2.5	4	1	1	2	3	5	6	11
13-19 YRS	573	2.7	14	<1	<1	2	3	5	7	14
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	3.9	33	<1	1	2	3	10	18	26
1-5 YRS	539	2.7	9	1	1	2	3	5	8	14
6-12 YRS	524	3.0	10	1	1	2	3	6	8	17
13-19 YRS	1533	4.0	36	<1	1	2	4	7	12	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	2.2	3	<1	1	2	3	4	6	10
B. *Operated*	1585	2.2	11	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	957	2.7	11	<1	1	2	3	5	7	13
B. *Operated*	2618	3.5	26	<1	1	2	4	7	10	26
1. SINGLE DX	2010	2.2	9	<1	1	1	2	4	6	12
2. MULTIPLE DX	3575	3.3	22	<1	1	2	4	6	9	23
A. NOT OPERATED	1382	2.5	8	<1	1	2	3	5	6	12
B. OPERATED	4203	3.0	21	<1	1	2	3	6	8	23
TOTAL 0-27 DYS	5	3.0	16	1	1	1	4	10	10	10
1-11 MOS	96	2.3	9	<1	<1	1	2	4	6	19
1-5 YRS	1638	2.1	5	<1	1	1	2	4	6	12
6-12 YRS	1146	2.6	7	1	1	2	3	5	7	12
13-19 YRS	2700	3.5	29	<1	1	2	4	6	10	29
GRAND TOTAL	**5585**	**2.9**	**18**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	4.0	27	1	1	1	8	10	10	10
1-5 YRS	67	2.3	5	<1	1	1	3	4	6	13
6-12 YRS	118	2.3	3	<1	1	2	3	5	7	10
13-19 YRS	395	2.4	23	<1	<1	2	3	4	5	10
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	113	2.1	3	<1	<1	1	2	5	6	8
6-12 YRS	233	2.6	7	<1	1	1	3	6	8	14
13-19 YRS	462	4.6	29	1	1	3	6	9	12	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	7.0	16	3	3	7	10	11	11	11
1-5 YRS	33	3.5	12	1	1	2	4	9	10	16
6-12 YRS	62	3.0	8	1	1	2	3	5	7	19
13-19 YRS	279	3.1	11	1	1	2	4	6	8	21
B. *Operated*										
0-27 DYS										
1-11 MOS	2	13.5	1	13	13	13	14	14	14	14
1-5 YRS	68	4.4	16	1	1	4	5	10	12	20
6-12 YRS	131	4.8	24	1	1	3	7	11	15	24
13-19 YRS	606	8.0	85	1	1	6	9	15	25	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	584	2.4	17	<1	1	2	3	4	5	10
B. *Operated*	812	3.7	20	<1	1	2	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	377	3.1	10	1	1	2	4	6	8	19
B. *Operated*	807	7.2	71	1	1	5	9	14	22	45
1. SINGLE DX	1396	3.1	19	<1	1	2	4	6	9	16
2. MULTIPLE DX	1184	5.9	56	1	1	4	7	12	18	40
A. NOT OPERATED	961	2.7	14	<1	1	2	3	5	7	12
B. OPERATED	1619	5.4	49	1	1	4	7	11	15	35
TOTAL 0-27 DYS	2	7.5	85	1	1	7	14	14	14	14
1-11 MOS	11	6.2	26	1	1	5	11	13	14	14
1-5 YRS	281	2.9	8	<1	1	2	4	6	9	16
6-12 YRS	544	3.1	11	<1	1	2	4	7	9	18
13-19 YRS	1742	5.1	49	1	1	3	6	10	14	38
GRAND TOTAL	**2580**	**4.4**	**38**	**<1**	**1**	**3**	**5**	**9**	**13**	**31**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	67	3.0	7	<1	1	2	3	5	8	16
6-12 YRS	137	2.9	6	<1	1	2	4	6	8	11
13-19 YRS	347	3.0	5	<1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	26	1.5	1	<1	<1	1	2	3	3	4
1-5 YRS	583	2.0	4	<1	<1	1	2	4	5	9
6-12 YRS	840	2.2	5	<1	1	2	2	4	6	11
13-19 YRS	2570	2.4	5	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	43	3.0	6	<1	1	2	4	6	8	14
6-12 YRS	75	3.6	11	1	1	3	4	7	9	21
13-19 YRS	304	3.9	18	<1	1	3	5	7	10	22
B. *Operated*										
0-27 DYS										
1-11 MOS	12	2.0	2	1	1	2	2	4	6	6
1-5 YRS	299	2.8	15	1	1	2	3	5	9	19
6-12 YRS	561	3.1	9	1	1	2	4	6	9	18
13-19 YRS	1938	3.7	28	1	1	2	4	7	11	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	551	3.0	6	<1	1	2	4	6	7	12
B. *Operated*	4020	2.3	5	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	423	3.8	15	<1	1	3	5	7	10	22
B. *Operated*	2810	3.5	23	1	1	2	4	7	10	23
1. SINGLE DX	4571	2.4	5	<1	1	2	3	4	6	11
2. MULTIPLE DX	3233	3.5	22	1	1	2	4	7	10	23
A. NOT OPERATED	974	3.3	10	<1	1	3	4	6	8	15
B. OPERATED	6830	2.8	13	<1	1	2	3	5	7	17
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	39	1.6	1	<1	<1	1	2	3	4	6
1-5 YRS	992	2.3	8	<1	1	2	3	4	6	13
6-12 YRS	1613	2.6	7	1	1	2	3	5	7	14
13-19 YRS	5159	3.0	15	<1	1	2	3	6	8	18
GRAND TOTAL	**7804**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	4.2	18	1	1	2	6	12	14	14
1-5 YRS	87	2.4	8	<1	<1	1	3	5	6	18
6-12 YRS	232	2.9	4	<1	1	2	4	6	8	9
13-19 YRS	434	3.5	12	1	1	3	4	7	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS	8	2.5	2	1	1	2	4	5	5	5
1-5 YRS	336	3.7	23	<1	<1	2	4	8	14	21
6-12 YRS	884	3.8	18	<1	1	2	4	8	11	23
13-19 YRS	1313	4.4	27	1	1	3	5	9	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	38	4.4	10	1	1	4	6	9	11	14
6-12 YRS	110	4.5	8	1	1	4	6	9	11	13
13-19 YRS	220	4.4	15	1	1	3	5	8	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	115	6.7	68	1	1	4	7	19	21	42
6-12 YRS	316	7.1	82	1	2	4	8	16	22	46
13-19 YRS	727	8.4	110	1	1	5	9	20	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	3.2	9	<1	1	2	4	6	8	14
B. *Operated*	2541	4.1	23	<1	1	3	5	8	12	24
2. MULTIPLE DX										
A. *Not Operated*	369	4.5	12	1	1	4	6	8	11	17
B. *Operated*	1158	7.9	99	1	1	5	9	18	28	53
1. SINGLE DX	3303	3.9	20	<1	1	3	4	8	11	23
2. MULTIPLE DX	1527	7.1	80	1	1	4	8	15	23	50
A. NOT OPERATED	1131	3.6	10	1	1	3	5	7	9	15
B. OPERATED	3699	5.3	50	1	1	3	6	11	17	38
TOTAL 0-27 DYS										
1-11 MOS	18	3.6	11	1	1	2	5	8	12	14
1-5 YRS	576	4.2	30	<1	1	2	5	9	16	24
6-12 YRS	1542	4.4	30	1	1	3	5	9	13	27
13-19 YRS	2694	5.3	50	1	1	3	6	10	16	39
GRAND TOTAL	**4830**	**4.9**	**41**	**1**	**1**	**3**	**5**	**10**	**15**	**34**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	5.7	42	2	2	3	6	17	20	20
6-12 YRS	15	2.7	29	1	1	1	2	3	17	22
13-19 YRS	8	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.8	1	1	1	2	2	3	3	3
6-12 YRS	13	3.8	4	1	2	4	5	7	8	8
13-19 YRS	37	4.7	16	<1	1	4	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	4.6	16	1	1	3	8	11	11	11
6-12 YRS	11	1.5		1	1	1	2	3	3	3
13-19 YRS	21	3.8	12	<1	1	2	6	8	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	9	2.4	2	1	1	2	3	4	5	5
6-12 YRS	28	7.4	304	1	1	4	7	12	95	99+
13-19 YRS	106	11.2	262	1	1	5	12	27	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.2	25	<1	<1	2	2	6	19	22
B. *Operated*	56	4.2	12	1	1	3	6	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	39	3.3	10	1	1	2	4	8	10	14
B. *Operated*	144	9.9	256	1	1	5	10	23	51	95
1. SINGLE DX	87	3.8	17	<1	1	2	5	8	10	21
2. MULTIPLE DX	183	8.5	211	1	1	4	9	17	41	95
A. NOT OPERATED	70	3.2	16	<1	1	2	3	8	11	22
B. OPERATED	200	8.3	194	1	1	4	8	16	39	94
TOTAL 0-27 DYS										
1-11 MOS	2	7.0	50	2	2	7	12	12	12	12
1-5 YRS	29	3.6	15	1	1	2	4	8	11	20
6-12 YRS	67	4.7	137	1	1	2	4	8	13	99
13-19 YRS	172	8.4	178	1	1	4	9	17	37	69
GRAND TOTAL	**270**	**7.0**	**153**	**1**	**1**	**3**	**7**	**13**	**24**	**89**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	13	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	22	3.7	4	<1	1	3	6	7	7	7
13-19 YRS	70	5.2	26	1	1	3	7	12	17	23
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	4.3	10	1	1	3	6	9	10	10
1-5 YRS	74	3.4	12	<1	1	2	4	7	9	22
6-12 YRS	222	3.8	15	<1	1	2	4	9	11	19
13-19 YRS	685	4.2	20	1	1	3	5	8	12	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	5.7	11	1	1	5	7	11	11	11
1-5 YRS	24	4.0	19	1	1	3	4	10	14	20
6-12 YRS	33	5.5	22	1	2	4	7	11	12	24
13-19 YRS	115	7.6	138	1	1	4	8	15	25	80
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	53	3.4	9	1	1	2	4	8	9	18
6-12 YRS	148	4.3	25	1	1	3	5	9	15	28
13-19 YRS	560	4.9	49	1	1	3	5	9	15	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	4.5	20	1	1	3	6	9	14	22
B. *Operated*	989	4.0	18	1	1	3	5	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	179	6.6	97	1	1	4	7	12	21	68
B. *Operated*	762	4.7	42	1	1	3	5	9	15	40
1. SINGLE DX	1096	4.1	18	1	1	3	5	8	12	24
2. MULTIPLE DX	941	5.1	53	1	1	3	5	10	15	41
A. NOT OPERATED	286	5.8	69	1	1	3	6	11	18	37
B. OPERATED	1751	4.3	29	1	1	3	5	9	13	30
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	16	4.9	10	1	1	4	7	10	11	11
1-5 YRS	164	3.3	11	<1	1	2	4	7	9	20
6-12 YRS	425	4.1	19	1	1	3	5	9	11	24
13-19 YRS	1430	4.8	42	1	1	3	5	9	14	33
GRAND TOTAL	**2037**	**4.5**	**35**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.7	3	1	1	2	4	5	5	5
1-5 YRS	151	4.0	5	1	2	4	5	6	8	11
6-12 YRS	574	4.1	4	1	2	4	5	6	7	12
13-19 YRS	571	4.3	6	1	2	4	5	6	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	5.1	15	<1	1	4	8	11	12	12
6-12 YRS	26	6.4	18	1	2	6	10	13	14	15
13-19 YRS	9	5.7	10	2	2	6	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	4.0	17	<1	<1	2	6	10	14	14
1-5 YRS	76	3.6	6	1	1	3	5	7	7	14
6-12 YRS	271	4.2	7	1	1	4	6	8	9	14
13-19 YRS	349	4.1	10	1	1	4	5	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	17	5.4	30	1	1	4	5	12	19	23
6-12 YRS	44	6.1	17	1	2	5	9	12	14	19
13-19 YRS	67	4.8	10	1	1	4	6	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1302	4.2	5	1	2	4	5	6	8	12
B. *Operated*	49	5.9	15	1	2	6	9	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	707	4.1	9	1	1	4	5	7	9	16
B. *Operated*	128	5.3	15	1	1	5	7	11	13	20
1. SINGLE DX	1351	4.2	5	1	2	4	5	7	8	13
2. MULTIPLE DX	835	4.3	10	1	1	4	5	8	10	16
A. NOT OPERATED	2009	4.1	6	1	1	4	5	7	8	14
B. OPERATED	177	5.5	15	1	2	5	8	11	13	18
TOTAL 0-27 DYS										
1-11 MOS	17	3.5	12	<1	1	2	5	7	12	14
1-5 YRS	258	4.0	7	1	1	4	5	7	9	13
6-12 YRS	915	4.3	6	1	2	4	5	7	9	13
13-19 YRS	996	4.3	8	1	1	4	5	7	9	15
GRAND TOTAL	**2186**	**4.3**	**7**	**1**	**1**	**4**	**5**	**7**	**9**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.3		<1	<1	1	2	2	2	2
1-11 MOS	119	1.7	3	<1	1	1	2	3	4	11
1-5 YRS	573	1.8	2	<1	1	1	2	3	5	8
6-12 YRS	858	2.0	2	1	1	2	2	4	5	7
13-19 YRS	1655	2.2	3	<1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	2.4	5	1	1	1	3	6	8	8
1-5 YRS	74	2.6	7	<1	1	2	3	6	8	13
6-12 YRS	147	3.4	30	<1	1	2	3	7	9	21
13-19 YRS	277	3.8	24	<1	1	3	4	8	9	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.0	16	<1	<1	3	6	10	11	11
1-11 MOS	156	3.1	10	1	1	2	4	7	8	20
1-5 YRS	899	2.6	6	1	1	2	3	5	8	14
6-12 YRS	1143	2.5	13	1	1	2	3	5	6	10
13-19 YRS	2953	2.8	7	<1	1	2	3	6	7	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	9.5	85	3	3	9	16	16	16	16
1-5 YRS	89	4.3	16	1	1	3	6	9	12	22
6-12 YRS	152	3.1	9	1	1	2	4	6	9	19
13-19 YRS	503	4.1	18	1	1	3	5	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3211	2.0	3	<1	1	2	2	4	5	9
B. *Operated*	508	3.5	23	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	5157	2.7	8	<1	1	2	3	5	7	13
B. *Operated*	747	4.0	16	1	1	3	5	9	12	19
1. SINGLE DX	3719	2.2	6	<1	1	2	3	4	6	10
2. MULTIPLE DX	5904	2.9	9	1	1	2	3	6	8	14
A. NOT OPERATED	8368	2.4	6	<1	1	2	3	5	7	12
B. OPERATED	1255	3.8	19	1	1	2	5	8	11	19
TOTAL 0-27 DYS	14	2.8	8	<1	<1	2	4	6	10	11
1-11 MOS	286	2.5	8	1	1	1	3	5	7	16
1-5 YRS	1635	2.4	6	1	1	2	3	5	7	13
6-12 YRS	2300	2.4	10	1	1	2	3	4	6	10
13-19 YRS	5388	2.8	8	<1	1	2	3	6	8	14
GRAND TOTAL	**9623**	**2.6**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	98	2.1	3	1	1	2	3	4	6	9
6-12 YRS	44	3.7	24	1	1	2	4	6	14	25
13-19 YRS	70	3.1	8	1	1	2	4	6	8	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	22	6.0	68	<1	<1	3	6	17	27	35
6-12 YRS	28	6.3	46	1	1	4	8	18	20	25
13-19 YRS	76	6.6	73	1	1	4	7	17	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	40	3.1	7	1	1	2	4	5	7	16
6-12 YRS	25	2.7	2	1	1	2	4	5	5	5
13-19 YRS	61	4.3	16	1	1	3	5	9	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	30	7.8	80	1	1	4	14	20	22	39
6-12 YRS	49	6.1	49	1	1	4	7	12	21	39
13-19 YRS	148	9.9	165	1	1	5	13	25	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	2.8	9	1	1	2	3	6	7	19
B. *Operated*	126	6.4	65	<1	1	4	8	17	24	43
2. MUI.TIPLE DX										
A. *Not Operated*	126	3.6	11	1	1	3	5	6	10	18
B. *Operated*	227	8.8	131	1	1	4	10	22	31	47
1. SINGLE DX	338	4.1	33	1	1	2	4	9	16	31
2. MULTIPLE DX	353	7.0	94	1	1	4	7	18	26	39
A. NOT OPERATED	338	3.1	10	1	1	2	4	6	8	18
B. OPERATED	353	8.0	109	1	1	4	9	21	29	43
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	190	3.7	27	1	1	2	4	7	15	30
6-12 YRS	146	4.8	34	1	1	3	5	10	19	29
13-19 YRS	355	6.9	96	1	1	3	7	18	26	43
GRAND TOTAL	**691**	**5.6**	**66**	**1**	**1**	**3**	**6**	**14**	**21**	**39**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	27	1.0		<1	<1	<1	1	1	2	2
6-12 YRS	19	1.5	1	<1	<1	1	2	3	5	6
13-19 YRS	20	2.7	4	<1	<1	2	4	5	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	18	1.4	3	<1	<1	1	1	1	5	8
6-12 YRS	24	2.3	5	<1	<1	1	3	5	7	10
13-19 YRS	15	1.9	2	<1	1	2	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	1.2		<1	<1	1	1	2	2	2
6-12 YRS	3	1.3		<1	<1	<1	2	2	2	2
13-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.4	7	1	1	3	4	8	8	8
6-12 YRS	6	1.7	1	<1	<1	1	2	4	4	4
13-19 YRS	10	4.2	14	1	1	3	7	10	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	1.6	2	<1	<1	1	2	3	5	8
B. *Operated*	58	1.9	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	13	1.5		<1	<1	1	2	3	3	3
B. *Operated*	21	3.3	9	<1	1	2	4	8	10	13
1. SINGLE DX	127	1.8	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	34	2.6	7	<1	<1	2	3	7	8	13
A. NOT OPERATED	82	1.6	2	<1	<1	1	2	3	5	7
B. OPERATED	79	2.3	5	<1	<1	1	3	5	8	12
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	55	1.4	2	<1	<1	<1	1	2	3	8
6-12 YRS	52	1.9	3	<1	<1	1	2	4	6	10
13-19 YRS	49	2.7	5	<1	<1	2	3	6	7	13
GRAND TOTAL	**161**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**6**	**10**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	60	1.8	1	<1	1	2	2	3	4	4
1-11 MOS	246	1.5	1	<1	<1	1	2	3	3	5
1-5 YRS	1170	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	492	1.4	1	<1	<1	1	1	2	3	7
13-19 YRS	298	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	51	2.1	3	1	1	1	3	4	5	9
1-5 YRS	284	2.0	4	<1	<1	1	2	4	6	12
6-12 YRS	92	2.2	4	<1	<1	1	3	5	7	10
13-19 YRS	84	2.2	4	<1	1	1	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	38	2.7	6	1	1	2	3	6	9	13
1-11 MOS	91	2.7	5	<1	1	2	4	5	7	13
1-5 YRS	197	2.3	5	<1	1	1	3	4	6	15
6-12 YRS	51	2.3	6	<1	<1	1	3	5	8	13
13-19 YRS	67	3.5	15	<1	1	2	4	9	11	86
B. *Operated*										
0-27 DYS										
1-11 MOS	15	6.4	28	1	1	4	8	14	18	20
1-5 YRS	113	3.9	22	<1	<1	2	5	7	14	26
6-12 YRS	42	4.0	27	<1	<1	2	4	10	14	28
13-19 YRS	43	4.9	51	<1	<1	2	6	12	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2266	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	512	2.1	4	<1	1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	444	2.6	7	<1	1	2	3	5	7	14
B. *Operated*	213	4.3	29	<1	<1	2	5	8	17	27
1. SINGLE DX	2778	1.5	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	657	3.1	15	<1	1	2	4	7	10	22
A. NOT OPERATED	2710	1.6	2	<1	<1	1	2	3	4	8
B. OPERATED	725	2.7	12	<1	1	2	3	6	8	20
TOTAL 0-27 DYS	99	2.2	3	1	1	2	3	4	5	12
1-11 MOS	403	2.0	4	<1	1	1	2	4	5	11
1-5 YRS	1764	1.7	4	<1	<1	1	2	3	4	8
6-12 YRS	677	1.8	4	<1	<1	1	2	3	6	10
13-19 YRS	492	2.2	9	<1	<1	1	2	4	7	18
GRAND TOTAL	**3435**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	6.9	57	1	1	4	10	19	24	26
1-5 YRS	78	6.6	39	1	1	5	9	13	18	36
6-12 YRS	39	9.7	53	2	3	8	14	19	24	35
13-19 YRS	43	7.5	40	1	1	6	10	18	21	25
B. *Operated*										
0-27 DYS										
1-11 MOS	11	10.8	71	2	2	12	15	24	26	26
1-5 YRS	88	15.1	231	2	2	10	22	38	46	91
6-12 YRS	127	12.2	135	1	2	8	16	29	35	55
13-19 YRS	152	12.6	144	1	2	9	16	29	41	50
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	27	9.2	61	1	2	6	13	20	27	32
1-5 YRS	123	9.4	85	1	2	6	12	22	29	68
6-12 YRS	45	6.9	30	1	1	6	11	16	18	20
13-19 YRS	56	7.8	63	1	1	6	9	17	23	44
B. *Operated*										
0-27 DYS										
1-11 MOS	39	22.2	254	2	4	22	33	49	57	99+
1-5 YRS	151	19.2	232	2	4	16	26	35	46	83
6-12 YRS	152	23.2	293	3	5	20	32	47	57	78
13-19 YRS	181	21.0	331	3	4	15	29	50	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	7.5	45	1	1	5	10	17	21	33
B. *Operated*	378	13.0	160	1	2	9	18	30	40	62
2. MULTIPLE DX										
A. *Not Operated*	251	8.6	68	1	1	6	11	20	26	45
B. *Operated*	523	21.2	287	3	4	16	29	46	56	97
1. SINGLE DX	552	11.3	130	1	2	8	15	27	36	60
2. MULTIPLE DX	774	17.1	250	2	3	12	24	40	52	88
A. NOT OPERATED	425	8.2	58	1	1	6	10	18	24	40
B. OPERATED	901	17.7	250	2	2	13	26	40	51	83
TOTAL 0-27 DYS										
1-11 MOS	91	14.6	186	1	2	11	23	34	49	82
1-5 YRS	440	13.4	180	1	2	9	20	29	40	77
6-12 YRS	363	15.9	220	2	2	11	22	35	46	64
13-19 YRS	432	15.0	230	1	2	10	20	38	49	85
GRAND TOTAL	**1326**	**14.7**	**208**	**1**	**2**	**10**	**21**	**34**	**46**	**76**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	164	4.7	16	1	1	4	6	10	13	20
1-5 YRS	737	6.2	34	1	1	5	8	13	18	30
6-12 YRS	251	5.4	26	1	1	4	7	12	15	25
13-19 YRS	372	5.3	31	1	1	3	7	12	18	24
B. *Operated*										
0-27 DYS										
1-11 MOS	21	8.5	40	1	1	7	11	21	22	23
1-5 YRS	118	7.8	56	1	1	6	10	17	22	39
6-12 YRS	68	10.3	106	1	2	8	11	24	30	58
13-19 YRS	84	10.2	95	2	2	6	13	22	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.2	2	<1	<1	3	4	5	5	5
1-11 MOS	265	5.5	24	1	1	4	7	11	16	24
1-5 YRS	1233	6.7	38	1	1	5	9	15	19	30
6-12 YRS	403	6.0	29	1	1	5	8	12	16	24
13-19 YRS	685	5.7	36	1	1	4	8	12	16	27
B. *Operated*										
0-27 DYS										
1-11 MOS	42	14.3	225	2	3	9	22	25	34	89
1-5 YRS	226	12.1	113	1	2	9	16	28	34	47
6-12 YRS	113	13.9	160	2	2	9	19	31	44	58
13-19 YRS	181	13.5	212	1	2	8	17	34	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1525	5.7	30	1	1	4	8	12	17	25
B. *Operated*	291	9.1	78	1	2	7	11	21	27	44
2. MULTIPLE DX										
A. *Not Operated*	2592	6.2	35	1	1	5	8	14	17	29
B. *Operated*	562	13.1	162	1	2	9	17	30	40	60
1. SINGLE DX	1816	6.2	40	1	1	4	8	13	19	31
2. MULTIPLE DX	3154	7.4	64	1	1	5	9	16	22	41
A. NOT OPERATED	4117	6.0	33	1	1	4	8	13	17	27
B. OPERATED	853	11.7	137	1	2	8	15	26	36	54
TOTAL 0-27 DYS	7	3.3	2	<1	<1	4	4	5	5	5
1-11 MOS	492	6.1	46	1	1	4	8	13	19	26
1-5 YRS	2314	7.1	48	1	1	5	9	16	21	34
6-12 YRS	835	7.2	60	1	1	5	9	15	23	39
13-19 YRS	1322	7.0	70	1	1	4	9	15	21	43
GRAND TOTAL	**4970**	**7.0**	**56**	**1**	**1**	**5**	**9**	**15**	**21**	**37**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	7	2.3	3	1	1	2	3	5	6	6
6-12 YRS	33	2.1	2	1	1	2	2	4	6	8
13-19 YRS	110	3.4	12	1	1	2	4	7	11	19
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	14	1.5	1	<1	1	1	2	3	3	3
6-12 YRS	78	2.4	5	1	1	2	3	4	5	14
13-19 YRS	264	2.9	15	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	4.3	33	<1	<1	1	8	11	11	11
1-5 YRS	9	4.0	21	1	1	2	5	12	15	15
6-12 YRS	17	2.9	9	1	1	2	3	6	11	13
13-19 YRS	108	4.8	40	1	1	3	5	9	16	37
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	30	2.8	17	1	1	2	2	5	8	23
6-12 YRS	64	3.2	37	1	1	2	3	6	9	41
13-19 YRS	244	4.5	53	1	1	2	4	10	23	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	3.0	9	1	1	2	4	6	8	15
B. *Operated*	358	2.7	12	<1	1	2	3	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	138	4.5	34	1	1	3	5	9	14	33
B. *Operated*	338	4.1	47	1	1	2	4	8	19	80
1. SINGLE DX	510	2.8	11	1	1	2	3	5	7	14
2. MULTIPLE DX	476	4.2	43	1	1	2	4	9	16	45
A. NOT OPERATED	290	3.7	22	1	1	2	4	7	11	27
B. OPERATED	696	3.4	30	1	1	2	3	6	10	34
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	2.7	14	<1	<1	1	2	9	11	11
1-5 YRS	60	2.6	12	1	1	2	3	5	7	22
6-12 YRS	192	2.7	15	1	1	2	3	5	8	18
13-19 YRS	726	3.8	32	1	1	2	4	7	11	33
GRAND TOTAL	**986**	**3.5**	**27**	**1**	**1**	**2**	**4**	**7**	**11**	**31**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	23	2.4	6	<1	<1	1	3	5	9	11
1-5 YRS	219	2.3	5	<1	1	2	3	4	6	12
6-12 YRS	315	2.1	2	1	1	2	2	4	5	10
13-19 YRS	571	2.5	4	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	53	3.3	17	<1	1	2	4	8	12	24
6-12 YRS	73	3.7	14	1	1	2	5	8	13	19
13-19 YRS	263	4.4	16	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	12	3.8	17	1	1	2	5	9	14	15
1-5 YRS	160	2.8	5	1	1	2	4	5	7	14
6-12 YRS	285	3.4	13	1	1	2	4	6	8	22
13-19 YRS	619	3.4	11	1	1	2	4	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	26	8.4	79	1	1	5	12	23	28	32
6-12 YRS	77	8.0	83	1	1	5	11	16	20	52
13-19 YRS	336	8.6	132	1	1	5	10	18	28	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1130	2.4	4	1	1	2	3	5	6	11
B. *Operated*	390	4.1	16	1	1	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	1078	3.3	11	1	1	2	4	7	9	17
B. *Operated*	440	8.5	120	1	1	5	10	18	28	63
1. SINGLE DX	1520	2.8	8	1	1	2	3	5	8	15
2. MULTIPLE DX	1518	4.8	48	1	1	3	5	10	15	36
A. NOT OPERATED	2208	2.8	7	1	1	2	3	6	7	13
B. OPERATED	830	6.4	76	1	1	3	8	14	20	52
TOTAL 0-27 DYS	4	2.8	2	1	1	3	4	4	4	4
1-11 MOS	37	3.3	17	<1	1	2	3	8	14	20
1-5 YRS	458	3.0	12	1	1	2	3	6	7	23
6-12 YRS	750	3.4	19	1	1	2	4	7	11	22
13-19 YRS	1789	4.2	37	1	1	3	5	9	13	29
GRAND TOTAL	**3038**	**3.8**	**29**	**1**	**1**	**2**	**4**	**8**	**12**	**26**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	1.4		1	1	1	2	2	2	2
1-11 MOS	126	2.0	24	<1	1	1	2	3	4	18
1-5 YRS	2906	1.4	1	<1	1	1	2	2	3	5
6-12 YRS	425	2.0	3	<1	1	2	2	4	5	8
13-19 YRS	3359	2.2	7	<1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	3.1	3	1	1	3	4	5	5	5
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	8	2.9	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.9	5	1	1	4	6	7	7	7
1-11 MOS	95	3.5	20	1	1	2	3	7	9	29
1-5 YRS	871	2.1	4	<1	1	1	2	4	5	10
6-12 YRS	368	3.6	29	1	1	2	4	6	8	34
13-19 YRS	5146	4.3	48	<1	1	2	4	8	14	41
B. *Operated*										
0-27 DYS										
1-11 MOS	4	9.5	114	2	2	5	16	25	25	25
1-5 YRS	5	3.6	1	2	2	4	4	4	4	4
6-12 YRS	4	13.3	121	2	2	13	22	25	25	25
13-19 YRS	71	9.4	170	<1	1	5	10	20	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6823	1.9	5	<1	1	1	2	3	4	8
B. *Operated*	18	3.2	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	6490	3.9	42	<1	1	2	4	7	12	36
B. *Operated*	84	9.2	155	1	1	5	10	24	44	89
1. SINGLE DX	6841	1.9	5	<1	1	1	2	3	4	8
2. MULTIPLE DX	6574	4.0	43	<1	1	2	4	7	13	39
A. NOT OPERATED	13313	2.9	24	<1	1	2	3	5	8	25
B. OPERATED	102	8.2	133	1	1	4	9	19	40	84
TOTAL 0-27 DYS	17	2.9	4	1	1	2	4	6	7	7
1-11 MOS	225	2.7	25	<1	1	1	3	4	7	27
1-5 YRS	3790	1.6	2	<1	1	1	2	3	4	6
6-12 YRS	799	2.8	17	1	1	2	3	5	6	20
13-19 YRS	8584	3.5	35	<1	1	2	3	6	10	33
GRAND TOTAL	**13415**	**2.9**	**25**	**<1**	**1**	**2**	**3**	**5**	**8**	**26**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	139	1.5	1	<1	1	1	2	3	4	6
1-5 YRS	1858	2.0	6	<1	1	1	2	5	6	10
6-12 YRS	448	1.7	2	<1	<1	1	2	3	4	7
13-19 YRS	741	1.8	3	<1	<1	1	2	3	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	3.4	6	1	1	3	5	7	8	8
6-12 YRS	10	4.7	19	1	1	3	6	12	15	15
13-19 YRS	26	4.2	7	1	1	4	6	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.8	39	1	1	2	8	14	14	14
1-11 MOS	68	3.0	9	<1	1	2	4	6	8	15
1-5 YRS	834	3.1	11	1	1	2	4	6	9	15
6-12 YRS	136	2.7	6	1	1	2	3	6	9	12
13-19 YRS	553	3.7	58	<1	1	2	3	6	11	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	17	12.8	293	<1	<1	5	19	42	52	57
6-12 YRS	6	5.3	20	2	2	4	6	13	14	14
13-19 YRS	23	12.9	371	1	2	6	11	38	64	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3189	1.9	4	<1	1	1	2	4	6	9
B. *Operated*	45	4.2	9	1	1	3	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	1595	3.3	27	1	1	2	4	6	9	19
B. *Operated*	46	11.9	294	1	1	5	11	35	55	82
1. SINGLE DX	3234	1.9	4	<1	1	1	2	4	6	9
2. MULTIPLE DX	1641	3.5	36	1	1	2	4	7	10	29
A. NOT OPERATED	4784	2.4	12	<1	1	1	2	5	7	14
B. OPERATED	91	8.1	166	1	1	4	8	15	35	72
TOTAL 0-27 DYS	7	3.3	23	1	1	1	3	12	14	14
1-11 MOS	207	2.0	4	<1	1	1	2	4	6	13
1-5 YRS	2718	2.4	10	<1	1	1	3	6	7	13
6-12 YRS	600	2.0	4	<1	1	1	2	4	5	11
13-19 YRS	1343	2.8	34	<1	1	1	3	5	7	29
GRAND TOTAL	4875	2.5	16	<1	1	1	2	5	7	15

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	2.6	4	<1	1	2	3	6	7	7
1-11 MOS	129	2.9	8	<1	1	2	4	6	8	15
1-5 YRS	717	2.3	5	<1	1	2	3	5	7	11
6-12 YRS	374	2.7	5	1	1	2	4	5	7	12
13-19 YRS	492	2.6	8	<1	1	2	3	5	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.0	162	1	1	10	19	19	19	19
1-5 YRS	6	6.8	73	2	2	3	6	22	24	24
6-12 YRS	2	9.5	13	7	7	9	12	12	12	12
13-19 YRS	11	13.7	108	1	2	14	22	28	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.3	5	1	2	4	6	7	8	8
1-11 MOS	144	6.0	37	1	1	4	8	12	15	38
1-5 YRS	557	4.2	24	1	1	3	5	9	13	25
6-12 YRS	296	3.9	34	1	1	3	4	7	9	30
13-19 YRS	503	3.3	19	1	1	2	4	7	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS	11	20.4	559	2	3	14	23	50	85	88
1-5 YRS	22	11.3	276	<1	1	5	14	49	81	99+
6-12 YRS	8	2.5	1	1	1	2	3	4	4	4
13-19 YRS	27	7.8	62	1	1	6	13	31	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1729	2.5	6	<1	1	2	3	5	7	12
B. *Operated*	21	11.0	90	1	1	7	18	25	29	33
2. MULTIPLE DX										
A. *Not Operated*	1514	4.0	26	1	1	3	5	8	11	23
B. *Operated*	68	10.3	221	1	1	5	14	29	87	99+
1. SINGLE DX	1750	2.6	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	1582	4.3	36	1	1	3	5	9	13	34
A. NOT OPERATED	3243	3.2	16	1	1	2	4	7	9	18
B. OPERATED	89	10.5	189	1	1	6	14	25	68	99+
TOTAL 0-27 DYS	31	3.4	5	1	1	3	5	7	7	8
1-11 MOS	286	5.2	54	1	1	3	6	11	15	33
1-5 YRS	1302	3.3	20	1	1	2	4	7	10	20
6-12 YRS	680	3.2	18	1	1	2	4	6	8	16
13-19 YRS	1033	3.2	18	1	1	2	3	7	9	24
GRAND TOTAL	3332	3.4	22	1	1	2	4	7	10	22

Length of Stay Tables
Operation Groups

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	15	5.9	35	<1	<1	4	8	16	20	21
1-5 YRS	49	3.0	8	<1	<1	2	4	6	8	15
6-12 YRS	41	3.3	9	<1	1	3	4	7	10	15
13-19 YRS	63	5.9	26	<1	1	4	8	13	18	23
B. *Operated*										
0-27 DYS	4	7.0	13	3	3	7	10	10	10	10
1-11 MOS	97	7.9	61	2	2	6	9	15	19	50
1-5 YRS	247	5.7	41	<1	<1	4	7	11	15	32
6-12 YRS	251	5.7	57	<1	<1	4	7	11	15	48
13-19 YRS	496	4.8	50	<1	1	3	5	10	15	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	28	5.8	50	1	1	3	7	19	24	25
1-5 YRS	60	3.4	11	<1	1	2	4	9	12	91
6-12 YRS	50	5.2	30	<1	1	3	7	12	15	26
13-19 YRS	63	5.7	48	1	2	3	6	14	21	41
B. *Operated*										
0-27 DYS	4	9.3	12	6	6	8	11	14	14	14
1-11 MOS	172	12.5	148	2	2	8	17	28	40	57
1-5 YRS	306	11.2	215	1	1	6	11	29	39	84
6-12 YRS	246	7.8	72	<1	1	6	9	17	22	38
13-19 YRS	414	8.3	110	1	1	5	9	19	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	4.4	19	<1	1	3	6	10	15	21
B. *Operated*	1095	5.5	51	<1	1	3	7	11	15	40
2. MULTIPLE DX										
A. *Not Operated*	201	4.9	33	1	1	3	6	12	17	35
B. *Operated*	1142	9.6	138	1	2	6	11	23	34	59
1. SINGLE DX	1264	5.4	47	<1	1	3	6	11	15	35
2. MULTIPLE DX	1343	8.9	125	1	1	5	10	22	32	59
A. NOT OPERATED	370	4.7	27	<1	1	3	6	11	15	25
B. OPERATED	2237	7.6	100	<1	1	4	9	16	28	50
TOTAL 0-27 DYS	9	7.4	15	2	2	8	10	12	14	14
1-11 MOS	312	10.1	113	1	2	7	12	23	34	53
1-5 YRS	662	7.8	126	<1	1	4	9	16	30	61
6-12 YRS	588	6.4	59	<1	<1	4	8	13	20	39
13-19 YRS	1036	6.3	75	1	1	4	7	14	20	44
GRAND TOTAL	**2607**	**7.2**	**90**	**<1**	**1**	**4**	**8**	**15**	**25**	**49**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.0		1	1	1	1	1	1	1
1-11 MOS	13	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	191	1.6	1	<1	<1	1	2	3	4	7
6-12 YRS	286	1.7	1	<1	1	1	2	3	4	5
13-19 YRS	334	2.4	4	<1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	6	1.3		1	1	1	2	2	2	2
1-5 YRS	184	1.6	2	<1	<1	1	2	3	4	9
6-12 YRS	254	1.9	11	<1	<1	1	2	3	4	12
13-19 YRS	374	2.3	5	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.8	1	2	2	3	3	4	4	4
1-5 YRS	33	2.6	4	1	1	2	3	5	8	9
6-12 YRS	31	2.3	3	<1	1	2	3	5	6	7
13-19 YRS	78	3.7	16	1	1	3	5	7	11	25
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	23	2.9	8	<1	1	2	3	6	9	14
6-12 YRS	29	3.0	11	1	1	2	4	7	8	16
13-19 YRS	56	3.9	13	<1	1	2	6	10	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	1.9	2	<1	1	1	2	3	5	9
B. *Operated*	818	2.0	6	<1	1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	149	3.1	10	1	1	2	4	6	8	13
B. *Operated*	111	3.6	12	1	1	2	5	9	11	16
1. SINGLE DX	1647	2.0	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	260	3.3	11	1	1	2	4	7	10	16
A. NOT OPERATED	978	2.1	4	<1	1	2	2	4	5	10
B. OPERATED	929	2.2	7	<1	1	1	2	4	6	12
TOTAL 0-27 DYS	8	2.5	12	1	1	1	2	8	11	11
1-11 MOS	26	2.2	6	<1	1	2	2	4	6	13
1-5 YRS	431	1.8	2	<1	<1	1	2	3	4	9
6-12 YRS	600	1.9	6	<1	1	1	2	3	4	9
13-19 YRS	842	2.5	6	<1	1	2	3	5	7	12
GRAND TOTAL	**1907**	**2.2**	**5**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	6.0	31	1	1	5	8	15	17	17
1-11 MOS	15	5.3	11	2	2	4	7	8	13	14
1-5 YRS	28	4.5	8	1	2	4	6	8	10	14
6-12 YRS	94	5.4	14	1	2	4	7	9	13	21
13-19 YRS	231	6.4	19	2	2	5	8	12	14	23
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	4.2	8	1	1	4	7	7	7	7
1-5 YRS	47	5.2	35	<1	1	3	7	12	20	31
6-12 YRS	101	7.2	22	1	2	6	10	13	15	24
13-19 YRS	200	9.0	65	2	2	7	10	15	24	39
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	5.1	12	<1	1	4	6	11	13	13
1-11 MOS	13	4.0	5	1	1	3	5	7	9	9
1-5 YRS	28	4.8	7	1	2	4	6	9	10	12
6-12 YRS	60	6.6	32	2	2	5	8	12	20	30
13-19 YRS	126	6.7	19	2	2	6	8	13	15	19
B. *Operated*										
0-27 DYS	6	17.2	275	1	2	14	16	46	49	49
1-11 MOS	3	8.3	16	4	4	9	11	12	12	12
1-5 YRS	24	8.0	35	<1	1	7	11	16	20	24
6-12 YRS	53	8.0	45	1	2	6	9	19	22	32
13-19 YRS	122	12.0	107	2	2	9	15	25	33	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	6.0	17	2	2	5	7	11	14	22
B. *Operated*	355	7.9	49	1	2	6	10	14	21	32
2. MULTIPLE DX										
A. *Not Operated*	235	6.2	20	2	2	5	8	12	15	27
B. *Operated*	208	10.6	89	1	2	8	13	22	30	47
1. SINGLE DX	730	6.9	34	1	2	6	9	13	15	29
2. MULTIPLE DX	443	8.3	57	1	2	6	10	16	22	37
A. NOT OPERATED	610	6.1	18	2	2	5	8	11	14	23
B. OPERATED	563	8.9	66	1	2	7	11	17	24	40
TOTAL 0-27 DYS	22	8.6	108	<1	1	5	13	16	30	49
1-11 MOS	37	4.9	9	1	1	4	7	9	11	14
1-5 YRS	127	5.5	24	1	1	4	7	12	15	26
6-12 YRS	308	6.7	26	1	2	5	9	13	17	26
13-19 YRS	679	8.2	52	2	2	6	10	15	22	37
GRAND TOTAL	**1173**	**7.4**	**43**	**1**	**2**	**6**	**9**	**14**	**20**	**32**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	15	2.3	5	1	1	2	3	3	8	10
1-5 YRS	49	2.6	15	<1	1	1	3	4	5	27
6-12 YRS	35	3.3	15	1	1	2	4	7	13	17
13-19 YRS	94	4.9	35	1	1	3	5	9	16	36
B. *Operated*										
0-27 DYS	2	16.0	8	14	14	16	18	18	18	18
1-11 MOS	9	4.4	16	<1	<1	2	8	10	12	12
1-5 YRS	61	3.3	10	<1	<1	2	5	8	10	13
6-12 YRS	69	4.4	37	<1	<1	2	5	9	18	34
13-19 YRS	190	4.3	24	<1	1	3	5	9	12	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	14	8.7	298	1	1	4	7	15	56	68
1-5 YRS	52	2.8	5	1	1	2	4	7	8	9
6-12 YRS	57	3.6	12	1	1	2	4	9	10	19
13-19 YRS	128	4.7	30	1	1	3	5	10	17	51
B. *Operated*										
0-27 DYS	3	9.0	25	4	4	9	13	14	14	14
1-11 MOS	11	8.6	63	1	1	6	15	20	24	24
1-5 YRS	65	8.2	164	<1	1	5	9	19	29	98
6-12 YRS	50	6.1	25	1	2	5	8	14	19	21
13-19 YRS	117	9.0	121	1	1	5	10	24	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.8	25	1	1	2	4	7	13	30
B. *Operated*	331	4.2	25	<1	<1	2	5	9	13	27
2. MULTIPLE DX										
A. *Not Operated*	252	4.3	36	1	1	3	5	9	12	38
B. *Operated*	246	8.2	109	1	1	5	9	19	28	61
1. SINGLE DX	525	4.1	25	<1	1	2	5	8	13	27
2. MULTIPLE DX	498	6.2	76	1	1	3	7	14	21	57
A. NOT OPERATED	446	4.1	31	1	1	2	5	8	13	32
B. OPERATED	577	5.9	64	<1	1	3	7	14	20	45
TOTAL 0-27 DYS	7	8.7	47	<1	<1	9	14	17	18	18
1-11 MOS	49	6.0	106	1	1	3	6	13	18	68
1-5 YRS	227	4.4	59	<1	1	2	5	9	14	59
6-12 YRS	211	4.4	25	<1	1	3	5	10	16	23
13-19 YRS	529	5.5	52	1	1	3	6	12	19	41
GRAND TOTAL	**1023**	**5.1**	**51**	**<1**	**1**	**3**	**6**	**11**	**18**	**38**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	2.1	1	1	1	2	2	4	5	5
1-5 YRS	54	2.6	4	1	1	2	3	5	9	9
6-12 YRS	30	3.7	10	1	1	3	4	7	11	16
13-19 YRS	25	2.8	2	1	1	3	4	5	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	17	3.5	19	<1	<1	2	3	7	15	19
1-5 YRS	48	2.9	3	1	1	3	4	5	7	8
6-12 YRS	19	3.4	9	<1	1	2	4	9	10	10
13-19 YRS	22	5.6	27	1	1	4	8	10	17	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.3	16	3	3	3	8	10	10	10
6-12 YRS										
13-19 YRS	3	12.7		12	12	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.9	5	1	1	2	3	5	7	12
B. *Operated*	6	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	107	3.6	12	1	1	3	4	8	9	21
B. *Operated*	6	9.0	23	3	3	11	13	13	13	13
1. SINGLE DX	129	2.9	5	1	1	2	3	5	7	12
2. MULTIPLE DX	113	3.9	14	1	1	3	5	8	12	21
A. NOT OPERATED	230	3.2	8	1	1	3	4	7	9	17
B. OPERATED	12	5.9	21	2	2	3	11	13	13	13
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	32	2.9	11	<1	1	2	3	4	8	19
1-5 YRS	106	2.8	4	1	1	2	3	5	8	10
6-12 YRS	51	3.6	9	1	1	3	4	8	10	16
13-19 YRS	51	4.6	19	1	1	3	6	10	13	24
GRAND TOTAL	**242**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	4	1.3		<1	<1	1	2	2	2	2
1-11 MOS	6	1.5	2	<1	<1	1	1	4	4	4
1-5 YRS	3	3.0	12	1	1	1	6	7	7	7
6-12 YRS	5	2.4	2	1	1	2	3	5	5	5
13-19 YRS	217	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	1.1		<1	<1	<1	1	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	6	2.5	2	<1	<1	3	3	4	4	4
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	2	5.5	1	5	5	5	6	6	6	6
13-19 YRS	161	2.6	3	<1	<1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	235	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	8	1.1		<1	<1	<1	1	2	2	2
B. *Operated*	172	2.6	3	<1	<1	2	3	5	6	9
1. SINGLE DX	236	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	180	2.5	3	<1	<1	2	3	5	6	9
A. NOT OPERATED	9	1.1		<1	<1	<1	1	2	2	2
B. OPERATED	407	2.2	2	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS	4	1.3		<1	<1	1	2	2	2	2
1-11 MOS	12	2.0	2	<1	<1	1	3	4	4	4
1-5 YRS	6	2.5	6	1	1	2	3	7	7	7
6-12 YRS	7	3.3	4	1	1	2	5	6	6	6
13-19 YRS	387	2.2	2	<1	<1	2	3	4	5	7
GRAND TOTAL	**416**	**2.2**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	3	36.0	2269	8	8	9	70	91	91	91
1000-1499	8	29.5	225	10	11	28	40	50	54	54
1500-1749	21	18.5	37	9	9	19	23	26	27	27
1750-2499	9707	3.5	5	1	2	3	4	6	7	13
2500+	566222	3.1	2	1	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499	3	43.0	228	29	29	41	54	59	59	59
1500-1749	1	32.0		32	32	32	32	32	32	32
1750-2499	18	12.0	92	2	3	12	16	21	33	41
2500+	264	4.2	14	1	2	3	5	7	8	25
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	126	57.7	589	9	21	68	85	99+	99+	99+
1000-1499	1049	40.6	245	17	23	39	51	63	71	99+
1500-1749	1556	25.2	101	11	14	24	30	38	44	59
1750-2499	23631	7.8	41	2	2	6	10	17	20	30
2500+	228791	4.1	5	2	2	4	5	6	7	11
B. *Operated*										
1-999 G	166	70.7	506	22	42	84	99+	99+	99+	99+
1000-1499	751	50.4	316	26	30	50	64	83	99+	99+
1500-1749	498	33.5	184	16	20	32	40	53	68	99+
1750-2499	1747	17.1	167	3	5	15	22	31	41	81
2500+	4748	8.0	68	2	2	6	9	15	22	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	575961	3.1	2	1	2	3	4	5	6	7
B. *Operated*	286	5.2	42	1	2	3	5	8	16	38
2. MULTIPLE DX										
A. *Not Operated*	255153	4.7	21	2	2	4	5	7	10	24
B. *Operated*	7910	17.0	362	2	3	9	23	48	69	99+
1. SINGLE DX	576247	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX	263063	5.1	35	2	2	4	5	7	12	34
A. NOT OPERATED	831114	3.6	8	1	2	3	4	6	7	13
B. OPERATED	8196	16.6	356	2	3	9	22	47	68	99+
TOTAL 1-999 G	295	64.8	599	15	30	78	99	99+	99+	99+
1000-1499	1811	44.6	298	20	25	43	56	72	87	99+
1500-1749	2076	27.2	133	12	15	26	32	42	48	78
1750-2499	35103	7.1	46	2	2	5	9	16	20	31
2500+	800025	3.4	4	1	2	3	4	5	6	9
GRAND TOTAL	**839310**	**3.7**	**13**	**1**	**2**	**3**	**4**	**6**	**7**	**16**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	21.5	25	18	18	21	25	25	25	25
1500-1749	14	20.9	25	14	17	19	22	29	30	30
1750-2499	1277	5.1	10	2	2	5	6	8	11	17
2500+	4712	4.5	4	2	2	4	6	7	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	1	20.0		20	20	20	20	20	20	20
1750-2499	7	12.7	97	4	4	9	20	29	30	30
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	22	58.9	494	11	17	63	72	85	86	88
1000-1499	228	38.6	246	18	21	36	48	59	72	98
1500-1749	393	24.8	86	12	15	24	29	37	43	55
1750-2499	3637	9.5	42	3	3	7	13	18	22	30
2500+	2851	5.4	7	3	3	5	6	8	10	15
B. *Operated*										
1-999 G	35	72.2	275	44	51	83	99+	99+	99+	99+
1000-1499	150	50.5	292	27	30	49	62	83	95	99+
1500-1749	108	34.0	215	15	18	30	41	55	59	96
1750-2499	237	18.2	155	4	6	16	22	31	38	70
2500+	101	10.4	166	3	4	6	12	18	24	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6005	4.7	6	2	2	4	6	7	8	14
B. *Operated*	8	13.6	90	4	4	9	21	28	30	30
2. MULTIPLE DX										
A. *Not Operated*	7131	9.8	92	3	3	6	12	21	28	52
B. *Operated*	631	30.3	521	4	6	26	47	73	92	99+
1. SINGLE DX	6013	4.7	6	2	2	4	6	7	8	14
2. MULTIPLE DX	7762	11.5	158	3	3	7	14	26	38	74
A. NOT OPERATED	13136	7.5	59	2	3	5	7	15	22	42
B. OPERATED	639	30.1	519	4	6	26	47	72	92	99+
TOTAL 1-999 G	57	67.1	395	33	46	76	95	99+	99+	99+
1000-1499	380	43.3	298	20	24	42	54	70	85	99+
1500-1749	516	26.6	125	13	15	25	31	41	49	60
1750-2499	5158	8.8	47	2	3	6	12	18	22	31
2500+	7664	4.9	8	2	3	5	6	7	8	13
GRAND TOTAL	**13775**	**8.5**	**103**	**2**	**3**	**5**	**8**	**18**	**27**	**60**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	35.0		35	35	35	35	35	35	35
1500-1749	2	44.0		44	44	44	44	44	44	44
1750-2499	85	3.7	10	1	1	3	4	6	11	18
2500+	1380	2.6	2	1	1	3	3	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	78.0		78	78	78	78	78	78	78
1000-1499	16	39.8	155	13	27	43	47	50	59	63
1500-1749	33	25.4	135	9	11	24	35	43	47	48
1750-2499	223	8.7	42	2	3	7	12	18	21	29
2500+	583	4.0	6	1	2	3	5	7	9	13
B. *Operated*										
1-999 G	3	68.0	73	59	59	76	99+	99+	99+	99+
1000-1499	15	49.7	403	27	28	48	66	95	99	99+
1500-1749	6	40.3	277	19	20	38	53	64	65	65
1750-2499	13	12.0	53	2	4	8	18	22	23	23
2500+	29	9.2	78	1	2	8	11	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1468	2.8	6	1	1	3	3	4	5	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	856	6.8	69	1	2	4	7	14	23	45
B. *Operated*	66	24.5	547	2	3	16	46	68	97	99+
1. SINGLE DX	1468	2.8	6	1	1	3	3	4	5	9
2. MULTIPLE DX	922	8.0	123	1	2	4	8	19	33	66
A. NOT OPERATED	2324	4.3	33	1	1	3	4	7	12	35
B. OPERATED	66	24.5	547	2	3	16	46	68	97	99+
TOTAL 1-999 G	4	70.5	74	59	60	77	99+	99+	99+	99+
1000-1499	32	44.3	285	27	28	44	51	69	94	99+
1500-1749	41	28.5	184	10	11	25	39	46	50	65
1750-2499	321	7.5	39	1	2	5	11	16	20	28
2500+	1992	3.1	5	1	1	3	4	5	6	11
GRAND TOTAL	**2390**	**4.8**	**58**	**1**	**1**	**3**	**4**	**8**	**15**	**46**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	10	1.5	1	<1	<1	1	1	3	4	4
6-12 YRS	19	3.9	23	<1	<1	2	5	12	15	17
13-19 YRS	42	2.7	17	<1	<1	2	3	5	6	27
B. *Operated*										
0-27 DYS										
1-11 MOS	12	1.6	1	<1	<1	1	2	3	4	4
1-5 YRS	116	1.8	2	<1	<1	1	2	3	4	8
6-12 YRS	442	2.3	3	<1	<1	2	3	4	5	9
13-19 YRS	2721	2.6	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	8	8.1	306	<1	<1	1	5	38	51	51
13-19 YRS	27	3.2	21	<1	<1	2	3	11	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.0	5	<1	<1	1	2	6	7	7
1-5 YRS	40	3.3	26	<1	1	2	3	5	8	33
6-12 YRS	128	3.4	9	<1	1	3	4	6	9	17
13-19 YRS	392	3.5	14	1	1	2	4	6	9	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.9	16	<1	<1	2	3	5	11	25
B. *Operated*	3291	2.5	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	41	4.0	72	<1	<1	1	3	10	16	51
B. *Operated*	567	3.4	13	1	1	2	4	6	9	23
1. SINGLE DX	3363	2.5	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	608	3.4	17	<1	1	2	4	6	9	24
A. NOT OPERATED	113	3.3	36	<1	<1	2	3	6	13	36
B. OPERATED	3858	2.6	5	<1	1	2	3	4	6	10
TOTAL 0-27 DYS										
1-11 MOS	21	1.8	2	<1	<1	1	2	3	5	7
1-5 YRS	171	2.1	8	<1	<1	1	2	4	5	9
6-12 YRS	597	2.7	9	<1	<1	2	3	5	6	14
13-19 YRS	3182	2.7	5	<1	1	2	3	4	6	10
GRAND TOTAL	**3971**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	4	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	39	1.7		1	1	2	2	2	3	3
13-19 YRS	21	1.7		1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.8	1	<1	<1	1	2	3	3	3
13-19 YRS	12	3.8	23	<1	<1	<1	4	11	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	6	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	60	1.7		1	1	2	2	2	3	3
B. *Operated*	16	3.3	18	<1	<1	1	4	9	15	17
1. SINGLE DX	7	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX	76	2.0	4	<1	<1	2	2	3	4	15
A. NOT OPERATED	61	1.7		1	1	2	2	2	3	3
B. OPERATED	22	2.7	14	<1	<1	<1	3	6	12	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	45	1.7		1	1	2	2	2	3	3
13-19 YRS	37	2.3	9	<1	<1	1	2	4	6	17
GRAND TOTAL	**83**	**2.0**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**14**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	431	3.6	13	1	1	3	4	8	11	19
1-11 MOS	440	2.9	13	<1	1	2	3	6	9	19
1-5 YRS	910	2.3	8	<1	<1	1	3	4	6	15
6-12 YRS	740	3.0	10	<1	<1	2	4	7	10	16
13-19 YRS	2284	2.2	13	<1	<1	1	2	4	5	11
B. *Operated*										
0-27 DYS	3	1.7	1	<1	<1	<1	2	3	3	3
1-11 MOS	71	6.2	55	<1	<1	3	10	12	16	43
1-5 YRS	365	2.4	10	<1	<1	1	2	5	8	21
6-12 YRS	446	2.8	13	<1	<1	2	2	6	10	20
13-19 YRS	1393	3.1	16	<1	<1	2	3	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	177	6.1	60	1	1	3	6	14	21	45
1-11 MOS	333	3.4	16	<1	<1	2	4	7	10	22
1-5 YRS	935	3.2	25	<1	<1	2	4	6	10	24
6-12 YRS	880	3.5	24	<1	1	2	4	7	10	24
13-19 YRS	2217	4.3	51	<1	1	2	4	8	15	39
B. *Operated*										
0-27 DYS	8	6.3	64	<1	<1	3	18	68	99+	99+
1-11 MOS	97	6.9	74	1	1	3	9	16	18	51
1-5 YRS	367	4.0	34	<1	1	2	4	9	12	24
6-12 YRS	330	4.5	48	<1	1	2	4	9	15	37
13-19 YRS	870	5.4	79	<1	1	3	5	11	19	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4805	2.5	12	<1	<1	2	3	5	7	15
B. *Operated*	2278	3.0	16	<1	<1	2	3	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	4542	3.9	39	<1	<1	2	4	7	12	32
B. *Operated*	1672	5.0	63	<1	1	2	5	11	17	53
1. SINGLE DX	7083	2.7	13	<1	<1	2	3	5	8	16
2. MULTIPLE DX	6214	4.2	45	<1	1	2	4	8	14	37
A. NOT OPERATED	9347	3.2	25	<1	<1	2	3	6	9	25
B. OPERATED	3950	3.8	37	<1	<1	2	4	9	12	34
TOTAL 0-27 DYS	619	4.4	28	1	1	3	5	9	15	24
1-11 MOS	941	3.7	25	<1	1	2	4	9	12	24
1-5 YRS	2577	2.9	18	<1	<1	2	3	6	9	22
6-12 YRS	2396	3.3	21	<1	<1	2	4	7	10	24
13-19 YRS	6764	3.5	36	<1	<1	2	3	7	10	33
GRAND TOTAL	**13297**	**3.4**	**29**	**<1**	**<1**	**2**	**4**	**7**	**11**	**28**

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11460	3.8	10	1	2	3	4	6	7	16
1-11 MOS	26157	3.8	14	<1	1	3	5	8	10	18
1-5 YRS	94746	2.7	12	<1	<1	2	3	5	8	18
6-12 YRS	114423	3.0	16	<1	1	2	3	6	8	22
13-19 YRS	313600	3.4	15	1	1	3	4	6	8	17
2. MULTIPLE DX										
0-27 DYS	24517	11.0	214	2	2	5	11	29	47	92
1-11 MOS	26655	5.9	44	1	1	4	7	11	16	36
1-5 YRS	77541	3.7	25	<1	1	2	4	7	11	26
6-12 YRS	64642	4.2	38	1	1	2	4	8	13	33
13-19 YRS	170256	5.6	54	1	1	4	6	10	16	44
TOT. SINGLE DX	560386	3.3	15	<1	1	2	4	6	8	18
" MULTIPLE DX	363611	5.3	58	1	1	3	6	10	16	44
TOTAL 0-27 DYS	35977	8.7	161	1	2	4	8	21	37	81
1-11 MOS	52812	4.9	30	1	1	3	6	9	13	28
1-5 YRS	172287	3.2	18	<1	<1	2	3	6	9	22
6-12 YRS	179065	3.5	24	<1	1	2	4	7	10	27
13-19 YRS	483856	4.2	30	1	1	3	4	7	11	29
GRAND TOTAL	923997	4.1	33	<1	1	3	4	7	11	31

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	5.3	16	3	3	3	8	10	10	10
1-11 MOS	55	9.4	101	1	1	6	14	23	28	53
1-5 YRS	78	11.7	135	2	2	8	18	24	37	56
6-12 YRS	91	11.5	85	2	2	10	14	23	29	49
13-19 YRS	129	13.1	84	2	4	11	16	22	28	56
2. MULTIPLE DX										
0-27 DYS	12	24.4	479	3	4	20	24	62	77	80
1-11 MOS	88	16.9	263	1	2	16	23	39	54	80
1-5 YRS	101	17.4	172	1	3	14	26	40	43	74
6-12 YRS	92	21.7	438	3	4	16	28	66	81	99+
13-19 YRS	163	24.7	429	4	5	18	39	66	97	99+
TOT. SINGLE DX	356	11.8	99	2	2	10	15	23	29	54
" MULTIPLE DX	456	21.3	350	2	4	17	29	53	73	99+
TOTAL 0-27 DYS	15	20.6	441	3	3	17	23	54	73	80
1-11 MOS	143	15.2	221	1	1	13	20	32	45	72
1-5 YRS	179	14.9	163	2	2	11	21	37	42	56
6-12 YRS	183	16.7	288	2	3	12	20	35	67	98
13-19 YRS	292	19.5	310	3	5	14	25	54	69	99+
GRAND TOTAL	812	17.1	262	2	3	13	22	41	59	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.3		4	4	4	5	5	5	5
1-11 MOS	67	9.4	48	3	4	8	11	19	26	35
1-5 YRS	57	10.8	98	3	4	7	12	26	30	56
6-12 YRS	73	9.1	53	2	3	7	11	14	21	47
13-19 YRS	97	14.0	125	5	5	10	17	29	39	60
2. MULTIPLE DX										
0-27 DYS	4	14.3	39	8	8	13	18	23	23	23
1-11 MOS	30	20.8	478	3	4	11	25	57	71	84
1-5 YRS	52	16.0	131	5	6	13	22	35	59	99+
6-12 YRS	58	23.2	448	5	5	13	31	58	71	85
13-19 YRS	186	25.8	444	6	7	19	38	70	96	99+
TOT. SINGLE DX	297	11.1	88	2	4	8	13	22	30	52
" MULTIPLE DX	330	23.2	404	5	6	16	34	63	80	99+
TOTAL 0-27 DYS	7	10.0	48	4	4	8	13	21	23	23
1-11 MOS	97	12.9	206	3	4	8	14	27	44	78
1-5 YRS	109	13.3	120	4	4	9	19	29	39	99+
6-12 YRS	131	15.3	276	3	4	9	16	35	57	80
13-19 YRS	283	21.8	366	5	6	15	33	57	78	99+
GRAND TOTAL	627	17.5	291	3	5	11	23	43	65	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	5.2	2	3	3	6	6	7	7	7
1-11 MOS	133	6.3	8	3	3	6	8	10	12	15
1-5 YRS	110	6.1	15	2	2	5	8	11	13	21
6-12 YRS	151	6.3	37	2	2	5	8	10	12	27
13-19 YRS	138	6.8	74	2	3	5	8	11	13	36
2. MULTIPLE DX										
0-27 DYS	13	7.0	20	4	4	6	7	11	19	21
1-11 MOS	40	8.5	20	3	4	8	10	13	15	28
1-5 YRS	69	10.4	56	3	4	8	12	22	30	35
6-12 YRS	100	9.7	76	2	3	7	12	22	29	76
13-19 YRS	159	13.0	217	3	3	8	16	35	61	99+
TOT. SINGLE DX	537	6.4	35	2	3	5	8	10	12	24
" MULTIPLE DX	381	11.0	127	3	3	8	12	24	36	99+
TOTAL 0-27 DYS	18	6.5	16	3	4	6	7	9	16	21
1-11 MOS	173	6.8	12	3	4	6	8	11	13	18
1-5 YRS	179	7.8	35	2	3	6	9	14	20	32
6-12 YRS	251	7.6	56	2	2	6	9	13	22	54
13-19 YRS	297	10.1	160	2	3	6	10	23	40	99+
GRAND TOTAL	918	8.3	78	2	3	6	9	14	24	68

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	22	14.5	399	3	4	8	12	36	62	94
1-11 MOS	102	9.0	49	3	4	8	10	16	21	42
1-5 YRS	49	7.3	11	3	4	6	10	12	14	99+
6-12 YRS	29	7.7	21	3	3	7	10	13	15	25
13-19 YRS	47	8.8	13	4	4	9	11	14	15	17
2. MULTIPLE DX										
0-27 DYS	83	35.8	750	8	10	29	67	95	99+	99+
1-11 MOS	105	14.8	176	4	5	10	18	28	39	78
1-5 YRS	78	17.9	315	4	5	10	23	41	62	81
6-12 YRS	47	13.7	187	4	5	9	18	22	27	89
13-19 YRS	54	26.7	752	5	6	15	53	87	98	99+
TOT. SINGLE DX	249	9.0	64	3	4	8	10	14	19	56
" MULTIPLE DX	367	21.8	491	4	5	13	27	70	89	99+
TOTAL 0-27 DYS	105	31.4	749	5	7	21	60	94	99+	99+
1-11 MOS	207	12.0	122	3	4	9	13	26	30	62
1-5 YRS	127	13.8	224	4	4	9	13	32	55	86
6-12 YRS	76	11.4	132	3	4	8	13	20	24	78
13-19 YRS	101	18.4	486	4	5	10	16	70	89	99+
GRAND TOTAL	616	16.6	358	4	4	10	18	46	78	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	11.9	123	3	3	6	20	30	31	31
1-11 MOS	102	9.0	72	2	3	7	11	16	24	49
1-5 YRS	197	7.2	41	2	2	5	9	15	22	33
6-12 YRS	116	7.0	47	2	2	5	8	13	20	41
13-19 YRS	114	11.0	117	2	3	7	13	25	29	59
2. MULTIPLE DX										
0-27 DYS	31	36.5	745	8	10	37	61	99	99+	99+
1-11 MOS	175	13.2	169	2	3	8	17	35	40	65
1-5 YRS	264	13.0	213	2	3	8	16	33	46	97
6-12 YRS	174	10.5	141	2	3	7	11	21	32	84
13-19 YRS	202	20.3	470	3	3	11	29	60	85	99+
TOT. SINGLE DX	536	8.4	68	2	2	6	10	17	25	41
" MULTIPLE DX	846	15.1	298	2	3	9	18	40	60	99+
TOTAL 0-27 DYS	38	32.0	718	4	6	25	51	95	99+	99+
1-11 MOS	277	11.7	137	2	3	8	13	28	39	59
1-5 YRS	461	10.5	148	2	2	6	12	25	37	86
6-12 YRS	290	9.1	106	2	2	6	10	19	28	72
13-19 YRS	316	16.9	362	2	3	9	22	46	68	99+
GRAND TOTAL	1382	12.5	220	2	3	7	15	32	47	94

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	4	10.0	10	6	6	10	12	13	13	13
13-19 YRS	66	11.5	74	3	5	9	13	20	27	93
2. MULTIPLE DX										
0-27 DYS	2	9.0	18	6	6	9	12	12	12	12
1-11 MOS	5	7.8	28	3	3	5	13	15	15	15
1-5 YRS	5	19.0	188	7	7	14	30	39	39	39
6-12 YRS	11	15.1	61	5	7	14	19	26	32	33
13-19 YRS	75	19.8	201	7	8	17	25	41	62	99+
TOT. SINGLE DX	71	11.3	70	3	5	9	13	19	26	91
" MULTIPLE DX	98	18.4	179	5	7	15	24	35	48	99+
TOTAL 0-27 DYS	3	7.3	17	4	4	6	10	12	12	12
1-11 MOS	5	7.8	29	3	3	5	13	15	15	15
1-5 YRS	5	19.0	189	7	7	14	30	39	39	39
6-12 YRS	15	13.7	51	5	6	12	17	22	30	33
13-19 YRS	141	15.9	158	5	7	12	20	32	47	99+
GRAND TOTAL	169	15.4	145	4	6	12	19	31	43	99+

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	16.3	154	3	4	15	21	37	41	41
1-11 MOS	15	8.0	28	2	2	7	8	19	20	20
1-5 YRS	23	9.5	67	1	2	6	16	21	24	29
6-12 YRS	25	13.6	209	2	3	6	19	36	40	49
13-19 YRS	80	16.1	228	1	2	12	21	36	46	95
2. MULTIPLE DX										
0-27 DYS	98	22.3	211	6	8	17	28	47	57	59
1-11 MOS	18	18.4	192	3	4	14	25	39	50	54
1-5 YRS	37	15.8	159	3	4	11	21	33	42	60
6-12 YRS	30	17.2	274	4	4	12	20	38	61	72
13-19 YRS	92	19.9	344	2	3	14	28	47	74	99+
TOT. SINGLE DX	152	13.9	183	1	2	9	19	35	39	84
" MULTIPLE DX	275	19.8	257	3	5	15	26	45	58	91
TOTAL 0-27 DYS	107	21.8	208	6	8	17	28	46	57	59
1-11 MOS	33	13.7	143	2	3	9	20	28	42	54
1-5 YRS	60	13.4	132	2	3	10	19	28	34	59
6-12 YRS	55	15.6	243	3	3	9	20	37	46	71
13-19 YRS	172	18.1	292	2	3	13	25	40	67	99+
GRAND TOTAL	427	17.7	238	2	3	13	23	38	52	87

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	12	5.8	17	1	1	5	9	12	12	12
6-12 YRS	34	3.0	6	<1	1	2	3	6	10	12
13-19 YRS	186	2.8	4	1	1	2	3	5	6	13
2. MULTIPLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	4.7	16	1	1	4	8	9	9	9
1-5 YRS	17	5.0	13	1	1	4	7	9	14	16
6-12 YRS	22	4.6	14	1	1	4	5	10	13	18
13-19 YRS	92	3.9	17	1	1	3	4	8	12	22
TOT. SINGLE DX	233	3.0	6	1	1	2	3	5	9	13
" MULTIPLE DX	135	4.1	16	1	1	3	4	8	12	21
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	4.0	13	1	1	3	6	9	9	9
1-5 YRS	29	5.3	15	1	1	4	8	11	12	16
6-12 YRS	56	3.6	10	1	1	3	4	8	10	18
13-19 YRS	278	3.2	9	1	1	2	4	5	9	19
GRAND TOTAL	368	3.4	10	1	1	2	4	6	10	18

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	11	2.2	1	1	1	2	3	4	5	5
1-5 YRS	30	2.3	2	<1	<1	2	3	5	6	7
6-12 YRS	129	2.3	1	1	1	2	3	4	5	7
13-19 YRS	601	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	2.0		2	2	2	2	2	2	2
1-5 YRS	67	2.4	7	1	1	2	3	4	5	19
6-12 YRS	141	3.0	38	1	1	2	3	5	7	19
13-19 YRS	513	3.1	9	1	1	2	4	6	8	15
TOT. SINGLE DX	773	2.5	3	<1	1	2	3	4	5	8
" MULTIPLE DX	724	3.0	15	1	1	2	3	5	8	15
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	14	2.1	1	1	1	2	2	3	5	5
1-5 YRS	97	2.4	6	1	1	2	3	4	6	15
6-12 YRS	270	2.7	21	1	1	2	3	4	6	13
13-19 YRS	1114	2.8	6	1	1	2	3	5	7	13
GRAND TOTAL	1497	2.7	9	1	1	2	3	5	6	13

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	27	6.8	21	2	2	6	9	12	16	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	25.0		25	25	25	25	25	25	25
6-12 YRS										
13-19 YRS	8	6.9	10	4	4	6	9	12	13	13
TOT. SINGLE DX	29	6.5	21	2	2	5	8	12	15	22
" MULTIPLE DX	9	8.9	46	4	4	7	11	20	25	25
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	25.0		25	25	25	25	25	25	25
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	35	6.8	18	2	2	6	9	12	14	22
GRAND TOTAL	38	7.1	27	2	2	6	9	13	19	25

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	2.5	1	1	1	2	3	4	4	4
13-19 YRS	28	5.5	49	<1	<1	3	6	15	27	27
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	2.3	1	1	1	2	3	4	4	4
13-19 YRS	29	5.6	48	<1	1	3	6	16	23	27
TOT. SINGLE DX	35	4.9	41	<1	<1	3	5	9	25	27
" MULTIPLE DX	34	5.1	43	<1	1	2	5	15	22	27
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	10	2.4	1	1	1	2	3	4	4	4
13-19 YRS	57	5.5	48	<1	<1	3	6	17	25	27
GRAND TOTAL	69	5.0	41	<1	<1	2	5	14	23	27

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	13	2.5	5	1	1	1	4	6	8	8
6-12 YRS	34	3.7	4	2	2	3	5	6	8	11
13-19 YRS	432	4.7	15	2	3	4	5	6	9	25
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS	19	4.5	3	1	2	4	5	7	9	10
13-19 YRS	153	6.0	16	3	3	5	7	10	14	24
TOT. SINGLE DX	482	4.6	14	2	3	4	5	6	8	22
" MULTIPLE DX	176	5.8	15	3	3	5	6	10	13	23
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	6.3	3	4	4	6	7	8	8	8
1-5 YRS	15	2.6	4	1	1	2	3	5	7	8
6-12 YRS	53	4.0	4	2	2	4	5	6	8	11
13-19 YRS	585	5.1	16	2	3	4	5	7	10	24
GRAND TOTAL	658	4.9	15	2	3	4	5	7	10	24

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	2.4	4	<1	<1	2	3	6	7	7
1-5 YRS	314	2.3	2	<1	1	2	3	4	5	8
6-12 YRS	231	2.5	2	1	1	2	3	4	5	10
13-19 YRS	234	3.1	5	1	2	3	4	4	5	14
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	13.0	242	2	2	13	24	24	24	24
1-5 YRS	39	3.4	6	<1	1	3	4	7	10	12
6-12 YRS	28	3.5	3	2	2	3	5	6	7	10
13-19 YRS	47	6.4	58	1	2	4	7	15	17	47
TOT. SINGLE DX	787	2.6	3	1	1	2	3	4	5	11
" MULTIPLE DX	117	4.8	31	1	2	3	5	11	14	32
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	4.5	51	<1	<1	2	4	15	24	24
1-5 YRS	353	2.4	3	<1	1	2	3	4	5	11
6-12 YRS	259	2.7	2	1	1	2	3	4	5	10
13-19 YRS	281	3.7	16	1	2	3	4	5	10	19
GRAND TOTAL	904	2.9	7	1	1	2	3	5	6	14

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	10.0	27	2	3	9	14	17	18	18
6-12 YRS	4	9.3	25	3	3	9	13	15	15	15
13-19 YRS	39	10.6	38	3	4	9	15	19	22	31
2. MULTIPLE DX										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	4	13.3	164	5	5	8	21	32	32	32
6-12 YRS	7	11.9	53	3	4	8	18	21	22	22
13-19 YRS	33	16.9	143	4	6	15	20	34	37	63
TOT. SINGLE DX	53	10.2	34	3	4	9	15	18	20	31
" MULTIPLE DX	47	15.2	127	4	5	11	19	31	36	63
TOTAL 0-27 DYS	3	6.0	1	5	5	6	7	7	7	7
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	12	11.1	65	2	4	9	14	22	31	32
6-12 YRS	11	10.9	42	3	3	8	16	20	22	22
13-19 YRS	72	13.5	95	4	5	11	17	23	33	57
GRAND TOTAL	100	12.6	83	3	5	10	17	22	31	50

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	71	1.3		<1	<1	1	2	2	3	4
1-5 YRS	383	1.3		<1	<1	1	1	2	2	3
6-12 YRS	226	1.3		<1	<1	1	2	2	2	3
13-19 YRS	170	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	8	4.1	5	1	1	4	6	7	7	7
1-5 YRS	47	1.6	1	<1	<1	1	2	2	3	8
6-12 YRS	40	2.4	4	<1	<1	2	3	4	6	13
13-19 YRS	42	3.4	13	<1	<1	2	4	10	12	17
TOT. SINGLE DX	851	1.3		<1	<1	1	2	2	2	3
" MULTIPLE DX	138	2.5	7	<1	<1	2	2	6	8	13
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	79	1.6	2	<1	<1	1	2	3	4	7
1-5 YRS	430	1.3		<1	<1	1	1	2	2	4
6-12 YRS	266	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	212	1.9	4	<1	<1	1	2	3	4	12
GRAND TOTAL	989	1.5	1	<1	<1	1	2	2	3	7

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	34	3.0	9	<1	1	2	3	8	9	15
1-5 YRS	455	1.9	8	<1	1	2	2	3	3	8
6-12 YRS	298	2.0	1	<1	1	2	2	3	4	7
13-19 YRS	277	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	11	7.0	55	1	2	4	9	19	25	26
1-11 MOS	10	2.8	6	<1	<1	2	3	7	9	9
1-5 YRS	208	2.4	8	<1	1	2	2	5	7	16
6-12 YRS	204	3.2	15	1	1	2	3	7	12	20
13-19 YRS	599	3.7	25	<1	1	2	4	7	10	26
TOT. SINGLE DX	1066	2.0	5	<1	1	2	2	3	4	8
" MULTIPLE DX	1032	3.4	20	<1	1	2	4	7	10	24
TOTAL 0-27 DYS	13	6.2	51	1	1	3	6	17	24	26
1-11 MOS	44	3.0	8	<1	1	2	3	8	9	15
1-5 YRS	663	2.1	9	<1	1	2	2	3	5	10
6-12 YRS	502	2.5	7	<1	1	2	3	4	6	14
13-19 YRS	876	3.2	19	<1	1	2	3	6	9	23
GRAND TOTAL	2098	2.7	13	<1	1	2	3	5	7	19

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	17	1.8	1	<1	<1	1	2	3	4	5
1-5 YRS	85	1.6		<1	<1	1	2	2	3	4
6-12 YRS	66	2.0	1	<1	1	2	3	3	4	7
13-19 YRS	69	1.9		<1	1	2	2	3	3	6
2. MULTIPLE DX										
0-27 DYS	4	7.0	8	5	5	6	9	11	11	11
1-11 MOS	8	3.9	53	1	1	1	2	16	22	22
1-5 YRS	28	2.0	1	<1	1	2	2	4	5	6
6-12 YRS	22	2.2		1	1	2	3	3	4	4
13-19 YRS	31	4.0	25	<1	1	2	4	8	9	28
TOT. SINGLE DX	238	1.8	1	<1	<1	2	2	3	3	6
" MULTIPLE DX	93	3.1	15	1	1	2	3	6	9	25
TOTAL 0-27 DYS	5	7.0	6	5	5	7	8	11	11	11
1-11 MOS	25	2.4	18	<1	<1	1	2	3	9	22
1-5 YRS	113	1.7	1	<1	<1	1	2	3	3	5
6-12 YRS	88	2.1	1	1	1	2	3	3	4	7
13-19 YRS	100	2.6	9	<1	1	2	3	4	7	19
GRAND TOTAL	331	2.2	5	<1	1	2	2	3	5	10

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	29	2.0	7	<1	<1	1	2	2	4	16
6-12 YRS	47	1.7	3	<1	<1	1	2	3	4	12
13-19 YRS	38	1.9	5	<1	<1	1	2	2	3	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	1.8		1	1	2	2	3	3	3
6-12 YRS	22	2.8	5	<1	<1	2	4	6	8	9
13-19 YRS	24	2.5	2	1	1	2	3	5	6	6
TOT. SINGLE DX	117	1.8	5	<1	<1	1	2	2	3	16
" MULTIPLE DX	59	2.5	3	1	1	2	3	5	6	9
TOTAL 0-27 DYS										
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	42	2.0	5	<1	1	2	2	2	3	16
6-12 YRS	69	2.1	4	<1	<1	1	2	5	6	11
13-19 YRS	62	2.1	5	<1	<1	2	2	3	5	15
GRAND TOTAL	176	2.1	4	<1	<1	1	2	3	6	16

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	5.2	16	2	2	4	5	12	13	13
1-5 YRS	9	5.3	24	1	1	4	8	13	16	16
6-12 YRS	5	4.2	2	2	2	4	5	6	6	6
13-19 YRS	41	4.2	4	2	2	4	5	7	8	10
2. MULTIPLE DX										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	6	4.2	3	2	2	4	5	7	7	7
6-12 YRS	9	7.2	53	1	1	5	8	20	24	24
13-19 YRS	17	4.9	9	1	2	4	6	9	12	14
TOT. SINGLE DX	62	4.5	8	1	2	4	5	8	10	16
" MULTIPLE DX	35	5.9	24	1	2	5	7	14	18	24
TOTAL 0-27 DYS	2	10.5	145	2	2	10	19	19	19	19
1-11 MOS	8	5.6	13	2	2	5	7	11	13	13
1-5 YRS	15	4.9	15	1	1	4	7	9	14	16
6-12 YRS	14	6.1	36	1	2	5	6	15	22	24
13-19 YRS	58	4.4	6	2	2	4	6	7	9	14
GRAND TOTAL	97	5.0	14	1	2	4	6	9	13	22

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.6	3	1	1	2	4	5	5	5
1-5 YRS	109	3.2	7	<1	<1	2	4	6	8	17
6-12 YRS	130	3.9	8	<1	1	3	5	8	9	15
13-19 YRS	128	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	6.4	47	1	1	4	10	18	18	18
1-5 YRS	60	4.9	18	1	2	4	6	9	13	23
6-12 YRS	103	4.5	9	1	1	4	6	9	9	17
13-19 YRS	92	5.3	42	1	2	4	6	9	12	42
TOT. SINGLE DX	372	3.5	8	<1	1	3	5	6	9	16
" MULTIPLE DX	261	5.0	24	1	1	4	6	9	11	22
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	4.5	27	1	1	3	5	12	18	18
1-5 YRS	169	3.8	12	<1	1	3	5	8	9	21
6-12 YRS	233	4.2	9	1	1	4	5	8	9	16
13-19 YRS	220	4.2	23	1	1	3	5	7	9	18
GRAND TOTAL	633	4.1	15	1	1	3	5	8	9	18

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	3.3	10	1	1	2	3	9	11	11
1-11 MOS	46	2.7	2	1	1	2	3	5	6	8
1-5 YRS	30	2.4	2	1	1	2	3	3	5	10
6-12 YRS	29	2.8	3	<1	<1	3	3	5	6	10
13-19 YRS	51	3.0	2	1	2	2	3	5	7	8
2. MULTIPLE DX										
0-27 DYS	4	4.3	1	3	3	4	5	6	6	6
1-11 MOS	18	6.4	153	2	2	3	4	10	37	55
1-5 YRS	14	4.1	23	<1	1	3	3	13	16	17
6-12 YRS	13	3.8	9	1	1	3	4	9	11	12
13-19 YRS	40	3.7	9	1	1	3	4	7	10	16
TOT. SINGLE DX	164	2.8	3	1	1	2	3	5	6	10
" MULTIPLE DX	89	4.3	40	1	1	3	4	8	12	40
TOTAL 0-27 DYS	12	3.6	7	1	1	3	4	7	10	11
1-11 MOS	64	3.7	46	1	1	2	3	6	8	49
1-5 YRS	44	3.0	9	1	1	2	3	4	11	17
6-12 YRS	42	3.1	5	<1	1	3	3	6	9	12
13-19 YRS	91	3.3	6	1	1	3	4	6	8	14
GRAND TOTAL	253	3.3	16	1	1	2	3	6	8	16

524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	2.7	1	2	2	2	4	4	4	4
1-5 YRS	31	3.3	10	1	1	2	4	9	11	12
6-12 YRS	65	5.2	18	1	1	4	8	11	14	21
13-19 YRS	72	3.9	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	7	2.4	1	1	1	2	3	5	5	5
1-5 YRS	38	3.1	5	<1	<1	2	4	7	8	10
6-12 YRS	64	6.3	23	1	2	5	9	12	14	25
13-19 YRS	77	4.9	10	1	2	4	7	10	11	16
TOT. SINGLE DX	174	4.2	12	1	1	3	6	10	12	15
" MULTIPLE DX	186	4.9	15	1	1	4	7	10	12	18
TOTAL 0-27 DYS										
1-11 MOS	13	2.5	1	1	1	2	3	4	5	5
1-5 YRS	69	3.2	7	<1	1	2	4	7	10	12
6-17 YRS	129	5.8	21	1	1	5	8	12	14	23
13-19 YRS	149	4.4	9	1	1	4	6	8	11	13
GRAND TOTAL	360	4.6	14	1	1	3	6	10	12	17

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	12	2.5	1	<1	<1	2	3	4	5	5
1-5 YRS	20	3.3	4	<1	1	3	4	6	8	10
6-12 YRS	37	2.8	2	1	2	2	3	5	6	8
13-19 YRS	38	2.9	3	1	2	2	3	4	6	12
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	3.6	4	1	1	3	4	7	8	8
1-5 YRS	15	2.5	1	<1	1	2	3	4	5	6
6-12 YRS	33	3.7	6	<1	<1	3	4	9	9	10
13-19 YRS	32	4.3	17	1	2	3	4	9	14	21
TOT. SINGLE DX	107	2.9	3	1	2	2	3	5	6	11
" MULTIPLE DX	91	3.7	9	<1	1	3	4	8	9	18
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	22	3.0	3	<1	1	3	3	5	7	8
1-5 YRS	35	3.0	3	<1	1	3	4	5	6	10
6-12 YRS	70	3.2	4	<1	1	3	4	6	9	10
13-19 YRS	70	3.5	10	1	2	3	4	6	11	20
GRAND TOTAL	198	3.3	6	<1	1	3	4	6	8	13

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	41	2.3	2	<1	1	2	3	4	4	10
1-5 YRS	97	2.1	1	<1	<1	2	2	3	4	8
6-12 YRS	121	2.3	1	1	1	2	3	4	4	5
13-19 YRS	148	2.2		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	13	3.8	20	<1	1	2	4	9	16	17
1-5 YRS	62	2.4	2	1	1	2	3	4	4	10
6-12 YRS	85	2.7	3	1	1	2	3	4	6	11
13-19 YRS	85	3.0	8	1	1	2	3	5	7	20
TOT. SINGLE DX	407	2.2	1	<1	1	2	3	3	4	6
" MULTIPLE DX	245	2.8	6	1	1	2	3	4	6	12
TOTAL 0-27 DYS										
1-11 MOS	54	2.6	7	<1	1	2	3	4	7	17
1-5 YRS	159	2.2	2	<1	1	2	3	3	4	8
6-12 YRS	206	2.5	2	1	1	2	3	4	5	9
13-19 YRS	233	2.5	4	1	1	2	3	4	5	8
GRAND TOTAL	652	2.4	3	1	1	2	3	4	5	10

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	7	2.0		<1	<1	2	3	3	3	3
6-12 YRS										
13-19 YRS	5	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	5	7.4	56	1	1	3	15	17	17	17
TOT. SINGLE DX	13	1.9	1	<1	<1	2	2	3	4	4
" MULTIPLE DX	12	4.8	30	1	1	2	6	15	17	17
TOTAL 0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	10	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	10	4.7	34	1	1	2	4	15	17	17
GRAND TOTAL	25	3.3	16	<1	<1	2	3	9	15	17

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	5.5		5	5	5	6	6	6	6
1-5 YRS	7	3.9	2	2	2	4	5	6	6	6
6-12 YRS	58	4.9	10	1	1	4	6	8	11	19
13-19 YRS	185	5.0	8	1	2	5	6	9	11	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	11.4	292	<1	1	4	13	41	52	52
1-5 YRS	8	4.8	7	2	2	4	6	9	10	10
6-12 YRS	48	6.0	23	1	2	5	7	11	13	29
13-19 YRS	117	6.5	19	2	2	6	8	10	17	22
TOT. SINGLE DX	255	5.0	9	1	2	5	6	8	11	16
" MULTIPLE DX	181	6.5	32	2	2	5	8	11	17	27
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	9.4	195	<1	1	5	9	25	48	52
1-5 YRS	15	4.3	5	2	2	4	6	7	9	10
6-12 YRS	106	5.4	17	1	2	5	6	9	12	24
13-19 YRS	302	5.6	13	1	2	5	7	10	13	20
GRAND TOTAL	436	5.6	19	1	2	5	7	10	12	22

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	1.9		1	1	2	2	3	3	3
1-5 YRS	16	3.4	5	1	1	3	4	5	9	11
6-12 YRS	25	4.5	19	<1	<1	3	6	8	15	21
13-19 YRS	36	3.8	5	1	2	3	5	7	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	19.0	1184	<1	<1	3	18	81	88	88
1-5 YRS	19	2.5	1	<1	1	2	3	4	5	6
6-12 YRS	30	3.6	7	<1	1	3	5	7	10	11
13-19 YRS	46	6.2	46	2	2	4	7	11	16	41
TOT. SINGLE DX	88	3.7	9	1	1	3	4	7	10	18
" MULTIPLE DX	101	5.5	96	1	1	3	5	9	13	64
TOTAL 0-27 DYS										
1-11 MOS	17	7.9	441	<1	1	2	3	15	63	88
1-5 YRS	35	2.9	4	1	1	3	4	5	6	11
6-12 YRS	55	4.0	13	<1	1	3	5	8	11	21
13-19 YRS	82	5.1	30	1	2	4	6	9	12	37
GRAND TOTAL	189	4.7	56	1	1	3	5	8	11	36

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	403	1.5		<1	<1	1	2	2	2	2
1-5 YRS	3810	1.6		<1	1	2	2	2	2	3
6-12 YRS	2238	1.7		<1	1	2	2	2	2	3
13-19 YRS	1098	1.8		1	1	2	2	2	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	45	1.7		<1	<1	2	2	2	3	4
1-5 YRS	649	1.8	1	<1	1	2	2	2	3	4
6-12 YRS	404	1.8		<1	1	2	2	2	3	5
13-19 YRS	283	1.9		1	1	2	2	3	3	4
TOT. SINGLE DX	7552	1.7	1	<1	1	2	2	2	2	3
" MULTIPLE DX	1381	1.8	1	<1	1	2	2	2	3	4
TOTAL 0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	448	1.5		<1	<1	2	2	2	2	3
1-5 YRS	4459	1.7	1	<1	1	2	2	2	2	3
6-12 YRS	2642	1.7	1	<1	1	2	2	2	2	3
13-19 YRS	1381	1.9		1	1	2	2	2	3	4
GRAND TOTAL	8933	1.7	1	<1	1	2	2	2	2	3

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	1.5		<1	<1	2	2	2	2	2
6-12 YRS	12	1.6		<1	<1	2	2	2	2	2
13-19 YRS	6	1.7		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	1.9		<1	1	2	2	2	2	2
6-12 YRS	8	2.0		1	1	2	2	3	3	3
13-19 YRS	4	2.8	5	1	1	2	4	6	6	6
TOT. SINGLE DX	31	1.6		<1	<1	2	2	2	2	3
" MULTIPLE DX	22	2.1	1	<1	1	2	2	3	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	23	1.7		<1	<1	2	2	2	2	2
6-12 YRS	20	1.8		<1	1	2	2	2	3	3
13-19 YRS	10	2.1	2	<1	<1	2	2	4	6	6
GRAND TOTAL	53	1.8	1	<1	1	2	2	2	3	6

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	23	2.7	4	<1	1	2	4	7	7	7
1-5 YRS	131	2.3	4	<1	1	2	2	5	8	11
6-12 YRS	148	3.0	7	<1	1	2	3	5	8	15
13-19 YRS	217	2.9	3	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	6.5	38	<1	1	3	11	16	18	18
1-5 YRS	57	3.7	22	1	1	2	4	7	10	31
6-12 YRS	84	4.4	10	1	1	4	6	8	11	16
13-19 YRS	178	4.4	10	1	1	3	6	9	11	14
TOT. SINGLE DX	519	2.8	5	<1	1	2	3	5	7	12
" MULTIPLE DX	328	4.3	13	1	1	3	6	9	11	17
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	31	3.7	15	<1	1	2	4	8	13	18
1-5 YRS	188	2.7	10	<1	1	2	3	6	8	15
6-12 YRS	232	3.6	9	<1	1	3	5	7	9	16
13-19 YRS	395	3.5	7	1	1	3	4	7	9	14
GRAND TOTAL	847	3.4	9	1	1	2	4	7	9	14

533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	15	3.3	2	1	2	3	4	5	7	8
1-11 MOS	44	1.7	6	<1	<1	1	2	2	3	17
1-5 YRS	415	1.9	1	<1	<1	2	2	3	4	7
6-12 YRS	622	2.0	1	<1	1	2	2	3	4	9
13-19 YRS	408	2.3	3	<1	<1	2	2	4	6	11
2. MULTIPLE DX										
0-27 DYS	331	4.0	8	2	2	3	4	6	7	17
1-11 MOS	15	4.7	68	<1	<1	2	4	6	27	34
1-5 YRS	133	2.7	14	<1	1	2	3	4	6	23
6-12 YRS	194	2.0	1	<1	<1	2	2	3	4	8
13-19 YRS	251	4.2	54	<1	1	2	4	10	15	78
TOT. SINGLE DX	1504	2.1	3	<1	<1	2	2	3	5	9
" MULTIPLE DX	924	3.4	22	<1	1	2	4	6	8	20
TOTAL 0-27 DYS	346	3.9	8	2	2	3	4	6	7	17
1-11 MOS	59	2.4	23	<1	<1	1	2	4	6	32
1-5 YRS	548	2.1	5	<1	<1	2	2	3	5	8
6-12 YRS	816	2.0	2	<1	<1	2	2	3	4	8
13-19 YRS	659	3.0	24	<1	1	2	3	6	9	20
GRAND TOTAL	2428	2.6	10	<1	1	2	3	5	6	15

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	1.9		<1	<1	2	2	3	4	4
6-12 YRS	69	2.1		1	1	2	2	3	3	6
13-19 YRS	164	2.4	2	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		1	1	1	1	1	1	1
6-12 YRS	46	2.4	1	1	2	2	3	3	4	10
13-19 YRS	79	2.5		1	1	2	3	4	4	6
TOT. SINGLE DX	244	2.3	2	1	1	2	3	3	4	5
" MULTIPLE DX	129	2.4	1	1	1	2	3	3	4	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	15	1.7	1	<1	1	1	2	3	4	4
6-12 YRS	115	2.2	1	1	1	2	3	3	4	7
13-19 YRS	243	2.4	2	1	1	2	3	3	4	5
GRAND TOTAL	373	2.3	2	1	1	2	3	3	4	6

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	249	1.7		<1	1	2	2	2	3	3
6-12 YRS	1230	1.9	1	1	1	2	2	3	3	4
13-19 YRS	1223	2.1	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	163	2.0	5	<1	1	2	2	3	3	4
6-12 YRS	909	2.1		1	1	2	2	3	3	5
13-19 YRS	831	2.3	2	1	1	2	3	3	3	5
TOT. SINGLE DX	2706	2.0	1	1	1	2	2	3	3	4
" MULTIPLE DX	1906	2.1	2	1	1	2	2	3	3	5
TOTAL 0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	4	4.0	17	1	1	2	6	10	10	10
1-5 YRS	412	1.8	2	<1	1	2	2	2	3	4
6-12 YRS	2139	2.0	1	1	1	2	2	3	3	5
13-19 YRS	2054	2.2	2	1	1	2	2	3	3	5
GRAND TOTAL	4612	2.1	2	1	1	2	2	3	3	5

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	4.7	7	<1	<1	6	7	8	8	8
1-11 MOS	1616	1.3	2	<1	<1	<1	1	1	3	7
1-5 YRS	9444	1.1		<1	<1	<1	1	1	2	2
6-12 YRS	3908	1.1		<1	<1	<1	1	1	2	3
13-19 YRS	579	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
0-27 DYS	21	7.1	31	1	2	5	10	15	20	24
1-11 MOS	623	4.5	24	<1	<1	3	6	10	14	26
1-5 YRS	5224	1.7	3	<1	<1	1	2	2	4	10
6-12 YRS	2471	1.6	1	<1	<1	1	2	2	3	7
13-19 YRS	383	2.3	23	<1	<1	2	2	3	5	14
TOT. SINGLE DX	15558	1.1	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	8722	1.9	6	<1	<1	1	2	3	5	12
TOTAL 0-27 DYS	32	6.3	24	<1	1	5	8	12	16	24
1-11 MOS	2239	2.2	11	<1	<1	1	1	5	8	16
1-5 YRS	14668	1.3	2	<1	<1	1	1	2	2	7
6-12 YRS	6379	1.3	1	<1	<1	1	1	2	2	5
13-19 YRS	962	1.7	11	<1	<1	1	2	2	3	8
GRAND TOTAL	24280	1.4	3	<1	<1	1	1	2	3	8

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	9.4	17	6	6	9	11	16	16	16
1-5 YRS	76	3.2	5	1	1	2	4	7	8	15
6-12 YRS	284	2.6	3	1	1	2	3	4	5	9
13-19 YRS	335	2.6	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	12.5	135	3	3	9	20	29	29	29
1-5 YRS	92	3.7	10	1	2	2	4	8	11	16
6-12 YRS	501	3.0	4	1	2	2	3	4	6	13
13-19 YRS	445	3.0	6	1	2	3	3	4	5	15
TOT. SINGLE DX	701	2.7	3	1	1	2	3	4	5	9
" MULTIPLE DX	1042	3.1	7	1	2	3	3	5	7	15
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	10.8	62	3	4	9	13	24	29	29
1-5 YRS	168	3.5	8	1	2	2	4	8	9	16
6-12 YRS	785	2.9	4	1	1	2	3	4	6	12
13-19 YRS	780	2.8	5	1	2	2	3	4	5	9
GRAND TOTAL	1743	2.9	5	1	2	2	3	4	6	13

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	26	1.7	2	<1	<1	1	1	4	6	8
1-5 YRS	339	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	500	1.5	1	<1	<1	1	2	2	3	7
13-19 YRS	260	2.1	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	13	6.6	64	<1	<1	4	7	23	25	25
1-5 YRS	161	2.2	8	<1	<1	1	2	4	7	17
6-12 YRS	283	2.2	5	<1	<1	2	2	3	5	18
13-19 YRS	232	2.5	5	1	1	2	3	4	5	8
TOT. SINGLE DX	1125	1.6	2	<1	<1	1	2	3	3	7
" MULTIPLE DX	690	2.4	8	<1	<1	2	3	4	5	19
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	39	3.3	28	<1	<1	1	4	7	16	25
1-5 YRS	500	1.6	4	<1	<1	1	2	2	4	13
6-12 YRS	783	1.8	3	<1	<1	1	2	3	4	10
13-19 YRS	492	2.3	3	<1	1	2	3	4	4	8
GRAND TOTAL	1815	1.9	4	<1	<1	1	2	3	4	10

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	40	2.2		1	2	2	2	3	3	5
13-19 YRS	965	2.6	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	5	2.4	3	1	1	2	3	5	5	5
1-11 MOS										
1-5 YRS	5	2.4	2	<1	<1	2	4	4	4	4
6-12 YRS	106	2.5	1	1	1	2	3	4	4	7
13-19 YRS	1585	2.8	1	1	1	3	3	4	5	7
TOT. SINGLE DX	1010	2.6	1	1	1	2	3	4	4	5
" MULTIPLE DX	1701	2.8	2	1	1	3	3	4	5	7
TOTAL 0-27 DYS	6	2.2	3	1	1	2	3	5	5	5
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	1.9	2	<1	<1	1	3	4	4	4
6-12 YRS	146	2.4	1	1	1	2	3	4	4	7
13-19 YRS	2550	2.7	1	1	1	3	3	4	5	7
GRAND TOTAL	2711	2.7	1	1	1	3	3	4	5	7

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	70	1.9	1	1	1	1	3	4	5	6
6-12 YRS	239	2.3	1	1	1	2	3	3	4	6
13-19 YRS	3180	2.5	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	16	5.0	48	2	2	3	4	5	23	31
1-11 MOS	10	2.7	2	1	1	2	3	5	6	6
1-5 YRS	58	3.2	10	1	1	3	4	5	7	21
6-12 YRS	281	2.5	1	1	1	2	3	4	5	7
13-19 YRS	3711	2.6	2	1	1	2	3	4	5	7
TOT. SINGLE DX	3498	2.5	1	1	1	2	3	4	5	5
" MULTIPLE DX	4076	2.6	3	1	1	2	3	4	5	7
TOTAL 0-27 DYS	16	5.0	49	2	2	3	4	5	23	31
1-11 MOS	19	2.2	2	<1	<1	2	3	4	5	6
1-5 YRS	128	2.5	6	1	1	2	3	5	6	16
6-12 YRS	520	2.4	1	1	1	2	3	4	5	7
13-19 YRS	6891	2.6	2	1	1	2	3	4	5	6
GRAND TOTAL	7574	2.6	2	1	1	2	3	4	5	6

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	22	2.5	2	1	1	2	3	4	6	8
1-5 YRS	69	1.8	1	<1	<1	1	2	4	4	8
6-12 YRS	160	2.3	4	<1	<1	2	2	4	5	14
13-19 YRS	260	2.3	3	<1	<1	2	3	4	5	13
2. MULTIPLE DX										
0-27 DYS	8	4.8	9	3	3	4	5	10	12	12
1-11 MOS	5	3.8	5	1	1	4	7	91	99+	99+
1-5 YRS	38	4.2	118	<1	<1	2	3	5	11	68
6-12 YRS	158	2.1	2	<1	1	2	2	3	5	9
13-19 YRS	357	2.8	12	1	1	2	3	4	6	21
TOT. SINGLE DX	512	2.2	3	<1	<1	2	3	4	5	12
" MULTIPLE DX	566	2.8	17	1	1	2	3	4	6	21
TOTAL 0-27 DYS	9	4.4	9	2	2	3	5	9	12	12
1-11 MOS	27	2.7	3	1	1	2	4	6	17	99+
1-5 YRS	107	2.7	44	<1	<1	1	2	4	5	38
6-12 YRS	318	2.2	3	<1	1	2	2	4	5	11
13-19 YRS	617	2.6	9	<1	1	2	3	4	5	15
GRAND TOTAL	1078	2.5	10	<1	1	2	3	4	5	14

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	142	1.3		<1	<1	1	1	2	2	4
6-12 YRS	776	1.5	1	<1	<1	1	2	2	3	6
13-19 YRS	1973	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	24	4.6	5	2	2	4	6	7	9	13
1-11 MOS	2	12.5	265	<1	<1	12	24	24	24	24
1-5 YRS	54	2.5	8	<1	<1	1	2	7	11	13
6-12 YRS	242	3.1	22	<1	1	2	3	6	7	19
13-19 YRS	1059	3.5	19	1	1	2	4	6	9	23
TOT. SINGLE DX	2894	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	1381	3.4	20	<1	1	2	4	6	9	22
TOTAL 0-27 DYS	26	4.3	6	1	2	4	5	7	9	13
1-11 MOS	3	9.3	162	<1	<1	3	19	24	24	24
1-5 YRS	196	1.6	3	<1	<1	1	2	2	4	12
6-12 YRS	1018	1.9	7	<1	<1	1	2	3	5	9
13-19 YRS	3032	2.4	8	<1	<1	2	3	4	6	13
GRAND TOTAL	4275	2.3	8	<1	<1	2	2	4	6	12

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	2.0		2	2	2	2	2	2	2
6-12 YRS	29	2.4	2	1	1	2	3	4	5	8
13-19 YRS	177	3.0	3	1	1	3	4	5	6	11
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	2.0		1	1	2	3	3	3	3
6-12 YRS	38	2.8	6	1	1	2	3	4	8	14
13-19 YRS	163	3.8	15	1	2	3	4	8	9	33
TOT. SINGLE DX	213	2.9	3	1	1	2	3	5	6	11
" MULTIPLE DX	207	3.6	13	1	1	3	4	7	9	32
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	10	2.0		1	1	2	2	3	3	3
6-12 YRS	67	2.6	4	1	1	2	3	4	6	13
13-19 YRS	340	3.4	9	1	2	3	4	6	8	15
GRAND TOTAL	420	3.2	8	1	1	3	4	5	8	13

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.0	13	1	1	3	7	8	8	8
1-5 YRS	41	2.0	3	<1	<1	1	2	5	6	9
6-12 YRS	105	2.9	16	<1	<1	2	3	6	9	25
13-19 YRS	192	3.1	6	<1	1	2	4	6	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	43	3.4	15	<1	<1	1	5	8	13	16
6-12 YRS	138	4.5	35	<1	<1	3	5	10	13	36
13-19 YRS	220	5.1	30	1	1	3	6	13	16	28
TOT. SINGLE DX	341	2.9	9	<1	<1	2	3	6	9	14
" MULTIPLE DX	403	4.7	30	<1	1	3	6	11	15	29
TOTAL 0-27 DYS										
1-11 MOS	5	3.8	10	1	1	3	6	8	8	8
1-5 YRS	84	2.7	10	<1	<1	1	2	7	9	16
6-12 YRS	243	3.8	28	<1	<1	2	4	8	12	33
13-19 YRS	412	4.1	20	1	1	3	4	9	14	22
GRAND TOTAL	744	3.9	22	<1	<1	2	4	8	13	22

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	2.0		<1	<1	2	3	3	3	3
1-11 MOS	3	2.0		2	2	2	2	2	2	2
1-5 YRS	357	1.2		<1	<1	1	1	2	2	3
6-12 YRS	574	1.4		<1	<1	1	2	2	2	3
13-19 YRS	8771	1.7	1	<1	1	2	2	2	3	3
2. MULTIPLE DX										
0-27 DYS	23	4.3	4	2	2	4	5	8	9	9
1-11 MOS	3	9.3	184	1	1	2	19	25	25	25
1-5 YRS	302	2.1	6	<1	<1	1	2	4	6	14
6-12 YRS	490	2.1	7	<1	<1	2	2	3	6	16
13-19 YRS	2474	2.4	11	<1	1	2	2	3	5	12
TOT. SINGLE DX	9713	1.7	1	<1	1	2	2	2	2	3
" MULTIPLE DX	3292	2.3	11	<1	1	2	2	3	5	13
TOTAL 0-27 DYS	31	3.7	4	1	2	3	5	7	9	9
1-11 MOS	6	5.7	90	1	1	2	2	23	25	25
1-5 YRS	659	1.6	3	<1	<1	1	2	2	4	10
6-12 YRS	1064	1.8	4	<1	<1	1	2	2	3	9
13-19 YRS	11245	1.9	4	<1	1	2	2	2	3	6
GRAND TOTAL	13005	1.9	4	<1	1	2	2	2	3	6

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	1036	1.1		<1	<1	1	1	1	2	2
6-12 YRS	129	1.2		<1	<1	1	1	2	2	3
13-19 YRS	85	1.6		<1	<1	1	2	2	4	5
2. MULTIPLE DX										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	2	25.0	1152	<1	<1	24	49	49	49	49
1-5 YRS	327	1.5	5	<1	<1	1	1	2	2	9
6-12 YRS	139	1.8	7	<1	<1	1	2	2	3	10
13-19 YRS	147	3.8	93	<1	<1	2	2	5	13	63
TOT. SINGLE DX	1251	1.2	1	<1	<1	1	1	2	2	2
" MULTIPLE DX	617	2.2	32	<1	<1	1	2	2	5	32
TOTAL 0-27 DYS	3	4.3	17	1	1	3	7	9	9	9
1-11 MOS	2	25.0	1152	<1	<1	24	49	49	49	49
1-5 YRS	1363	1.2	2	<1	<1	1	1	2	2	3
6-12 YRS	268	1.5	4	<1	<1	1	2	2	3	6
13-19 YRS	232	3.0	60	<1	<1	1	2	4	6	49
GRAND TOTAL	1868	1.5	11	<1	<1	1	1	2	2	7

549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	6	2.3	2	<1	<1	2	3	5	5	5
1-5 YRS	99	1.3		<1	<1	1	1	2	3	6
6-12 YRS	107	1.8	1	<1	<1	2	2	3	3	7
13-19 YRS	109	2.4	1	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	14	5.2	4	2	3	5	7	9	9	9
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	55	1.8	3	<1	<1	1	2	2	5	14
6-12 YRS	118	2.7	10	<1	1	2	2	4	7	22
13-19 YRS	228	2.7	8	<1	1	2	2	4	8	16
TOT. SINGLE DX	323	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	416	2.7	8	<1	1	2	2	5	7	16
TOTAL 0-27 DYS	16	4.9	5	2	3	4	6	9	9	9
1-11 MOS	7	2.3	2	<1	<1	2	3	5	5	5
1-5 YRS	154	1.5	2	<1	<1	1	1	2	4	7
6-12 YRS	225	2.3	6	<1	<1	2	2	3	5	15
13-19 YRS	337	2.6	6	<1	1	2	3	4	7	13
GRAND TOTAL	739	2.3	6	<1	<1	2	2	4	6	13

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	15	3.3	8	<1	1	2	3	9	9	9
1-5 YRS	61	2.6	3	<1	<1	2	3	5	7	8
6-12 YRS	143	2.6	4	<1	1	2	3	4	5	14
13-19 YRS	285	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	5	3.4		3	3	3	4	4	4	4
1-11 MOS	3	11.7	134	1	1	10	20	24	24	24
1-5 YRS	15	6.3	37	1	1	4	7	18	20	21
6-12 YRS	46	3.4	13	<1	1	2	3	8	11	19
13-19 YRS	101	3.9	3	2	2	4	5	6	7	12
TOT. SINGLE DX	505	2.9	4	<1	1	2	4	5	6	10
" MULTIPLE DX	170	4.1	12	1	2	3	4	7	10	21
TOTAL 0-27 DYS	6	3.2	1	2	2	3	4	4	4	4
1-11 MOS	18	4.7	33	<1	1	2	8	10	18	24
1-5 YRS	76	3.3	12	<1	<1	2	4	7	8	20
6-12 YRS	189	2.8	7	<1	1	2	3	5	7	17
13-19 YRS	386	3.3	4	1	2	3	4	5	6	12
GRAND TOTAL	675	3.2	7	1	1	3	4	5	7	15

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	92	4.4	8	1	2	4	5	7	8	18
1-5 YRS	574	3.9	4	1	1	4	5	6	8	10
6-12 YRS	178	3.6	2	1	2	3	4	6	7	10
13-19 YRS	72	3.8	4	2	2	3	5	7	8	11
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	53	5.1	11	2	2	5	6	8	10	21
1-5 YRS	366	4.4	4	1	2	4	6	7	8	11
6-12 YRS	107	4.1	6	1	2	4	5	7	8	14
13-19 YRS	60	4.5	7	2	2	4	5	7	11	18
TOT. SINGLE DX	917	3.9	5	1	1	4	5	6	8	11
" MULTIPLE DX	587	4.4	6	1	2	4	6	7	8	13
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	145	4.6	10	1	2	4	5	8	9	20
1-5 YRS	940	4.1	5	1	1	4	5	7	8	10
6-12 YRS	285	3.8	4	1	2	4	5	6	7	10
13-19 YRS	132	4.1	6	2	2	4	5	7	8	14
GRAND TOTAL	1504	4.1	5	1	1	4	5	7	8	12

552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	45	4.6	5	1	2	4	6	8	8	10
1-11 MOS	425	4.4	6	<1	1	4	6	8	8	11
1-5 YRS	802	2.2	4	<1	<1	1	3	5	7	10
6-12 YRS	446	2.2	3	<1	<1	2	3	4	5	10
13-19 YRS	421	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
0-27 DYS	121	5.8	39	2	2	4	8	12	14	70
1-11 MOS	132	5.6	29	1	2	5	6	8	12	36
1-5 YRS	331	3.4	9	<1	1	2	4	7	9	16
6-12 YRS	314	2.9	14	1	1	2	3	6	8	16
13-19 YRS	597	3.5	23	1	1	2	4	7	9	26
TOT. SINGLE DX	2139	2.8	5	<1	<1	2	4	6	7	10
" MULTIPLE DX	1495	3.7	21	1	1	2	5	8	10	25
TOTAL 0-27 DYS	166	5.5	31	2	2	4	7	10	13	53
1-11 MOS	557	4.6	12	1	1	4	6	8	9	18
1-5 YRS	1133	2.6	6	<1	<1	2	3	6	7	12
6-12 YRS	760	2.5	8	<1	1	2	3	4	7	11
13-19 YRS	1018	3.1	16	<1	1	2	4	6	8	17
GRAND TOTAL	3634	3.2	12	<1	1	2	4	7	8	14

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	13	2.2	1	<1	1	2	2	4	5	5
1-5 YRS	1339	1.6		<1	1	2	2	2	2	4
6-12 YRS	5763	1.7	1	1	1	2	2	2	2	3
13-19 YRS	19091	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	1.5		1	1	1	2	2	2	2
1-5 YRS	754	1.7		<1	<1	2	2	2	3	5
6-12 YRS	1248	1.9	1	1	1	2	2	3	3	6
13-19 YRS	2722	2.4	6	1	1	2	3	3	5	10
TOT. SINGLE DX	26210	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	4732	2.1	4	1	1	2	2	3	4	8
TOTAL 0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	21	1.9	1	<1	1	2	2	3	4	5
1-5 YRS	2093	1.7	1	<1	1	2	2	2	2	4
6-12 YRS	7011	1.8	1	1	1	2	2	2	3	4
13-19 YRS	21813	2.0	2	1	1	2	2	3	3	5
GRAND TOTAL	30942	1.9	2	1	1	2	2	3	3	5

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	14	1.8		1	1	2	2	2	2	2
1-5 YRS	14268	1.7	1	<1	1	2	2	2	2	3
6-12 YRS	22310	1.7		<1	1	2	2	2	2	3
13-19 YRS	5377	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	5	1.8		1	1	2	2	2	2	2
1-11 MOS	25	1.9	1	<1	1	2	2	3	5	5
1-5 YRS	12288	1.7	1	<1	1	2	2	2	3	5
6-12 YRS	10352	1.8	1	1	1	2	2	2	3	5
13-19 YRS	1764	2.1	2	1	1	2	2	3	4	7
TOT. SINGLE DX	41973	1.7	1	<1	1	2	2	2	2	3
" MULTIPLE DX	24434	1.8	1	<1	1	2	2	2	3	5
TOTAL 0-27 DYS	9	1.7		1	1	2	2	2	2	2
1-11 MOS	39	1.8	1	<1	1	2	2	3	4	5
1-5 YRS	26556	1.7	1	<1	1	2	2	2	2	4
6-12 YRS	32662	1.7	1	<1	1	2	2	2	2	4
13-19 YRS	7141	2.0	1	1	1	2	2	3	3	5
GRAND TOTAL	66407	1.8	1	<1	1	2	2	2	3	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	38	1.6	1	<1	1	1	2	2	4	6
1-5 YRS	1766	1.4		<1	<1	1	2	2	2	2
6-12 YRS	1596	1.4		<1	<1	1	2	2	2	2
13-19 YRS	286	1.6		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	116	1.7	6	<1	<1	1	2	2	4	14
1-5 YRS	6033	1.4		<1	<1	1	2	2	2	3
6-12 YRS	3066	1.5		<1	<1	1	2	2	2	3
13-19 YRS	291	1.9	1	<1	1	2	2	3	3	7
TOT. SINGLE DX	3688	1.4	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	9508	1.5	1	<1	<1	1	2	2	2	3
TOTAL 0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	154	1.7	5	<1	<1	1	2	2	4	9
1-5 YRS	7799	1.4	1	<1	<1	1	2	2	2	3
6-12 YRS	4662	1.4		<1	<1	1	2	2	2	3
13-19 YRS	577	1.8	1	<1	1	2	2	2	3	5
GRAND TOTAL	13196	1.4	1	<1	<1	1	2	2	2	3

556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	38	2.4	12	<1	<1	2	2	3	7	22
1-5 YRS	325	2.0	10	<1	<1	1	2	3	5	9
6-12 YRS	502	2.2	6	<1	1	2	2	4	5	9
13-19 YRS	1051	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	9	22.0	431	<1	1	16	42	51	53	53
1-11 MOS	13	6.1	19	<1	1	6	10	11	14	15
1-5 YRS	104	2.6	6	<1	1	2	3	5	6	14
6-12 YRS	111	3.3	10	1	1	2	4	7	9	17
13-19 YRS	244	3.9	12	1	1	3	5	7	8	19
TOT. SINGLE DX	1918	2.4	5	<1	1	2	3	4	6	9
" MULTIPLE DX	481	3.9	24	<1	1	2	5	7	10	28
TOTAL 0-27 DYS	11	18.4	410	<1	1	5	37	50	53	53
1-11 MOS	51	3.4	17	<1	<1	2	3	9	10	22
1-5 YRS	429	2.2	9	<1	<1	2	2	4	6	9
6-12 YRS	613	2.4	8	<1	1	2	3	4	6	13
13-19 YRS	1295	2.9	5	1	1	2	4	5	6	11
GRAND TOTAL	2399	2.7	10	<1	1	2	3	5	6	13

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	34	3.6	2	1	2	3	4	6	6	8
1-11 MOS	27	1.4		<1	<1	1	1	3	3	4
1-5 YRS	131	1.3		<1	<1	1	1	2	2	4
6-12 YRS	40	1.2		<1	<1	1	1	2	2	5
13-19 YRS	50	2.9	8	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
0-27 DYS	416	3.8	2	2	2	3	4	6	7	9
1-11 MOS	12	7.0	37	1	2	5	9	15	23	24
1-5 YRS	37	2.4	7	<1	<1	1	3	5	7	16
6-12 YRS	24	3.7	8	<1	<1	2	5	8	10	11
13-19 YRS	40	5.2	60	<1	1	3	6	9	13	49
TOT. SINGLE DX	282	1.8	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	529	3.8	9	1	2	3	4	6	7	14
TOTAL 0-27 DYS	450	3.7	3	2	2	3	4	6	7	8
1-11 MOS	39	3.1	18	<1	<1	1	3	8	11	24
1-5 YRS	168	1.5	2	<1	<1	1	2	2	3	7
6-12 YRS	64	2.2	5	<1	<1	1	2	5	7	11
13-19 YRS	90	3.9	33	<1	1	2	5	8	9	36
GRAND TOTAL	**811**	**3.1**	**8**	**<1**	**<1**	**3**	**4**	**6**	**7**	**12**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	17	3.2	12	1	1	2	3	9	12	13
1-5 YRS	122	1.9	4	<1	<1	1	2	3	4	13
6-12 YRS	185	1.5		<1	<1	1	2	2	2	5
13-19 YRS	154	1.8	1	<1	<1	2	2	2	3	12
2. MULTIPLE DX										
0-27 DYS	2	24.0	800	4	4	24	44	44	44	44
1-11 MOS	6	14.8	221	2	2	9	30	35	36	36
1-5 YRS	31	2.3	4	1	1	2	2	5	8	10
6-12 YRS	65	1.6		<1	1	1	2	2	3	4
13-19 YRS	52	2.1	3	<1	1	2	2	3	3	13
TOT. SINGLE DX	478	1.7	3	<1	<1	1	2	2	3	10
" MULTIPLE DX	156	2.7	27	<1	1	2	2	3	7	36
TOTAL 0-27 DYS	2	24.0	800	4	4	24	44	44	44	44
1-11 MOS	23	6.2	87	1	1	2	6	17	32	36
1-5 YRS	153	2.0	5	<1	<1	1	2	3	5	10
6-12 YRS	250	1.5	1	<1	<1	1	2	2	2	4
13-19 YRS	206	1.9	2	<1	<1	2	2	2	3	12
GRAND TOTAL	**634**	**2.0**	**9**	**<1**	**<1**	**1**	**2**	**2**	**4**	**13**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	2.7	5	<1	<1	2	3	6	9	9
6-12 YRS	8	1.3		1	1	1	2	2	2	2
13-19 YRS	12	2.9	10	<1	<1	2	3	9	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	22.5	145	14	14	22	31	31	31	31
1-5 YRS	2	13.5	265	2	2	13	25	25	25	25
6-12 YRS	7	2.7	8	<1	<1	2	2	8	9	9
13-19 YRS	14	6.9	45	1	2	3	12	19	20	20
TOT. SINGLE DX	32	2.4	6	<1	1	2	2	5	9	11
" MULTIPLE DX	25	7.5	72	1	1	2	12	20	26	31
TOTAL 0-27 DYS										
1-11 MOS	2	22.5	145	14	14	22	31	31	31	31
1-5 YRS	14	4.2	40	<1	1	2	4	11	22	25
6-12 YRS	15	1.9	4	<1	1	1	2	2	7	9
13-19 YRS	26	5.0	32	<1	1	2	8	13	19	20
GRAND TOTAL	**57**	**4.6**	**41**	**<1**	**1**	**2**	**4**	**13**	**20**	**31**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	30.0		30	30	65	99+	99+	99+	99+
TOT. SINGLE DX	2	12.5	265	1	1	12	24	24	24	24
" MULTIPLE DX	1	30.0		30	30	65	99+	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	27.0	18	24	24	30	82	99+	99+	99+
GRAND TOTAL	**3**	**18.3**	**234**	**1**	**1**	**27**	**65**	**99+**	**99+**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	9.0	8	7	7	9	11	11	11	11
6-12 YRS										
13-19 YRS	3	43.7	1129	7	7	51	67	73	73	73
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	19.0	72	13	13	25	81	99+	99+	99+
1-5 YRS	2	31.5	85	25	25	31	38	38	38	38
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	58.4	725	33	33	59	75	98	98	98
TOT. SINGLE DX	6	26.3	814	7	7	10	51	71	73	73
" MULTIPLE DX	10	39.7	786	4	9	34	66	99	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	3	15.7	69	9	9	19	62	99+	99+	99+
1-5 YRS	4	20.3	200	7	7	18	31	38	38	38
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	8	52.9	795	7	15	55	70	90	98	98
GRAND TOTAL	16	34.7	787	5	7	33	61	93	99	99+

562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	15	15.8	270	1	1	9	24	42	51	54
1-5 YRS	79	6.1	20	1	1	5	8	13	17	19
6-12 YRS	30	9.0	200	1	1	5	10	17	53	63
13-19 YRS	48	11.9	429	1	1	3	8	46	71	82
2. MULTIPLE DX										
0-27 DYS	30	21.7	328	3	5	19	31	66	98	99+
1-11 MOS	39	31.0	758	2	2	24	64	90	99+	99+
1-5 YRS	86	11.6	167	1	2	8	15	26	40	89
6-12 YRS	45	15.7	458	<1	1	7	15	62	70	99+
13-19 YRS	108	28.7	609	2	3	26	51	90	99+	99+
TOT. SINGLE DX	173	9.0	193	1	1	5	9	18	42	78
" MULTIPLE DX	308	21.7	512	1	2	14	35	71	97	99+
TOTAL 0-27 DYS	31	21.2	328	3	4	18	31	63	98	99+
1-11 MOS	54	26.8	663	1	2	20	43	84	96	99+
1-5 YRS	165	9.0	104	1	1	6	11	18	26	71
6-12 YRS	75	13.0	362	1	1	6	12	52	65	96
13-19 YRS	156	23.5	612	1	2	16	45	78	99+	99+
GRAND TOTAL	481	17.1	433	1	1	9	25	60	83	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	8.3	76	1	1	3	18	20	20	20
1-5 YRS	24	5.2	31	1	1	3	7	16	18	19
6-12 YRS	9	3.3	3	<1	1	3	4	6	7	7
13-19 YRS	52	6.6	25	1	2	5	9	13	16	28
2. MULTIPLE DX										
0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	4	13.3	23	8	8	13	17	19	19	19
1-5 YRS	12	5.4	45	1	1	2	8	15	23	24
6-12 YRS	9	13.7	134	2	3	9	24	31	33	33
13-19 YRS	62	12.0	170	2	2	9	14	21	35	84
TOT. SINGLE DX	92	6.0	29	1	1	4	9	13	18	25
" MULTIPLE DX	88	11.7	155	2	2	9	14	24	34	72
TOTAL 0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	11	10.1	59	1	1	11	18	20	20	20
1-5 YRS	36	5.3	35	1	1	3	8	16	19	24
6-12 YRS	18	8.5	93	1	2	5	9	27	31	33
13-19 YRS	114	9.5	111	2	2	7	12	18	24	59
GRAND TOTAL	180	8.8	98	1	2	6	11	18	24	42

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	3	23.7	772	2	2	14	45	55	55	55
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	4	19.5	584	2	2	10	34	55	55	55
" MULTIPLE DX				99+	99+	99+	99+	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	53	99+	99+	99+	99+
13-19 YRS	3	23.7	772	2	2	14	45	55	55	55
GRAND TOTAL	4	19.5	584	2	2	14	66	99+	99+	99+

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	37.0		37	37	37	37	37	37	37
1-5 YRS	10	17.6	371	6	6	10	17	49	69	69
6-12 YRS	5	9.8	85	3	3	6	15	25	25	25
13-19 YRS	74	11.5	82	5	5	9	13	20	21	60
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	57.0	3200	17	17	57	97	97	97	97
1-5 YRS	16	18.1	265	3	4	11	27	37	55	62
6-12 YRS	11	15.9	104	9	10	12	14	34	41	42
13-19 YRS	104	13.8	66	5	6	11	19	26	29	40
TOT. SINGLE DX	90	12.4	120	4	5	9	13	21	30	68
" MULTIPLE DX	133	15.2	143	5	6	12	20	29	38	99+
TOTAL 0-27 DYS										
1-11 MOS	3	50.3	1733	17	17	37	82	97	97	97
1-5 YRS	26	17.9	293	4	5	10	23	37	63	69
6-12 YRS	16	14.0	101	3	4	12	13	29	38	42
13-19 YRS	178	12.9	74	5	5	10	17	24	29	42
GRAND TOTAL	223	14.0	135	5	5	11	18	27	37	98

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	8.5	5	7	7	8	10	10	10	10
1-5 YRS	2	11.5	85	5	5	11	18	18	18	18
6-12 YRS	3	11.3	33	8	8	8	16	18	18	18
13-19 YRS	5	16.2	86	9	9	14	20	32	32	32
2. MULTIPLE DX										
0-27 DYS	4	24.5	293	8	8	28	60	99+	99+	99+
1-11 MOS	2	50.5	3281	10	10	50	91	91	91	91
1-5 YRS	2	8.5	5	7	7	8	10	10	10	10
6-12 YRS	5	21.0	126	11	11	18	28	39	39	39
13-19 YRS	13	14.2	21	8	8	14	18	19	21	21
TOT. SINGLE DX	12	12.9	55	5	6	10	17	22	31	32
" MULTIPLE DX	26	19.4	303	8	8	15	20	45	92	99+
TOTAL 0-27 DYS	4	24.5	294	8	8	28	60	99+	99+	99+
1-11 MOS	4	29.5	1683	7	7	10	51	91	91	91
1-5 YRS	4	10.0	33	5	5	8	14	18	18	18
6-12 YRS	8	17.4	107	8	8	15	21	34	39	39
13-19 YRS	18	14.7	36	8	8	14	18	20	28	32
GRAND TOTAL	38	17.4	230	7	8	14	18	36	71	99+

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	5.9	17	1	1	5	9	12	13	13
1-11 MOS	117	4.3	26	<1	1	3	5	9	16	26
1-5 YRS	289	3.7	28	1	1	2	4	9	12	21
6-12 YRS	112	4.6	49	1	1	2	5	10	15	38
13-19 YRS	156	5.5	40	1	1	4	7	12	17	37
2. MULTIPLE DX										
0-27 DYS	15	25.9	643	4	5	21	55	99	99+	99+
1-11 MOS	100	9.9	142	1	2	6	14	21	29	95
1-5 YRS	212	8.0	89	1	1	5	10	19	27	46
6-12 YRS	85	9.6	133	1	1	6	12	23	30	62
13-19 YRS	191	11.1	144	2	3	8	14	21	34	85
TOT. SINGLE DX	684	4.4	34	1	1	2	5	10	14	31
" MULTIPLE DX	603	10.0	142	1	2	6	13	22	31	90
TOTAL 0-27 DYS	25	17.9	482	1	4	12	23	87	99+	99+
1-11 MOS	217	6.9	87	1	1	4	8	17	23	61
1-5 YRS	501	5.5	58	1	1	3	7	13	19	40
6-12 YRS	197	6.8	91	1	1	3	8	16	28	50
13-19 YRS	347	8.6	106	1	1	6	11	18	25	59
GRAND TOTAL	1287	7.0	93	1	1	4	8	16	23	57

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	4.3	17	1	1	3	9	10	10	10
1-5 YRS	4	2.8	5	1	1	2	4	6	6	6
6-12 YRS	4	5.3	51	1	1	2	9	16	16	16
13-19 YRS	67	6.0	13	2	2	5	8	11	12	19
2. MULTIPLE DX										
0-27 DYS	24	13.9	308	1	2	6	16	35	62	70
1-11 MOS	2	11.5	145	3	3	20	80	99+	99+	99+
1-5 YRS	9	16.7	196	6	6	10	21	41	45	45
6-12 YRS	8	13.0	55	4	5	13	18	24	24	24
13-19 YRS	49	11.4	162	3	3	7	13	20	47	63
TOT. SINGLE DX	82	5.7	15	1	2	5	8	10	13	19
" MULTIPLE DX	92	12.7	189	3	3	8	15	28	56	87
TOTAL 0-27 DYS	25	13.4	300	1	3	6	16	33	61	70
1-11 MOS	8	6.1	44	1	1	4	12	68	99+	99+
1-5 YRS	13	12.4	177	1	1	8	13	38	44	45
6-12 YRS	12	10.4	64	1	2	10	15	23	24	24
13-19 YRS	116	8.3	82	2	2	6	9	15	20	61
GRAND TOTAL	174	9.4	119	1	2	6	10	19	31	68

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	12.5	6	9	9	13	14	15	15	15
1-11 MOS	3	18.3	86	8	8	21	25	26	26	26
1-5 YRS	23	7.7	40	<1	1	5	11	18	21	22
6-12 YRS	31	5.8	19	<1	1	4	9	12	14	18
13-19 YRS	572	6.4	19	2	3	5	8	11	16	24
2. MULTIPLE DX										
0-27 DYS	308	18.2	378	3	4	10	22	54	78	99+
1-11 MOS	24	15.8	233	3	4	12	19	36	82	99+
1-5 YRS	54	14.7	172	3	5	11	18	26	34	87
6-12 YRS	69	12.2	71	4	4	10	16	25	30	39
13-19 YRS	535	10.4	109	3	3	7	12	20	29	75
TOT. SINGLE DX	633	6.5	21	2	3	5	8	12	16	24
" MULTIPLE DX	990	13.3	209	3	4	9	15	30	50	99+
TOTAL 0-27 DYS	312	18.1	375	3	4	11	22	54	78	99+
1-11 MOS	27	16.1	214	3	4	13	20	34	78	99+
1-5 YRS	77	12.6	143	1	3	9	17	24	27	76
6-12 YRS	100	10.2	64	1	3	8	13	22	27	37
13-19 YRS	1107	8.3	67	3	3	6	9	16	22	46
GRAND TOTAL	1623	10.7	146	3	3	7	12	22	36	89

570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	17	7.3	102	<1	1	2	8	27	32	33
1-5 YRS	123	5.1	9	<1	1	5	6	8	10	16
6-12 YRS	120	5.2	8	1	1	6	6	8	10	16
13-19 YRS	237	7.4	36	1	2	6	9	12	17	31
2. MULTIPLE DX										
0-27 DYS	4	6.8	9	4	4	6	9	11	11	11
1-11 MOS	5	15.0	126	2	2	12	25	29	29	29
1-5 YRS	28	7.5	47	1	2	6	9	14	21	36
6-12 YRS	44	9.7	76	1	1	8	12	16	24	51
13-19 YRS	156	11.4	92	2	3	9	15	21	28	50
TOT. SINGLE DX	498	6.3	26	1	2	6	8	10	13	27
" MULTIPLE DX	237	10.6	85	2	2	8	13	20	28	50
TOTAL 0-27 DYS	5	5.8	12	2	2	5	8	11	11	11
1-11 MOS	22	9.0	113	<1	1	3	13	29	31	33
1-5 YRS	151	5.5	17	1	1	5	6	9	11	22
6-12 YRS	164	6.4	31	1	1	6	8	11	15	29
13-19 YRS	393	9.0	62	2	2	7	10	17	21	45
GRAND TOTAL	735	7.7	49	1	2	6	9	15	20	37

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.7	24	1	1	9	10	10	10	10
1-11 MOS	36	11.7	18	6	7	11	14	18	20	21
1-5 YRS	152	9.9	35	6	6	9	11	13	18	28
6-12 YRS	69	9.0	11	6	6	8	10	12	17	23
13-19 YRS	64	9.6	10	6	7	9	11	13	15	24
2. MULTIPLE DX										
0-27 DYS	17	16.2	350	1	2	10	21	39	64	76
1-11 MOS	114	15.8	172	7	8	11	17	36	43	75
1-5 YRS	197	12.6	95	7	7	10	12	21	30	64
6-12 YRS	91	11.2	41	7	7	9	12	17	25	41
13-19 YRS	83	13.0	52	8	8	10	14	22	29	43
TOT. SINGLE DX	324	9.8	24	6	6	9	11	14	18	25
" MULTIPLE DX	502	13.3	106	7	7	10	14	23	36	64
TOTAL 0-27 DYS	20	14.8	310	1	2	9	18	33	59	76
1-11 MOS	150	14.8	138	7	7	11	16	27	42	74
1-5 YRS	349	11.4	71	6	7	9	12	18	24	57
6-12 YRS	160	10.3	29	6	7	9	11	16	21	36
13-19 YRS	147	11.5	37	7	7	10	12	18	25	38
GRAND TOTAL	826	11.9	77	6	7	9	12	19	27	51

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	2	12.0	2	11	11	12	13	13	13	13
6-12 YRS	3	19.7	33	13	13	23	23	23	23	23
13-19 YRS	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	20.3	257	10	10	13	30	44	44	44
1-5 YRS										
6-12 YRS										
13-19 YRS	6	15.8	30	9	9	14	22	23	23	23
TOT. SINGLE DX	7	16.3	24	11	11	15	21	23	23	23
" MULTIPLE DX	11	16.9	103	9	9	13	20	31	43	44
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	5	19.4	197	10	10	16	23	44	44	44
1-5 YRS	2	12.0	2	11	11	12	13	13	13	13
6-12 YRS	3	19.7	33	13	13	23	23	23	23	23
13-19 YRS	7	15.7	26	9	10	15	20	23	23	23
GRAND TOTAL	18	16.7	69	9	10	14	22	23	36	44

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	4.9	54	<1	<1	2	5	15	25	26
1-11 MOS	167	2.1	2	1	1	2	2	3	5	9
1-5 YRS	473	2.0	2	1	1	2	2	2	4	9
6-12 YRS	221	1.9		1	1	2	2	2	3	6
13-19 YRS	277	2.3	5	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	81	11.2	204	1	2	6	12	31	44	68
1-11 MOS	367	5.1	67	1	1	2	4	12	24	44
1-5 YRS	598	2.6	14	1	1	2	2	3	7	17
6-12 YRS	296	2.4	9	1	1	2	2	3	4	13
13-19 YRS	297	3.2	11	1	2	2	3	6	10	18
TOT. SINGLE DX	1149	2.1	3	1	1	2	2	3	4	9
" MULTIPLE DX	1639	3.7	38	1	1	2	2	7	13	34
TOTAL 0-27 DYS	92	10.5	190	1	1	5	11	28	40	68
1-11 MOS	534	4.2	49	1	1	2	3	9	19	42
1-5 YRS	1071	2.3	9	1	1	2	2	3	6	15
6-12 YRS	517	2.2	6	1	1	2	2	2	4	10
13-19 YRS	574	2.8	9	1	1	2	2	5	7	17
GRAND TOTAL	2788	3.0	24	1	1	2	2	5	9	27

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.5	13	5	5	7	10	10	10	10
1-11 MOS	5	4.4	5	2	2	4	6	8	8	8
1-5 YRS	9	4.4	3	2	2	5	5	7	8	8
6-12 YRS	8	5.8	26	2	2	4	5	14	18	18
13-19 YRS	17	5.6	9	1	3	5	7	8	12	14
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	16.4	305	3	3	9	25	46	46	46
1-5 YRS	10	17.9	790	2	3	8	13	61	95	95
6-12 YRS	17	9.8	27	2	3	9	13	16	19	21
13-19 YRS	28	9.0	59	2	3	6	11	21	28	33
TOT. SINGLE DX	41	5.3	10	2	2	5	7	8	12	18
" MULTIPLE DX	61	11.3	186	2	3	7	12	22	30	90
TOTAL 0-27 DYS	3	7.7	6	5	5	8	9	10	10	10
1-11 MOS	10	10.4	178	2	2	5	9	32	46	46
1-5 YRS	19	11.5	444	2	2	5	9	22	65	95
6-12 YRS	25	8.5	29	2	2	7	13	16	19	21
13-19 YRS	45	7.7	43	2	3	6	8	14	25	33
GRAND TOTAL	102	8.9	123	2	3	6	10	15	25	69

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	7.5	25	1	1	8	11	12	12	12
1-5 YRS	15	8.9	19	2	4	8	11	18	18	18
6-12 YRS	11	11.3	116	1	3	8	11	26	41	42
13-19 YRS	17	10.6	77	2	4	9	11	19	33	40
2. MULTIPLE DX										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	17	12.0	43	3	6	10	16	21	26	28
1-5 YRS	15	12.5	117	1	2	9	14	23	40	46
6-12 YRS	20	13.1	124	1	3	9	15	29	38	46
13-19 YRS	44	12.7	59	4	7	11	16	21	24	48
TOT. SINGLE DX	48	9.8	61	1	2	8	11	17	22	42
" MULTIPLE DX	97	12.7	76	2	5	10	16	23	29	47
TOTAL 0-27 DYS	2	10.5	145	2	2	10	19	19	19	19
1-11 MOS	21	11.1	42	2	4	10	15	20	25	28
1-5 YRS	30	10.7	70	2	3	9	11	18	23	46
6-12 YRS	31	12.5	119	1	4	9	14	29	41	46
13-19 YRS	61	12.1	64	3	5	10	15	21	24	47
GRAND TOTAL	145	11.7	73	2	4	10	14	21	28	46

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	140	3.8	2	2	2	3	5	6	7	8
1-11 MOS	123	3.6	14	<1	<1	2	5	9	12	18
1-5 YRS	364	2.8	9	<1	<1	2	4	6	9	13
6-12 YRS	197	3.0	20	<1	<1	1	2	7	11	24
13-19 YRS	150	3.8	15	<1	1	2	5	10	12	18
2. MULTIPLE DX										
0-27 DYS	797	5.1	36	2	3	4	5	8	12	49
1-11 MOS	134	9.3	82	1	2	7	12	19	24	92
1-5 YRS	264	5.8	41	<1	1	4	8	13	17	26
6-12 YRS	157	5.4	28	1	1	3	8	14	16	25
13-19 YRS	216	8.8	88	1	1	6	12	21	28	52
TOT. SINGLE DX	974	3.2	12	<1	<1	2	4	7	10	17
" MULTIPLE DX	1568	6.1	90	1	2	4	7	13	19	44
TOTAL 0-27 DYS	937	4.9	32	2	3	4	5	7	10	28
1-11 MOS	257	6.6	58	<1	1	4	9	14	20	38
1-5 YRS	628	4.1	25	<1	<1	2	5	10	12	21
6-12 YRS	354	4.1	25	<1	1	2	5	10	15	25
13-19 YRS	366	6.7	64	1	1	4	9	16	22	46
GRAND TOTAL	2542	5.0	38	<1	1	3	6	11	15	29

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	9	3.9	9	1	1	3	5	9	10	10
6-12 YRS										
13-19 YRS	119	3.6	2	2	2	3	4	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	20	5.3	16	1	2	4	6	13	15	15
TOT. SINGLE DX	131	3.7	3	2	2	3	4	6	7	10
" MULTIPLE DX	22	5.0	16	1	2	3	5	12	15	15
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	10	3.8	8	1	1	3	4	9	10	10
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	139	3.9	5	2	2	3	4	6	8	15
GRAND TOTAL	153	3.9	5	2	2	3	4	6	8	15

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	11	8.8	6	5	6	9	10	12	13	15
1-5 YRS	8	10.4	51	5	5	8	11	23	27	27
6-12 YRS	8	8.9	70	2	2	6	11	23	27	27
13-19 YRS	35	10.3	138	1	2	7	13	18	37	58
2. MULTIPLE DX										
0-27 DYS	14	24.4	667	5	9	15	30	87	97	99+
1-11 MOS	26	15.3	103	7	7	12	18	28	42	46
1-5 YRS	35	11.1	52	5	6	9	13	26	80	99+
6-12 YRS	15	15.7	64	6	7	15	24	29	79	99+
13-19 YRS	104	14.2	175	2	3	11	17	29	39	70
TOT. SINGLE DX	64	9.8	90	2	2	7	12	17	29	55
" MULTIPLE DX	194	14.6	175	3	4	11	17	30	46	99+
TOTAL 0-27 DYS	16	22.3	611	4	6	13	23	85	95	99+
1-11 MOS	37	13.4	83	6	7	10	15	23	37	46
1-5 YRS	43	11.0	51	5	6	9	13	27	57	99+
6-12 YRS	23	13.3	74	2	5	11	23	27	50	99+
13-19 YRS	139	13.2	168	2	2	10	16	29	39	64
GRAND TOTAL	258	13.4	158	2	3	10	16	28	42	99+

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	17.5	85	11	11	17	24	24	24	24
13-19 YRS										
TOT. SINGLE DX	2	9.5	5	8	8	9	11	11	11	11
" MULTIPLE DX	2	17.5	85	11	11	17	24	24	24	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	17.5	85	11	11	17	24	24	24	24
13-19 YRS	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	4	13.5	51	8	8	11	18	24	24	24

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	13	2.2	5	<1	<1	1	2	6	8	8
13-19 YRS	21	4.3	19	<1	<1	2	7	11	13	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	21	5.0	62	<1	<1	3	5	11	24	37
13-19 YRS	206	4.2	28	<1	<1	2	5	11	16	27
TOT. SINGLE DX	37	3.3	14	<1	<1	1	4	10	11	16
" MULTIPLE DX	229	4.4	31	<1	<1	2	5	11	16	31
TOTAL 0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	4	2.8	12	1	1	1	5	8	8	8
6-12 YRS	34	3.9	42	<1	<1	2	4	8	12	37
13-19 YRS	227	4.3	27	<1	<1	2	6	11	16	28
GRAND TOTAL	266	4.2	29	<1	<1	2	5	11	15	29

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	103	9.4	125	1	2	5	10	20	40	61
1-11 MOS	173	9.0	30	2	3	8	11	16	21	32
1-5 YRS	315	7.5	42	1	2	6	10	13	16	28
6-12 YRS	118	5.8	32	1	1	5	8	11	13	31
13-19 YRS	245	5.7	29	1	1	4	8	11	17	27
2. MULTIPLE DX										
0-27 DYS	4726	20.7	407	2	4	13	30	55	74	99+
1-11 MOS	394	12.0	107	2	4	9	15	25	37	99+
1-5 YRS	406	10.8	152	2	3	7	12	21	37	99
6-12 YRS	159	9.7	139	1	1	7	11	24	34	53
13-19 YRS	537	11.5	211	1	1	6	13	28	45	76
TOT. SINGLE DX	954	7.3	47	1	1	6	9	14	19	37
" MULTIPLE DX	6222	18.5	365	2	3	11	26	50	69	99+
TOTAL 0-27 DYS	4829	20.5	404	2	4	13	30	54	73	99+
1-11 MOS	567	11.1	86	2	4	8	13	21	33	83
1-5 YRS	721	9.4	107	1	2	7	11	17	24	77
6-12 YRS	277	8.0	97	1	1	5	9	16	27	46
13-19 YRS	782	9.7	162	1	1	6	11	21	36	72
GRAND TOTAL	7176	17.0	337	1	3	10	22	46	64	99+

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	67	4.3	13	<1	1	3	5	10	12	17
1-5 YRS	442	2.8	7	<1	<1	2	3	6	8	15
6-12 YRS	542	3.1	10	<1	1	2	3	6	10	17
13-19 YRS	991	3.4	14	<1	1	2	4	7	11	19
2. MULTIPLE DX										
0-27 DYS	6	18.8	259	5	5	24	41	89	99+	99+
1-11 MOS	42	8.8	82	2	3	7	10	14	18	59
1-5 YRS	163	5.4	32	1	1	4	8	11	13	24
6-12 YRS	175	4.7	29	<1	1	3	5	10	15	34
13-19 YRS	353	5.7	43	1	1	3	7	13	17	25
TOT. SINGLE DX	2044	3.2	12	<1	1	2	3	7	10	17
" MULTIPLE DX	739	5.7	43	1	1	4	7	12	16	35
TOTAL 0-27 DYS	8	14.4	254	1	1	7	30	78	99+	99+
1-11 MOS	109	6.0	44	1	1	4	8	12	14	37
1-5 YRS	605	3.5	15	<1	1	2	4	8	11	17
6-12 YRS	717	3.4	16	<1	1	2	4	8	11	19
13-19 YRS	1344	4.0	23	<1	1	2	4	9	13	23
GRAND TOTAL	2783	3.9	21	<1	1	2	4	9	12	21

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	15	1.9	1	<1	<1	2	2	3	5	5
6-12 YRS	15	2.1		<1	1	2	3	3	4	4
13-19 YRS	49	4.8	12	1	2	4	7	10	13	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	4.0	4	1	1	4	6	7	7	7
6-12 YRS	7	6.1	26	2	2	4	9	15	16	16
13-19 YRS	24	8.0	29	1	2	7	11	15	18	24
TOT. SINGLE DX	80	3.7	10	<1	1	2	5	8	11	13
" MULTIPLE DX	38	6.9	26	1	2	6	10	14	16	24
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	21	2.5	3	<1	<1	2	3	5	6	7
6-12 YRS	22	3.4	12	<1	1	2	3	7	12	16
13-19 YRS	73	5.9	20	1	2	4	8	13	13	22
GRAND TOTAL	118	4.7	17	1	1	3	7	11	13	19

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	29.0	1488	1	1	13	58	73	73	73
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	2	9.0	98	2	2	9	16	16	16	16
" MULTIPLE DX	3	29.0	1488	1	1	13	58	73	73	73
TOTAL 0-27 DYS										
1-11 MOS	3	29.0	1488	1	1	13	58	73	73	73
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	5	21.0	889	1	1	13	30	73	73	73

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS										
TOT. SINGLE DX	1	2.0		2	2	2	2	2	2	2
" MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	2	3.0	2	2	2	3	4	4	4	4

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	34	7.8	134	1	1	5	7	14	40	56
1-5 YRS	316	7.5	85	1	1	5	9	15	22	54
6-12 YRS	364	6.9	35	2	2	6	8	12	18	30
13-19 YRS	592	8.9	78	2	3	7	9	16	24	49
2. MULTIPLE DX										
0-27 DYS	19	16.8	313	4	5	10	16	44	64	73
1-11 MOS	56	8.3	36	2	3	7	12	16	20	29
1-5 YRS	252	9.6	115	1	2	7	11	20	29	69
6-12 YRS	368	10.9	95	2	3	8	13	24	31	58
13-19 YRS	855	12.5	142	3	4	9	14	26	38	76
TOT. SINGLE DX	1307	8.0	71	1	2	6	9	14	21	45
" MULTIPLE DX	1550	11.5	126	2	3	8	13	25	35	73
TOTAL 0-27 DYS	20	16.2	305	3	4	10	16	41	62	73
1-11 MOS	90	8.1	72	1	2	5	10	16	20	52
1-5 YRS	568	8.4	100	1	1	6	10	17	25	67
6-12 YRS	732	8.9	70	2	3	7	10	18	25	43
13-19 YRS	1447	11.0	119	2	4	8	12	23	35	71
GRAND TOTAL	2857	9.9	104	2	3	7	11	20	30	62

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	4.7	2	3	3	4	5	7	8	8
1-11 MOS	24	12.0	175	2	2	8	14	27	44	59
1-5 YRS	35	12.8	342	1	2	5	11	39	52	87
6-12 YRS	10	10.7	104	1	1	8	14	26	35	35
13-19 YRS	33	8.0	68	1	2	5	11	18	28	37
2. MULTIPLE DX										
0-27 DYS	152	14.4	365	3	3	6	15	57	76	99+
1-11 MOS	68	16.7	321	2	3	11	20	38	61	80
1-5 YRS	44	14.2	289	2	2	8	27	35	94	99+
6-12 YRS	25	13.7	425	<1	1	8	15	34	50	99
13-19 YRS	60	18.8	309	1	2	15	28	43	62	98
TOT. SINGLE DX	111	10.3	178	1	2	5	12	26	37	70
" MULTIPLE DX	349	15.5	341	2	3	8	21	41	73	99+
TOTAL 0-27 DYS	161	13.8	350	3	3	6	14	47	75	99+
1-11 MOS	92	15.5	286	2	3	9	19	37	58	80
1-5 YRS	79	13.5	309	1	2	7	19	37	70	99+
6-12 YRS	35	12.8	330	<1	1	8	14	34	38	99
13-19 YRS	93	15.0	250	1	2	10	22	35	57	92
GRAND TOTAL	460	14.3	306	1	2	7	18	37	63	99+

588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	20	3.6	15	<1	<1	2	4	7	13	18
1-5 YRS	78	2.8	13	<1	<1	2	2	6	8	23
6-12 YRS	29	3.8	25	<1	<1	1	3	14	16	17
13-19 YRS	80	4.5	27	<1	1	3	6	10	11	32
2. MULTIPLE DX										
0-27 DYS	16	21.6	254	3	6	14	33	50	52	52
1-11 MOS	9	17.6	810	2	2	5	16	67	89	89
1-5 YRS	42	10.7	175	<1	1	5	18	27	41	54
6-12 YRS	28	5.9	35	1	1	4	7	14	17	28
13-19 YRS	78	8.7	61	<1	2	7	11	20	22	44
TOT. SINGLE DX	208	3.6	21	<1	1	2	4	8	12	22
" MULTIPLE DX	173	10.4	154	1	1	7	12	24	34	54
TOTAL 0-27 DYS	17	20.5	261	2	3	14	32	49	52	52
1-11 MOS	29	7.9	286	<1	<1	3	6	15	36	89
1-5 YRS	120	5.6	83	<1	<1	2	5	17	26	51
6-12 YRS	57	4.8	31	<1	1	2	7	14	16	27
13-19 YRS	158	6.6	48	<1	1	4	9	13	20	39
GRAND TOTAL	381	6.7	92	<1	1	3	8	16	24	51

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	413	4.2	6	2	2	4	5	7	8	11
1-11 MOS	959	4.1	4	2	2	4	5	6	8	11
1-5 YRS	127	4.6	3	2	3	4	6	7	8	10
6-12 YRS	7	5.3	10	1	1	5	8	9	9	9
13-19 YRS	6	5.5	9	1	1	6	8	9	9	9
2. MULTIPLE DX										
0-27 DYS	97	7.5	55	3	3	6	8	11	18	45
1-11 MOS	210	5.6	10	2	3	5	7	10	12	18
1-5 YRS	29	8.1	22	3	4	7	9	16	19	21
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5	13.4	60	3	3	12	19	24	24	24
TOT. SINGLE DX	1512	4.2	5	2	2	4	5	7	8	11
" MULTIPLE DX	342	6.5	27	2	3	5	7	11	14	26
TOTAL 0-27 DYS	510	4.8	18	2	2	4	6	8	9	21
1-11 MOS	1169	4.3	6	2	2	4	5	7	9	13
1-5 YRS	156	5.3	9	2	3	5	6	8	10	19
6-12 YRS	8	5.4	9	1	1	5	8	9	9	9
13-19 YRS	11	9.1	46	1	2	8	12	20	24	24
GRAND TOTAL	1854	4.6	10	2	2	4	5	7	9	16

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.7	40	1	1	1	9	12	12	12
1-11 MOS	1	72.0		72	72	72	72	72	72	72
1-5 YRS	8	4.8	6	1	2	4	7	8	8	8
6-12 YRS	3	7.0	4	5	5	7	8	9	9	9
13-19 YRS	9	9.9	47	2	3	9	11	21	25	25
2. MULTIPLE DX										
0-27 DYS	22	33.9	441	8	12	32	62	99+	99+	99+
1-11 MOS	22	25.8	228	6	7	27	39	61	99+	99+
1-5 YRS	36	20.6	334	3	4	18	35	65	99+	99+
6-12 YRS	25	11.6	58	3	5	9	17	23	26	33
13-19 YRS	37	20.2	455	4	5	12	31	70	94	99+
TOT. SINGLE DX	24	9.8	204	1	1	6	9	17	39	72
" MULTIPLE DX	142	21.8	354	4	5	17	35	67	99+	99+
TOTAL 0-27 DYS	25	30.4	484	1	8	30	53	96	99+	99+
1-11 MOS	23	27.8	311	6	7	30	40	72	99+	99+
1-5 YRS	44	17.8	311	2	4	11	32	62	99+	99+
6-12 YRS	28	11.1	55	4	5	9	14	22	25	33
13-19 YRS	46	18.2	390	4	5	11	22	64	89	99+
GRAND TOTAL	166	20.0	348	3	5	14	33	66	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	6.8	19	3	3	5	9	13	13	13
1-5 YRS	3	3.3	10	<1	<1	2	6	7	7	7
6-12 YRS	14	4.8	6	<1	2	4	7	9	9	9
13-19 YRS	78	5.3	10	1	2	5	6	10	11	17
2. MULTIPLE DX										
0-27 DYS	2	24.5	1	24	24	24	25	25	25	25
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS	13	6.9	29	<1	2	5	9	17	19	19
13-19 YRS	161	7.0	15	3	3	6	9	12	14	22
TOT. SINGLE DX	99	5.2	10	<1	2	5	7	10	11	16
" MULTIPLE DX	180	7.2	19	3	3	6	9	13	15	25
TOTAL 0-27 DYS	2	24.5	1	24	24	24	25	25	25	25
1-11 MOS	6	6.7	11	3	3	6	7	12	13	13
1-5 YRS	5	4.2	7	<1	<1	5	6	7	7	7
6-12 YRS	27	5.8	18	<1	2	5	7	10	16	19
13-19 YRS	239	6.5	14	2	3	6	9	11	14	19
GRAND TOTAL	279	6.5	17	2	3	6	8	11	14	23

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	20	8.0	8	3	3	8	10	12	13	13
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	11.3	16	7	7	12	14	15	15	15
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	17	24.5	454	7	7	18	24	63	78	83
TOT. SINGLE DX	21	8.0	8	3	3	8	10	12	13	13
" MULTIPLE DX	23	20.2	391	4	6	15	21	80	73	83
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	11.3	16	7	7	12	14	15	15	15
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	37	15.6	277	3	6	10	17	25	60	83
GRAND TOTAL	44	14.4	242	3	5	9	16	23	52	83

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
TOT. SINGLE DX	1	2.0		2	2	2	2	2	2	2
" MULTIPLE DX	1	11.0		11	11	11	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.5	41	2	2	6	11	11	11	11
GRAND TOTAL	2	6.5	41	2	2	6	11	11	11	11

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	26	10.1	16	5	5	9	12	17	18	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	23.4	480	10	10	17	29	62	62	62
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	17	17.1	107	7	8	14	21	31	43	48
TOT. SINGLE DX	28	10.0	16	5	5	9	12	17	18	20
" MULTIPLE DX	23	18.0	179	7	8	14	20	36	53	62
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	5	23.4	480	10	10	17	29	62	62	62
1-5 YRS	2	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	43	12.9	63	5	6	11	16	21	26	48
GRAND TOTAL	51	13.6	104	5	6	11	16	21	32	62

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	6.2	15	3	3	6	6	12	17	17
1-11 MOS	40	7.7	70	2	2	5	8	16	27	41
1-5 YRS	29	7.1	17	2	3	6	8	13	14	22
6-12 YRS	11	11.9	134	5	6	8	12	26	44	46
13-19 YRS	129	8.6	18	5	6	8	9	12	18	31
2. MULTIPLE DX										
0-27 DYS	11	37.2	429	8	15	27	51	68	76	77
1-11 MOS	55	17.6	223	4	5	13	24	39	56	99
1-5 YRS	41	15.2	237	3	5	9	19	28	52	82
6-12 YRS	31	14.1	186	1	5	8	18	28	42	67
13-19 YRS	174	12.3	123	5	6	9	13	24	37	80
TOT. SINGLE DX	220	8.3	34	3	4	7	9	13	17	40
" MULTIPLE DX	312	14.7	192	5	5	9	18	31	50	82
TOTAL 0-27 DYS	22	21.7	463	3	4	12	27	55	68	77
1-11 MOS	95	13.4	181	2	3	8	18	32	41	90
1-5 YRS	70	11.9	161	2	3	8	14	22	29	76
6-12 YRS	42	13.5	170	3	5	8	13	28	44	67
13-19 YRS	303	10.7	82	5	6	8	10	19	28	63
GRAND TOTAL	532	12.0	136	4	5	8	13	25	38	77

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	25	7.6	75	<1	<1	5	8	13	33	38
1-5 YRS	134	3.9	10	<1	<1	3	5	9	11	14
6-12 YRS	128	4.9	20	<1	1	4	7	10	12	24
13-19 YRS	316	6.0	22	1	2	5	8	11	15	25
2. MULTIPLE DX										
0-27 DYS	10	20.4	373	4	4	13	24	52	67	67
1-11 MOS	42	9.6	73	2	3	7	10	20	30	44
1-5 YRS	78	7.0	71	1	2	5	8	13	15	54
6-12 YRS	103	7.0	34	1	2	6	9	13	18	32
13-19 YRS	339	8.6	53	2	3	7	10	16	22	41
TOT. SINGLE DX	605	5.4	22	<1	1	4	7	10	13	25
" MULTIPLE DX	572	8.4	62	2	2	7	10	15	22	51
TOTAL 0-27 DYS	12	18.2	335	3	4	12	23	46	64	67
1-11 MOS	67	8.9	74	1	2	7	10	18	31	43
1-5 YRS	212	5.0	35	<1	1	4	6	10	13	31
6-12 YRS	231	5.8	27	1	1	5	8	11	15	30
13-19 YRS	655	7.4	40	1	2	6	9	14	18	38
GRAND TOTAL	1177	6.8	44	1	1	5	8	13	17	38

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	41.0		41	41	41	41	41	41	41
1-11 MOS	10	15.1	175	6	6	9	18	38	46	46
1-5 YRS	22	8.5	10	4	5	8	11	13	14	15
6-12 YRS	15	9.1	13	4	5	8	11	16	17	17
13-19 YRS	61	10.7	48	5	6	9	12	16	19	43
2. MULTIPLE DX										
0-27 DYS	35	42.2	720	10	12	48	82	99+	99+	99+
1-11 MOS	16	16.8	114	6	7	13	22	31	41	45
1-5 YRS	38	10.7	72	5	5	9	11	15	26	54
6-12 YRS	41	10.3	46	4	4	9	11	21	25	35
13-19 YRS	139	17.1	179	6	7	12	20	34	51	70
TOT. SINGLE DX	109	10.8	57	5	5	9	12	16	21	44
" MULTIPLE DX	269	18.4	301	5	6	12	23	49	74	99+
TOTAL 0-27 DYS	36	42.2	700	10	12	47	81	99+	99+	99+
1-11 MOS	26	16.1	133	6	7	10	22	32	45	46
1-5 YRS	60	9.9	50	4	5	9	11	13	20	51
6-12 YRS	56	10.0	38	4	4	9	11	17	23	36
13-19 YRS	200	15.2	148	6	7	11	17	31	43	62
GRAND TOTAL	378	16.2	242	5	6	11	18	41	56	99+

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	36.0	512	20	20	36	52	52	52	52
1-11 MOS	16	8.6	31	3	5	7	10	12	23	27
1-5 YRS	14	10.1	22	5	5	9	11	19	20	20
6-12 YRS	16	15.6	113	7	7	10	20	35	36	36
13-19 YRS	106	14.3	57	6	7	12	17	23	33	40
2. MULTIPLE DX										
0-27 DYS	21	41.5	687	9	10	47	82	99+	99+	99+
1-11 MOS	26	15.0	269	4	5	12	17	20	42	90
1-5 YRS	22	11.3	74	3	4	9	15	23	64	99+
6-12 YRS	28	13.6	162	2	4	10	15	25	45	63
13-19 YRS	161	18.7	220	7	7	14	23	36	54	94
TOT. SINGLE DX	154	13.7	70	5	6	11	17	23	34	43
" MULTIPLE DX	258	19.0	291	6	7	14	23	46	74	99+
TOTAL 0-27 DYS	23	41.0	650	9	10	47	78	99+	99+	99+
1-11 MOS	42	12.5	185	4	5	9	13	19	28	90
1-5 YRS	36	10.8	54	4	5	9	15	19	36	99+
6-12 YRS	44	14.3	142	3	6	10	16	33	38	63
13-19 YRS	267	17.0	160	7	7	13	20	31	41	81
GRAND TOTAL	412	17.0	215	6	7	12	20	36	57	99+

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	6.0	18	3	3	[illegible]	9	9	9	9
1-5 YRS	5	8.2	56	2	2	5	11	21	21	21
6-12 YRS	6	6.5	14	3	3	6	8	12	13	13
13-19 YRS	11	7.8	9	3	4	7	9	13	14	14
2. MULTIPLE DX										
0-27 DYS	9	39.2	1680	6	7	17	98	99+	99+	99+
1-11 MOS	3	28.0	733	9	9	16	48	59	59	59
1-5 YRS	13	18.4	298	2	4	10	26	47	58	60
6-12 YRS	13	14.2	196	4	5	10	17	29	52	57
13-19 YRS	40	16.5	188	5	7	12	17	31	40	79
TOT. SINGLE DX	24	7.4	18	2	3	7	9	13	16	21
" MULTIPLE DX	78	19.5	424	4	6	12	21	53	81	99+
TOTAL 0-27 DYS	9	39.2	1680	6	7	17	98	99+	99+	99+
1-11 MOS	5	19.2	516	3	3	9	27	59	59	59
1-5 YRS	18	15.6	246	2	3	9	21	40	54	60
6-12 YRS	19	11.8	149	3	4	8	13	21	41	57
13-19 YRS	51	14.6	162	5	6	11	14	31	33	79
GRAND TOTAL	102	16.7	384	3	5	10	17	38	67	99+

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	15.8	129	4	4	15	25	29	29	29
1-11 MOS	135	6.0	14	2	2	5	8	11	12	18
1-5 YRS	100	7.2	44	2	3	6	8	11	19	41
6-12 YRS	35	7.4	8	3	4	7	9	11	12	17
13-19 YRS	169	8.8	17	4	5	8	11	13	16	28
2. MULTIPLE DX										
0-27 DYS	39	29.3	633	7	11	20	36	95	99	99+
1-11 MOS	96	9.0	73	2	2	7	10	18	24	51
1-5 YRS	103	10.2	104	4	4	8	11	20	30	94
6-12 YRS	59	10.0	47	3	4	8	12	19	24	35
13-19 YRS	227	13.3	111	5	6	10	15	23	35	62
TOT. SINGLE DX	443	7.5	25	2	3	7	9	12	15	29
" MULTIPLE DX	524	12.7	159	3	4	9	15	24	35	94
TOTAL 0-27 DYS	43	28.1	598	5	9	20	35	93	98	99+
1-11 MOS	231	7.3	41	2	2	6	9	13	18	32
1-5 YRS	203	8.7	77	3	4	7	9	15	23	72
6-12 YRS	94	9.0	34	3	4	8	10	16	21	35
13-19 YRS	396	11.4	77	4	5	9	12	20	27	50
GRAND TOTAL	967	10.4	104	3	4	8	11	19	27	64

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	8.9	32	4	4	7	9	19	21	21
1-11 MOS	13	11.6	47	4	5	11	19	31	85	99+
1-5 YRS	2	18.5	25	15	15	18	22	22	22	22
6-12 YRS	4	11.5	35	6	5	11	16	18	18	18
13-19 YRS	10	10.3	7	6	7	10	12	14	16	16
2. MULTIPLE DX										
0-27 DYS	22	17.0	82	6	8	16	25	43	99+	99+
1-11 MOS	12	20.9	146	8	10	16	29	61	93	99+
1-5 YRS	10	22.5	474	5	5	13	31	61	67	67
6-12 YRS	8	22.3	868	4	5	10	23	72	93	93
13-19 YRS	28	22.3	255	7	9	17	43	99+	99+	99+
TOT. SINGLE DX	36	11.1	32	4	5	9	15	22	23	99+
" MULTIPLE DX	80	20.7	266	6	7	16	29	66	99+	99+
TOTAL 0-27 DYS	29	15.0	82	5	6	14	23	37	97	99+
1-11 MOS	25	16.1	113	5	5	15	23	48	99+	99+
1-5 YRS	12	21.8	393	5	6	14	26	59	66	67
6-12 YRS	12	18.7	590	4	5	10	20	45	86	93
13-19 YRS	38	19.2	217	7	8	14	29	73	99+	99+
GRAND TOTAL	116	17.7	212	5	6	14	24	55	99+	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	3.8	3	2	2	3	5	7	7	7
1-11 MOS	18	4.3	6	1	1	4	5	8	10	11
1-5 YRS	956	5.6	13	2	2	5	7	10	12	17
6-12 YRS	10187	4.3	5	2	2	4	5	7	9	14
13-19 YRS	16838	4.3	5	2	2	4	5	7	8	13
2. MULTIPLE DX										
0-27 DYS	6	6.3	15	2	2	5	10	12	12	12
1-11 MOS	12	7.3	15	3	3	6	10	13	14	14
1-5 YRS	379	8.4	30	2	3	7	11	16	18	29
6-12 YRS	2328	6.9	25	2	3	5	9	14	17	27
13-19 YRS	4069	6.4	23	2	3	5	7	11	15	24
TOT. SINGLE DX	28004	4.4	6	2	2	4	5	7	9	14
" MULTIPLE DX	6794	6.7	25	2	3	5	8	12	16	26
TOTAL 0-27 DYS	11	5.2	11	2	2	4	7	11	12	12
1-11 MOS	30	5.5	12	1	2	4	7	11	13	14
1-5 YRS	1335	6.4	20	2	2	5	8	12	15	23
6-12 YRS	12515	4.8	11	2	2	4	5	8	11	18
13-19 YRS	20907	4.7	10	2	2	4	5	8	10	17
GRAND TOTAL	34798	4.8	11	2	2	4	5	8	11	18

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	5.5	1	5	5	5	6	7	7	7
1-5 YRS	8	7.1	9	4	4	6	8	12	14	14
6-12 YRS	114	4.1	4	2	2	4	5	7	8	12
13-19 YRS	258	4.6	7	2	3	4	5	7	8	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	4	17.8	471	3	3	10	32	49	49	49
6-12 YRS	40	6.5	12	3	3	6	8	11	14	19
13-19 YRS	91	6.3	12	3	3	5	8	11	13	21
TOT. SINGLE DX	384	4.5	7	2	3	4	5	7	8	13
" MULTIPLE DX	137	6.6	26	3	3	5	8	11	14	28
TOTAL 0-27 DYS										
1-11 MOS	6	5.3	1	5	5	5	5	7	7	7
1-5 YRS	12	10.7	162	3	3	6	11	26	46	49
6-12 YRS	154	4.7	7	2	3	4	6	8	10	15
13-19 YRS	349	5.0	9	2	3	4	6	8	10	14
GRAND TOTAL	521	5.1	13	2	3	4	6	8	10	17

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	8.2	21	2	3	7	10	14	20	20
6-12 YRS	39	9.1	34	3	3	8	11	16	21	30
13-19 YRS	63	9.6	47	2	3	8	12	16	22	43
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	4	9.8	19	6	6	8	12	16	16	16
6-12 YRS	26	10.7	27	4	5	10	13	16	20	29
13-19 YRS	20	10.2	18	4	5	9	13	16	19	21
TOT. SINGLE DX	113	9.3	40	2	3	8	12	16	21	36
" MULTIPLE DX	51	10.5	23	4	5	9	13	16	18	29
TOTAL 0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	15	8.6	20	2	3	8	10	16	19	20
6-12 YRS	65	9.7	32	3	4	8	12	16	19	30
13-19 YRS	83	9.7	41	3	3	9	13	16	21	39
GRAND TOTAL	164	9.7	35	3	4	9	12	16	20	30

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	33	4.6	22	<1	1	2	6	12	14	21
1-5 YRS	141	3.1	10	<1	1	2	4	7	10	17
6-12 YRS	111	3.5	10	<1	<1	2	5	8	9	19
13-19 YRS	220	4.7	15	1	2	4	6	9	11	23
2. MULTIPLE DX										
0-27 DYS	14	19.4	329	3	3	13	29	57	89	99+
1-11 MOS	27	8.6	88	2	2	5	9	23	35	38
1-5 YRS	58	4.6	59	<1	1	3	6	7	9	55
6-12 YRS	59	4.9	20	<1	1	3	7	10	13	27
13-19 YRS	106	6.5	23	2	2	5	8	13	17	24
TOT. SINGLE DX	507	4.0	14	<1	1	3	5	9	10	20
" MULTIPLE DX	264	6.6	63	1	1	4	8	13	22	57
TOTAL 0-27 DYS	16	17.7	309	3	3	12	28	57	85	99+
1-11 MOS	60	6.4	55	1	1	3	7	14	22	38
1-5 YRS	199	3.5	25	<1	1	2	4	7	10	18
6-12 YRS	170	4.0	14	<1	1	3	5	8	10	20
13-19 YRS	326	5.3	18	1	2	4	7	10	15	23
GRAND TOTAL	771	4.9	32	<1	1	3	6	10	14	28

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	23	3.2	9	<1	1	2	4	5	9	15
1-5 YRS	23	3.4	8	<1	<1	2	5	8	10	11
6-12 YRS	19	3.7	14	<1	1	3	4	6	13	18
13-19 YRS	165	3.8	6	1	1	3	5	7	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	12	3.4	8	1	1	2	5	8	9	9
1-5 YRS	10	5.3	13	2	2	4	6	11	12	12
6-12 YRS	9	4.6	7	1	1	5	6	9	9	9
13-19 YRS	57	4.6	23	1	1	3	6	8	9	14
TOT. SINGLE DX	231	3.7	7	1	1	3	5	7	9	14
" MULTIPLE DX	88	4.8	19	1	1	4	6	8	9	27
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	35	3.3	9	<1	1	2	5	6	9	15
1-5 YRS	33	4.0	10	<1	1	3	6	9	11	12
6-12 YRS	28	4.0	12	1	1	3	5	7	10	18
13-19 YRS	222	4.0	11	1	1	3	5	7	9	13
GRAND TOTAL	319	3.9	11	1	1	3	5	8	9	14

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	16	9.7	26	2	4	10	11	15	21	24
1-5 YRS	22	9.1	36	1	2	9	13	22	50	99+
6-12 YRS	7	7.0	29	1	1	9	10	14	15	15
13-19 YRS	8	14.1	52	3	4	14	19	24	25	25
2. MULTIPLE DX										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	19	16.1	113	6	9	11	20	30	40	47
1-5 YRS	32	12.2	32	7	7	11	15	20	25	28
6-12 YRS	2	4.5	25	<1	<1	4	8	8	8	8
13-19 YRS	18	17.3	194	6	7	14	20	29	53	67
TOT. SINGLE DX	53	9.8	37	1	2	10	12	21	24	97
" MULTIPLE DX	72	14.3	98	6	7	12	16	26	31	63
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	35	13.1	82	4	6	10	14	28	30	47
1-5 YRS	54	11.0	36	2	2	10	14	22	25	98
6-12 YRS	9	6.4	26	<1	<1	8	10	13	15	15
13-19 YRS	26	16.3	149	5	7	14	20	25	40	67
GRAND TOTAL	125	12.4	77	2	4	10	15	23	28	78

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.0	9	3	3	6	8	9	9	9
1-11 MOS	16	2.6	7	<1	1	2	2	7	9	10
1-5 YRS	61	3.6	12	<1	<1	2	5	8	11	17
6-12 YRS	115	3.6	7	1	1	3	5	7	10	14
13-19 YRS	623	4.8	11	1	2	4	6	9	11	17
2. MULTIPLE DX										
0-27 DYS	8	12.4	76	2	4	10	13	27	32	32
1-11 MOS	16	8.8	193	1	1	4	7	30	47	53
1-5 YRS	59	6.7	88	1	1	4	8	17	46	99+
6-12 YRS	121	5.6	12	2	2	5	7	10	12	18
13-19 YRS	958	6.4	30	2	2	5	8	11	15	29
TOT. SINGLE DX	818	4.5	11	1	1	4	6	9	11	17
" MULTIPLE DX	1162	6.4	34	2	2	5	8	11	15	33
TOTAL 0-27 DYS	11	10.6	64	2	3	9	12	22	31	32
1-11 MOS	32	5.7	107	1	1	2	6	9	30	53
1-5 YRS	120	5.1	52	<1	1	3	7	12	17	99+
6-12 YRS	236	4.6	11	1	1	4	6	9	12	16
13-19 YRS	1581	5.8	23	1	2	5	7	10	13	23
GRAND TOTAL	1980	5.6	25	1	2	4	7	10	13	25

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	43	1.7	1	<1	<1	1	2	3	3	7
1-5 YRS	21	1.9	2	<1	<1	1	2	4	5	7
6-12 YRS	10	3.3	2	1	1	3	5	6	6	6
13-19 YRS	108	3.4	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	4	4.8	3	3	3	4	5	7	7	7
1-11 MOS	18	2.0	3	<1	<1	1	2	6	6	6
1-5 YRS	3	2.7	4	<1	<1	2	4	5	5	5
6-12 YRS	5	4.0	5	2	2	3	6	7	7	7
13-19 YRS	68	5.3	16	1	2	4	6	10	13	24
TOT. SINGLE DX	182	2.8	2	<1	1	3	4	5	6	7
" MULTIPLE DX	98	4.5	14	1	1	4	6	7	12	22
TOTAL 0-27 DYS	4	4.8	3	3	3	4	6	7	7	7
1-11 MOS	61	1.8	2	<1	<1	1	2	3	5	7
1-5 YRS	24	2.0	2	<1	<1	2	2	4	6	7
6-12 YRS	15	3.5	3	1	2	3	5	6	7	7
13-19 YRS	176	4.1	9	1	2	4	5	7	8	18
GRAND TOTAL	280	3.4	7	<1	1	3	4	6	7	16

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	1.3		<1	<1	1	1	2	2	2
1-5 YRS	25	1.6		<1	<1	1	2	3	3	4
6-12 YRS	25	2.4	2	<1	1	2	3	5	6	7
13-19 YRS	210	3.0	6	<1	1	3	4	5	7	9
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	3	3.7	14	1	1	2	6	8	8	8
1-5 YRS	14	2.6	2	<1	<1	2	3	5	6	7
6-12 YRS	8	3.1	5	<1	<1	2	5	7	7	7
13-19 YRS	108	4.4	9	2	2	4	5	7	9	19
TOT. SINGLE DX	265	2.8	6	<1	1	2	3	4	6	8
" MULTIPLE DX	135	4.1	9	1	2	3	5	7	9	18
TOTAL 0-27 DYS	3	2.0	3	<1	<1	1	3	4	4	4
1-11 MOS	7	2.3	7	<1	<1	1	2	7	8	8
1-5 YRS	39	1.9	2	<1	<1	2	2	4	4	7
6-12 YRS	33	2.6	3	<1	<1	2	3	5	7	7
13-19 YRS	318	3.5	8	1	1	3	4	6	8	17
GRAND TOTAL	400	3.2	7	<1	1	3	4	6	7	15

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	4	3.0	2	2	2	3	4	5	5	5
6-12 YRS	9	4.6	9	1	1	5	6	9	11	11
13-19 YRS	104	4.3	3	2	2	4	5	7	8	10
2. MULTIPLE DX										
0-27 DYS	5	6.6	13	2	2	7	8	12	12	12
1-11 MOS	4	5.5	3	4	4	5	7	7	7	7
1-5 YRS	9	5.6	35	1	1	4	7	16	20	20
6-12 YRS	10	4.2	3	1	1	4	6	7	7	7
13-19 YRS	262	4.9	5	2	3	4	6	8	9	14
TOT. SINGLE DX	118	4.3	4	2	2	4	5	7	8	11
" MULTIPLE DX	290	4.9	7	2	3	4	6	8	9	15
TOTAL 0-27 DYS	5	6.6	13	2	2	7	8	12	12	12
1-11 MOS	5	5.8	3	4	4	7	7	7	7	7
1-5 YRS	13	4.8	26	1	1	3	5	11	18	20
6-12 YRS	19	4.4	6	1	1	5	6	7	9	11
13-19 YRS	366	4.8	5	2	3	4	6	7	8	12
GRAND TOTAL	408	4.8	6	2	2	4	6	7	8	13

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.3	7	2	2	3	6	8	8	8
1-11 MOS	35	3.3	11	<1	<1	2	5	6	10	18
1-5 YRS	29	2.8	5	<1	<1	2	4	6	9	10
6-12 YRS	22	3.2	2	1	2	3	4	6	7	8
13-19 YRS	201	3.5	6	1	1	3	4	6	7	15
2. MULTIPLE DX										
0-27 DYS	24	8.7	63	2	3	6	11	17	24	39
1-11 MOS	22	4.5	6	2	2	4	6	9	10	11
1-5 YRS	23	6.3	41	1	2	3	9	14	20	28
6-12 YRS	11	5.7	42	1	1	3	6	18	20	20
13-19 YRS	96	5.7	42	1	2	4	7	10	13	39
TOT. SINGLE DX	291	3.4	7	1	1	3	4	6	7	15
" MULTIPLE DX	176	6.0	41	1	2	4	7	12	15	36
TOTAL 0-27 DYS	28	8.0	57	2	3	5	9	17	19	39
1-11 MOS	57	3.8	9	<1	1	3	5	6	10	18
1-5 YRS	52	4.4	24	<1	1	2	5	10	13	28
6-12 YRS	33	4.1	17	1	2	3	4	7	16	20
13-19 YRS	297	4.2	19	1	1	3	5	7	10	15
GRAND TOTAL	467	4.4	21	1	1	3	5	8	12	20

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	6	11.0	51	4	4	9	13	23	24	24
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	14.3	58	6	6	16	20	21	21	21
6-12 YRS	3	17.0	127	10	10	11	25	30	30	30
13-19 YRS	16	22.0	428	3	4	18	22	63	64	64
TOT. SINGLE DX	8	9.9	41	4	5	7	12	21	24	24
" MULTIPLE DX	23	19.7	325	3	4	16	22	58	64	64
TOTAL 0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	14.3	58	6	6	16	20	21	21	21
6-12 YRS	5	12.8	97	6	6	10	16	30	30	30
13-19 YRS	22	19.0	344	3	4	13	22	58	64	64
GRAND TOTAL	31	17.2	267	4	4	11	21	40	63	64

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	13.3	195	1	1	9	18	37	39	39
1-11 MOS	25	5.5	22	1	2	3	9	14	15	17
1-5 YRS	25	7.5	46	1	2	4	11	21	22	22
6-12 YRS	37	5.3	18	1	1	4	8	12	14	17
13-19 YRS	142	6.3	37	1	1	4	9	15	18	25
2. MULTIPLE DX										
0-27 DYS	8	44.3	838	6	10	42	72	78	79	79
1-11 MOS	39	14.4	259	1	2	9	17	34	46	80
1-5 YRS	38	12.1	183	1	1	8	13	35	45	51
6-12 YRS	50	12.7	96	2	2	9	18	27	34	40
13-19 YRS	279	13.7	184	2	2	9	15	33	48	68
TOT. SINGLE DX	235	6.4	38	1	1	4	9	15	18	26
" MULTIPLE DX	414	14.1	209	2	2	9	16	34	48	74
TOTAL 0-27 DYS	14	31.0	779	2	4	20	57	77	79	79
1-11 MOS	64	10.9	184	1	2	6	13	29	38	75
1-5 YRS	63	10.3	132	1	2	7	12	25	37	51
6-12 YRS	87	9.6	76	1	2	7	13	24	28	39
13-19 YRS	421	11.2	147	1	2	8	13	25	40	66
GRAND TOTAL	649	11.3	161	1	2	8	13	26	39	67

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	8.5	34	5	5	6	9	19	20	20
1-11 MOS	8	9.9	37	5	5	8	11	20	24	24
1-5 YRS	4	5.0	7	1	1	6	7	7	7	7
6-12 YRS	26	7.1	7	4	5	7	8	9	11	19
13-19 YRS	1316	7.3	8	4	5	7	8	11	13	18
2. MULTIPLE DX										
0-27 DYS	5	9.2	3	6	6	10	10	10	10	10
1-11 MOS	20	10.3	43	3	5	8	12	18	26	31
1-5 YRS	4	12.0	35	7	7	10	16	20	20	20
6-12 YRS	20	10.3	15	4	6	9	12	16	18	20
13-19 YRS	763	9.8	30	5	5	8	12	15	18	33
TOT. SINGLE DX	1360	7.3	8	4	5	7	8	11	13	19
" MULTIPLE DX	812	9.8	30	5	5	8	12	15	19	32
TOTAL 0-27 DYS	11	8.8	18	5	5	9	10	14	20	20
1-11 MOS	28	10.2	40	4	5	8	12	20	25	31
1-5 YRS	8	8.5	32	1	2	7	10	18	20	20
6-12 YRS	46	8.5	13	4	5	8	9	13	17	20
13-19 YRS	2079	8.2	18	4	5	7	10	13	15	23
GRAND TOTAL	2172	8.3	18	4	5	7	10	13	15	23

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	20.2	75	12	12	16	26	34	34	34
1-5 YRS	3	6.3	70	1	1	2	12	16	16	16
6-12 YRS	1	29.0		29	29	29	29	29	29	29
13-19 YRS	13	8.7	45	1	2	7	14	19	20	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	17.0	103	8	8	15	25	28	28	28
1-5 YRS	3	7.3	10	5	5	6	10	11	11	11
6-12 YRS	3	10.0	57	3	3	9	16	18	18	18
13-19 YRS	15	10.5	54	2	3	9	16	23	24	25
TOT. SINGLE DX	22	11.9	88	1	2	11	18	25	31	34
" MULTIPLE DX	24	10.9	55	2	3	9	16	23	26	28
TOTAL 0-27 DYS										
1-11 MOS	8	19.0	75	8	9	16	25	32	34	34
1-5 YRS	6	6.8	33	1	1	5	11	15	16	16
6-12 YRS	4	14.8	128	3	3	13	23	29	29	29
13-19 YRS	28	9.7	49	2	2	8	16	19	23	25
GRAND TOTAL	**46**	**11.4**	**69**	**2**	**2**	**10**	**16**	**23**	**28**	**34**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS										
1-5 YRS	3	7.3	2	6	6	7	8	9	9	9
6-12 YRS	10	10.4	37	1	3	10	13	19	23	23
13-19 YRS	36	6.6	28	1	1	5	10	13	17	24
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	24.5	545	8	8	24	41	41	41	41
6-12 YRS	4	20.5	102	8	8	21	28	32	32	32
13-19 YRS	37	18.4	415	2	3	10	18	46	66	92
TOT. SINGLE DX	50	7.8	38	1	1	7	11	15	23	27
" MULTIPLE DX	43	18.9	379	2	4	12	22	44	63	92
TOTAL 0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS										
1-5 YRS	5	14.2	226	6	6	8	17	41	41	41
6-12 YRS	14	13.3	72	2	5	11	18	25	30	32
13-19 YRS	73	12.6	258	1	2	8	13	26	46	87
GRAND TOTAL	**93**	**12.9**	**224**	**1**	**2**	**9**	**15**	**28**	**43**	**83**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	20	3.4	2	<1	1	3	4	6	7	8
1-11 MOS	34	3.4	6	<1	<1	3	5	8	9	10
1-5 YRS	186	3.3	7	1	1	3	4	7	9	12
6-12 YRS	308	4.3	15	1	1	3	5	8	12	25
13-19 YRS	940	4.9	14	1	2	4	6	9	11	17
2. MULTIPLE DX										
0-27 DYS	23	10.2	185	1	2	5	10	22	48	59
1-11 MOS	63	6.6	33	1	2	5	8	13	17	36
1-5 YRS	134	5.0	27	1	1	4	6	9	12	34
6-12 YRS	215	5.0	14	1	2	4	6	9	13	20
13-19 YRS	1003	6.1	35	2	2	5	7	11	15	34
TOT. SINGLE DX	1488	4.5	13	1	1	4	6	8	10	19
" MULTIPLE DX	1438	6.0	34	2	2	4	7	10	15	33
TOTAL 0-27 DYS	43	7.0	110	1	2	4	7	12	26	59
1-11 MOS	97	5.5	26	1	1	4	7	10	15	29
1-5 YRS	320	4.1	16	1	1	3	5	8	10	21
6-12 YRS	523	4.6	15	1	1	4	6	9	12	22
13-19 YRS	1943	5.5	25	1	2	4	7	10	13	26
GRAND TOTAL	**2926**	**5.2**	**24**	**1**	**2**	**4**	**6**	**9**	**12**	**26**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	85	2.1	2	<1	1	2	2	4	5	10
1-11 MOS	2244	1.8	1	<1	<1	2	2	3	4	7
1-5 YRS	4498	1.7		<1	<1	2	2	2	3	5
6-12 YRS	2992	2.0		<1	1	2	2	3	4	5
13-19 YRS	4477	3.1	1	1	2	3	4	5	5	7
2. MULTIPLE DX										
0-27 DYS	84	13.6	419	1	1	4	22	50	83	99+
1-11 MOS	1502	2.5	7	<1	1	2	3	5	7	15
1-5 YRS	3149	2.1	3	<1	<1	2	2	3	4	10
6-12 YRS	1349	2.4	1	<1	1	2	3	4	5	7
13-19 YRS	1213	3.7	3	2	2	3	4	6	7	11
TOT. SINGLE DX	14296	2.2	2	<1	1	2	3	4	4	6
" MULTIPLE DX	7297	2.6	10	<1	1	2	3	4	6	13
TOTAL 0-27 DYS	169	7.8	242	1	1	2	5	33	50	99+
1-11 MOS	3746	2.1	4	<1	<1	2	2	3	5	10
1-5 YRS	7647	1.9	2	<1	<1	2	2	3	4	6
6-12 YRS	4341	2.1	1	<1	1	2	3	3	4	6
13-19 YRS	5690	3.2	2	1	2	3	4	5	6	8
GRAND TOTAL	**21593**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	23	2.9	32	<1	<1	1	2	4	16	28
1-11 MOS	882	1.6		<1	<1	1	2	3	3	6
1-5 YRS	1195	1.5		<1	<1	1	2	2	3	4
6-12 YRS	327	1.9	3	<1	<1	2	2	3	3	6
13-19 YRS	239	3.7	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	68	26.2	871	1	2	17	61	98	99+	99+
1-11 MOS	824	2.6	16	<1	<1	2	3	4	7	17
1-5 YRS	826	1.9	3	<1	<1	1	2	3	4	9
6-12 YRS	153	2.1	1	<1	<1	2	3	4	4	6
13-19 YRS	71	4.4	7	1	2	4	5	7	10	15
TOT. SINGLE DX	2666	1.8	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	1942	3.1	58	<1	<1	2	3	4	8	62
TOTAL 0-27 DYS	91	20.3	761	<1	1	3	42	90	99+	99+
1-11 MOS	1706	2.1	8	<1	<1	2	2	3	4	12
1-5 YRS	2021	1.7	2	<1	<1	1	2	2	3	6
6-12 YRS	480	2.0	3	<1	<1	2	2	3	4	6
13-19 YRS	310	3.8	3	2	2	3	5	6	7	10
GRAND TOTAL	**4608**	**2.4**	**26**	**<1**	**<1**	**2**	**2**	**4**	**5**	**18**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	22	1.6		<1	<1	1	2	3	4	4
6-12 YRS	26	2.1	1	<1	<1	2	3	4	4	5
13-19 YRS	56	3.9	2	2	2	4	5	6	7	8
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	5	2.4	10	<1	<1	<1	3	8	8	8
6-12 YRS	7	3.3	7	1	1	2	4	8	9	9
13-19 YRS	16	7.5	162	2	2	4	6	7	41	55
TOT. SINGLE DX	107	2.9	3	<1	1	3	4	5	6	8
" MULTIPLE DX	32	5.2	87	<1	1	4	5	7	9	55
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	5	2.6	2	1	1	2	4	4	4	4
1-5 YRS	27	1.8	2	<1	<1	1	2	3	5	8
6-12 YRS	33	2.3	3	<1	1	2	3	4	5	9
13-19 YRS	72	4.7	38	2	2	4	5	6	7	45
GRAND TOTAL	**139**	**3.5**	**22**	**<1**	**1**	**3**	**4**	**5**	**7**	**14**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	341	2.1	1	<1	1	2	3	3	4	6
1-5 YRS	1628	2.1	1	<1	<1	2	2	3	4	6
6-12 YRS	703	2.1		<1	1	2	2	3	4	5
13-19 YRS	331	2.7	1	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	24	15.3	192	2	3	10	20	37	47	56
1-11 MOS	111	3.1	10	<1	1	2	3	6	12	99+
1-5 YRS	323	2.9	4	<1	1	2	3	5	7	12
6-12 YRS	136	2.6	2	1	1	2	3	5	6	9
13-19 YRS	102	3.9	5	1	2	3	5	7	9	12
TOT. SINGLE DX	3005	2.1	2	<1	1	2	2	3	4	6
" MULTIPLE DX	696	3.4	17	1	1	2	4	6	9	24
TOTAL 0-27 DYS	26	14.3	190	2	2	10	20	35	46	56
1-11 MOS	452	2.4	4	<1	1	2	3	4	5	18
1-5 YRS	1951	2.2	3	<1	<1	2	2	3	4	9
6-12 YRS	839	2.2	1	<1	1	2	2	3	4	7
13-19 YRS	433	3.0	3	1	1	3	4	5	7	9
GRAND TOTAL	**3701**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	31	3.8	16	<1	1	2	5	8	8	22
1-5 YRS	125	2.2	3	<1	1	2	2	3	5	11
6-12 YRS	163	2.2	1	<1	1	2	3	4	5	6
13-19 YRS	278	2.9	1	1	1	3	4	4	5	7
2. MULTIPLE DX										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	7	4.9	4	2	2	5	7	7	7	7
1-5 YRS	47	3.0	6	<1	<1	2	3	7	9	11
6-12 YRS	45	2.9	3	1	1	3	3	5	6	10
13-19 YRS	83	4.5	18	1	2	4	4	7	11	29
TOT. SINGLE DX	599	2.6	3	<1	1	2	3	4	5	8
" MULTIPLE DX	184	3.8	12	1	1	3	4	7	9	17
TOTAL 0-27 DYS	4	6.0	5	3	3	6	7	8	8	8
1-11 MOS	38	4.0	14	<1	1	3	5	8	8	22
1-5 YRS	172	2.4	4	<1	<1	2	3	4	8	11
6-12 YRS	208	2.4	2	<1	1	2	3	4	5	7
13-19 YRS	361	3.2	6	1	2	3	4	5	6	11
GRAND TOTAL	**783**	**2.9**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	9.5	57	1	1	9	15	19	19	19
1-11 MOS	16	3.8	11	<1	1	2	6	8	11	12
1-5 YRS	22	3.2	9	<1	<1	2	4	9	10	11
6-12 YRS	12	1.9		<1	<1	2	2	3	3	3
13-19 YRS	30	4.4	13	1	1	3	5	10	12	16
2. MULTIPLE DX										
0-27 DYS	13	20.2	563	2	6	13	31	93	98	99+
1-11 MOS	19	10.5	106	<1	1	8	14	26	33	39
1-5 YRS	22	6.3	57	<1	1	3	7	21	24	25
6-12 YRS	11	4.8	14	1	1	3	8	11	11	11
13-19 YRS	26	9.8	61	2	3	7	11	26	29	31
TOT. SINGLE DX	84	3.9	14	<1	1	2	5	9	11	18
" MULTIPLE DX	91	10.0	150	1	1	7	12	26	31	97
TOTAL 0-27 DYS	17	17.6	455	1	3	12	19	76	97	99+
1-11 MOS	35	7.5	73	<1	1	5	10	18	26	39
1-5 YRS	44	4.7	35	<1	<1	2	6	12	21	25
6-12 YRS	23	3.3	9	<1	1	2	3	9	11	11
13-19 YRS	56	6.9	42	1	2	5	8	15	24	31
GRAND TOTAL	175	7.0	93	<1	1	4	9	16	26	78

626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	4.9	27	1	1	4	5	12	19	19
1-11 MOS	34	3.4	11	<1	1	2	4	7	10	18
1-5 YRS	225	3.1	10	<1	1	2	3	6	7	17
6-12 YRS	196	3.4	8	1	1	2	4	7	9	14
13-19 YRS	342	4.7	18	1	1	3	6	9	12	24
2. MULTIPLE DX										
0-27 DYS	20	12.0	161	1	3	7	14	29	42	54
1-11 MOS	34	7.0	32	1	2	6	9	15	20	21
1-5 YRS	111	6.7	110	1	1	4	7	16	21	89
6-12 YRS	121	6.8	47	1	2	5	8	15	21	67
13-19 YRS	276	8.6	99	1	2	6	10	19	24	68
TOT. SINGLE DX	807	3.9	14	1	1	3	5	7	10	20
" MULTIPLE DX	562	7.9	89	1	2	5	9	17	24	69
TOTAL 0-27 DYS	30	9.6	126	1	2	5	11	24	30	54
1-11 MOS	68	5.2	25	1	1	3	7	11	18	21
1-5 YRS	336	4.3	46	<1	1	3	4	8	15	35
6-12 YRS	317	4.7	26	1	1	3	6	10	14	25
13-19 YRS	618	6.4	59	1	1	4	8	13	20	42
GRAND TOTAL	1369	5.5	49	1	1	3	6	11	17	38

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	18.0	54	9	9	18	23	27	27	27
1-11 MOS	15	8.4	57	2	2	5	10	24	24	24
1-5 YRS	53	5.9	12	2	2	5	8	9	12	22
6-12 YRS	212	6.3	20	2	2	5	8	11	14	24
13-19 YRS	753	6.2	16	2	3	5	7	10	13	21
2. MULTIPLE DX										
0-27 DYS	14	29.8	826	4	7	23	70	99	99+	99+
1-11 MOS	15	10.7	97	3	4	7	9	29	36	39
1-5 YRS	76	10.3	62	3	4	8	12	21	32	84
6-12 YRS	172	9.7	72	3	4	7	11	21	24	48
13-19 YRS	894	10.5	110	3	4	7	12	21	31	68
TOT. SINGLE DX	1037	6.3	18	2	3	5	8	11	13	23
" MULTIPLE DX	1171	10.6	114	3	4	7	12	22	32	82
TOTAL 0-27 DYS	18	27.2	667	5	7	18	45	95	99+	99+
1-11 MOS	30	9.6	76	2	3	7	9	24	29	39
1-5 YRS	129	8.5	46	2	3	7	10	17	24	54
6-12 YRS	384	7.8	46	2	3	6	9	14	21	40
13-19 YRS	1647	8.5	72	3	3	6	9	15	22	51
GRAND TOTAL	2208	8.6	73	2	3	6	9	16	23	52

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	5	7.6	18	2	2	7	9	14	14	14
1-5 YRS	4	2.3	2	1	1	2	3	4	4	4
6-12 YRS	35	4.3	6	<1	1	4	6	8	9	9
13-19 YRS	1828	3.4	7	<1	1	2	4	7	8	13
2. MULTIPLE DX										
0-27 DYS	6	18.8	1543	2	2	3	4	89	99	99+
1-11 MOS	5	5.2	24	<1	<1	3	10	11	11	11
1-5 YRS	4	4.8	6	2	2	4	6	8	8	8
6-12 YRS	18	4.8	16	<1	1	3	8	11	13	14
13-19 YRS	1415	4.5	20	1	1	3	6	9	12	20
TOT. SINGLE DX	1873	3.4	8	<1	1	2	4	7	8	13
" MULTIPLE DX	1448	4.6	27	1	1	3	6	10	12	20
TOTAL 0-27 DYS	7	16.3	1331	<1	<1	3	4	80	99	99+
1-11 MOS	10	6.4	20	<1	<1	7	10	12	14	14
1-5 YRS	8	3.5	5	1	1	3	5	7	8	8
6-12 YRS	53	4.5	10	<1	1	4	7	9	10	14
13-19 YRS	3243	3.9	14	<1	1	3	5	8	10	15
GRAND TOTAL	3321	3.9	17	<1	1	3	5	8	10	15

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	16.5	127	5	5	14	23	32	32	32
1-11 MOS	21	12.8	294	2	3	10	13	20	51	84
1-5 YRS	32	9.0	91	<1	1	7	10	17	21	54
6-12 YRS	86	7.6	72	1	1	6	9	13	16	58
13-19 YRS	269	6.9	19	1	2	6	9	13	16	21
2. MULTIPLE DX										
0-27 DYS	29	26.6	384	6	8	24	32	79	99	99+
1-11 MOS	27	16.4	311	3	5	11	21	28	42	95
1-5 YRS	42	13.7	158	2	3	10	16	30	33	74
6-12 YRS	75	8.3	36	3	4	7	10	13	15	39
13-19 YRS	440	8.7	67	2	2	7	10	16	20	52
TOT. SINGLE DX	412	7.6	53	1	2	6	9	14	17	38
" MULTIPLE DX	613	10.2	111	2	3	7	11	19	30	73
TOTAL 0-27 DYS	33	25.4	360	5	7	20	32	75	96	99+
1-11 MOS	48	14.8	301	2	4	10	16	24	38	95
1-5 YRS	74	11.7	134	1	3	9	13	23	31	69
6-12 YRS	161	7.9	56	1	2	7	9	13	16	47
13-19 YRS	709	8.0	50	1	2	7	9	15	18	38
GRAND TOTAL	1025	9.1	89	1	2	7	10	16	23	63

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	7.7	4	6	6	7	9	10	10	10
1-11 MOS	13	9.1	14	5	5	9	11	14	17	18
1-5 YRS	29	10.3	35	5	6	8	11	21	25	28
6-12 YRS	26	7.8	9	4	4	8	9	13	14	14
13-19 YRS	44	8.3	7	5	5	8	9	11	14	17
2. MULTIPLE DX										
0-27 DYS	11	15.9	144	3	4	14	18	37	41	41
1-11 MOS	14	9.4	38	2	2	10	15	21	80	99+
1-5 YRS	60	11.1	95	4	5	8	13	16	31	62
6-12 YRS	48	9.9	50	5	6	8	10	21	39	99+
13-19 YRS	145	12.2	72	5	6	9	13	21	26	54
TOT. SINGLE DX	115	8.8	16	5	5	8	10	13	17	26
" MULTIPLE DX	278	11.6	75	4	6	9	13	21	34	89
TOTAL 0-27 DYS	14	14.1	124	3	4	11	16	36	40	41
1-11 MOS	27	9.3	26	2	4	9	13	19	29	99+
1-5 YRS	89	10.8	75	4	5	8	12	19	28	55
6-12 YRS	74	9.2	37	4	5	8	10	14	35	99+
13-19 YRS	189	11.3	60	5	6	9	12	20	24	51
GRAND TOTAL	393	10.8	59	4	5	9	12	19	27	61

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	9.5	68	1	1	8	10	23	25	25
1-11 MOS	24	10.0	60	2	3	7	13	20	29	33
1-5 YRS	89	7.3	39	2	2	6	9	15	18	30
6-12 YRS	172	7.9	43	2	2	7	11	15	17	37
13-19 YRS	324	7.7	33	2	2	7	11	16	21	27
2. MULTIPLE DX										
0-27 DYS	9	13.0	181	<1	1	8	17	36	43	43
1-11 MOS	22	13.0	95	3	5	11	15	24	34	47
1-5 YRS	96	11.3	56	3	4	10	14	20	29	74
6-12 YRS	173	10.8	84	2	2	9	13	21	28	47
13-19 YRS	364	11.1	68	2	2	9	15	23	27	39
TOT. SINGLE DX	615	7.8	39	2	2	7	11	16	20	31
" MULTIPLE DX	664	11.1	73	2	2	9	14	22	28	46
TOTAL 0-27 DYS	15	11.6	131	<1	1	8	13	26	39	43
1-11 MOS	46	11.4	78	2	4	8	14	24	29	47
1-5 YRS	185	9.4	52	2	2	8	12	17	26	43
6-12 YRS	345	9.3	66	2	2	8	12	17	24	46
13-19 YRS	688	9.5	55	2	2	8	13	19	24	37
GRAND TOTAL	1279	9.5	59	2	2	8	12	18	25	41

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	7.3	7	4	4	7	9	10	10	10
1-5 YRS	4	7.5	62	<1	<1	6	14	17	17	17
6-12 YRS	21	8.6	15	4	5	8	10	16	17	18
13-19 YRS	78	7.7	12	2	4	7	9	12	15	18
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	7.0	28	1	1	7	11	12	12	12
1-5 YRS	6	6.5	14	1	1	7	9	11	11	11
6-12 YRS	12	9.7	67	3	3	7	11	23	30	31
13-19 YRS	44	9.8	41	2	2	9	13	17	26	28
TOT. SINGLE DX	107	7.9	14	2	4	8	10	12	17	18
" MULTIPLE DX	67	9.2	42	2	2	8	12	17	26	30
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	7.1	16	1	2	7	10	12	12	12
1-5 YRS	10	6.9	29	<1	<1	7	11	14	17	17
6-12 YRS	33	9.0	33	3	4	8	10	17	20	31
13-19 YRS	122	8.5	24	2	3	8	10	14	17	27
GRAND TOTAL	174	8.4	25	2	3	8	10	15	17	28

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	7.7	5	5	5	9	9	9	9	9
1-5 YRS	217	8.9	7	5	6	8	10	12	14	19
6-12 YRS	207	8.9	8	5	6	8	10	12	15	19
13-19 YRS	58	9.8	17	4	6	9	11	13	19	27
2. MULTIPLE DX										
0-27 DYS	1	33.0		33	33	33	33	33	33	33
1-11 MOS	23	14.6	81	4	6	11	19	26	32	41
1-5 YRS	241	10.2	16	5	6	9	12	16	18	25
6-12 YRS	234	10.4	29	5	6	9	11	15	22	37
13-19 YRS	104	12.0	59	6	7	10	13	17	23	50
TOT. SINGLE DX	485	9.0	9	5	6	8	10	12	15	20
" MULTIPLE DX	603	10.8	33	5	6	9	12	16	20	37
TOTAL 0-27 DYS	1	33.0		33	33	33	33	33	33	33
1-11 MOS	26	13.8	77	4	5	10	18	26	30	41
1-5 YRS	458	9.6	13	5	6	9	11	14	17	20
6-12 YRS	441	9.7	20	5	6	9	11	14	17	31
13-19 YRS	162	11.2	45	5	7	10	12	17	21	38
GRAND TOTAL	1088	10.0	23	5	6	9	11	15	17	32

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	7.2	24	1	1	9	11	12	12	12
1-5 YRS	45	2.9	14	<1	<1	1	2	10	12	13
6-12 YRS	58	4.5	22	<1	<1	2	6	10	14	22
13-19 YRS	169	5.0	12	1	2	4	6	9	11	24
2. MULTIPLE DX										
0-27 DYS	3	12.7	310	2	2	3	25	33	33	33
1-11 MOS	13	9.8	71	1	1	10	15	25	25	25
1-5 YRS	57	7.5	60	<1	1	5	12	16	21	43
6-12 YRS	54	7.7	62	1	1	4	12	19	23	32
13-19 YRS	95	7.5	34	2	3	6	9	13	18	34
TOT. SINGLE DX	277	4.6	16	<1	1	4	6	10	12	21
" MULTIPLE DX	222	7.8	52	1	1	5	11	16	22	34
TOTAL 0-27 DYS	3	12.7	310	2	2	3	25	33	33	33
1-11 MOS	18	9.1	58	1	1	9	12	22	25	25
1-5 YRS	102	5.5	45	<1	<1	2	10	13	17	34
6-12 YRS	112	6.0	44	<1	1	3	9	15	21	31
13-19 YRS	264	5.9	22	2	2	5	8	11	13	27
GRAND TOTAL	499	6.0	34	<1	1	4	8	12	16	31

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.7	4	1	1	2	4	5	5	5
1-11 MOS	39	2.9	9	<1	1	2	3	6	11	14
1-5 YRS	1352	1.8	2	<1	<1	1	2	3	5	9
6-12 YRS	1754	2.0	5	<1	<1	1	2	4	6	9
13-19 YRS	1597	3.0	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
0-27 DYS	19	8.9	39	<1	1	7	13	17	21	22
1-11 MOS	89	6.6	74	1	1	4	9	14	19	53
1-5 YRS	1415	2.5	7	<1	<1	2	3	5	8	14
6-12 YRS	1833	2.5	5	<1	<1	2	3	5	7	12
13-19 YRS	1934	4.9	43	1	1	3	6	9	13	27
TOT. SINGLE DX	4745	2.3	6	<1	<1	2	3	5	7	11
" MULTIPLE DX	5290	3.4	22	<1	1	2	4	7	10	19
TOTAL 0-27 DYS	22	8.1	39	<1	1	6	13	16	20	22
1-11 MOS	128	5.4	57	1	1	3	7	12	15	40
1-5 YRS	2767	2.2	5	<1	<1	1	2	4	7	13
6-12 YRS	3587	2.2	5	<1	<1	2	2	4	6	11
13-19 YRS	3531	4.0	28	<1	1	2	5	8	11	22
GRAND TOTAL	10035	2.9	15	<1	1	2	3	6	8	16

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	4.0	12	<1	<1	3	6	9	9	9
1-5 YRS	7	4.3	9	2	2	3	6	9	10	10
6-12 YRS	9	5.7	17	1	1	5	8	12	13	13
13-19 YRS	48	2.9	5	<1	1	2	4	6	7	13
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.1	11	1	1	2	3	9	11	11
1-5 YRS	12	6.3	20	2	2	6	7	13	17	18
6-12 YRS	23	5.5	13	1	1	5	9	11	12	13
13-19 YRS	76	4.1	10	1	1	3	5	8	11	16
TOT. SINGLE DX	68	3.5	8	<1	1	2	5	7	10	13
" MULTIPLE DX	120	4.5	13	1	1	3	6	9	12	17
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	12	3.4	11	<1	<1	2	4	10	11	11
1-5 YRS	19	5.6	17	2	2	5	7	11	15	18
6-12 YRS	32	5.6	14	1	1	5	8	11	13	13
13-19 YRS	124	3.6	9	<1	1	3	5	7	10	16
GRAND TOTAL	188	4.1	11	1	1	3	5	9	11	16

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	46	4.9	8	2	2	4	6	9	10	16
1-11 MOS	44	5.6	10	2	2	5	7	10	13	14
1-5 YRS	81	7.1	47	1	2	5	8	13	17	42
6-12 YRS	46	5.3	14	1	1	4	8	9	13	16
13-19 YRS	85	5.7	31	1	1	4	8	11	14	33
2. MULTIPLE DX										
0-27 DYS	155	8.1	50	3	3	6	10	14	18	52
1-11 MOS	77	7.7	42	2	3	6	9	16	24	33
1-5 YRS	105	7.4	37	2	3	6	9	13	19	36
6-12 YRS	95	10.7	125	1	2	9	12	20	29	62
13-19 YRS	178	12.5	184	1	2	9	16	30	45	94
TOT. SINGLE DX	302	5.9	27	1	2	4	8	11	14	31
" MULTIPLE DX	610	9.6	102	2	3	7	11	19	29	61
TOTAL 0-27 DYS	201	7.4	43	2	3	6	9	13	17	43
1-11 MOS	121	7.0	32	2	3	5	8	12	19	33
1-5 YRS	186	7.3	41	1	2	6	9	13	19	38
6-12 YRS	141	9.0	96	1	2	7	10	18	23	59
13-19 YRS	263	10.3	145	1	2	7	12	23	38	80
GRAND TOTAL	912	8.4	80	1	2	6	10	17	23	52

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	15	1.2		<1	<1	<1	1	2	3	3
1-5 YRS	696	1.3		<1	<1	1	2	2	2	4
6-12 YRS	423	1.5		<1	<1	1	2	2	3	5
13-19 YRS	58	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	6	5.8	30	3	3	4	5	16	17	17
1-11 MOS	10	2.7	11	1	1	2	3	8	12	12
1-5 YRS	396	2.1	3	<1	<1	2	2	4	6	10
6-12 YRS	395	2.0	2	<1	<1	2	2	4	5	8
13-19 YRS	86	2.6	2	1	1	2	3	5	6	9
TOT. SINGLE DX	1192	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	893	2.2	3	<1	<1	2	2	4	5	10
TOTAL 0-27 DYS	6	5.8	31	3	3	4	5	16	17	17
1-11 MOS	25	1.8	5	<1	<1	1	2	3	5	12
1-5 YRS	1092	1.6	2	<1	<1	1	2	3	3	8
6-12 YRS	818	1.7	1	<1	<1	1	2	3	4	7
13-19 YRS	144	2.3	2	<1	1	2	3	5	5	8
GRAND TOTAL	2085	1.7	2	<1	<1	1	2	3	4	8

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	13	4.2	13	<1	1	2	7	10	12	12
1-5 YRS	749	6.3	15	1	1	6	9	11	13	16
6-12 YRS	291	5.1	16	<1	1	4	8	11	12	18
13-19 YRS	174	5.6	28	<1	1	4	8	11	13	31
2. MULTIPLE DX										
0-27 DYS	6	8.7	166	3	3	4	4	32	35	35
1-11 MOS	11	3.5	5	<1	1	2	6	7	8	8
1-5 YRS	325	5.5	21	1	1	4	8	11	13	21
6-12 YRS	214	5.0	17	1	1	3	8	11	13	16
13-19 YRS	153	5.6	27	1	1	4	8	11	13	22
TOT. SINGLE DX	1227	5.9	18	1	1	5	9	11	13	17
" MULTIPLE DX	709	5.4	22	1	1	4	8	11	13	21
TOTAL 0-27 DYS	6	8.7	167	3	3	4	4	32	35	35
1-11 MOS	24	3.9	9	<1	1	2	6	8	10	12
1-5 YRS	1074	6.1	17	1	1	6	9	11	13	17
6-12 YRS	505	5.1	16	<1	1	4	8	11	13	17
13-19 YRS	327	5.6	28	1	1	4	8	11	13	26
GRAND TOTAL	1936	5.7	19	1	1	5	8	11	13	20

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	1.9	2	<1	<1	1	2	4	5	5
1-5 YRS	481	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	496	1.6	1	<1	<1	1	2	3	4	7
13-19 YRS	257	2.5	17	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
0-27 DYS	2	12.5	25	9	9	12	16	16	16	16
1-11 MOS	15	5.3	33	<1	1	2	6	17	18	19
1-5 YRS	807	1.9	2	<1	<1	1	2	4	5	8
6-12 YRS	865	2.2	3	<1	<1	2	2	4	6	10
13-19 YRS	563	3.8	20	<1	1	2	5	7	10	21
TOT. SINGLE DX	1242	1.8	5	<1	<1	1	2	3	4	8
" MULTIPLE DX	2252	2.5	8	<1	1	2	3	5	7	14
TOTAL 0-27 DYS	2	12.5	25	9	9	12	16	16	16	16
1-11 MOS	23	4.1	25	<1	<1	2	5	11	18	19
1-5 YRS	1288	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	1361	2.0	3	<1	<1	1	2	4	5	9
13-19 YRS	820	3.4	20	<1	1	2	4	7	9	19
GRAND TOTAL	3494	2.2	7	<1	<1	1	2	5	7	11

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	2.0	2	<1	<1	1	2	5	6	6
1-5 YRS	252	1.9	3	<1	<1	2	2	3	4	13
6-12 YRS	206	2.0	1	<1	<1	2	2	3	4	8
13-19 YRS	175	3.1	5	<1	1	3	4	5	7	11
2. MULTIPLE DX										
0-27 DYS	4	2.8		2	2	3	3	3	3	3
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	241	2.3	2	<1	1	2	2	4	5	10
6-12 YRS	260	2.6	6	<1	<1	2	3	5	7	12
13-19 YRS	194	4.3	21	1	1	3	4	8	13	28
TOT. SINGLE DX	642	2.2	4	<1	<1	2	3	4	5	10
" MULTIPLE DX	701	3.0	10	<1	1	2	3	5	8	17
TOTAL 0-27 DYS	4	2.8		2	2	3	3	3	3	3
1-11 MOS	11	2.4	5	<1	<1	1	3	6	7	7
1-5 YRS	493	2.1	3	<1	<1	2	2	4	5	11
6-12 YRS	466	2.3	5	<1	<1	2	2	4	5	9
13-19 YRS	369	3.7	14	1	1	3	4	6	9	23
GRAND TOTAL	1343	2.6	7	<1	1	2	3	5	6	14

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	7	3.6	3	2	2	3	5	7	7	7
2. MULTIPLE DX										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	7	6.4	10	3	3	7	9	11	11	11
TOT. SINGLE DX	9	3.9	7	<1	1	3	5	8	9	9
" MULTIPLE DX	11	8.9	40	3	3	7	11	17	24	25
TOTAL 0-27 DYS	2	13.0	288	<1	<1	12	25	25	25	25
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	2	10.0	2	9	9	10	11	11	11	11
13-19 YRS	14	5.0	9	2	2	4	7	10	11	11
GRAND TOTAL	20	6.7	30	1	2	5	9	12	18	25

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	3	7.3	22	2	2	9	10	11	11	11
TOT. SINGLE DX	2	5.5	13	3	3	5	8	8	8	8
" MULTIPLE DX	4	9.5	34	2	2	10	13	16	16	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	12.0	32	8	8	12	16	16	16	16
13-19 YRS	3	7.3	22	2	2	9	10	11	11	11
GRAND TOTAL	6	8.2	27	2	2	8	11	15	16	16

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	2.8	5	<1	<1	2	4	7	7	7
6-12 YRS	9	2.7	2	<1	<1	3	4	5	5	5
13-19 YRS	15	4.9	8	2	2	4	8	9	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	2.5	3	1	1	2	4	5	5	5
1-5 YRS	19	2.2	4	<1	<1	1	3	6	7	7
6-12 YRS	18	3.3	10	<1	1	2	5	7	11	14
13-19 YRS	18	8.7	159	<1	1	4	8	32	42	44
TOT. SINGLE DX	33	3.7	7	<1	1	3	6	8	9	10
" MULTIPLE DX	59	4.5	59	<1	1	2	5	8	14	44
TOTAL 0-27 DYS										
1-11 MOS	5	2.2	3	1	1	2	3	5	5	5
1-5 YRS	27	2.3	4	<1	<1	1	3	6	7	7
6-12 YRS	27	3.1	8	<1	1	2	4	6	8	14
13-19 YRS	33	7.0	92	1	1	4	8	11	36	44
GRAND TOTAL	92	4.2	40	<1	1	2	5	8	10	42

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	4	4.8	12	1	1	4	7	9	9	9
6-12 YRS	2	7.5	85	1	1	7	14	14	14	14
13-19 YRS	3	4.3	4	2	2	5	6	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	2	6.5	25	3	3	6	10	10	10	10
13-19 YRS	16	8.4	18	1	2	8	11	13	17	19
TOT. SINGLE DX	10	5.8	19	1	1	5	9	12	14	14
" MULTIPLE DX	20	7.7	19	1	2	8	10	12	16	19
TOTAL 0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	6	4.2	9	1	1	3	6	9	9	9
6-12 YRS	4	7.0	37	1	1	6	12	14	14	14
13-19 YRS	19	7.8	18	1	2	7	10	13	16	19
GRAND TOTAL	30	7.1	19	1	1	7	10	12	14	19

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	8.0	50	3	3	8	13	13	13	13
1-11 MOS	10	10.0	28	6	6	8	13	18	23	23
1-5 YRS	6	9.7	72	5	5	6	7	25	27	27
6-12 YRS	7	5.3	5	2	2	6	6	8	9	9
13-19 YRS	4	6.8	10	2	2	8	9	9	9	9
2. MULTIPLE DX										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	12	11.3	28	7	7	9	14	20	23	23
1-5 YRS	13	13.0	164	4	4	7	16	36	44	46
6-12 YRS	7	19.1	145	6	6	15	30	36	37	37
13-19 YRS	13	10.0	63	3	4	8	12	25	28	29
TOT. SINGLE DX	29	8.2	30	2	3	7	9	13	23	27
" MULTIPLE DX	47	12.4	96	4	4	8	15	28	34	46
TOTAL 0-27 DYS	4	7.3	18	3	3	6	10	13	13	13
1-11 MOS	22	10.7	27	6	6	8	13	20	23	23
1-5 YRS	19	11.9	133	4	4	7	14	31	40	46
6-12 YRS	14	12.2	121	2	3	7	15	34	36	37
13-19 YRS	17	9.2	52	2	3	8	10	22	27	29
GRAND TOTAL	76	10.8	74	3	4	8	13	23	32	44

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	3.7	3	1	1	4	5	6	6	6
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	5	9.0	66	3	3	6	12	23	23	23
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	11	5.1	27	1	1	4	5	12	19	20
" MULTIPLE DX	9	7.3	60	<1	<1	4	11	21	23	23
TOTAL 0-27 DYS	11	6.1	36	1	2	4	6	15	22	23
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	2	18.5	5	17	17	18	20	20	20	20
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	20	6.1	41	<1	1	4	6	18	21	23

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	4	3.3	6	2	2	2	5	7	7	7
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	2.8	1	2	2	3	3	5	5	5
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	4.8	7	2	2	4	7	8	8	8
1-5 YRS	5	7.6	25	3	3	6	10	15	15	15
6-12 YRS	3	4.7	14	2	2	3	7	9	9	9
13-19 YRS	6	12.2	149	2	2	9	14	33	35	35
TOT. SINGLE DX	14	3.1	2	2	2	3	3	5	7	7
" MULTIPLE DX	19	7.8	60	2	2	5	9	15	26	35
TOTAL 0-27 DYS	4	3.5	1	3	3	3	4	5	5	5
1-11 MOS	4	4.8	8	2	2	4	7	8	8	8
1-5 YRS	9	5.7	20	2	2	3	8	13	15	15
6-12 YRS	4	4.5	10	2	2	3	6	9	9	9
13-19 YRS	12	7.5	92	2	2	4	9	20	33	35
GRAND TOTAL	33	5.8	41	2	2	3	7	13	15	35

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.8	3	1	1	2	4	5	5	5
1-11 MOS	29	2.4	5	<1	<1	2	3	4	5	14
1-5 YRS	142	2.0	2	<1	1	2	2	4	5	7
6-12 YRS	136	2.4	3	<1	1	2	3	4	5	11
13-19 YRS	231	3.3	4	1	1	3	4	6	8	10
2. MULTIPLE DX										
0-27 DYS	10	3.2	1	1	1	3	4	5	5	5
1-11 MOS	26	3.4	33	<1	<1	2	3	5	11	31
1-5 YRS	120	2.8	8	1	1	2	3	5	7	17
6-12 YRS	72	3.0	9	<1	1	2	3	5	7	19
13-19 YRS	110	4.2	12	1	1	3	5	7	9	24
TOT. SINGLE DX	542	2.7	4	1	1	2	3	5	6	10
" MULTIPLE DX	338	3.3	12	1	1	2	4	6	8	21
TOTAL 0-27 DYS	14	3.1	2	1	1	3	4	5	5	5
1-11 MOS	55	2.9	19	<1	<1	2	3	4	6	30
1-5 YRS	262	2.4	5	<1	1	2	2	4	5	15
6-12 YRS	208	2.6	6	<1	1	2	3	4	6	15
13-19 YRS	341	3.6	7	1	1	3	4	7	8	12
GRAND TOTAL	880	2.9	7	1	1	2	3	5	7	14

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	17	2.8	2	1	1	2	3	5	6	7
1-5 YRS	135	2.2		1	1	2	3	3	4	5
6-12 YRS	148	2.8	2	1	1	2	3	5	6	8
13-19 YRS	446	3.7	7	1	2	3	4	6	8	16
2. MULTIPLE DX										
0-27 DYS	35	4.2	12	<1	2	3	5	7	8	22
1-11 MOS	12	2.8	5	1	1	2	3	7	8	8
1-5 YRS	117	2.4	2	1	1	2	3	4	5	9
6-12 YRS	144	2.8	2	1	1	2	3	4	5	9
13-19 YRS	326	4.5	13	1	2	3	5	8	12	19
TOT. SINGLE DX	748	3.2	5	1	1	3	4	5	7	14
" MULTIPLE DX	634	3.7	9	1	1	3	4	7	9	16
TOTAL 0-27 DYS	37	4.1	12	<1	1	3	5	7	8	22
1-11 MOS	29	2.8	3	1	1	2	3	6	7	8
1-5 YRS	252	2.3	1	1	1	2	3	4	4	6
6-12 YRS	292	2.8	3	1	1	2	3	5	5	9
13-19 YRS	772	4.0	10	1	2	3	5	7	10	17
GRAND TOTAL	1382	3.4	7	1	1	3	4	6	8	15

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	13	1.8		<1	<1	2	2	3	3	3
1-5 YRS	1017	2.6	2	1	1	2	3	4	5	7
6-12 YRS	1428	2.8	2	1	1	2	3	5	6	8
13-19 YRS	980	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	10	4.8	8	1	2	4	7	9	11	11
1-11 MOS	26	2.5	3	<1	<1	2	3	5	8	8
1-5 YRS	1037	2.7	2	<1	1	2	3	5	5	8
6-12 YRS	901	3.4	6	1	2	3	4	6	7	11
13-19 YRS	319	3.5	4	1	1	3	4	6	7	13
TOT. SINGLE DX	3440	2.7	2	1	1	2	3	5	5	8
" MULTIPLE DX	2293	3.1	5	1	1	3	4	5	7	10
TOTAL 0-27 DYS	12	4.3	9	1	1	3	6	8	11	11
1-11 MOS	39	2.2	3	<1	<1	2	3	4	7	8
1-5 YRS	2054	2.7	3	<1	1	2	3	4	5	8
6-12 YRS	2329	3.0	4	1	1	3	4	5	6	9
13-19 YRS	1299	2.8	3	1	1	2	4	5	6	8
GRAND TOTAL	5733	2.9	3	1	1	2	3	5	6	9

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	72	2.3	9	1	1	2	3	4	4	22
6-12 YRS	328	2.1	1	1	1	2	3	4	4	6
13-19 YRS	271	2.8	5	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	3	5.0	4	3	3	5	6	7	7	7
1-11 MOS	4	4.3	1	3	3	4	5	6	6	6
1-5 YRS	37	2.4	1	<1	1	2	3	4	5	6
6-12 YRS	109	2.9	6	1	1	2	3	5	7	14
13-19 YRS	124	4.1	29	1	1	3	4	6	10	31
TOT. SINGLE DX	674	2.4	4	1	1	2	3	4	5	8
" MULTIPLE DX	277	3.4	16	1	1	3	4	6	8	16
TOTAL 0-27 DYS	4	4.3	5	2	2	4	6	7	7	7
1-11 MOS	6	3.8	1	3	3	4	4	6	6	6
1-5 YRS	109	2.4	7	<1	1	2	3	4	5	15
6-12 YRS	437	2.3	3	1	1	2	3	4	5	9
13-19 YRS	395	3.2	13	1	1	2	4	6	7	14
GRAND TOTAL	951	2.7	8	1	1	2	3	5	6	11

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	12	2.5	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	14	2.5	2	<1	<1	2	4	4	6	6
" MULTIPLE DX	6	1.2		<1	<1	1	1	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.0		<1	<1	1	1	1	1	1
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	13	2.4	2	<1	<1	2	3	5	6	6
GRAND TOTAL	20	2.1	2	<1	<1	1	3	4	5	6

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	154	1.8		<1	<1	2	2	3	3	4
1-5 YRS	544	2.1	2	<1	1	2	2	3	4	8
6-12 YRS	370	2.2	1	1	1	2	3	3	4	5
13-19 YRS	937	2.8	1	1	1	3	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	5	4.0	4	2	2	4	5	7	7	7
1-11 MOS	145	2.4	6	<1	<1	2	3	4	6	19
1-5 YRS	530	2.2	1	<1	<1	2	3	4	4	7
6-12 YRS	246	2.5	1	1	1	2	3	4	5	8
13-19 YRS	363	3.4	3	1	2	3	4	5	7	11
TOT. SINGLE DX	2007	2.4	2	<1	1	2	3	4	5	7
" MULTIPLE DX	1289	2.6	3	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	7	3.4	4	<1	<1	3	5	7	7	7
1-11 MOS	299	2.1	4	<1	<1	2	2	3	4	9
1-5 YRS	1074	2.1	2	<1	<1	2	2	3	4	8
6-12 YRS	616	2.3	1	1	1	2	3	4	4	6
13-19 YRS	1300	3.0	2	1	1	3	4	5	6	9
GRAND TOTAL	3296	2.5	2	<1	1	2	3	4	5	8

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	402	1.9	9	<1	<1	1	2	2	3	19
1-5 YRS	1841	1.6		<1	<1	2	2	2	2	4
6-12 YRS	1120	1.8		<1	<1	2	2	2	3	4
13-19 YRS	881	2.0		<1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	125	7.0	73	<1	1	3	9	19	26	36
1-5 YRS	511	2.1	3	<1	1	2	2	4	5	10
6-12 YRS	346	2.2	1	<1	1	2	2	3	5	8
13-19 YRS	303	2.7	4	1	1	2	3	5	6	13
TOT. SINGLE DX	5340	1.8	2	<1	<1	2	2	2	3	6
" MULTIPLE DX	1534	3.5	34	<1	1	2	3	6	12	31
TOTAL 0-27 DYS										
1-11 MOS	576	3.1	29	<1	<1	2	2	6	13	30
1-5 YRS	3081	2.2	14	<1	<1	2	2	3	5	17
6-12 YRS	1807	1.8	1	<1	<1	2	2	2	3	5
13-19 YRS	1410	2.2	2	<1	1	2	2	3	4	7
GRAND TOTAL	6874	2.2	10	<1	<1	2	2	3	4	15

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	19	3.2	3	1	1	3	5	6	6	6
1-11 MOS	18	2.4	4	<1	<1	1	3	7	7	7
1-5 YRS	197	3.1	8	<1	<1	2	5	8	9	14
6-12 YRS	79	2.8	10	<1	<1	2	2	7	9	18
13-19 YRS	83	3.1	7	<1	<1	2	3	7	9	14
2. MULTIPLE DX										
0-27 DYS	71	4.0	5	2	2	3	5	6	9	15
1-11 MOS	11	3.3	8	<1	<1	2	4	8	10	10
1-5 YRS	113	3.5	12	<1	<1	2	5	8	11	16
6-12 YRS	42	4.4	9	<1	1	3	7	9	11	12
13-19 YRS	58	5.0	21	<1	1	4	6	11	14	25
TOT. SINGLE DX	396	3.0	9	<1	<1	2	4	7	9	15
" MULTIPLE DX	295	4.0	12	<1	1	3	5	9	11	16
TOTAL 0-27 DYS	90	3.8	5	2	2	3	5	6	9	14
1-11 MOS	29	2.7	6	<1	<1	2	3	7	7	10
1-5 YRS	310	3.3	10	<1	<1	2	5	8	9	16
6-12 YRS	121	3.3	11	<1	<1	2	4	8	10	17
13-19 YRS	141	3.9	14	<1	1	2	5	9	11	20
GRAND TOTAL	691	3.4	10	<1	<1	2	5	8	10	16

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	41	6.0	7	3	3	6	7	10	12	13
13-19 YRS	1140	5.6	4	3	3	5	7	8	10	13
2. MULTIPLE DX										
0-27 DYS	3	31.0	1372	3	3	17	59	73	73	73
1-11 MOS	4	6.8	4	5	5	7	8	9	9	9
1-5 YRS	3	8.7	16	5	5	8	12	13	13	13
6-12 YRS	29	7.1	9	3	4	7	9	11	14	15
13-19 YRS	1095	6.2	8	3	4	6	7	9	11	16
TOT. SINGLE DX	1186	5.6	5	3	3	5	7	8	10	13
" MULTIPLE DX	1134	6.3	13	3	4	6	7	9	12	16
TOTAL 0-27 DYS	4	24.5	1084	3	3	11	45	73	73	73
1-11 MOS	5	7.0	4	5	5	8	8	9	9	9
1-5 YRS	6	6.0	16	2	2	5	8	12	13	13
6-12 YRS	70	6.5	8	3	3	6	8	11	12	15
13-19 YRS	2235	5.9	7	3	3	6	7	9	10	15
GRAND TOTAL	2320	6.0	9	3	3	6	7	9	11	15

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	6	7.5	5	4	4	7	8	11	11	11
6-12 YRS	41	6.6	7	3	3	6	8	11	11	12
13-19 YRS	561	6.2	4	4	4	6	7	9	10	14
2. MULTIPLE DX										
0-27 DYS	4	7.5	3	5	5	8	9	9	9	9
1-11 MOS	2	7.0	8	5	5	7	9	9	9	9
1-5 YRS	5	6.0	5	4	4	5	7	10	10	10
6-12 YRS	56	6.1	8	3	3	5	7	11	13	15
13-19 YRS	774	7.0	8	4	4	6	8	10	12	18
TOT. SINGLE DX	609	6.2	5	4	4	6	7	9	11	14
" MULTIPLE DX	841	6.9	8	4	4	6	8	10	12	18
TOTAL 0-27 DYS	4	7.5	4	5	5	8	9	9	9	9
1-11 MOS	3	7.3	4	5	5	8	9	9	9	9
1-5 YRS	11	6.8	5	4	4	7	8	10	11	11
6-12 YRS	97	6.3	8	3	3	5	8	11	12	15
13-19 YRS	1335	6.7	7	4	4	6	7	10	12	16
GRAND TOTAL	1450	6.6	7	4	4	6	7	10	12	16

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	17	6.1	3	2	5	6	7	9	9	9
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	6.0	1	5	5	6	7	7	7	7
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	11.0	32	7	7	11	15	15	15	15
13-19 YRS	34	7.6	12	4	5	7	8	11	15	22
TOT. SINGLE DX	20	6.2	4	2	5	6	7	9	10	10
" MULTIPLE DX	41	7.6	12	4	5	7	8	12	15	22
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	6.0	1	5	5	6	7	7	7	7
1-5 YRS	2	8.5	5	7	7	8	10	10	10	10
6-12 YRS	4	8.0	23	5	5	6	11	15	15	15
13-19 YRS	51	7.1	10	4	5	6	8	10	13	22
GRAND TOTAL	61	7.1	10	4	5	7	8	10	14	21

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	5	3.2		2	2	3	4	4	4	4
13-19 YRS	192	4.3	11	1	1	3	5	7	10	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS										
6-12 YRS	4	5.8	4	3	3	6	7	8	8	8
13-19 YRS	242	4.8	12	1	2	4	6	8	10	19
TOT. SINGLE DX	199	4.2	12	1	1	3	5	7	10	20
" MULTIPLE DX	248	4.8	12	1	2	4	6	8	10	19
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS										
6-12 YRS	9	4.3	4	2	2	4	6	7	8	8
13-19 YRS	434	4.6	12	1	2	4	6	8	10	20
GRAND TOTAL	447	4.5	12	1	2	4	6	8	10	19

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	114	1.6		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	96	1.9	4	<1	<1	1	2	3	5	14
TOT. SINGLE DX	116	1.6	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	97	1.9	4	<1	<1	1	2	3	5	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	210	1.7	2	<1	<1	1	2	3	4	6
GRAND TOTAL	213	1.7	2	<1	<1	1	2	3	4	6

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	135	3.1	4	1	1	3	4	6	7	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	210	3.8	5	1	2	3	5	6	8	14
TOT. SINGLE DX	137	3.1	4	1	1	3	4	6	7	12
" MULTIPLE DX	211	3.8	5	1	2	3	5	6	8	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	13	2	2	4	8	9	9	9
13-19 YRS	345	3.5	5	1	1	3	4	6	7	13
GRAND TOTAL	348	3.5	5	1	1	3	4	6	7	13

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	4.5	2	2	2	4	6	7	7	7
13-19 YRS	488	5.4	3	3	3	5	6	8	9	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	8.3	70	3	3	4	14	18	18	18
1-5 YRS										
6-12 YRS	8	6.6	6	4	4	6	7	11	12	12
13-19 YRS	490	6.0	9	2	3	6	7	9	11	19
TOT. SINGLE DX	496	5.3	4	2	3	5	6	8	9	12
" MULTIPLE DX	501	6.1	10	2	3	6	7	9	11	19
TOTAL 0-27 DYS										
1-11 MOS	3	8.3	70	3	3	4	14	18	18	18
1-5 YRS										
6-12 YRS	16	5.6	5	2	3	5	7	8	11	12
13-19 YRS	978	5.7	7	2	3	5	7	8	10	15
GRAND TOTAL	997	5.7	7	2	3	5	7	8	10	15

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	4.7	6	3	3	4	6	9	10	10
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	183	2.0		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	117	2.7	2	1	1	2	3	5	6	8
TOT. SINGLE DX	192	2.1	1	<1	1	2	3	3	4	6
" MULTIPLE DX	126	2.8	2	1	1	2	3	5	6	9
TOTAL 0-27 DYS	10	4.4	5	3	3	4	4	8	10	10
1-11 MOS	4	2.3	1	1	1	2	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	4.7	21	2	2	2	8	10	10	10
13-19 YRS	300	2.3	1	<1	1	2	3	4	4	7
GRAND TOTAL	318	2.4	2	<1	1	2	3	4	5	8

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS	128	1.9		<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	6	1.7		1	1	2	2	2	2	2
6-12 YRS	5	2.8	7	<1	<1	1	5	7	7	7
13-19 YRS	157	3.4	32	<1	1	2	3	6	8	31
TOT. SINGLE DX	133	1.8	1	<1	<1	2	2	3	4	5
" MULTIPLE DX	170	3.3	30	<1	1	2	3	6	8	28
TOTAL 0-27 DYS										
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	7	1.6		1	1	2	2	2	2	2
6-12 YRS	9	2.2	4	<1	<1	1	3	6	7	7
13-19 YRS	285	2.7	19	<1	1	2	3	4	6	13
GRAND TOTAL	303	2.7	18	<1	1	2	3	4	6	13

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	180	3.2	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	58	4.2	5	1	2	4	5	7	8	15
TOT. SINGLE DX	180	3.2	4	1	1	3	4	6	7	9
" MULTIPLE DX	58	4.2	6	1	2	4	5	7	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	238	3.5	4	1	1	3	4	6	8	10
GRAND TOTAL	238	3.5	4	1	1	3	4	6	8	10

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	40	4.4	7	<1	<1	4	6	8	9	12
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	49	4.6	12	1	1	4	6	8	10	18
TOT. SINGLE DX	41	4.3	7	<1	<1	4	6	7	9	12
" MULTIPLE DX	52	4.7	13	1	1	4	6	9	12	18
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	89	4.5	10	<1	1	4	6	8	10	17
GRAND TOTAL	93	4.5	11	<1	1	4	6	8	10	17

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	7.2	1	6	6	7	8	9	9	9
1-5 YRS	2	7.5	5	6	6	7	9	9	9	9
6-12 YRS	9	7.6	3	5	5	7	9	10	10	10
13-19 YRS	52	7.6	5	5	5	7	9	11	13	16
2. MULTIPLE DX										
0-27 DYS	10	7.1	1	6	6	7	8	8	8	8
1-11 MOS	19	7.7	8	4	5	7	8	11	15	17
1-5 YRS	11	8.1	8	6	6	7	9	12	16	16
6-12 YRS	26	6.2	5	3	4	6	6	10	12	13
13-19 YRS	225	7.7	15	4	5	7	8	10	14	25
TOT. SINGLE DX	73	7.5	5	5	5	7	9	10	12	16
" MULTIPLE DX	291	7.5	14	4	5	7	8	10	13	23
TOTAL 0-27 DYS	11	7.0	1	6	6	7	8	8	8	8
1-11 MOS	28	7.5	6	5	6	7	8	9	13	17
1-5 YRS	13	8.0	7	6	6	7	9	11	15	16
6-12 YRS	35	6.5	5	3	4	6	8	10	12	13
13-19 YRS	277	7.6	14	5	5	7	8	10	13	23
GRAND TOTAL	364	7.5	12	5	5	7	8	10	13	22

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	8.3	1	7	7	9	9	9	9	9
1-5 YRS	2	8.5	13	6	6	8	11	11	11	11
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	9	5.6	1	4	4	5	6	7	7	7
2. MULTIPLE DX										
0-27 DYS	4	7.3	3	6	6	7	8	10	10	10
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	8.3	16	4	4	9	11	12	12	12
13-19 YRS	20	5.8	5	2	3	5	7	9	11	12
TOT. SINGLE DX	15	6.7	4	4	5	6	8	9	11	11
" MULTIPLE DX	30	6.3	6	3	4	6	7	10	12	12
TOTAL 0-27 DYS	4	7.3	4	6	6	7	8	10	10	10
1-11 MOS	5	7.6	2	6	6	7	9	9	9	9
1-5 YRS	3	8.0	7	6	6	7	10	11	11	11
6-12 YRS	4	8.5	11	4	4	9	11	12	12	12
13-19 YRS	29	5.7	4	3	4	5	7	8	9	12
GRAND TOTAL	45	6.4	5	3	4	6	8	9	11	12

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	19.3	214	6	6	17	30	35	35	35
TOT. SINGLE DX	3	6.7	9	4	4	6	9	10	10	10
" MULTIPLE DX	3	19.3	214	6	6	17	30	35	35	35
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5	14.4	157	4	4	10	21	35	35	35
GRAND TOTAL	6	13.0	138	4	4	8	17	33	35	35

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	1202	1.3		<1	<1	1	1	2	2	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	244	3.1	35	<1	<1	1	3	6	8	18
TOT. SINGLE DX	1205	1.3	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	244	3.1	36	<1	<1	1	3	6	8	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	1446	1.6	7	<1	<1	1	1	2	4	8
GRAND TOTAL	1449	1.6	7	<1	<1	1	1	2	4	8

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	3.8	26	<1	<1	2	5	13	13	13
1-5 YRS	5	1.4		<1	<1	1	2	2	2	2
6-12 YRS	51	2.3	5	<1	<1	2	2	4	5	13
13-19 YRS	10300	1.9	2	<1	1	1	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	3	6.3	25	<1	<1	7	10	11	11	11
1-11 MOS	9	2.4	6	<1	<1	2	2	7	9	9
1-5 YRS	8	3.1	5	<1	<1	3	4	7	8	8
6-12 YRS	42	3.1	8	<1	1	2	4	5	6	19
13-19 YRS	4041	3.3	10	1	1	2	4	6	9	14
TOT. SINGLE DX	10362	1.9	2	<1	1	1	2	3	4	8
" MULTIPLE DX	4103	3.3	11	1	1	2	4	6	9	14
TOTAL 0-27 DYS	4	5.3	22	<1	<1	4	9	11	11	11
1-11 MOS	14	2.9	13	<1	<1	2	2	9	12	13
1-5 YRS	13	2.5	4	<1	<1	2	3	5	7	8
6-12 YRS	93	2.7	7	<1	1	2	3	5	6	16
13-19 YRS	14341	2.3	5	<1	1	2	3	4	6	10
GRAND TOTAL	14465	2.3	5	<1	1	2	3	4	6	10

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	17	1.4		<1	<1	1	2	2	3	4
13-19 YRS	3892	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	9.0	98	2	2	9	16	16	16	16
13-19 YRS	1246	1.7	10	<1	<1	<1	1	2	5	12
TOT. SINGLE DX	3909	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	1248	1.7	11	<1	<1	<1	1	2	5	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	2.2	12	<1	<1	1	2	3	11	16
13-19 YRS	5138	1.3	3	<1	<1	<1	1	2	2	6
GRAND TOTAL	5157	1.3	3	<1	<1	<1	1	2	2	6

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.5		<1	<1	1	2	2	2	2
13-19 YRS	1118	1.5	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	208	2.7	5	<1	1	2	3	5	8	13
TOT. SINGLE DX	1122	1.5	1	<1	<1	1	2	2	4	6
" MULTIPLE DX	208	2.7	6	<1	1	2	3	5	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.5		<1	<1	1	2	2	2	2
13-19 YRS	1326	1.7	2	<1	<1	1	2	3	4	8
GRAND TOTAL	1330	1.7	2	<1	<1	1	2	3	4	8

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	5.0	3	2	2	5	6	8	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	41	6.6	9	3	4	6	8	10	14	17
TOT. SINGLE DX	9	5.0	4	2	2	5	6	8	8	8
" MULTIPLE DX	41	6.6	10	3	4	6	8	10	14	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	50	6.3	9	3	3	5	8	10	12	17
GRAND TOTAL	50	6.3	9	3	3	5	8	10	12	17

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	4	3.3	8	<1	<1	2	5	7	7	7
6-12 YRS	5	2.2	2	1	1	2	3	5	5	5
13-19 YRS	179	2.8	4	<1	1	2	4	6	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	5.7	4	4	4	5	7	8	8	8
1-5 YRS										
6-12 YRS	6	4.5	9	<1	<1	4	5	9	10	10
13-19 YRS	90	4.9	17	1	1	4	7	9	11	25
TOT. SINGLE DX	191	2.8	5	<1	1	2	4	6	7	8
" MULTIPLE DX	99	4.9	16	1	1	4	7	9	11	25
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	4.4	5	2	2	4	6	8	8	8
1-5 YRS	4	3.3	8	<1	<1	2	5	7	7	7
6-12 YRS	11	3.5	7	<1	<1	3	5	7	10	10
13-19 YRS	269	3.5	10	1	1	3	5	7	8	13
GRAND TOTAL	290	3.5	10	1	1	3	5	7	8	13

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	8	6.0	29	1	1	5	7	15	18	18
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	5	7.6	4	6	6	7	9	11	11	11
6-12 YRS	2	7.0	2	6	6	7	8	8	8	8
13-19 YRS	9	6.9	25	<1	<1	7	10	14	16	16
TOT. SINGLE DX	11	5.8	22	1	2	5	7	13	18	18
" MULTIPLE DX	18	7.3	17	<1	2	7	10	13	15	16
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	9.5	41	5	5	9	14	14	14	14
1-5 YRS	6	6.8	7	3	3	7	8	11	11	11
6-12 YRS	3	7.3	1	6	6	8	8	8	8	8
13-19 YRS	17	6.5	26	<1	1	5	9	15	17	18
GRAND TOTAL	29	6.8	19	1	2	6	8	13	16	18

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	17	1.8	1	<1	1	1	2	4	5	5
6-12 YRS	31	2.3	5	1	1	1	2	6	7	11
13-19 YRS	127	3.7	14	<1	1	2	5	8	14	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	14	4.0	15	<1	1	3	4	9	14	16
6-12 YRS	31	5.0	40	1	1	2	7	11	12	34
13-19 YRS	81	5.5	82	<1	1	3	6	13	16	60
TOT. SINGLE DX	177	3.3	12	<1	1	2	4	7	11	18
" MULTIPLE DX	127	5.3	64	<1	1	3	6	12	15	43
TOTAL 0-27 DYS										
1-11 MOS	3	5.3	44	1	1	2	10	13	13	13
1-5 YRS	31	2.8	9	<1	1	2	4	5	8	16
6-12 YRS	62	3.6	24	1	1	2	4	8	11	31
13-19 YRS	208	4.4	42	<1	1	3	5	10	14	25
GRAND TOTAL	304	4.1	35	<1	1	2	5	9	13	26

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	5	6.8	80	1	1	2	11	22	22	22
1-5 YRS	26	2.9	13	<1	<1	1	2	9	12	14
6-12 YRS	29	3.2	7	<1	1	2	4	7	8	14
13-19 YRS	551	3.2	11	<1	<1	2	3	7	9	18
2. MULTIPLE DX										
0-27 DYS	22	5.8	87	1	2	4	4	8	27	46
1-11 MOS	3	13.0	133	1	1	14	21	24	24	24
1-5 YRS	15	3.3	27	1	1	2	3	5	18	22
6-12 YRS	38	5.9	47	<1	<1	3	8	13	23	31
13-19 YRS	417	4.5	21	1	1	3	6	9	14	21
TOT. SINGLE DX	613	3.2	12	<1	<1	2	3	7	9	19
" MULTIPLE DX	495	4.7	27	1	1	3	6	9	14	29
TOTAL 0-27 DYS	24	5.5	81	1	1	3	4	7	24	46
1-11 MOS	8	9.1	94	1	1	5	18	23	24	24
1-5 YRS	41	3.0	18	<1	<1	1	3	8	12	22
6-12 YRS	67	4.7	32	<1	1	2	6	11	14	30
13-19 YRS	968	3.7	16	<1	1	2	4	8	11	20
GRAND TOTAL	1108	3.8	19	<1	1	2	5	8	12	21

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	14	1.9		<1	1	2	2	3	3	3
1-5 YRS	45	2.0	2	<1	<1	1	2	4	5	8
6-12 YRS	47	2.1	1	<1	<1	2	3	4	5	6
13-19 YRS	820	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	6	4.5	7	1	1	4	5	9	9	9
1-11 MOS	9	5.4	47	<1	<1	3	6	17	23	23
1-5 YRS	34	1.9	1	<1	<1	1	2	4	5	6
6-12 YRS	18	2.2	2	<1	<1	2	3	5	6	6
13-19 YRS	285	4.0	22	1	1	3	4	7	10	24
TOT. SINGLE DX	928	2.3	4	<1	<1	2	3	4	5	8
" MULTIPLE DX	352	3.7	20	1	1	3	4	6	9	23
TOTAL 0-27 DYS	8	4.4	6	1	1	4	6	8	9	9
1-11 MOS	23	3.3	21	<1	1	2	3	6	13	23
1-5 YRS	79	1.9	2	<1	<1	1	2	4	5	7
6-12 YRS	65	2.1	2	<1	<1	2	3	4	5	6
13-19 YRS	1105	2.8	9	<1	1	2	3	5	6	12
GRAND TOTAL	1280	2.7	9	<1	1	2	3	5	6	12

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	16	2.2	1	<1	<1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	3.3	4	2	2	2	5	7	7	7
TOT. SINGLE DX	18	2.2	1	<1	<1	2	2	3	4	5
" MULTIPLE DX	8	3.0	4	2	2	2	4	6	7	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	22	2.5	2	<1	1	2	3	5	6	7
GRAND TOTAL	26	2.4	2	<1	1	2	2	5	6	7

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	41	1.4		<1	<1	1	2	2	3	5
6-12 YRS	78	1.6	1	<1	<1	1	1	4	5	6
13-19 YRS	66	2.6	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS										
1-5 YRS	14	5.3	61	1	1	3	5	12	27	31
6-12 YRS	33	2.4	3	<1	1	2	3	4	6	11
13-19 YRS	34	3.2	4	1	1	3	4	7	7	10
TOT. SINGLE DX	187	1.9	2	<1	<1	1	3	4	5	6
" MULTIPLE DX	83	3.2	14	1	1	2	4	6	8	24
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	55	2.4	18	<1	<1	1	2	4	6	30
6-12 YRS	111	1.8	2	<1	<1	1	2	4	5	8
13-19 YRS	100	2.8	3	1	1	3	4	5	6	9
GRAND TOTAL	270	2.3	6	<1	1	2	3	5	6	10

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	12	1.8	4	<1	<1	1	2	4	7	8
6-12 YRS	9	1.7	2	<1	<1	1	2	4	6	6
13-19 YRS	18	3.6	21	<1	1	2	3	10	16	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	2.4	6	<1	<1	2	2	6	10	10
6-12 YRS	9	4.2	24	<1	<1	1	7	12	15	15
13-19 YRS	16	5.1	39	<1	<1	2	6	14	21	24
TOT. SINGLE DX	41	2.8	13	<1	<1	1	2	7	11	19
" MULTIPLE DX	36	4.0	26	<1	<1	2	5	10	15	24
TOTAL 0-27 DYS										
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	23	2.1	5	<1	<1	1	2	4	9	10
6-12 YRS	18	2.9	14	<1	<1	1	3	8	12	15
13-19 YRS	34	4.3	30	<1	1	2	4	11	18	24
GRAND TOTAL	77	3.4	19	<1	<1	1	3	9	13	23

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	17	2.8		<1	1	3	3	4	4	4
13-19 YRS	12621	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	4.2	2	2	2	4	5	7	7	7
13-19 YRS	7542	3.7	4	2	2	3	4	5	6	11
TOT. SINGLE DX	12638	3.1	1	2	2	3	4	4	5	6
" MULTIPLE DX	7551	3.7	5	2	2	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	26	3.3	2	1	2	3	4	5	6	7
13-19 YRS	20163	3.3	3	2	2	3	4	5	5	8
GRAND TOTAL	20189	3.3	3	2	2	3	4	5	5	8

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	205	2.9	1	1	2	3	3	4	4	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	319	3.1	10	1	1	3	4	5	6	9
TOT. SINGLE DX	205	2.9	1	1	2	3	3	4	4	7
" MULTIPLE DX	319	3.1	10	1	1	3	4	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	524	3.0	7	1	1	3	3	4	5	8
GRAND TOTAL	524	3.0	7	1	1	3	3	4	5	8

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1464	3.2	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	1752	3.6	4	2	2	3	4	5	6	11
TOT. SINGLE DX	1465	3.2	2	2	2	3	4	4	5	7
" MULTIPLE DX	1754	3.6	5	2	2	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	12	3	3	3	8	9	9	9
13-19 YRS	3216	3.4	4	2	2	3	4	5	6	9
GRAND TOTAL	3219	3.4	4	2	2	3	4	5	6	9

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	72	3.0	1	1	2	3	3	4	5	8
13-19 YRS	58175	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	23	4.2	19	1	2	3	4	8	14	22
13-19 YRS	12157	3.5	5	1	2	3	4	5	7	12
TOT. SINGLE DX	58247	2.9	2	1	2	3	3	4	4	6
" MULTIPLE DX	12180	3.5	5	1	2	3	4	5	7	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	95	3.3	6	1	2	3	4	5	6	17
13-19 YRS	70332	3.0	2	1	2	3	3	4	5	7
GRAND TOTAL	70427	3.0	2	1	2	3	3	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	5.9	3	4	4	6	7	9	9	9
13-19 YRS	6393	5.7	4	4	4	5	6	7	8	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	6.1	2	3	4	6	8	8	9	9
13-19 YRS	10650	6.6	11	4	4	6	7	9	11	19
TOT. SINGLE DX	6404	5.7	5	4	4	5	6	7	8	12
" MULTIPLE DX	10669	6.6	12	4	4	6	7	9	11	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	30	6.0	3	4	4	6	7	9	9	9
13-19 YRS	17043	6.3	9	4	4	6	7	9	10	17
GRAND TOTAL	17073	6.3	9	4	4	6	7	9	10	17

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	614	5.8	4	4	4	5	6	8	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	727	6.5	6	4	4	6	7	9	11	17
TOT. SINGLE DX	615	5.8	4	4	4	5	6	8	9	13
" MULTIPLE DX	727	6.5	7	4	4	6	7	9	11	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1341	6.2	6	4	4	6	7	8	10	16
GRAND TOTAL	1342	6.2	6	4	4	6	7	8	10	16

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	4.2	1	2	3	4	5	5	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	8.2	71	3	4	6	7	14	32	40
TOT. SINGLE DX	15	4.2	1	2	3	4	5	5	6	6
" MULTIPLE DX	22	8.2	72	3	4	6	7	14	32	40
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	37	6.6	46	3	3	5	7	8	20	40
GRAND TOTAL	37	6.6	46	3	3	5	7	8	20	40

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	1.8		1	1	2	2	3	3	3
13-19 YRS	2594	1.8		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.2		2	2	2	3	3	3	3
13-19 YRS	643	2.3	6	1	1	2	2	3	4	14
TOT. SINGLE DX	2605	1.8	1	1	1	2	2	3	3	4
" MULTIPLE DX	648	2.3	7	1	1	2	2	3	4	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	16	1.9		1	1	2	2	3	3	3
13-19 YRS	3237	1.9	2	1	1	2	2	3	3	5
GRAND TOTAL	3253	1.9	2	1	1	2	2	3	3	5

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	158	4.0	19	<1	1	3	5	8	10	29
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	108	5.2	22	<1	1	4	7	12	18	20
TOT. SINGLE DX	158	4.0	19	<1	1	3	5	8	10	29
" MULTIPLE DX	108	5.2	23	<1	1	4	7	12	18	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	266	4.5	21	<1	1	3	6	9	13	22
GRAND TOTAL	266	4.5	21	<1	1	3	6	9	13	22

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	1.9		<1	<1	2	3	3	3	3
13-19 YRS	2939	2.5	2	<1	<1	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1159	3.2	3	<1	1	3	4	5	6	11
TOT. SINGLE DX	2946	2.5	2	<1	<1	3	3	4	4	6
" MULTIPLE DX	1160	3.2	4	<1	1	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.1	1	<1	<1	2	3	4	4	4
13-19 YRS	4098	2.7	3	<1	<1	3	3	4	5	8
GRAND TOTAL	4106	2.7	3	<1	<1	3	3	4	5	8

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.9	1	1	1	3	3	4	6	6
13-19 YRS	7678	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	5375	3.2	4	2	2	3	4	5	5	9
TOT. SINGLE DX	7692	2.8	2	1	2	3	3	4	4	6
" MULTIPLE DX	5377	3.2	4	2	2	3	4	5	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	16	2.9	1	1	1	3	3	4	5	6
13-19 YRS	13053	3.0	3	1	2	3	3	4	5	8
GRAND TOTAL	13069	3.0	3	1	2	3	3	4	5	8

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	15	4.9	35	<1	<1	2	8	16	16	16
6-12 YRS	43	2.5	4	<1	1	2	3	4	6	14
13-19 YRS	96	3.4	8	1	2	3	4	5	7	19
2. MULTIPLE DX										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS										
1-5 YRS	6	3.3	6	<1	<1	3	6	6	6	6
6-12 YRS	20	2.9	2	<1	1	2	4	5	6	6
13-19 YRS	76	4.8	13	1	2	4	5	9	13	21
TOT. SINGLE DX	156	3.3	10	<1	1	2	4	6	8	16
" MULTIPLE DX	104	4.3	11	1	2	4	5	7	12	19
TOTAL 0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	21	4.5	27	<1	<1	2	6	15	16	16
6-12 YRS	63	2.6	4	<1	1	2	3	5	6	13
13-19 YRS	172	4.0	11	1	2	3	4	7	10	21
GRAND TOTAL	260	3.7	11	1	1	3	4	6	9	17

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	4	7.0	31	2	2	5	10	15	15	15
6-12 YRS	22	5.0	12	2	3	4	6	8	12	19
13-19 YRS	1182	3.9	2	2	2	4	4	5	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	4.7	14	<1	<1	4	4	11	12	12
6-12 YRS	27	4.4	11	1	2	3	5	10	14	14
13-19 YRS	813	4.3	2	3	3	4	5	6	7	11
TOT. SINGLE DX	1210	3.9	3	2	2	4	4	5	6	10
" MULTIPLE DX	846	4.3	3	2	3	4	5	6	7	12
TOTAL 0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	10	5.6	20	<1	1	4	6	13	15	15
6-12 YRS	49	4.7	12	2	2	4	5	8	14	19
13-19 YRS	1995	4.1	3	2	3	4	5	6	7	11
GRAND TOTAL	2056	4.1	3	2	3	4	5	6	7	11

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	35	2.3	1	1	1	2	3	5	5	6
6-12 YRS	122	2.5	2	1	1	2	3	4	6	8
13-19 YRS	626	2.8	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	44	4.4	17	1	1	3	6	8	13	20
6-12 YRS	155	3.6	8	1	2	3	4	7	8	18
13-19 YRS	660	5.5	52	1	2	4	6	10	14	46
TOT. SINGLE DX	783	2.7	4	1	1	2	3	5	6	8
" MULTIPLE DX	859	5.1	43	1	2	3	6	10	13	34
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	79	3.5	11	1	1	2	5	7	9	19
6-12 YRS	277	3.1	6	1	1	2	4	6	7	11
13-19 YRS	1286	4.2	31	1	1	3	4	7	10	28
GRAND TOTAL	1642	4.0	26	1	1	3	4	7	10	21

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.5	13	5	5	7	10	10	10	10
1-11 MOS	3	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	7	4.3	3	2	2	4	6	7	7	7
6-12 YRS	60	2.9	2	1	1	2	3	6	7	9
13-19 YRS	590	3.6	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	17	5.7	10	1	1	7	8	9	11	12
6-12 YRS	66	8.0	71	2	2	6	10	14	18	57
13-19 YRS	773	7.2	61	2	2	5	8	13	18	44
TOT. SINGLE DX	662	3.5	6	1	1	3	4	6	8	12
" MULTIPLE DX	858	7.2	61	2	2	5	8	13	18	45
TOTAL 0-27 DYS	2	7.5	13	5	5	7	10	10	10	10
1-11 MOS	5	3.6	4	<1	<1	4	5	6	6	6
1-5 YRS	24	5.3	8	1	2	5	8	9	10	12
6-12 YRS	126	5.6	45	1	2	4	7	11	14	36
13-19 YRS	1363	5.6	41	1	2	4	6	11	14	34
GRAND TOTAL	1520	5.6	41	1	2	4	6	11	14	33

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.3	7	3	3	4	7	10	10	10
6-12 YRS	20	4.0	7	<1	1	3	5	9	10	11
13-19 YRS	46	5.1	42	1	2	3	5	8	16	37
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	3	6.0	13	3	3	5	9	10	10	10
6-12 YRS	14	4.9	11	1	2	4	7	11	12	12
13-19 YRS	46	6.5	40	1	2	4	7	11	23	34
TOT. SINGLE DX	72	4.8	30	1	2	3	5	8	11	33
" MULTIPLE DX	65	6.0	32	1	2	4	7	11	15	33
TOTAL 0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	9	5.6	8	3	3	4	8	10	10	10
6-12 YRS	34	4.3	9	1	1	3	5	10	11	12
13-19 YRS	92	5.8	42	1	2	4	6	11	22	36
GRAND TOTAL	137	5.4	31	1	2	4	6	10	12	34

703: Incision and division of bones, except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	10.0	147	3	3	3	19	24	24	24
1-11 MOS	11	11.2	102	1	2	6	21	26	27	27
1-5 YRS	198	6.2	39	2	2	5	6	12	18	38
6-12 YRS	486	6.8	43	1	2	5	8	15	23	31
13-19 YRS	1024	4.8	21	1	2	3	5	9	13	26
2. MULTIPLE DX										
0-27 DYS	2	15.0		15	15	15	15	15	15	15
1-11 MOS	10	28.1	456	2	5	25	40	58	73	73
1-5 YRS	128	8.2	60	2	3	5	9	17	29	37
6-12 YRS	256	8.9	95	2	3	6	9	18	31	54
13-19 YRS	621	6.2	43	2	2	4	7	12	17	42
TOT. SINGLE DX	1722	5.5	32	1	2	4	6	11	16	30
" MULTIPLE DX	1017	7.4	68	2	2	5	8	14	24	47
TOTAL 0-27 DYS	5	12.0	81	3	3	15	17	24	24	24
1-11 MOS	21	19.2	331	1	2	15	27	42	57	73
1-5 YRS	326	7.0	49	2	2	5	7	14	22	37
6-12 YRS	742	7.5	63	2	2	5	9	15	25	45
13-19 YRS	1645	5.3	30	1	2	4	6	10	14	32
GRAND TOTAL	2739	6.2	46	1	2	4	7	12	19	39

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS										
6-12 YRS	80	4.0	2	2	2	4	5	6	7	11
13-19 YRS	933	3.8	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	88	3.8	2	2	2	4	5	6	7	8
13-19 YRS	962	4.1	2	2	2	4	5	6	7	9
TOT. SINGLE DX	1016	3.8	3	2	2	3	5	6	7	11
" MULTIPLE DX	1056	4.1	3	2	2	4	5	6	7	9
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	5	4.0	3	2	2	4	5	6	6	6
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	168	3.9	2	2	2	4	5	6	7	8
13-19 YRS	1895	3.9	3	2	2	4	5	6	7	10
GRAND TOTAL	2072	3.9	3	2	2	4	5	6	7	10

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	4.6	14	2	2	3	6	11	11	11
1-11 MOS	29	3.6	14	1	1	2	4	7	11	19
1-5 YRS	216	4.7	34	1	1	3	5	11	17	32
6-12 YRS	1323	4.1	22	1	2	3	4	7	10	28
13-19 YRS	4226	3.8	16	1	1	3	4	6	8	23
2. MULTIPLE DX										
0-27 DYS	7	13.6	317	2	2	10	15	45	52	52
1-11 MOS	14	6.9	32	2	2	5	10	16	20	21
1-5 YRS	109	10.6	231	1	1	4	11	28	44	73
6-12 YRS	369	9.5	180	1	2	4	9	28	36	72
13-19 YRS	1793	7.2	109	1	2	4	7	16	31	71
TOT. SINGLE DX	5799	3.9	19	1	1	3	4	6	9	25
" MULTIPLE DX	2292	7.7	128	1	2	4	7	20	33	71
TOTAL 0-27 DYS	12	9.8	200	2	2	4	11	27	48	52
1-11 MOS	43	4.7	22	1	1	3	6	11	16	21
1-5 YRS	325	6.7	108	1	1	3	6	16	28	63
6-12 YRS	1692	5.3	62	1	2	3	5	9	19	43
13-19 YRS	6019	4.8	47	1	1	3	5	8	14	41
GRAND TOTAL	**8091**	**5.0**	**53**	**1**	**1**	**3**	**5**	**8**	**16**	**42**

706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	7	4.6	26	1	1	3	4	14	16	16
1-5 YRS	57	10.6	105	1	1	5	18	26	30	39
6-12 YRS	489	8.3	85	2	2	5	8	21	28	45
13-19 YRS	1261	6.0	53	1	2	4	6	10	16	44
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	11.3	159	3	3	6	18	30	30	30
1-5 YRS	31	16.8	334	1	1	9	28	37	63	73
6-12 YRS	176	11.6	179	2	2	6	16	30	39	66
13-19 YRS	457	11.0	217	2	2	5	11	30	44	75
TOT. SINGLE DX	1815	6.7	65	1	2	4	7	13	22	44
" MULTIPLE DX	669	11.4	212	2	2	6	13	30	43	74
TOTAL 0-27 DYS	2	8.5	1	8	8	8	9	9	9	9
1-11 MOS	11	7.0	75	1	2	3	6	22	29	30
1-5 YRS	88	12.8	192	1	1	6	21	30	36	70
6-12 YRS	665	9.2	112	2	2	5	9	23	30	54
13-19 YRS	1718	7.3	102	2	2	4	7	14	23	60
GRAND TOTAL	**2484**	**8.0**	**109**	**2**	**2**	**5**	**8**	**18**	**29**	**60**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	12	1.8	1	<1	<1	1	2	4	4	4
1-5 YRS	171	4.0	56	<1	<1	1	3	8	25	37
6-12 YRS	542	3.7	34	<1	<1	2	3	5	13	37
13-19 YRS	3107	2.8	13	<1	1	2	3	5	6	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	7	1.4		<1	<1	1	2	3	3	3
1-5 YRS	75	6.2	82	<1	1	3	5	22	26	44
6-12 YRS	199	5.6	63	1	1	3	5	12	25	42
13-19 YRS	618	4.9	59	1	1	3	5	9	13	44
TOT. SINGLE DX	3832	3.0	18	<1	1	2	3	5	6	24
" MULTIPLE DX	899	5.1	62	1	1	3	5	9	21	44
TOTAL 0-27 DYS										
1-11 MOS	19	1.6	1	<1	<1	1	2	3	4	4
1-5 YRS	246	4.7	65	<1	<1	2	3	12	26	37
6-12 YRS	741	4.2	43	<1	<1	2	4	7	19	38
13-19 YRS	3725	3.2	21	<1	1	2	3	5	7	22
GRAND TOTAL	**4731**	**3.4**	**27**	**<1**	**1**	**2**	**3**	**5**	**8**	**30**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	75	18.6	100	2	4	20	24	32	36	42
6-12 YRS	152	23.6	206	3	4	24	32	41	51	62
13-19 YRS	163	16.9	281	3	3	10	21	46	52	88
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	34.0	1092	12	12	18	58	72	72	72
1-5 YRS	27	23.0	91	4	8	25	29	33	36	38
6-12 YRS	85	24.9	171	4	6	26	34	40	49	59
13-19 YRS	182	26.2	360	6	9	20	35	55	73	98
TOT. SINGLE DX	391	19.8	226	3	4	17	28	40	50	64
" MULTIPLE DX	297	25.6	286	5	8	23	34	48	62	93
TOTAL 0-27 DYS										
1-11 MOS	4	26.3	968	3	3	15	45	72	72	72
1-5 YRS	102	19.7	101	3	4	21	27	33	36	41
6-12 YRS	237	24.1	194	3	5	24	33	41	50	61
13-19 YRS	345	21.8	344	3	4	16	32	50	63	96
GRAND TOTAL	**688**	**22.3**	**260**	**3**	**4**	**20**	**31**	**44**	**54**	**85**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	19.5	109	6	6	21	27	30	30	30
1-11 MOS	7	6.7	34	2	2	4	9	16	18	18
1-5 YRS	21	12.0	71	2	3	10	19	23	26	30
6-12 YRS	126	12.2	163	3	4	8	14	24	40	64
13-19 YRS	519	12.8	91	3	4	11	16	21	30	56
2. MULTIPLE DX										
0-27 DYS	2	21.0		21	21	21	80	99+	99+	99+
1-11 MOS	10	18.2	131	4	5	14	24	37	39	39
1-5 YRS	21	15.0	114	4	5	12	16	29	42	48
6-12 YRS	65	19.9	200	2	3	15	31	40	43	53
13-19 YRS	689	20.7	211	6	8	17	25	40	53	99
TOT. SINGLE DX	677	12.6	104	3	4	10	15	22	30	57
" MULTIPLE DX	787	20.5	207	5	8	16	26	40	51	99
TOTAL 0-27 DYS	6	20.0	66	6	8	21	29	86	99+	99+
1-11 MOS	17	13.5	121	2	2	11	18	33	38	39
1-5 YRS	42	13.5	93	3	4	12	19	23	33	48
6-12 YRS	191	14.9	188	3	4	10	19	36	43	56
13-19 YRS	1208	17.3	175	4	6	14	21	32	46	89
GRAND TOTAL	1464	16.8	174	4	5	13	21	33	44	85

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.0	49	1	1	3	11	14	14	14
1-11 MOS	88	7.7	41	1	1	5	13	18	19	23
1-5 YRS	373	11.9	109	1	2	11	19	24	26	41
6-12 YRS	348	16.8	210	2	2	14	26	34	42	63
13-19 YRS	287	12.9	219	1	2	7	16	37	49	66
2. MULTIPLE DX										
0-27 DYS	7	21.4	568	4	4	8	35	61	67	67
1-11 MOS	16	10.8	79	1	2	7	19	24	26	27
1-5 YRS	130	15.4	128	2	2	16	23	32	39	99+
6-12 YRS	168	21.7	226	3	4	20	31	41	47	66
13-19 YRS	209	27.7	454	2	4	23	43	62	73	99+
TOT. SINGLE DX	1099	13.4	172	1	2	9	20	30	40	62
" MULTIPLE DX	530	22.2	317	2	3	19	32	48	62	91
TOTAL 0-27 DYS	10	16.8	445	1	2	7	22	53	67	67
1-11 MOS	104	8.2	48	1	1	5	14	19	21	26
1-5 YRS	503	12.8	117	1	2	12	20	24	31	65
6-12 YRS	516	18.4	220	2	2	16	28	38	45	63
13-19 YRS	496	19.1	370	2	2	11	31	51	62	89
GRAND TOTAL	1629	16.2	236	1	2	12	24	38	49	74

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	5.0	28	2	2	3	8	13	13	13
1-5 YRS	211	6.6	47	1	1	3	12	17	20	27
6-12 YRS	571	5.9	53	1	1	2	8	18	20	26
13-19 YRS	769	4.3	33	<1	1	2	4	9	17	29
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	3.8	13	1	1	2	6	9	9	9
1-5 YRS	45	10.4	71	1	2	8	16	23	26	38
6-12 YRS	144	10.7	102	1	2	7	16	26	29	50
13-19 YRS	288	12.3	251	1	2	5	16	38	46	72
TOT. SINGLE DX	1555	5.2	44	1	1	2	6	15	20	28
" MULTIPLE DX	481	11.5	189	1	2	6	16	29	42	64
TOTAL 0-27 DYS										
1-11 MOS	8	4.4	18	1	1	3	6	12	13	13
1-5 YRS	256	7.3	54	1	1	3	12	18	22	30
6-12 YRS	715	6.9	67	1	1	3	10	19	23	32
13-19 YRS	1057	6.5	105	1	1	3	6	17	28	53
GRAND TOTAL	2036	6.7	85	1	1	3	8	18	24	46

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	3.8	9	1	1	3	5	9	9	9
1-11 MOS	11	7.0	28	1	1	8	12	13	14	14
1-5 YRS	334	3.0	7	1	1	2	3	5	7	15
6-12 YRS	1434	3.6	15	1	1	3	4	6	8	16
13-19 YRS	5079	3.8	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS	3	5.7	10	2	2	7	8	8	8	8
1-11 MOS	6	14.0	589	1	1	4	11	58	63	63
1-5 YRS	113	6.5	85	1	1	3	6	18	22	82
6-12 YRS	504	6.4	86	1	2	4	6	12	20	51
13-19 YRS	2257	8.4	118	1	2	5	9	18	29	67
TOT. SINGLE DX	6863	3.7	10	1	1	3	4	7	9	15
" MULTIPLE DX	2883	8.0	113	1	2	5	8	17	28	63
TOTAL 0-27 DYS	8	4.5	9	1	1	3	7	9	9	9
1-11 MOS	17	9.5	214	1	1	5	12	14	46	63
1-5 YRS	447	3.9	29	1	1	2	4	7	12	23
6-12 YRS	1938	4.3	36	1	1	3	4	7	11	34
13-19 YRS	7336	5.2	47	1	1	4	6	10	14	39
GRAND TOTAL	9746	5.0	45	1	1	3	5	9	13	36

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	1.8		1	1	2	2	3	3	3
1-11 MOS	26	4.2	23	1	1	2	5	15	15	16
1-5 YRS	2003	2.3	10	<1	1	1	2	4	6	18
6-12 YRS	7616	2.3	8	1	1	1	2	4	6	17
13-19 YRS	4890	2.8	8	1	1	2	3	6	8	15
2. MULTIPLE DX										
0-27 DYS	15	3.9	2	2	2	3	5	7	7	7
1-11 MOS	19	10.5	53	1	2	9	15	20	25	28
1-5 YRS	408	5.0	50	1	1	2	5	12	19	33
6-12 YRS	1434	4.6	45	1	1	2	5	9	16	40
13-19 YRS	1973	7.3	105	1	1	4	8	16	25	55
TOT. SINGLE DX	14540	2.5	9	1	1	2	3	5	7	16
" MULTIPLE DX	3849	6.0	78	1	1	3	6	14	21	49
TOTAL 0-27 DYS	20	3.4	3	1	1	3	4	6	7	7
1-11 MOS	45	6.9	48	1	1	4	11	16	19	28
1-5 YRS	2411	2.7	19	<1	1	1	2	5	10	23
6-12 YRS	9050	2.6	15	1	1	2	3	5	8	20
13-19 YRS	6863	4.1	41	1	1	2	4	8	13	34
GRAND TOTAL	18389	3.2	26	1	1	2	3	6	10	25

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.3	10	<1	<1	2	6	7	7	7
1-11 MOS	161	8.2	45	1	1	8	12	17	21	27
1-5 YRS	139	6.6	60	<1	<1	2	11	17	24	34
6-12 YRS	344	2.9	16	<1	1	1	3	7	11	22
13-19 YRS	642	3.3	24	<1	1	2	3	7	13	25
2. MULTIPLE DX										
0-27 DYS	33	4.8	7	2	2	4	5	9	10	14
1-11 MOS	29	10.1	88	1	2	5	16	25	30	33
1-5 YRS	25	8.5	53	1	1	7	14	20	22	23
6-12 YRS	105	6.0	80	1	1	3	6	17	23	46
13-19 YRS	304	9.1	117	1	1	5	11	25	33	47
TOT. SINGLE DX	1289	4.2	32	<1	1	2	4	11	16	27
" MULTIPLE DX	496	8.2	99	1	1	4	10	22	30	45
TOTAL 0-27 DYS	36	4.6	7	2	2	4	6	9	10	14
1-11 MOS	190	8.5	52	1	1	8	12	18	23	32
1-5 YRS	164	6.9	59	<1	1	3	11	17	23	32
6-12 YRS	449	3.6	33	<1	1	1	3	9	15	26
13-19 YRS	946	5.2	62	<1	1	2	5	14	22	39
GRAND TOTAL	1785	5.3	54	<1	1	2	6	15	21	34

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	38	5.4	28	1	1	4	5	16	19	21
1-5 YRS	67	7.7	60	1	2	4	11	19	26	31
6-12 YRS	135	3.0	10	1	1	2	4	6	8	17
13-19 YRS	533	3.4	5	1	1	3	4	6	7	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	18	14.4	214	2	3	8	24	37	46	51
1-5 YRS	36	13.9	180	1	1	10	18	30	43	64
6-12 YRS	36	6.2	91	1	1	3	6	11	35	43
13-19 YRS	161	6.9	54	1	2	5	8	16	20	38
TOT. SINGLE DX	774	3.8	14	1	1	3	4	6	10	21
" MULTIPLE DX	251	8.3	97	1	1	5	9	19	28	51
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	56	8.3	103	1	1	4	9	21	31	50
1-5 YRS	103	9.9	110	1	2	6	16	24	30	55
6-12 YRS	171	3.7	29	1	1	2	4	7	11	38
13-19 YRS	694	4.2	19	1	1	3	5	7	10	25
GRAND TOTAL	1025	4.9	38	1	1	3	5	9	17	31

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	14.3	137	1	1	21	61	99+	99+	99+
1-11 MOS	88	5.9	40	1	2	3	6	15	21	29
1-5 YRS	287	6.8	52	1	1	4	8	17	22	37
6-12 YRS	419	5.0	32	1	1	3	5	11	16	29
13-19 YRS	2741	3.5	8	1	1	3	4	6	8	18
2. MULTIPLE DX										
0-27 DYS	8	31.9	415	5	6	27	49	60	61	61
1-11 MOS	41	14.2	86	2	3	13	21	27	29	35
1-5 YRS	95	9.9	71	2	2	6	15	23	27	34
6-12 YRS	202	8.7	85	1	2	5	11	23	29	36
13-19 YRS	1322	4.2	19	1	1	3	5	7	10	25
TOT. SINGLE DX	3538	4.0	17	1	1	3	4	7	11	23
" MULTIPLE DX	1668	5.4	43	1	2	3	5	11	21	32
TOTAL 0-27 DYS	11	27.1	385	1	4	25	49	73	96	99+
1-11 MOS	129	8.6	70	1	2	4	13	22	27	31
1-5 YRS	382	7.6	59	1	1	5	9	20	23	35
6-12 YRS	621	6.2	53	1	1	4	6	15	23	33
13-19 YRS	4063	3.7	12	1	1	3	4	6	8	21
GRAND TOTAL	5206	4.5	26	1	1	3	5	8	14	29

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	15.0	8	13	13	15	17	17	17	17
1-11 MOS	5	7.8	4	6	6	7	9	11	11	11
1-5 YRS	3	13.7	65	5	5	15	19	21	21	21
6-12 YRS	6	9.2	17	4	4	9	10	15	16	16
13-19 YRS	384	9.6	37	4	5	8	12	16	20	36
2. MULTIPLE DX										
0-27 DYS	2	10.0		10	10	10	10	10	10	10
1-11 MOS	3	15.0	91	9	9	10	22	26	26	26
1-5 YRS	6	16.8	52	9	9	16	24	26	26	26
6-12 YRS	7	12.0	98	1	1	13	16	27	30	30
13-19 YRS	103	13.0	89	3	4	10	18	30	47	99+
TOT. SINGLE DX	400	9.6	37	4	5	8	12	16	20	35
" MULTIPLE DX	121	13.1	86	2	4	10	18	29	42	99+
TOTAL 0-27 DYS	4	12.5	11	10	10	12	15	17	17	17
1-11 MOS	8	10.5	43	6	6	9	10	21	26	26
1-5 YRS	9	15.8	52	5	7	15	22	25	26	26
6-12 YRS	13	10.7	58	1	2	10	14	20	28	30
13-19 YRS	487	10.3	50	3	4	8	13	19	25	52
GRAND TOTAL	521	10.4	50	3	4	9	13	19	25	51

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	4	5.5	27	1	1	4	9	13	13	13
1-5 YRS	10	5.2	14	<1	<1	4	7	11	13	13
6-12 YRS	91	4.0	5	1	2	4	5	6	7	15
13-19 YRS	4233	3.5	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	3.8	9	1	1	3	6	8	8	8
1-5 YRS	5	4.2	5	1	1	4	6	7	7	7
6-12 YRS	35	4.2	5	1	2	4	6	6	8	12
13-19 YRS	2288	4.1	7	1	2	4	5	7	8	16
TOT. SINGLE DX	4340	3.5	3	1	2	3	4	6	7	9
" MULTIPLE DX	2332	4.1	7	1	2	4	5	7	8	16
TOTAL 0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	8	4.6	17	1	1	4	6	11	13	13
1-5 YRS	15	4.9	11	<1	1	4	7	10	12	13
6-12 YRS	126	4.1	5	1	2	4	5	6	8	14
13-19 YRS	6521	3.7	5	1	2	3	5	6	7	11
GRAND TOTAL	6672	3.7	5	1	2	3	5	6	7	11

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	3.6	5	1	1	4	5	7	7	7
1-11 MOS	13	3.2	10	1	1	2	3	8	11	12
1-5 YRS	100	4.1	23	<1	<1	2	5	11	16	22
6-12 YRS	546	3.3	15	1	1	2	3	6	9	20
13-19 YRS	5620	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	8	3.5	3	1	1	3	5	6	6	6
1-11 MOS	3	23.0	981	2	2	8	46	59	59	59
1-5 YRS	19	10.8	159	1	2	6	13	35	42	42
6-12 YRS	167	5.1	67	1	1	3	5	10	18	37
13-19 YRS	2367	3.3	11	1	1	2	4	6	8	17
TOT. SINGLE DX	6284	2.7	6	<1	1	2	3	5	6	12
" MULTIPLE DX	2564	3.5	18	1	1	2	4	6	9	22
TOTAL 0-27 DYS	13	3.5	4	1	1	4	5	6	7	7
1-11 MOS	16	6.9	203	1	1	2	6	12	45	59
1-5 YRS	119	5.2	50	<1	1	2	6	14	20	41
6-12 YRS	713	3.7	28	1	1	2	4	7	10	29
13-19 YRS	7987	2.8	6	<1	1	2	3	5	6	12
GRAND TOTAL	8848	2.9	9	<1	1	2	3	5	7	15

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	7	15.3	265	4	4	7	22	44	48	48
6-12 YRS	109	14.2	61	5	7	12	17	22	30	47
13-19 YRS	509	13.2	44	6	7	12	16	20	25	36
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	6	6.3	10	2	2	6	8	11	11	11
6-12 YRS	80	20.9	242	5	7	15	29	39	48	85
13-19 YRS	290	19.6	226	6	8	15	23	38	59	99
TOT. SINGLE DX	626	13.4	49	6	7	12	16	20	26	40
" MULTIPLE DX	377	19.7	228	6	8	15	24	38	56	98
TOTAL 0-27 DYS										
1-11 MOS	2	8.5	1	8	8	8	9	9	9	9
1-5 YRS	13	11.2	158	2	3	7	11	30	45	48
6-12 YRS	189	17.0	148	5	7	14	19	32	39	66
13-19 YRS	799	15.5	120	6	7	13	18	26	35	78
GRAND TOTAL	1003	15.8	126	6	7	13	18	28	36	72

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	7.8	46	<1	<1	7	13	15	15	15
1-5 YRS	16	3.3	2	<1	1	3	5	5	6	6
6-12 YRS	105	4.4	5	2	2	4	5	7	9	13
13-19 YRS	433	4.5	15	1	2	4	6	8	10	18
2. MULTIPLE DX										
0-27 DYS	3	4.7		4	4	5	5	5	5	5
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	14	5.2	20	2	2	4	6	11	16	18
6-12 YRS	81	5.7	22	2	2	5	7	9	14	29
13-19 YRS	284	6.0	20	2	2	5	7	10	14	26
TOT. SINGLE DX	558	4.5	13	1	2	4	5	8	10	17
" MULTIPLE DX	383	5.9	21	2	2	5	7	10	14	27
TOTAL 0-27 DYS	3	4.7		4	4	5	5	5	5	5
1-11 MOS	5	9.0	43	<1	<1	12	14	15	15	15
1-5 YRS	30	4.2	11	1	1	3	5	8	10	18
6-12 YRS	186	5.0	13	2	2	4	6	9	10	23
13-19 YRS	717	5.1	18	1	2	4	6	9	12	21
GRAND TOTAL	941	5.1	17	1	2	4	6	9	12	20

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	12.0	8	10	10	12	14	14	14	14
1-5 YRS	3	11.7	33	5	5	15	15	15	15	15
6-12 YRS	4	18.8	68	8	8	20	25	27	27	27
13-19 YRS	12	14.3	107	1	3	15	17	27	40	42
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	14.0	50	9	9	14	19	19	19	19
13-19 YRS	29	20.6	289	8	9	12	29	48	61	71
TOT. SINGLE DX	21	14.6	79	3	5	15	17	25	34	42
" MULTIPLE DX	31	20.1	275	8	9	12	26	46	60	71
TOTAL 0-27 DYS										
1-11 MOS	2	12.0	8	10	10	12	14	14	14	14
1-5 YRS	3	11.7	33	5	5	15	15	15	15	15
6-12 YRS	6	17.2	57	8	8	18	23	27	27	27
13-19 YRS	41	18.7	241	5	8	13	18	42	56	71
GRAND TOTAL	52	17.9	200	5	8	13	18	38	51	71

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	4	12.0	48	4	4	11	16	21	21	21
1-5 YRS	3	17.7	112	8	8	16	26	29	29	29
6-12 YRS	26	10.6	109	4	4	7	11	21	36	51
13-19 YRS	38	12.3	72	4	4	11	16	21	29	45
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	23.7	30	18	18	24	28	29	29	29
1-5 YRS	4	19.3	138	6	6	19	28	33	33	33
6-12 YRS	14	17.3	178	2	4	14	24	38	47	49
13-19 YRS	15	15.9	197	4	6	11	15	42	49	51
TOT. SINGLE DX	72	11.9	84	4	4	9	15	21	31	50
" MULTIPLE DX	37	17.1	165	3	5	13	24	36	47	51
TOTAL 0-27 DYS	2	8.0	50	3	3	8	13	13	13	13
1-11 MOS	7	17.0	73	4	5	18	23	28	29	29
1-5 YRS	7	18.6	107	6	6	16	28	32	33	33
6-12 YRS	40	13.0	140	4	4	8	16	30	43	51
13-19 YRS	53	13.3	107	4	4	11	16	26	40	51
GRAND TOTAL	109	13.7	116	4	4	11	17	29	37	51

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	15.3	144	3	3	16	24	27	27	27
1-11 MOS	6	7.7	18	4	4	7	12	13	13	13
1-5 YRS	9	6.9	43	1	1	4	10	18	20	20
6-12 YRS	129	4.6	6	2	2	4	6	8	9	15
13-19 YRS	2295	4.8	5	2	2	4	6	7	9	12
2. MULTIPLE DX										
0-27 DYS	2	18.5	25	15	15	18	22	22	22	22
1-11 MOS	6	14.2	13	9	9	14	18	18	18	18
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	58	5.5	35	1	2	4	6	10	12	42
13-19 YRS	1680	5.5	9	2	3	5	6	9	11	16
TOT. SINGLE DX	2442	4.8	6	2	2	4	6	7	9	13
" MULTIPLE DX	1747	5.5	11	2	3	5	7	9	11	17
TOTAL 0-27 DYS	5	16.6	81	3	3	16	23	27	27	27
1-11 MOS	12	10.9	26	4	4	11	14	18	18	18
1-5 YRS	10	8.8	75	1	1	5	15	23	26	26
6-12 YRS	187	4.9	16	1	2	4	6	8	10	18
13-19 YRS	3975	5.1	7	2	2	5	6	8	10	14
GRAND TOTAL	4189	5.1	8	2	2	5	6	8	10	15

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	6	3.0	1	1	1	3	4	4	4	4
1-5 YRS	31	2.5	3	1	1	2	3	4	9	9
6-12 YRS	115	2.9	4	1	1	2	4	5	8	12
13-19 YRS	2815	3.5	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	3.8	8	2	2	3	5	8	8	8
1-5 YRS	15	4.3	12	1	1	4	5	8	13	15
6-12 YRS	44	3.8	16	1	1	3	4	7	12	24
13-19 YRS	636	4.4	17	2	2	4	5	7	9	16
TOT. SINGLE DX	2969	3.5	2	1	2	3	4	5	6	8
" MULTIPLE DX	700	4.4	17	1	2	4	5	7	9	17
TOTAL 0-27 DYS	3	4.7	1	4	4	4	6	6	6	6
1-11 MOS	10	3.3	4	1	1	3	4	6	8	8
1-5 YRS	46	3.1	7	1	1	2	4	6	9	15
6-12 YRS	159	3.2	8	1	1	2	4	6	8	13
13-19 YRS	3451	3.7	5	1	2	3	4	6	7	10
GRAND TOTAL	3669	3.6	5	1	2	3	4	6	7	10

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	83	3.9	15	<1	1	3	5	9	12	21
1-5 YRS	337	2.5	8	<1	<1	2	3	5	7	15
6-12 YRS	327	3.8	28	<1	1	2	4	8	11	21
13-19 YRS	811	4.0	16	1	1	3	5	8	11	23
2. MULTIPLE DX										
0-27 DYS	4	13.5	113	2	2	14	22	24	24	24
1-11 MOS	17	8.0	36	1	2	7	10	18	22	23
1-5 YRS	175	6.5	68	2	2	4	6	13	21	49
6-12 YRS	229	6.0	44	1	2	4	7	13	21	43
13-19 YRS	408	7.6	99	1	2	4	8	18	30	50
TOT. SINGLE DX	1559	3.6	18	<1	1	2	4	7	10	22
" MULTIPLE DX	833	7.0	77	1	2	4	7	16	23	47
TOTAL 0-27 DYS	5	11.4	107	2	2	7	22	24	24	24
1-11 MOS	100	4.6	21	<1	1	3	6	10	14	23
1-5 YRS	512	3.8	33	<1	<1	2	4	7	12	29
6-12 YRS	556	4.7	37	1	1	3	5	9	15	39
13-19 YRS	1219	5.2	47	1	1	3	5	10	17	39
GRAND TOTAL	2392	4.8	41	<1	1	3	5	9	15	38

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	9.7	116	2	2	5	18	22	22	22
1-11 MOS	39	3.1	16	<1	<1	1	3	8	12	21
1-5 YRS	404	2.0	1	<1	<1	2	2	3	4	8
6-12 YRS	852	2.2	3	<1	<1	2	2	3	5	8
13-19 YRS	2083	2.2	10	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	9	8.6	95	2	2	4	13	26	28	28
1-11 MOS	17	8.2	38	1	2	9	10	19	22	23
1-5 YRS	64	5.4	117	<1	1	2	4	8	28	60
6-12 YRS	99	4.2	80	<1	1	2	4	7	10	64
13-19 YRS	359	3.8	16	<1	1	2	4	7	11	23
TOT. SINGLE DX	3381	2.2	8	<1	<1	2	2	3	4	9
" MULTIPLE DX	548	4.2	42	<1	1	2	4	8	12	32
TOTAL 0-27 DYS	12	8.8	91	2	2	4	16	24	27	28
1-11 MOS	56	4.6	28	<1	1	2	7	11	18	23
1-5 YRS	468	2.4	19	<1	<1	2	2	3	5	12
6-12 YRS	951	2.4	12	<1	<1	2	2	4	5	13
13-19 YRS	2442	2.4	12	<1	<1	2	3	4	5	12
GRAND TOTAL	3929	2.5	13	<1	<1	2	3	4	5	13

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	45	1.9	1	<1	<1	1	2	4	5	7
6-12 YRS	29	2.0		<1	<1	2	2	3	3	5
13-19 YRS	98	2.6	2	<1	1	2	3	5	6	8
2. MULTIPLE DX										
0-27 DYS	3	3.0	12	1	1	1	6	7	7	7
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	13	6.7	40	1	1	3	10	15	21	23
6-12 YRS	12	3.0	2	<1	<1	3	4	5	6	6
13-19 YRS	30	4.2	16	1	1	3	4	10	12	19
TOT. SINGLE DX	173	2.3	2	<1	<1	2	3	4	6	8
" MULTIPLE DX	60	4.4	19	1	1	3	5	10	13	23
TOTAL 0-27 DYS	4	2.5	9	<1	<1	1	4	7	7	7
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	58	3.0	14	<1	<1	2	3	7	11	22
6-12 YRS	41	2.3	2	<1	<1	2	3	4	5	6
13-19 YRS	128	2.9	7	<1	1	2	3	6	8	14
GRAND TOTAL	233	2.8	7	<1	1	2	3	6	8	14

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	17	2.2	2	<1	<1	2	3	5	6	6
1-5 YRS	243	2.0	1	<1	1	2	2	4	4	6
6-12 YRS	307	2.0	1	<1	1	2	2	3	4	6
13-19 YRS	1331	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	2.6	4	1	1	2	4	6	6	6
1-5 YRS	139	2.0	1	<1	1	2	2	3	5	8
6-12 YRS	238	2.5	20	1	1	2	3	4	6	9
13-19 YRS	869	3.0	15	1	1	2	3	5	7	17
TOT. SINGLE DX	1900	2.2	3	<1	1	2	3	4	5	9
" MULTIPLE DX	1254	2.8	15	1	1	2	3	5	7	15
TOTAL 0-27 DYS	3	3.3	10	1	1	2	6	7	7	7
1-11 MOS	24	2.3	3	<1	1	2	3	5	6	6
1-5 YRS	382	2.0	2	<1	1	2	2	3	5	7
6-12 YRS	545	2.2	10	1	1	2	2	3	5	8
13-19 YRS	2200	2.5	8	<1	1	2	3	4	6	13
GRAND TOTAL	3154	2.4	8	<1	1	2	3	4	6	11

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	3.4	1	2	2	3	4	5	5	5
1-5 YRS	89	2.1	2	<1	1	2	3	4	5	8
6-12 YRS	263	2.7	4	1	1	2	3	5	6	10
13-19 YRS	620	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	2	14.5	41	10	10	14	19	19	19	19
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	44	2.9	5	1	1	2	4	6	8	12
6-12 YRS	125	4.0	14	1	1	3	5	8	13	19
13-19 YRS	373	4.8	64	1	1	3	4	8	15	49
TOT. SINGLE DX	981	2.7	5	1	1	2	3	5	6	9
" MULTIPLE DX	545	4.5	49	1	1	3	4	8	14	41
TOTAL 0-27 DYS	3	11.3	50	5	5	10	17	19	19	19
1-11 MOS	9	3.3	1	2	2	3	4	5	5	5
1-5 YRS	133	2.3	3	1	1	2	3	4	6	10
6-12 YRS	388	3.1	8	1	1	2	4	6	8	17
13-19 YRS	993	3.5	28	1	1	2	4	6	8	26
GRAND TOTAL	1526	3.3	21	1	1	2	4	6	8	19

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.5	5	2	2	4	6	7	7	7
1-11 MOS	293	2.8	2	1	1	2	3	5	5	9
1-5 YRS	522	3.0	2	1	1	3	4	5	6	8
6-12 YRS	441	3.5	5	1	1	3	4	6	7	12
13-19 YRS	975	3.6	6	1	1	3	5	6	7	12
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	70	4.0	6	1	1	3	5	7	7	14
1-5 YRS	333	3.5	8	1	2	3	4	6	7	15
6-12 YRS	395	4.7	16	2	2	4	5	8	11	26
13-19 YRS	519	5.7	40	1	2	4	6	10	15	39
TOT. SINGLE DX	2235	3.3	5	1	1	3	4	6	7	10
" MULTIPLE DX	1318	4.8	24	1	2	4	5	8	11	29
TOTAL 0-27 DYS	5	4.6	4	2	2	5	6	7	7	7
1-11 MOS	363	3.0	4	1	1	3	4	5	6	10
1-5 YRS	855	3.2	5	1	1	3	4	5	6	9
6-12 YRS	836	4.1	11	1	2	3	5	7	9	18
13-19 YRS	1494	4.4	19	1	1	4	5	7	9	23
GRAND TOTAL	3553	3.9	12	1	1	3	5	6	8	17

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	14	1.5		<1	1	1	2	2	2	2
1-5 YRS	78	2.6	70	<1	1	1	2	4	5	56
6-12 YRS	61	2.2	4	<1	1	1	2	4	8	12
13-19 YRS	228	2.9	19	<1	1	2	3	5	7	26
2. MULTIPLE DX										
0-27 DYS	21	3.0	3	1	1	2	4	6	7	7
1-11 MOS	6	13.0	524	1	1	2	12	54	59	59
1-5 YRS	21	4.5	25	<1	<1	2	4	13	17	18
6-12 YRS	23	5.3	24	<1	1	3	7	14	16	18
13-19 YRS	105	5.0	72	1	1	2	5	10	24	48
TOT. SINGLE DX	381	2.7	27	<1	1	2	3	5	7	23
" MULTIPLE DX	176	5.0	67	1	1	2	5	10	18	53
TOTAL 0-27 DYS	21	3.0	3	1	1	2	4	6	7	7
1-11 MOS	20	5.0	168	<1	1	2	2	7	35	59
1-5 YRS	99	3.0	61	<1	1	1	2	5	9	47
6-12 YRS	84	3.0	12	<1	1	2	3	8	11	17
13-19 YRS	333	3.6	37	1	1	2	3	6	10	39
GRAND TOTAL	557	3.4	41	1	1	2	3	6	10	38

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	5	3.2	7	<1	<1	2	5	7	7	7
6-12 YRS	2	11.5	145	3	3	11	20	20	20	20
13-19 YRS	18	3.6	5	<1	1	3	5	7	8	8
2. MULTIPLE DX										
0-27 DYS	3	17.0	291	3	3	12	30	36	36	36
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	25.7	726	2	2	20	46	55	55	55
13-19 YRS	16	23.2	410	2	3	20	38	47	64	71
TOT. SINGLE DX	27	4.0	15	<1	1	3	5	8	10	20
" MULTIPLE DX	23	21.8	396	2	2	18	36	49	61	71
TOTAL 0-27 DYS	3	17.0	291	3	3	12	30	36	36	36
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	6	3.0	6	<1	<1	2	5	7	7	7
6-12 YRS	5	20.0	460	2	2	20	29	55	55	55
13-19 YRS	34	12.8	287	1	2	5	18	41	46	71
GRAND TOTAL	50	12.2	266	1	1	5	18	39	47	71

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	1.7		<1	<1	2	2	3	3	3
1-5 YRS	46	3.3	28	1	1	2	3	6	9	35
6-12 YRS	30	3.9	7	1	1	3	6	8	10	10
13-19 YRS	94	4.9	23	1	2	3	6	9	15	28
2. MULTIPLE DX										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	4	13.8	206	1	1	10	23	34	34	34
1-5 YRS	19	5.3	52	1	1	3	5	12	25	32
6-12 YRS	25	6.0	17	1	2	5	9	11	15	17
13-19 YRS	68	8.9	147	1	1	4	10	26	32	95
TOT. SINGLE DX	180	4.2	22	1	1	3	5	8	11	30
" MULTIPLE DX	118	7.8	105	1	1	4	9	21	31	83
TOTAL 0-27 DYS	3	5.7	1	5	5	5	7	7	7	7
1-11 MOS	13	5.4	86	<1	<1	2	4	17	31	34
1-5 YRS	65	3.9	36	1	1	2	4	6	14	35
6-12 YRS	55	4.8	13	1	1	4	7	10	11	17
13-19 YRS	162	6.6	79	1	1	4	8	15	25	71
GRAND TOTAL	298	5.6	58	1	1	3	6	11	20	41

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	16.0	50	11	11	16	21	21	21	21
6-12 YRS	3	6.3	16	2	2	7	9	10	10	10
13-19 YRS	10	12.4	16	6	7	12	13	18	21	21
2. MULTIPLE DX										
0-27 DYS	2	12.0		12	12	12	12	12	12	12
1-11 MOS	2	14.0	8	12	12	14	16	16	16	16
1-5 YRS	5	24.0	368	6	6	20	40	50	50	50
6-12 YRS	2	25.0	338	12	12	25	38	38	38	38
13-19 YRS	20	29.8	348	6	8	25	47	54	62	69
TOT. SINGLE DX	15	11.7	26	3	6	11	13	21	21	21
" MULTIPLE DX	31	26.4	314	6	8	20	39	53	55	69
TOTAL 0-27 DYS	2	12.0		12	12	12	12	12	12	12
1-11 MOS	2	14.0	8	12	12	14	16	16	16	16
1-5 YRS	7	21.7	269	6	6	20	33	47	50	50
6-12 YRS	5	13.8	197	2	2	10	18	38	38	38
13-19 YRS	30	24.0	303	6	8	18	30	53	55	69
GRAND TOTAL	46	21.6	266	6	7	15	29	50	54	69

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0		5	5	5	5	5	5	5
6-12 YRS	3	13.3	165	4	4	8	23	28	28	28
13-19 YRS	13	12.3	35	5	7	9	15	20	26	27
2. MULTIPLE DX										
0-27 DYS	1	71.0		71	71	71	71	71	71	71
1-11 MOS	2	9.5	41	5	5	9	14	14	14	14
1-5 YRS	5	27.4	831	7	7	14	40	77	77	77
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	14	23.4	332	4	6	15	38	52	57	59
TOT. SINGLE DX	18	11.7	51	4	5	9	15	24	28	28
" MULTIPLE DX	23	24.9	473	5	6	14	37	61	73	77
TOTAL 0-27 DYS	1	71.0		71	71	71	71	71	71	71
1-11 MOS	2	9.5	41	5	5	9	14	14	14	14
1-5 YRS	7	21.0	674	5	5	11	24	67	77	77
6-12 YRS	4	14.3	114	4	4	12	22	28	28	28
13-19 YRS	27	18.1	215	5	6	14	25	41	52	59
GRAND TOTAL	41	19.1	326	4	5	14	27	46	64	77

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	4.8		4	4	5	5	5	5	5
1-5 YRS	5	4.0	3	1	1	4	5	6	6	6
6-12 YRS	4	13.3	58	4	4	14	19	20	20	20
13-19 YRS	18	13.2	137	1	3	9	17	32	41	44
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS	7	23.4	913	1	2	12	21	76	90	90
13-19 YRS	19	31.5	555	2	3	31	50	65	69	72
TOT. SINGLE DX	32	10.4	98	1	3	6	12	23	35	44
" MULTIPLE DX	29	26.7	630	2	3	19	42	65	73	90
TOTAL 0-27 DYS										
1-11 MOS	6	4.3	1	2	2	5	5	5	5	5
1-5 YRS	7	4.0	2	1	2	4	5	6	6	6
6-12 YRS	11	19.7	592	1	3	12	20	49	87	90
13-19 YRS	37	22.6	429	2	3	15	37	59	65	72
GRAND TOTAL	61	18.1	411	2	3	10	22	50	64	88

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	44	3.5	23	<1	1	1	4	9	16	22
6-12 YRS	20	3.8	11	<1	<1	3	6	8	11	13
13-19 YRS	40	5.0	18	1	1	4	6	11	16	18
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	11	5.1	65	1	1	2	4	16	28	29
6-12 YRS	17	9.6	84	1	1	8	11	17	33	41
13-19 YRS	29	9.4	186	2	2	6	9	15	26	75
TOT. SINGLE DX	108	4.0	19	<1	1	2	6	9	14	20
" MULTIPLE DX	58	8.6	130	1	2	6	9	16	28	72
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	55	3.9	31	<1	1	2	4	8	18	29
6-12 YRS	37	6.5	52	<1	1	6	9	12	16	41
13-19 YRS	69	6.8	92	1	1	5	8	12	17	66
GRAND TOTAL	166	5.7	62	1	1	3	7	12	17	39

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	20	1.9	1	<1	<1	1	2	4	5	6
6-12 YRS	31	2.1	2	<1	<1	2	2	4	6	7
13-19 YRS	101	3.5	18	<1	1	2	3	7	12	26
2. MULTIPLE DX										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	3.5	6	<1	<1	3	5	8	8	8
6-12 YRS	17	6.1	52	1	1	4	6	17	25	29
13-19 YRS	28	2.5	2	<1	1	2	4	5	5	6
TOT. SINGLE DX	152	3.0	14	<1	1	2	3	6	8	23
" MULTIPLE DX	53	4.0	24	<1	1	2	5	7	10	29
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	26	2.2	3	<1	<1	2	2	5	6	8
6-12 YRS	48	3.5	23	<1	1	2	4	6	8	29
13-19 YRS	129	3.3	15	<1	1	2	3	7	9	24
GRAND TOTAL	205	3.3	16	<1	1	2	3	6	8	26

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	58.0		58	58	58	58	58	58	58
1-5 YRS										
6-12 YRS	4	13.3	242	2	2	8	24	35	35	35
13-19 YRS	5	5.8	47	2	2	3	7	18	18	18
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	12.7	202	3	3	6	23	29	29	29
13-19 YRS	4	4.3	8	2	2	4	6	8	8	8
TOT. SINGLE DX	11	18.0	495	2	2	4	31	58	58	58
" MULTIPLE DX	7	7.9	92	2	2	5	7	25	29	29
TOTAL 0-27 DYS										
1-11 MOS	2	58.0		58	58	58	58	58	58	58
1-5 YRS										
6-12 YRS	7	13.0	189	2	2	6	25	34	35	35
13-19 YRS	9	5.1	27	2	2	3	6	14	18	18
GRAND TOTAL	18	14.1	349	2	2	4	18	31	58	58

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	10	2.7	7	1	1	2	2	6	10	10
1-5 YRS	13	2.8	5	<1	<1	2	3	5	9	10
6-12 YRS	83	2.2		<1	1	2	3	3	4	6
13-19 YRS	2473	2.0	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	4	3.3	3	2	2	3	4	6	6	6
1-11 MOS	6	2.2	4	<1	<1	1	3	6	6	6
1-5 YRS	2	6.0	8	4	4	6	8	8	8	8
6-12 YRS	17	2.3		<1	1	2	3	4	4	4
13-19 YRS	453	3.0	11	1	1	2	3	5	7	15
TOT. SINGLE DX	2581	2.0	1	<1	1	2	2	3	4	5
" MULTIPLE DX	482	3.0	11	<1	1	2	3	5	7	14
TOTAL 0-27 DYS	6	3.2	3	2	2	3	4	6	6	6
1-11 MOS	16	2.5	6	<1	<1	2	3	6	9	10
1-5 YRS	15	3.3	7	<1	<1	3	4	8	9	10
6-12 YRS	100	2.2	1	<1	1	2	3	4	4	5
13-19 YRS	2926	2.2	3	<1	1	2	2	3	4	7
GRAND TOTAL	3063	2.2	3	<1	1	2	2	3	4	8

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	19	2.3		1	1	2	3	4	4	4
13-19 YRS	257	2.6	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	11.0	32	7	7	11	15	15	15	15
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	3	3.0	3	1	1	4	4	4	4	4
13-19 YRS	48	4.6	36	1	2	3	4	11	15	38
TOT. SINGLE DX	279	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	55	4.7	34	1	1	3	4	11	15	37
TOTAL 0-27 DYS										
1-11 MOS	3	8.7	32	4	4	7	13	15	15	15
1-5 YRS	4	3.0	5	1	1	2	4	6	6	6
6-12 YRS	22	2.4	1	1	1	2	3	4	4	4
13-19 YRS	305	2.9	7	1	1	2	3	4	5	13
GRAND TOTAL	334	2.9	7	1	1	2	3	4	6	15

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	14	3.9	6	<1	1	3	5	7	9	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.7	56	1	1	9	14	16	16	16
6-12 YRS	4	8.8	24	2	2	9	12	14	14	14
13-19 YRS	8	5.5	10	2	2	5	8	10	10	10
TOT. SINGLE DX	20	4.1	6	<1	1	3	5	8	9	10
" MULTIPLE DX	15	7.0	22	1	2	6	10	14	15	16
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	5	6.6	37	1	1	5	11	16	16	16
6-12 YRS	6	6.8	25	2	2	6	11	14	14	14
13-19 YRS	22	4.5	8	1	1	4	6	9	10	10
GRAND TOTAL	35	5.3	14	1	2	4	8	10	13	16

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380
and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	13	3.3	3	1	1	3	4	6	7	7
1-11 MOS	4	5.3	7	3	3	4	7	9	9	9
1-5 YRS	8	2.6	7	1	1	1	4	7	8	8
6-12 YRS	44	3.1	6	1	1	2	4	6	8	14
13-19 YRS	1126	3.1	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	7	5.7	10	3	3	4	8	11	11	11
1-11 MOS	7	4.9	6	2	2	4	7	8	8	8
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	5	4.8	9	2	2	4	7	9	9	9
13-19 YRS	313	3.8	12	1	2	3	4	6	8	23
TOT. SINGLE DX	1195	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	333	3.9	13	1	2	3	4	6	8	21
TOTAL 0-27 DYS	20	4.2	7	1	1	4	5	8	10	11
1-11 MOS	11	5.0	6	2	2	4	7	9	9	9
1-5 YRS	9	2.8	7	1	1	1	4	7	8	8
6-12 YRS	49	3.3	7	1	1	2	4	7	9	14
13-19 YRS	1439	3.3	5	1	2	3	4	5	6	9
GRAND TOTAL	1528	3.3	5	1	2	3	4	5	6	10

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.9	3	1	1	2	4	6	6	6
1-5 YRS	14	3.2	14	<1	1	2	3	6	14	16
6-12 YRS	43	3.0	2	1	1	3	4	5	6	8
13-19 YRS	3979	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS										
1-5 YRS	5	4.8	15	1	1	3	9	9	9	9
6-12 YRS	3	4.0	9	<1	<1	4	6	7	7	7
13-19 YRS	491	5.5	29	2	2	4	6	9	13	28
TOT. SINGLE DX	4046	3.8	6	1	2	3	5	6	7	10
" MULTIPLE DX	501	5.5	29	2	2	4	6	9	13	27
TOTAL 0-27 DYS	3	6.0	13	2	2	7	8	9	9	9
1-11 MOS	9	2.9	4	1	1	2	4	6	6	6
1-5 YRS	19	3.6	14	<1	1	2	3	9	13	16
6-12 YRS	46	3.1	3	1	1	3	4	5	6	8
13-19 YRS	4470	4.0	9	1	2	4	5	6	8	12
GRAND TOTAL	4547	4.0	9	1	2	4	5	6	8	12

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	20	4.8	16	2	2	3	5	9	14	19
1-11 MOS	243	2.0	2	<1	<1	2	2	3	5	8
1-5 YRS	1232	1.9	3	<1	<1	1	2	3	5	11
6-12 YRS	1618	2.1	4	<1	<1	2	2	4	5	10
13-19 YRS	2523	2.6	12	<1	<1	2	3	4	6	16
2. MULTIPLE DX										
0-27 DYS	159	4.2	15	1	2	3	5	7	10	23
1-11 MOS	71	4.7	31	<1	1	3	5	8	9	35
1-5 YRS	294	4.2	40	<1	<1	2	4	9	15	39
6-12 YRS	490	3.7	23	<1	1	2	4	8	11	23
13-19 YRS	959	5.4	78	<1	1	3	5	11	19	52
TOT. SINGLE DX	5636	2.3	8	<1	<1	2	2	4	6	12
" MULTIPLE DX	1973	4.7	53	<1	1	2	5	9	15	40
TOTAL 0-27 DYS	179	4.2	15	1	2	3	5	7	10	22
1-11 MOS	314	2.6	10	<1	<1	2	3	5	7	17
1-5 YRS	1526	2.4	12	<1	<1	1	2	4	7	19
6-12 YRS	2108	2.5	9	<1	<1	2	2	4	7	15
13-19 YRS	3482	3.4	32	<1	<1	2	3	6	10	28
GRAND TOTAL	7609	2.9	21	<1	<1	2	3	5	8	22

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	16	4.9	17	2	2	4	5	10	16	18
1-11 MOS	218	4.5	14	<1	1	3	6	9	12	18
1-5 YRS	1519	3.6	24	<1	1	2	4	8	11	24
6-12 YRS	1882	4.3	34	<1	1	2	5	9	14	30
13-19 YRS	3205	4.5	33	<1	1	3	5	9	14	30
2. MULTIPLE DX										
0-27 DYS	176	6.0	42	2	3	5	6	9	14	33
1-11 MOS	245	8.5	75	1	2	6	10	17	24	41
1-5 YRS	1438	6.0	64	1	1	3	7	14	21	42
6-12 YRS	1862	5.9	69	1	1	3	6	14	23	46
13-19 YRS	5514	6.1	89	1	1	3	6	13	22	54
TOT. SINGLE DX	6840	4.3	31	<1	1	3	5	9	13	29
" MULTIPLE DX	9235	6.1	81	1	1	3	6	13	22	50
TOTAL 0-27 DYS	192	5.9	41	2	2	5	6	9	14	33
1-11 MOS	463	6.6	51	1	1	5	9	14	18	29
1-5 YRS	2957	4.8	45	<1	1	3	5	11	16	38
6-12 YRS	3744	5.1	53	1	1	3	5	11	19	39
13-19 YRS	8719	5.5	70	1	1	3	6	11	19	48
GRAND TOTAL	16075	5.3	60	1	1	3	6	11	18	42

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	20	7.7	54	<1	1	5	13	21	22	23
1-5 YRS	222	6.6	61	<1	1	4	8	16	27	43
6-12 YRS	359	7.4	56	1	1	5	10	18	23	37
13-19 YRS	577	7.1	59	1	1	5	10	16	23	39
2. MULTIPLE DX										
0-27 DYS	4	25.8	537	8	8	18	41	59	59	59
1-11 MOS	40	24.0	260	3	5	23	36	50	57	99+
1-5 YRS	185	15.8	188	2	2	12	23	33	38	73
6-12 YRS	200	16.3	224	2	2	12	24	35	45	71
13-19 YRS	357	15.3	242	2	2	9	21	39	49	81
TOT. SINGLE DX	1179	7.1	59	1	1	5	10	16	23	38
" MULTIPLE DX	786	16.1	230	2	2	11	23	37	47	80
TOTAL 0-27 DYS	5	23.4	431	8	8	14	33	59	59	59
1-11 MOS	60	18.6	250	1	2	14	27	48	53	95
1-5 YRS	407	10.8	140	1	1	7	15	28	34	53
6-12 YRS	559	10.6	134	1	1	7	14	26	34	51
13-19 YRS	934	10.2	145	1	1	6	13	26	38	65
GRAND TOTAL	1965	10.7	147	1	1	7	14	28	36	60

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	53	2.7	6	<1	1	2	3	5	9	15
6-12 YRS	120	3.8	40	<1	1	2	3	8	11	38
13-19 YRS	227	4.3	42	1	1	2	4	9	15	36
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	29	6.7	139	1	1	4	7	12	18	65
6-12 YRS	43	6.8	99	1	1	3	5	22	28	50
13-19 YRS	124	8.0	126	1	1	4	7	24	34	71
TOT. SINGLE DX	402	3.9	37	<1	1	2	4	8	14	33
" MULTIPLE DX	196	7.6	121	1	1	3	6	23	31	64
TOTAL 0-27 DYS										
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	82	4.1	56	<1	1	2	4	8	12	49
6-12 YRS	163	4.6	57	<1	1	2	4	9	22	48
13-19 YRS	351	5.6	75	1	1	2	5	15	27	50
GRAND TOTAL	598	5.1	68	1	1	2	5	12	23	50

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.5	1	1	1	2	3	4	4	4
1-11 MOS	61	2.0	1	<1	<1	2	2	3	4	6
1-5 YRS	398	2.5	8	<1	1	2	2	4	7	17
6-12 YRS	535	2.4	5	<1	<1	2	2	4	6	15
13-19 YRS	1253	2.4	5	<1	<1	2	3	4	5	12
2. MULTIPLE DX										
0-27 DYS	14	5.3	7	1	3	5	6	10	11	11
1-11 MOS	24	3.3	5	<1	1	3	4	5	8	12
1-5 YRS	181	3.6	28	<1	1	2	4	7	11	34
6-12 YRS	259	3.6	22	<1	1	2	4	8	10	17
13-19 YRS	517	4.6	58	<1	1	3	5	9	13	42
TOT. SINGLE DX	2251	2.4	6	<1	<1	2	3	4	6	13
" MULTIPLE DX	995	4.1	42	<1	1	2	4	8	12	36
TOTAL 0-27 DYS	18	4.7	8	1	1	4	6	9	11	11
1-11 MOS	85	2.4	3	<1	1	2	3	4	5	10
1-5 YRS	579	2.8	15	<1	1	2	3	5	8	19
6-12 YRS	794	2.8	11	<1	1	2	3	5	8	16
13-19 YRS	1770	3.1	22	<1	1	2	3	5	8	20
GRAND TOTAL	3246	2.9	18	<1	1	2	3	5	8	18

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	11	3.5	16	<1	<1	2	4	10	15	15
1-5 YRS	15	2.8	5	1	1	2	4	7	8	8
6-12 YRS	38	3.6	4	1	1	3	5	6	8	9
13-19 YRS	63	4.6	43	1	1	3	5	8	12	45
2. MULTIPLE DX										
0-27 DYS	6	8.2	27	2	2	6	14	15	15	15
1-11 MOS	10	7.4	77	<1	1	4	6	23	29	29
1-5 YRS	35	4.7	15	1	1	4	5	8	15	18
6-12 YRS	35	4.9	15	2	2	4	5	9	14	20
13-19 YRS	69	7.0	80	2	2	5	8	12	21	59
TOT. SINGLE DX	129	4.0	25	1	1	3	5	8	9	25
" MULTIPLE DX	155	6.1	49	1	2	4	6	13	17	34
TOTAL 0-27 DYS	8	7.1	23	2	2	6	10	15	15	15
1-11 MOS	21	5.4	47	<1	<1	3	5	16	22	29
1-5 YRS	50	4.1	13	1	1	3	5	7	14	18
6-12 YRS	73	4.2	10	1	1	4	5	8	9	19
13-19 YRS	132	5.8	64	1	1	4	6	10	15	52
GRAND TOTAL	284	5.1	39	1	1	4	6	9	15	32

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	4.5	9	1	1	3	6	9	10	10
1-11 MOS	12	3.8	5	1	1	3	5	7	8	8
1-5 YRS	32	3.0	5	<1	<1	2	3	7	8	9
6-12 YRS	86	4.1	30	1	1	2	4	9	13	34
13-19 YRS	767	5.0	21	1	1	3	7	11	14	23
2. MULTIPLE DX										
0-27 DYS	5	12.8	82	2	2	17	20	21	21	21
1-11 MOS	15	6.3	29	<1	1	5	9	14	18	20
1-5 YRS	29	6.6	109	1	2	4	6	10	38	49
6-12 YRS	50	4.5	11	1	1	3	7	9	12	16
13-19 YRS	357	6.9	43	1	2	5	9	15	18	38
TOT. SINGLE DX	905	4.8	22	1	1	3	6	10	14	23
" MULTIPLE DX	456	6.7	44	1	1	5	8	15	18	39
TOTAL 0-27 DYS	13	7.7	51	1	2	4	12	20	21	21
1-11 MOS	27	5.2	20	1	1	4	7	11	15	20
1-5 YRS	61	4.7	57	<1	<1	3	5	8	10	48
6-12 YRS	136	4.2	23	1	1	2	5	9	13	26
13-19 YRS	1124	5.6	29	1	1	4	7	12	16	24
GRAND TOTAL	1361	5.4	30	1	1	3	7	12	16	25

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	3.3	1	2	2	3	4	5	5	5
1-5 YRS	24	5.8	50	1	2	4	7	10	18	36
6-12 YRS	68	4.8	19	1	2	3	6	12	15	20
13-19 YRS	203	5.1	32	1	2	3	6	10	16	29
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	6.2	23	1	1	5	10	13	13	13
1-5 YRS	24	8.9	120	1	2	4	14	19	31	51
6-12 YRS	43	8.3	82	1	2	6	8	18	30	48
13-19 YRS	166	8.8	75	2	2	6	11	22	29	50
TOT. SINGLE DX	300	5.1	31	1	2	3	6	11	15	29
" MULTIPLE DX	238	8.7	80	2	2	6	10	21	29	51
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	9	4.9	15	1	1	3	6	11	13	13
1-5 YRS	48	7.3	86	1	2	4	8	17	23	51
6-12 YRS	111	6.1	46	1	2	3	8	13	19	38
13-19 YRS	369	6.8	55	1	2	4	8	15	23	41
GRAND TOTAL	538	6.7	55	1	2	4	8	15	22	43

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	4	4.3	21	1	1	2	7	11	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	6.0	32	2	2	6	10	10	10	10
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	8	3.9	11	2	2	3	4	10	12	12
TOT. SINGLE DX	7	3.0	13	1	1	2	3	9	11	11
" MULTIPLE DX	13	4.2	12	2	2	2	5	10	12	12
TOTAL 0-27 DYS										
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	4	3.8	18	1	1	2	6	10	10	10
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	12	4.0	13	1	1	3	4	11	12	12
GRAND TOTAL	20	3.8	12	1	1	2	4	10	11	12

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	11	3.7	7	1	1	2	5	8	9	9
1-5 YRS	42	3.1	12	1	1	2	2	7	12	17
6-12 YRS	72	4.4	24	1	1	2	5	11	17	24
13-19 YRS	514	5.0	27	1	1	3	7	11	14	25
2. MULTIPLE DX										
0-27 DYS	14	16.3	486	2	3	7	13	49	73	80
1-11 MOS	41	6.6	58	1	2	3	9	13	21	41
1-5 YRS	57	3.6	20	1	1	2	3	8	16	24
6-12 YRS	77	4.6	20	1	2	2	6	11	13	23
13-19 YRS	370	8.2	77	1	2	6	11	17	25	46
TOT. SINGLE DX	642	4.8	26	1	1	3	6	11	14	24
" MULTIPLE DX	559	7.3	77	1	2	4	9	16	20	46
TOTAL 0-27 DYS	17	13.7	428	1	1	6	11	43	68	80
1-11 MOS	52	6.0	49	1	2	3	8	11	15	41
1-5 YRS	99	3.4	17	1	1	2	2	8	15	21
6-12 YRS	149	4.5	22	1	1	2	6	11	14	24
13-19 YRS	884	6.3	51	1	1	4	8	14	17	35
GRAND TOTAL	1201	6.0	51	1	1	3	8	13	17	34

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1849	4.0	10	1	2	3	4	6	8	15
1-11 MOS	4731	4.2	11	1	1	3	5	8	10	17
1-5 YRS	9662	3.5	10	1	1	3	4	6	8	16
6-12 YRS	11587	3.4	12	1	1	3	4	6	8	17
13-19 YRS	24619	4.1	22	1	1	3	5	7	10	24
2. MULTIPLE DX										
0-27 DYS	4415	8.3	110	2	2	5	8	18	29	61
1-11 MOS	6203	5.9	30	1	2	4	7	11	15	27
1-5 YRS	10541	4.5	19	1	1	3	5	8	12	22
6-12 YRS	10191	4.3	21	1	1	3	5	8	11	23
13-19 YRS	25107	5.4	42	1	1	4	6	10	14	37
TOT. SINGLE DX	52448	3.9	17	1	1	3	5	7	9	20
" MULTIPLE DX	56457	5.3	40	1	1	4	6	10	14	34
TOTAL 0-27 DYS	6264	7.0	85	2	2	4	7	14	25	53
1-11 MOS	10934	5.2	23	1	1	4	6	10	13	23
1-5 YRS	20203	4.0	16	1	1	3	5	7	10	20
6-12 YRS	21778	3.8	17	1	1	3	5	7	10	20
13-19 YRS	49726	4.8	33	1	1	3	5	9	12	32
GRAND TOTAL	108905	4.6	29	1	1	3	5	8	12	28

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	697	3.7	4	1	1	3	5	6	7	12
1-11 MOS	2599	5.0	13	1	2	4	6	9	12	20
1-5 YRS	5360	5.3	36	1	1	3	5	12	20	29
6-12 YRS	3611	7.3	95	1	1	4	7	22	28	47
13-19 YRS	4914	10.1	205	1	1	5	10	29	45	73
2. MULTIPLE DX										
0-27 DYS	2393	8.6	136	2	2	5	8	20	34	65
1-11 MOS	2666	6.0	24	2	2	5	7	11	14	27
1-5 YRS	4198	5.7	34	1	2	4	6	11	18	31
6-12 YRS	2270	8.4	108	1	2	5	9	23	32	52
13-19 YRS	4746	10.9	192	1	2	6	11	29	44	79
TOT. SINGLE DX	17181	7.0	97	1	1	4	7	17	27	55
" MULTIPLE DX	16273	8.1	109	1	2	5	8	18	30	61
TOTAL 0-27 DYS	3090	7.5	111	1	2	4	7	16	28	62
1-11 MOS	5265	5.5	19	1	2	4	7	10	13	22
1-5 YRS	9558	5.5	36	1	1	4	6	12	19	30
6-12 YRS	5881	7.7	100	1	1	4	8	22	30	49
13-19 YRS	9660	10.5	199	1	2	5	11	29	45	77
GRAND TOTAL	33454	7.5	103	1	2	4	7	17	28	58

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7532	3.5	5	1	1	3	4	6	7	11
1-11 MOS	6795	4.3	7	1	2	4	5	8	9	14
1-5 YRS	10748	3.6	6	1	1	3	5	7	8	12
6-12 YRS	5917	4.1	24	1	1	3	5	7	9	23
13-19 YRS	8854	4.9	49	1	1	3	5	8	12	43
2. MULTIPLE DX										
0-27 DYS	8622	7.8	100	2	2	5	7	16	26	58
1-11 MOS	9845	5.1	16	2	2	4	6	9	12	19
1-5 YRS	14908	4.2	11	1	2	3	5	7	9	16
6-12 YRS	6421	4.7	34	1	2	3	5	8	11	32
13-19 YRS	10007	6.1	68	1	2	4	6	11	20	49
TOT. SINGLE DX	39846	4.1	19	1	1	3	5	7	9	20
" MULTIPLE DX	49803	5.4	44	1	2	4	6	9	14	38
TOTAL 0-27 DYS	16154	5.8	61	1	2	4	6	10	17	46
1-11 MOS	16640	4.8	13	1	2	4	6	8	11	17
1-5 YRS	25656	4.0	10	1	1	3	5	7	9	15
6-12 YRS	12338	4.4	30	1	1	3	5	8	10	28
13-19 YRS	18861	5.5	60	1	1	4	6	10	17	46
GRAND TOTAL	89649	4.8	33	1	2	4	5	8	12	32

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number — Title

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions — *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, exept of hand
    - 728 Hand

OPERATION INDEX (continued)

Group Number — Title

- Division (continued)
  - 508 Peripheral nerve
  - 511 Sympathetic nerve or ganglion
- 659 Dorsal or lateral slit of prepuce
- Drainage — *see also Incision (and drainage)*
  - 647 Bladder, except surgical approach
    - 638 Surgical approach (suprapubic)
  - 569 Chest
  - 537 Middle ear
- 763 Drug therapy
- 598 Duodenectomy

- 764 ECG (electrocardiogram)
- 758 Echoencephalography
- 764 EEG (electroencephalogram)
- 764 EKG (electrocardiogram)
- 764 Electrocardiogram (ECG) (EKG)
- 764 Electroencephalogram (EEG)
- 752 Electrolysis, skin
- 753 Encephalography
- Endoscopy
  - 636 Bladder
  - 567 Bronchus
  - 619 Colon, except surgical approach
    - 609 Surgical approach (transabdominal)
  - 682 Cul-de-sac, except for tubal ligation
    - 664 Tubal ligation
  - 589 Esophagus
  - 589 Gastric, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 576 Larynx
  - 628 Peritoneum
  - 557 Pharynx
  - 609 Small intestine
  - 589 Stomach, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 570 Thorax, transpleural
  - 636 Urethra
  - 679 Uterus
  - 686 Vagina
- 602 Enterostomy
- 532 Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number **Title**

- Excision of lesion (continued)
  - 660 Ovary
  - 550 Parotid gland
  - 658 Penis
  - Perineum
    - 683 Female
    - 747 Male
  - 508 Peripheral nerve
  - 607 Perirectal tissue
  - 626 Peritoneum
  - 606 Rectum
  - 550 Salivary gland
  - 524 Sclera
  - 651 Scrotum
  - 747 Skin, except radical and of pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
    - 748 Radical
  - 501 Skull
  - 597 Small intestine
  - 507 Spinal meninges
  - 592 Stomach
  - 727 Tendon
  - 654 Testis
  - 552 Tongue
  - 559 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterine ligament
  - 670 Uterus
  - 682 Vagina
  - 559 Vocal cord
  - 683 Vulva
- Exenteration
  - 532 Eyeball, orbit
  - 673 Pelvic
- Exploration
  - 627 Abdominal cavity
  - 617 Bile duct
  - 632 Kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- 579 Extracorporeal circulation

OPERATION INDEX (continued)

Group Number **Title**

- Extraction
  - 688 Breech, for delivery
  - 547 Dental
  - 686 Menstrual
  - 547 Teeth
  - 689 Vacuum, for delivery

- 751 Face lift
- 730 Fasciectomy, except of hand
  - 728 Hand
- 726 Fasciotomy, except of hand
  - 728 Hand
- Fistulectomy
  - 610 Anal
  - 638 Bladder
  - 556 Branchial cleft
  - 564 Bronchus
  - 601 Intestine
  - 542 Nasal
  - 542 Nasolabial
  - 546 Oroantral
  - 609 Perirectal
  - 556 Pharynx
  - 640 Rectourethral
  - 679 Rectouterine
  - 681 Rectovaginal
  - 638 Rectovesical
  - 609 Rectum
  - 562 Tracheoesophageal
- 523 Fistulization, sclera (for glaucoma)
- 741 Fitting, limb prosthesis
- 706 Fixation, internal, of bone, except with fracture-reduction
  - With fracture-reduction — *see Fracture-reduction*
- 689 Forceps delivery, except low forceps
  - 687 Low forceps
- Formation
  - 581 Arteriovenous shunt for dialysis
  - 634 Ileal conduit or bladder
- Fracture-reduction, except facial bone, femur, and nose
  - 713 Closed, except with internal fixation
    - 711 With internal fixation
  - 713 Open, except with internal fixation
    - 712 With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number **Title**

- Reduction (continued)
  - Femur
    - 710 Closed, except with internal fixation
      - 708 With internal fixation
    - 710 Open, except with internal fixation
      - 709 With internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 619 Hemorrhoids
- Hernia — *see also Herniorrhaphy*
  - 764 Manual
- 601 Intestinal torsion
- 601 Intussusception, intestine
- 745 Mammoplasty
- 601 Volvulus, intestine
- Release
  - Adhesions — *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - Hernia — *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration — *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand

OPERATION INDEX (continued)

Group Number — Title

- Repair (continued)
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand
    - 728 Hand
  - 541 Nasal septum, submucous
  - 530 Ocular muscle
  - 660 Ovary
  - 608 Rectum (abdominoperineal) (pull-through)
  - 549 Root of tooth
  - 598 Small intestine
  - 730 Tendon, except of hand
    - 728 Hand
- 548 Restoration, tooth
- 758 Retrograde pyelogram
- Revision
  - 739 Amputation stump
  - 581 Arteriovenous shunt for dialysis
  - 596 Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number **Title**

- Sphincterotomy (continued)
  - 638 Bladder neck
- Spinal
  - 720 Fusion
  - 512 Tap or puncture
- 586 Splenectomy
- 721 Stabilization of joint, except foot and knee
  - 725 Foot
  - 724 Knee
- 535 Stapedectomy
- 535 Stapes mobilization
- 644 Stress incontinence repair, except by urethral suspension
  - 643 Urethral suspension
- Stress test
  - 764 Cardiac
  - 764 Fetal
  - 764 Uterine
- 541 Submucous nasal resection
- 690 Surgical induction of labor for delivery
- Suspension
  - 643 Urethra, except with bladder neck
    - 644 With bladder neck
  - 644 Urethrovesical
- Suture – *see also Repair, by site*
  - 730 Muscle, except of hand
    - 729 Hand
  - 748 Skin
  - 730 Tendon, except of hand
    - 729 Hand
- 510 Sympathectomy
- 719 Synovectomy

- 554 T and A
- Takedown – *see Closure*
- 730 Tenosynovectomy, except of hand
  - 728 Hand
- 726 Tenotomy, except of hand
  - 728 Hand
- Termination of pregnancy
  - 676 Aspiration curettage
  - 674 Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin